

Tableau 3.1

Liste des classifications et des étiquetages harmonisés des substances dangereuses

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 001-001-00-9 | hydrogen | 215-605-7 | 1333-74-0 | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | | | U |
| 001-002-00-4 | aluminium lithium hydride | 240-877-9 | 16853-85-3 | Water-react. 1 | H260 | GHS02 Dgr | H260 | | | |
| 001-003-00-X | sodium hydride | 231-587-3 | 7646-69-7 | Water-react. 1 | H260 | GHS02 Dgr | H260 | | | |
| 001-004-00-5 | calcium hydride | 232-189-2 | 7789-78-8 | Water-react. 1 | H260 | GHS02 Dgr | H260 | | | |
| 003-001-00-4 | lithium | 231-102-5 | 7439-93-2 | Water-react. 1 Skin Corr. 1B | H260 H314 | GHS02 GHS05 Dgr | H260 H314 | EUH014 | | |
| 003-002-00-X | n-hexyllithium | 404-950-0 | 21369-64-2 | Water-react. 1 Pyr. Sol. 1 Skin Corr. 1A | H260 H250 H314 | GHS02 GHS05 Dgr | H260 H250 H314 | EUH014 | | |
| 004-001-00-7 | beryllium | 231-150-7 | 7440-41-7 | Carc. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 | H350i H330 H301 H372 (**) H319 H335 H315 H317 | GHS06 GHS08 Dgr | H350i H330 H301 H372 (**) H319 H335 H315 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 004-002-00-2 | beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex | — | — | Carc. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H350i H330 H301 H372 (**) H319 H335 H315 H317 H411 | GHS06 GHS08 GHS09 Dgr | H350i H330 H301 H372 (**) H319 H335 H315 H317 H411 | | | A |
| 004-003-00-8 | beryllium oxide | 215-133-1 | 1304-56-9 | Carc. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 | H350i H330 H301 H372 (**) H319 H335 H315 H317 | GHS06 GHS08 Dgr | H350i H330 H301 H372 (**) H319 H335 H315 H317 | | | |
| 005-001-00-X | boron trifluoride | 231-569-5 | 7637-07-2 | Press. Gas Acute Tox. 2 (*) Skin Corr. 1A | H330 H314 | GHS04 GHS06 GHS05 Dgr | H330 H314 | EUH014 | | U |
| 005-002-00-5 | boron trichloride | 233-658-4 | 10294-34-5 | Press. Gas Acute Tox. 2 (*) Acute Tox. 2 (*) Skin Corr. 1B | H330 H300 H314 | GHS04 GHS06 GHS05 Dgr | H330 H300 H314 | EUH014 | | U |
| 005-003-00-0 | boron tribromide | 233-657-9 | 10294-33-4 | Acute Tox. 2 (*) Acute Tox. 2 (*) Skin Corr. 1A | H330 H300 H314 | GHS06 GHS05 Dgr | H330 H300 H314 | EUH014 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 005-004-00-6 | trialkylboranes, solid | — | — | Pyr. Sol. 1 Skin Corr. 1B | H250 H314 | GHS02 GHS05 Dgr | H250 H314 | | | A |
| 005-004-01-3 | trialkylboranes, liquid | — | — | Pyr. Liq. 1 Skin Corr. 1B | H250 H314 | GHS02 GHS05 Dgr | H250 H314 | | | A |
| 005-005-00-1 | trimethyl borate | 204-468-9 | 121-43-7 | Flam. Liq. 3 Acute Tox. 4 (*) | H226 H312 | GHS02 GHS07 Wng | H226 H312 | | | |
| 005-006-00-7 | dibutyltin hydrogen borate | 401-040-5 | 75113-37-0 | STOT RE 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H372 (**) H312 H302 H318 H317 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H372 (**) H312 H302 H318 H317 H410 | | | |
| 005-009-00-3 | tetrabutylammonium butyltriphenylborate | 418-080-4 | 120307-06-4 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 005-010-00-9 | N,N-dimethylanilinium tetrakis(pentafluorophenyl)borate | 422-050-6 | 118612-00-3 | Carc. 2 Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 | H351 H302 H315 H318 | GHS08 GHS05 GHS07 Dgr | H351 H302 H315 H318 | | | |
| 005-012-00-X | diethyl{4-[1,5,5-tris(4-diethylaminophenyl)penta-2,4-dienylidene]cyclohexa-2,5-dienylidene}ammonium butyltriphenylborate | 418-070-1 | 141714-54-7 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-001-00-2 | carbon monoxide | 211-128-3 | 630-08-0 | Flam. Gas 1 Press. Gas Repr. 1A Acute Tox. 3 (*) STOT RE 1 | H220 H360-D (***) H331 H372 (**) | GHS02 GHS04 GHS06 GHS08 Dgr | H220 H360D (***) H331 H372 (**) | | | U |
| 006-002-00-8 | phosgene; carbonyl chloride | 200-870-3 | 75-44-5 | Press. Gas Acute Tox. 2 (*) Skin Corr. 1B | H330 H314 | GHS04 GHS06 GHS05 Dgr | H330 H314 | | | U |
| 006-003-00-3 | carbon disulphide | 200-843-6 | 75-15-0 | Flam. Liq. 2 Repr. 2 STOT RE 1 Eye Irrit. 2 Skin Irrit. 2 | H225 H361fd H372 (**) H319 H315 | GHS02 GHS08 GHS07 Dgr | H225 H361fd H372 (**) H319 H315 | | Repr. 2; H361fd: C ≥ 1 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0.2 % ≤ C < 1 % | |
| 006-004-00-9 | calcium carbide | 200-848-3 | 75-20-7 | Water-react. 1 | H260 | GHS02 Dgr | H260 | | | T |
| 006-005-00-4 | thiram (ISO); tetramethylthiuram disulphide | 205-286-2 | 137-26-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H332 H302 H373 (**) H319 H315 H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H332 H302 H373 (**) H319 H315 H317 H410 | | M=10 | |
| 006-006-00-X | hydrogen cyanide; hydrocyanic acid | 200-821-6 | 74-90-8 | Flam. Liq. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H224 H330 H400 H410 | GHS02 GHS06 GHS09 Dgr | H224 H330 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-006-01-7 | hydrogen cyanide ... %; hydrocyanic acid ... % | 200-821-6 | 74-90-8 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H400 H410 | GHS06 GHS09 Dgr | H330 H310 H300 H410 | | | B |
| 006-007-00-5 | salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide | — | — | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H400 H410 | GHS06 GHS09 Dgr | H330 H310 H300 H410 | EUH032 | | A |
| 006-008-00-0 | antu (ISO); 1-(1-naphthyl)-2-thiourea | 201-706-3 | 86-88-4 | Acute Tox. 2 (*) Carc. 2 | H300 H351 | GHS06 GHS08 Dgr | H300 H351 | | | |
| 006-009-00-6 | 1-isopropyl-3-methylpyrazol-5-yl dimethylcarbamate; isolan | 204-318-2 | 119-38-0 | Acute Tox. 1 Acute Tox. 2 (*) | H310 H300 | GHS06 Dgr | H310 H300 | | | |
| 006-010-00-1 | 5,5-dimethyl-3-oxocyclohex-1-enyl dimethylcarbamate 5,5-dimethyldihydroresorcinol dimethylcarbamate; dimetan | 204-525-8 | 122-15-6 | Acute Tox. 3 (*) | H301 | GHS06 Dgr | H301 | | | |
| 006-011-00-7 | carbaryl (ISO); 1-naphthyl methylcarbamate | 200-555-0 | 63-25-2 | Carc. 2 Acute Tox. 4 (*) Aquatic Acute 1 | H351 H302 H400 | GHS08 GHS07 GHS09 Wng | H351 H302 H400 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-012-00-2 | ziram (ISO); zinc bis dimethyldithiocarbamate | 205-288-3 | 137-30-4 | Acute Tox. 2 (*) Acute Tox. 4 (*) STOT RE 2 (*) STOT SE 3 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H302 H373 (**) H335 H318 H317 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H330 H302 H373 (**) H335 H318 H317 H410 | | M=100 | |
| 006-013-00-8 | metam-sodium (ISO); sodium methyldithiocarbamate | 205-293-0 | 137-42-8 | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H314 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H314 H317 H410 | EUH031 | | |
| 006-014-00-3 | nabam (ISO); disodium ethylenebis(N, N'-dithiocarbamate) | 205-547-0 | 142-59-6 | Acute Tox. 4 (*) STOT SE 3 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H335 H317 H410 | GHS07 GHS09 Wng | H302 H335 H317 H410 | | | |
| 006-015-00-9 | diuron (ISO); 3-(3,4-dichlorophenyl)-1,1-dimethylurea | 206-354-4 | 330-54-1 | Carc. 2 Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H302 H373 (**) H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H302 H373 (**) H410 | | | |
| 006-016-00-4 | propoxur (ISO); 2-isopropoxyphenyl N-methylcarbamate; 2-isopropoxyphenyl methylcarbamate | 204-043-8 | 114-26-1 | Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H400 H410 | GHS06 GHS09 Dgr | H301 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-017-00-X | aldicarb (ISO); 2-méthyl-2-(méthylthio)propanal-O-(N-méthylcarbamoyl)oxime | 204-123-2 | 116-06-3 | Acute Tox. 2 (*) Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chron- ic 1 | H330 H300 H311 H400 H410 | GHS06 GHS09 Dgr | H330 H300 H311 H410 | | | |
| 006-018-00-5 | aminocarb (ISO); 4-diméthylamino-3-tolyl méthylcarbamate | 217-990-7 | 2032-59-9 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chron- ic 1 | H311 H301 H400 H410 | GHS06 GHS09 Dgr | H311 H301 H410 | | | |
| 006-019-00-0 | di-allate (ISO); S-(2,3-dichloroallyl)-N,N-diisopropylthiocar- bamate | 218-961-1 | 2303-16-4 | Carc. 2 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chron- ic 1 | H351 H302 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H302 H410 | | | |
| 006-020-00-6 | barban (ISO); 4-chlorbut-2-ynyl N-(3-chlorophenyl)carba- mate | 202-930-4 | 101-27-9 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chron- ic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 006-021-00-1 | linuron (ISO); 3-(3,4-dichlorophenyl)-1-méthoxy-1-méthyl- lurea | 206-356-5 | 330-55-2 | Repr. 1B Carc. 2 Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chron- ic 1 | H360- Df H351 H302 H373 (**) H400 H410 | GHS08 GHS07 GHS09 Dgr | H360Df H351 H302 H373 (**) H410 | | | |
| 006-022-00-7 | decarbofuran (ISO); 2,3-dihydro-2-méthylbenzofuran-7-yl méthylcarbamate | — | 1563-67-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H331 H311 H301 | GHS06 Dgr | H331 H311 H301 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|--|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-023-00-2 | mercaptodiméthure (ISO); méthiocarb (ISO); 3,5-diméthyl-4-méthylthiophényl N-méthylcarbamate | 217-991-2 | 2032-65-7 | Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronique 1 | H301 H400 H410 | GHS06 GHS09 Dgr | H301 H410 | | | |
| 006-024-00-8 | proxan-sodium (ISO); sodium O-isopropylldithiocarbonate | 205-443-5 | 140-93-2 | Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Chronique 2 | H302 H315 H411 | GHS07 GHS09 Wng | H302 H315 H411 | | | |
| 006-025-00-3 | allethrin; (RS)-3-allyl-2-méthyl-4-oxocyclopent-2-ényl (1R,3R); 1R,3SR)-2,2-diméthyl-3-(2-méthylprop-1-ényl)cyclopropanecarboxylate; bioallethrin; (RS)-3-allyl-2-méthyl-4-oxocyclopent-2-ényl (1R,3R)-2,2-diméthyl-3-(2-méthylprop-1-ényl)cyclopropanecarboxylate; [1] S-bioallethrin; (S)-3-allyl-2-méthyl-4-oxocyclopent-2-ényl (1R,3R)-2,2-diméthyl-3-(2-méthylprop-1-ényl)cyclopropanecarboxylate; [2] esbiothrin; (RS)-3-allyl-2-méthyl-4-oxocyclopent-2-ényl (1R,3R)-2,2-diméthyl-3-(2-méthylprop-1-ényl)cyclopropanecarboxylate [3] | 209-542-4 [1] 249-013-5 [2] — [3] | 584-79-2 [1] 28434-00-6 [2] 84030-86-4 [3] | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronique 1 | H332 H302 H400 H410 | GHS07 GHS09 Wng | H332 H302 H410 | | C | |
| 006-026-00-9 | carbofuran (ISO); 2,3-dihydro-2,2-diméthylbenzofuran-7-yl N-méthylcarbamate | 216-353-0 | 1563-66-2 | Acute Tox. 2 (*) Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronique 1 | H330 H300 H400 H410 | GHS06 GHS09 Dgr | H330 H300 H410 | | | |
| 006-028-00-X | dinobutone (ISO); 2-(1-méthylpropyl)-4,6-dinitrophényl isopropyl carbonate | 213-546-1 | 973-21-7 | Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronique 1 | H301 H400 H410 | GHS06 GHS09 Dgr | H301 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-029-00-5 | dioxacarb (ISO); 2-(1,3-dioxolan-2-yl)phenyl N-methylcarbamate | 230-253-4 | 6988-21-2 | Acute Tox. 3 (*) Aquatic Chronic 2 | H301 H411 | GHS06 GHS09 Dgr | H301 H411 | | | |
| 006-030-00-0 | EPTC (ISO); S-ethyl dipropylthiocarbamate | 212-073-8 | 759-94-4 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 006-031-00-6 | formetanate (ISO); 3-[(EZ)-dimethylaminomethyleneamino] phenyl methylcarbamate | 244-879-0 | 22259-30-9 | Acute Tox. 2 (*) Acute Tox. 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H300 H317 H400 H410 | GHS06 GHS09 Dgr | H330 H300 H317 H410 | | | |
| 006-032-00-1 | monolinuron (ISO); 3-(4-chlorophenyl)-1-methoxy-1-methylurea | 217-129-5 | 1746-81-2 | Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H373 (**) H400 H410 | GHS08 GHS07 GHS09 Wng | H302 H373 (**) H410 | | | |
| 006-033-00-7 | metoxuron (ISO); 3-(3-chloro-4-methoxyphenyl)-1,1-dimethylurea | 243-433-2 | 19937-59-8 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 006-034-00-2 | pebulate (ISO); N-butyl-N-ethyl-S-propylthiocarbamate | 214-215-4 | 1114-71-2 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 006-035-00-8 | pirimicarb (ISO); 5,6-dimethyl-2-dimethylamino-pyrimidin-4-yl N,N-dimethylcarbamate | 245-430-1 | 23103-98-2 | Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H400 H410 | GHS06 GHS09 Dgr | H301 H410 | | | |
| 006-036-00-3 | benzthiazuron (ISO); 1-benzothiazol-2-yl-3-methylurea | 217-685-9 | 1929-88-0 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-037-00-9 | promecarb (ISO); 3-isopropyl-5-methylphenyl N-methylcarbamate | 220-113-0 | 2631-37-0 | Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H400 H410 | GHS06 GHS09 Dgr | H301 H410 | | | |
| 006-038-00-4 | sulfallate (ISO); 2-chloroallyl N,N-dimethyldithiocarbamate | 202-388-9 | 95-06-7 | Carc. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H302 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H302 H410 | | | |
| 006-039-00-X | tri-allate (ISO); S—2,3,3-trichloroallyl diisopropylthiocarbamate | 218-962-7 | 2303-17-5 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H373 (**) H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H302 H373 (**) H317 H410 | | | |
| 006-040-00-5 | 3-methylpyrazol-5-yl-dimethylcarbamate; monometilan | — | 2532-43-6 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H331 H311 H301 | GHS06 Dgr | H331 H311 H301 | | | |
| 006-041-00-0 | dimethylcarbamoyl chloride | 201-208-6 | 79-44-7 | Carc. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H350 H331 H302 H319 H335 H315 | GHS06 GHS08 Dgr | H350 H331 H302 H319 H335 H315 | | Carc. 1B; H350: C ≥ 0,001 % | |
| 006-042-00-6 | monuron (ISO); 3-(4-chlorophenyl)-1,1-dimethylurea | 205-766-1 | 150-68-5 | Carc. 2 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H302 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-043-00-1 | 3-(4-chlorophenyl)-1,1-diméthyluronium trichloroacetate; monuron-TCA | — | 140-41-0 | Carc. 2 Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H319 H315 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H319 H315 H410 | | | |
| 006-044-00-7 | isoproturon (ISO); 3-(4-isopropylphenyl)-1,1-diméthylurea | 251-835-4 | 34123-59-6 | Carc. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H400 H410 | GHS08 GHS09 Wng | H351 H410 | | M=10 | |
| 006-045-00-2 | methomyl (ISO); 1-(méthylthio)éthylidèneamino N-méthylcarbamate | 240-815-0 | 16752-77-5 | Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H400 H410 | GHS06 GHS09 Dgr | H300 H410 | | | |
| 006-046-00-8 | bendiocarb (ISO); 2,2-diméthyl-1,3-benzodioxol-4-yl N-méthylcarbamate | 245-216-8 | 22781-23-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H312 H410 | GHS06 GHS09 Dgr | H331 H301 H312 H410 | | | |
| 006-047-00-3 | bufen carb (ISO); réaction mass of 3-(1-méthylbutyl)phényl N-méthylcarbamate and 3-(1-éthylpropyl)phényl N-méthylcarbamate | — | 8065-36-9 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H311 H301 H400 H410 | GHS06 GHS09 Dgr | H311 H301 H410 | | | |
| 006-048-00-9 | ethiofencarb (ISO); 2-(éthylthiométhyl)phényl N-méthylcarbamate | 249-981-9 | 29973-13-5 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 006-049-00-4 | dixanthogène; O,O-diéthyl dithiobis(thioformate) | 207-944-4 | 502-55-6 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-050-00-X | 1,1-diméthyl-3-phényluronium trichloroacétate; fenuron-TCA | — | 4482-55-7 | Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H315 H400 H410 | GHS07 GHS09 Wng | H315 H410 | | | |
| 006-051-00-5 | ferbam (ISO); iron tris(diméthylthiocarbamate) | 238-484-2 | 14484-64-1 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H335 H315 H400 H410 | GHS07 GHS09 Wng | H319 H335 H315 H410 | | | |
| 006-052-00-0 | formétanate hydrochloride; 3-(N,N-diméthylaminométhylèneamino) phényl N-méthylcarbamate | 245-656-0 | 23422-53-9 | Acute Tox. 2 (*) Acute Tox. 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H300 H317 H400 H410 | GHS06 GHS09 Dgr | H330 H300 H317 H410 | | | |
| 006-053-00-6 | isoprocarb (ISO); 2-isopropylphényl N-méthylcarbamate | 220-114-6 | 2631-40-5 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 006-054-00-1 | mexacarbonate (ISO); 3,5-diméthyl-4-diméthylaminophényl N-méthylcarbamate | 206-249-3 | 315-18-4 | Acute Tox. 2 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H312 H400 H410 | GHS06 GHS09 Dgr | H300 H312 H410 | | | |
| 006-055-00-7 | xylylcarb (ISO); 3,4-diméthylphényl N-méthylcarbamate; 3,4-xylyl méthylcarbamate; MPMC | 219-364-9 | 2425-10-7 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 006-056-00-2 | metolcarb (ISO); m-tolyl méthylcarbamate; MTMC | 214-446-0 | 1129-41-5 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-057-00-8 | nitrapyrin (ISO); 2-chloro-6-trichlorométhylpyridine | 217-682-2 | 1929-82-4 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 006-058-00-3 | noruron (ISO); 1,1-diméthyl-3-(perhydro-4,7-méthanoindén-5-yl)urée | — | 2163-79-3 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 006-059-00-9 | oxamyl (ISO); N,N'-diméthylcarbamoyl(méthylthio)méthylénamine N-méthylcarbamate; | 245-445-3 | 23135-22-0 | Acute Tox. 2 (*) Acute Tox. 2 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H330 H300 H312 H411 | GHS06 GHS09 Dgr | H330 H300 H312 H411 | | | |
| 006-060-00-4 | oxycarboxin (ISO); 2,3-dihydro-6-méthyl-5-(N-phénylcarbamoyl)-1,4-oxothiine 4,4-dioxyde | 226-066-2 | 5259-88-1 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 006-061-00-X | S-éthyl N-(diméthylaminopropyl)thiocarbamatehydrochloride; prothiocarb hydrochloride | 243-193-9 | 19622-19-6 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 006-062-00-5 | méthyl 3,4-dichlorophénylcarbanilate; SWEP. | — | 1918-18-9 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 006-063-00-0 | thiobencarb (ISO); S-4-chlorobenzyl diéthylthiocarbamate | 248-924-5 | 28249-77-6 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 006-064-00-6 | thiofanox (ISO); 3,3-diméthyl-1-(méthylthio)butanone-O-(N-méthylcarbamoyl)oxime | 254-346-4 | 39196-18-4 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-065-00-1 | 3-chloro-6-cyano-bicyclo(2,2,1)heptan-2-one-O-(N-methylcarbamoyl)oxime; triamid | — | 15271-41-7 | Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Chronic 2 | H300 H311 H411 | GHS06 GHS09 Dgr | H300 H311 H411 | | | |
| 006-066-00-7 | vernolate (ISO); S-propyl dipropylthiocarbamate | 217-681-7 | 1929-77-7 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 006-067-00-2 | XMC; 3,5-xylyl methylcarbamate | — | 2655-14-3 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 006-068-00-8 | diazomethane | 206-382-7 | 334-88-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | |
| 006-069-00-3 | thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido)benzene | 245-740-7 | 23564-05-8 | Muta. 2 Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H341 H332 H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H341 H332 H317 H410 | | | |
| 006-070-00-9 | furmecyclox (ISO); N-cyclohexyl-N-methoxy-2,5-dimethyl-3-furamide | 262-302-0 | 60568-05-0 | Carc. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H400 H410 | GHS08 GHS09 Wng | H351 H410 | | | |
| 006-071-00-4 | cyclooct-4-en-1-yl methyl carbonate | 401-620-8 | 87731-18-8 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 006-072-00-X | prosulfocarb (ISO); S-benzyl N,N-dipropylthiocarbamate | 401-730-6 | 52888-80-9 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H302 H317 H411 | GHS07 GHS09 Wng | H302 H317 H411 | | | |
| 006-073-00-5 | 3-(dimethylamino)propylurea | 401-950-2 | 31506-43-1 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-074-00-0 | 2-(3-(prop-1-en-2-yl)phenyl)prop-2-yl isocyanate | 402-440-2 | 2094-99-7 | Acute Tox. 2 (*) Skin Corr. 1B STOT RE 2 (*) Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H314 H373 (**) H334 H317 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H330 H314 H373 (**) H334 H317 H410 | | | |
| 006-076-00-1 | mancozeb (ISO) | — | 8018-01-7 | STOT SE 3 Skin Sens. 1 | H335 H317 | GHS07 Wng | H335 H317 | | | |
| 006-077-00-7 | maneb (ISO) | 235-654-8 | 12427-38-2 | STOT SE 3 Skin Sens. 1 | H335 H317 | GHS07 Wng | H335 H317 | | | |
| 006-078-00-2 | zineb (ISO); zinc ethylenebis(dithiocarbamate) (polymeric) | 235-180-1 | 12122-67-7 | STOT SE 3 Skin Sens. 1 | H335 H317 | GHS07 Wng | H335 H317 | | | |
| 006-079-00-8 | disulfiram; tetraethylthiuramdisulfide | 202-607-8 | 97-77-8 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H373 (**) H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H302 H373 (**) H317 H410 | | | |
| 006-080-00-3 | tetramethylthiuram monosulphide | 202-605-7 | 97-74-5 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H302 H317 H411 | GHS07 GHS09 Wng | H302 H317 H411 | | | |
| 006-081-00-9 | zinc bis(dibutylthiocarbamate) | 205-232-8 | 136-23-2 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H319 H335 H315 H317 H400 H410 | GHS07 GHS09 Wng | H319 H335 H315 H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-082-00-4 | zinc bis(diethyldithiocarbamate) | 238-270-9 | 14324-55-1 | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H335 H315 H317 H400 H410 | GHS07 GHS09 Wng | H302 H319 H335 H315 H317 H410 | | | |
| 006-083-00-X | butocarboxim (ISO); 3-(methylthio)-2-butanone O-[(methylamino)carbonyl]oxime | 252-139-3 | 34681-10-2 | Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H226 H331 H311 H301 H319 H400 H410 | GHS02 GHS06 GHS09 Dgr | H226 H331 H311 H301 H319 H410 | | | |
| 006-084-00-5 | carbosulfan (ISO); 2,3-dihydro-2,2-dimethyl-7-benzofuryl [(dibutylamino)thio]methylcarbamate | 259-565-9 | 55285-14-8 | Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H317 H400 H410 | GHS06 GHS09 Dgr | H331 H301 H317 H410 | | | |
| 006-085-00-0 | fenobucarb (ISO); 2-butylphenyl methylcarbamate | 223-188-8 | 3766-81-2 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 006-086-00-6 | ethyl [2-(4-phenoxyphenoxy)ethyl]carbamate; fenoxycarb | 276-696-7 | 72490-01-8 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 006-087-00-1 | 2,3-dihydro-2,2-diméthyl-7-benzofuryl 2,4-diméthyl-6-oxa-5-oxo-3-thia-2,4-diazadecanoate; furathiocarb | 265-974-3 | 65907-30-4 | Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 2 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H301 H373 (**) H319 H315 H317 H410 | GHS06 GHS08 GHS09 Dgr | H330 H301 H373 (**) H319 H315 H317 H410 | | | |
| 006-088-00-7 | benfuracarb; ethyl N-[2,3-dihydro-2,2-diméthylbenzofuran-7-yloxy-carbonyl(méthyl)aminothio]-N-isopropyl-β-alaninate | — | 82560-54-1 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H301 H410 | | | |
| 006-089-00-2 | chlorine dioxide | 233-162-8 | 10049-04-4 | Ox. Gas 1 Press. Gas Acute Tox. 2 (*) Skin Corr. 1B Aquatic Acute 1 | H270 H330 H314 H400 | GHS03 GHS04 GHS06 GHS05 GHS09 Dgr | H270 H330 H314 H400 | EUH006 | M=1000 | U |
| 006-089-01-X | chlorine dioxide . . . % | 233-162-8 | 10049-04-4 | Acute Tox. 3 (*) Skin Corr. 1B Aquatic Acute 1 | H301 H314 H400 | GHS06 GHS05 GHS09 Dgr | H301 H314 H400 | | Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Irrit. 2; H319: 0,3 % ≤ C < 10 % STOT SE 3; H335: C ≥ 3 % M=10 | B |
| 006-090-00-8 | 2-(3-iodoprop-2-yn-1-yloxy)ethyl phenyl-carbamate | 408-010-0 | 88558-41-2 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3 | H332 H318 H412 | GHS05 GHS07 Dgr | H332 H318 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------------|----------------------------------|---|--------------------------------|--|--------------------------------|---|---|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 007-001-00-5 | ammonia, anhydrous | 231-635-3 | 7664-41-7 | Flam. Gas 2 Press. Gas Acute Tox. 3 (*) Skin Corr. 1B Aquatic Acute 1 | H221 H331 H314 H400 | GHS04 GHS06 GHS05 GHS09 Dgr | H221 H331 H314 H400 | | | U |
| 007-001-01-2 | ammonia% | 215-647-6 | 1336-21-6 | Skin Corr. 1B Aquatic Acute 1 | H314 H400 | GHS05 GHS09 Dgr | H314 H400 | | STOT SE 3; H335: C ≥ 5 % | B |
| 007-002-00-0 | nitrogen dioxide; [1] dinitrogen tetraoxide [2] | 233-272-6 [1] 234-126-4 [2] | 10102-44-0 [1] 10544-72-6 [2] | Press. Gas Acute Tox. 2 (*) Skin Corr. 1B | H330 H314 | GHS04 GHS06 GHS05 Dgr | H330 H314 | | (*) | U 5 |
| 007-003-00-6 | chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride | 213-666-4 | 999-81-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H312 H302 | GHS07 Wng | H312 H302 | | | |
| 007-004-00-1 | nitric acid ... % | 231-714-2 | 7697-37-2 | Ox. Liq. 3 Skin Corr. 1A | H272 H314 | GHS03 GHS05 Dgr | H272 H314 | | Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 % Ox. Liq. 3; H272: C ≥ 65 % | B |
| 007-006-00-2 | ethyl nitrite | 203-722-6 | 109-95-5 | Flam. Gas 1 Press. Gas Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H220 H332 H312 H302 | GHS02 GHS04 GHS07 Dgr | H220 H332 H312 H302 | | | U |
| 007-007-00-8 | ethyl nitrate | 210-903-3 | 625-58-1 | Unst. Expl. | H200 | GHS01 Dgr | H200 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 007-008-00-3 | hydrazine | 206-114-9 | 302-01-2 | Flam. Liq. 3 Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H226 H350 H331 H311 H301 H314 H317 H400 H410 | GHS02 GHS06 GHS08 GHS05 GHS09 Dgr | H226 H350 H331 H311 H301 H314 H317 H410 | | Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Irrit. 2; H319: 3 % ≤ C < 10 % | |
| 007-009-00-9 | dicyclohexylammonium nitrite | 221-515-9 | 3129-91-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H302 | GHS07 Wng | H332 H302 | | (*) | |
| 007-010-00-4 | sodium nitrite | 231-555-9 | 7632-00-0 | Ox. Sol. 3 Acute Tox. 3 (*) Aquatic Acute 1 | H272 H301 H400 | GHS03 GHS06 GHS09 Dgr | H272 H301 H400 | | (*) | |
| 007-011-00-X | potassium nitrite | 231-832-4 | 7758-09-0 | Ox. Sol. 2 Acute Tox. 3 (*) Aquatic Acute 1 | H272 H301 H400 | GHS03 GHS06 GHS09 Dgr | H272 H301 H400 | | (*) | |
| 007-012-00-5 | N,N-dimethylhydrazine | 200-316-0 | 57-14-7 | Flam. Liq. 2 Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Aquatic Chronic 2 | H225 H350 H331 H301 H314 H411 | GHS02 GHS06 GHS08 GHS05 GHS09 Dgr | H225 H350 H331 H301 H314 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 007-013-00-0 | 1,2-dimethylhydrazine | — | 540-73-8 | Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2 | H350 H331 H311 H301 H411 | GHS06 GHS08 GHS09 Dgr | H350 H331 H311 H301 H411 | | Carc. 1B; H350: C ≥ 0.01 % | |
| 007-014-00-6 | salts of hydrazine | — | — | Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H331 H311 H301 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H331 H311 H301 H317 H410 | | | A |
| 007-015-00-1 | O-ethylhydroxylamine | 402-030-3 | 624-86-2 | Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 | H225 H331 H311 H301 H372 (**) H319 H317 H400 | GHS02 GHS06 GHS08 GHS09 Dgr | H225 H331 H311 H301 H372 (**) H319 H317 H400 | | | |
| 007-016-00-7 | butyl nitrite | 208-862-1 | 544-16-1 | Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) | H225 H331 H301 | GHS02 GHS06 Dgr | H225 H331 H301 | | | |
| 007-017-00-2 | isobutyl nitrite | 208-819-7 | 542-56-3 | Flam. Liq. 2 Carc. 1B Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) | H225 H350 H341 H332 H302 | GHS02 GHS08 GHS07 Dgr | H225 H350 H341 H332 H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|------------------------------|--|---|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 007-018-00-8 | sec-butyl nitrite | 213-104-8 | 924-43-6 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) | H225 H332 H302 | GHS02 GHS07 Dgr | H225 H332 H302 | | | |
| 007-019-00-3 | tert-butyl nitrite | 208-757-0 | 540-80-7 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) | H225 H332 H302 | GHS02 GHS07 Dgr | H225 H332 H302 | | | |
| 007-020-00-9 | pentyl nitrite; [1] 'amyl nitrite', mixed isomers [2] | 207-332-7 [1] 203-770-8 [2] | 463-04-7 [1] 110-46-3 [2] | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) | H225 H332 H302 | GHS02 GHS07 Dgr | H225 H332 H302 | | | |
| 007-021-00-4 | hydrazobenzene; 1,2-diphenylhydrazine | 204-563-5 | 122-66-7 | Carc. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H302 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H302 H410 | | | |
| 007-022-00-X | hydrazine bis(3-carboxy-4-hydroxybenzenesulfonate) | 405-030-1 | — | Carc. 1B Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3 | H350 H302 H314 H317 H412 | GHS08 GHS05 GHS07 Dgr | H350 H302 H314 H317 H412 | | | |
| 007-023-00-5 | sodium 3,5-bis(3-(2,4-di-tert-pentylphenoxy)propylcarbamoyl)benzenesulfonate | 405-510-0 | — | Skin Irrit. 2 Skin Sens. 1 | H315 H317 | GHS07 Wng | H315 H317 | | | |
| 007-024-00-0 | 2-(decylthio)ethylammonium chloride | 405-640-8 | 36362-09-1 | STOT RE 2 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H315 H318 H400 H410 | GHS08 GHS05 GHS09 Dgr | H373 (**) H315 H318 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 007-025-00-6 | (4-hydrazinophenyl)-N-methylmethanesulfonamide hydrochloride | 406-090-1 | 81880-96-8 | Muta. 2 Acute Tox. 3 (*) STOT RE 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H341 H301 H372 (**) H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H341 H301 H372 (**) H317 H410 | | | |
| 007-026-00-1 | oxo-((2,2,6,6-tetramethylpiperidin-4-yl)amino)carbonylaceto-hydrazide | 413-230-5 | 122035-71-6 | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 007-027-00-7 | 1,6-bis(3,3-bis((1-methylpentylideneimino)propyl)ureido)hexane | 420-190-2 | 771478-66-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H373 (**) H314 H317 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H312 H302 H373 (**) H314 H317 H410 | | | |
| 008-001-00-8 | oxygen | 231-956-9 | 7782-44-7 | Ox. Gas 1 Press. Gas | H270 | GHS03 GHS04 Dgr | H270 | | | U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 008-003-00-9 | hydrogen peroxide solution ... % | 231-765-0 | 7722-84-1 | Ox. Liq. 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A | H271 H332 H302 H314 | GHS03 GHS05 GHS07 Dgr | H271 H332 H302 H314 | | Ox. Liq. 1; H271: C ≥ 70 % (****) Ox. Liq. 2; H272: 50 % ≤ C < 70 % (****) (*) Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: 8 % ≤ C < 50 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; H335; C ≥ 35 % | B |
| 009-001-00-0 | fluorine | 231-954-8 | 7782-41-4 | Ox. Gas 1 Press. Gas Acute Tox. 2 (*) Skin Corr. 1A | H270 H330 H314 | GHS03 GHS04 GHS06 GHS05 Dgr | H270 H330 H314 | | | U |
| 009-002-00-6 | hydrogen fluoride | 231-634-8 | 7664-39-3 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Skin Corr. 1A | H330 H310 H300 H314 | GHS06 GHS05 Dgr | H330 H310 H300 H314 | | | |
| 009-003-00-1 | hydrofluoric acid ... % | 231-634-8 | 7664-39-3 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Skin Corr. 1A | H330 H310 H300 H314 | GHS06 GHS05 Dgr | H330 H310 H300 H314 | | Skin Corr. 1A; H314: C ≥ 7 % Skin Corr. 1B; H314: 1 % ≤ C < 7 % Eye Irrit. 2; H319: 0,1 % ≤ C < 1 % | B |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 009-004-00-7 | sodium fluoride | 231-667-8 | 7681-49-4 | Acute Tox. 3 (*) Eye Irrit. 2 Skin Irrit. 2 | H301 H319 H315 | GHS06 Dgr | H301 H319 H315 | EUH032 | | |
| 009-005-00-2 | potassium fluoride | 232-151-5 | 7789-23-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H331 H311 H301 | GHS06 Dgr | H331 H311 H301 | | | |
| 009-006-00-8 | ammonium fluoride | 235-185-9 | 12125-01-8 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H331 H311 H301 | GHS06 Dgr | H331 H311 H301 | | | |
| 009-007-00-3 | sodium bifluoride; sodium hydrogen difluoride | 215-608-3 | 1333-83-1 | Acute Tox. 3 (*) Skin Corr. 1B | H301 H314 | GHS06 GHS05 Dgr | H301 H314 | | (*) Skin Corr. 1B; H314: C ≥ 1 % Skin Irrit. 2; H315: 0,1 % ≤ C < 1 % Eye Irrit. 2; H319: 0,1 % ≤ C < 1 % | |
| 009-008-00-9 | potassium bifluoride; potassium hydrogen difluoride | 232-156-2 | 7789-29-9 | Acute Tox. 3 (*) Skin Corr. 1B | H301 H314 | GHS06 GHS05 Dgr | H301 H314 | | (*) Skin Corr. 1B; H314: C ≥ 1 % Skin Irrit. 2; H315: 0,1 % ≤ C < 1 % Eye Irrit. 2; H319: 0,1 % ≤ C < 1 % | |
| 009-009-00-4 | ammonium bifluoride; ammonium hydrogen difluoride | 215-676-4 | 1341-49-7 | Acute Tox. 3 (*) Skin Corr. 1B | H301 H314 | GHS06 GHS05 Dgr | H301 H314 | | (*) Skin Corr. 1B; H314: C ≥ 1 % Skin Irrit. 2; H315: 0,1 % ≤ C < 1 % Eye Irrit. 2; H319: 0,1 % ≤ C < 1 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|--|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 009-010-00-X | fluoroboric acid ... % | 240-898-3 | 16872-11-0 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % | B |
| 009-011-00-5 | fluorosilicic acid ... % | 241-034-8 | 16961-83-4 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | B |
| 009-012-00-0 | alkali fluorosilicates(Na); [1] alkali fluorosilicates(K); [2] alkali fluorosilicates(NH4) [3] | 240-934-8 [1] 240-896-2 [2] 240-968-3 [3] | 16893-85-9 [1] 16871-90-2 [2] 16919-19-0 [3] | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H331 H311 H301 | GHS06 Dgr | H331 H311 H301 | | (*) | A |
| 009-013-00-6 | fluorosilicates, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | (*) | A |
| 009-014-00-1 | lead hexafluorosilicate | 247-278-1 | 25808-74-6 | Repr. 1A Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H360Df H332 H302 H373 (**) H400 H410 | GHS08 GHS07 GHS09 Dgr | H360Df H332 H302 H373 (**) H410 | | | 1 |
| 009-015-00-7 | sulphuryl difluoride | 220-281-5 | 2699-79-8 | Press. Gas Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 | H331 H373 (**) H400 | GHS04 GHS06 GHS08 GHS09 Dgr | H331 H373 (**) H400 | | | U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------------------|--------------------------|--|-----------------------------------|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 009-016-00-2 | trisodium hexafluoroaluminate; cryolite | 237-410-6 239-148-8 | 13775-53-6 15096-52-3 | STOT RE 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H372 (**) H332 H302 H411 | GHS08 GHS07 GHS09 Dgr | H372 (**) H332 H302 H411 | | | C |
| 009-017-00-8 | potassium mu-fluoro-bis(triethylaluminium) | 400-040-2 | 12091-08-6 | Flam. Sol. 1 Water-react. 1 Skin Corr. 1A Acute Tox. 4 (*) | H228 H270 H314 H332 | GHS02 GHS05 GHS07 Dgr | H228 H270 H314 H332 | EUH014 | | T |
| 009-018-00-3 | magnesium hexafluorosilicate | 241-022-2 | 16949-65-8 | Acute Tox. 3 (*) | H301 | GHS06 Dgr | H301 | | (*) | |
| 011-001-00-0 | sodium | 231-132-9 | 7440-23-5 | Water-react. 1 Skin Corr. 1B | H260 H314 | GHS02 GHS05 Dgr | H260 H314 | EUH014 | | |
| 011-002-00-6 | sodium hydroxide; caustic soda | 215-185-5 | 1310-73-2 | Skin Corr. 1A | H314 | GHS05 Dgr | H314 | | Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 % | |
| 011-003-00-1 | sodium peroxide | 215-209-4 | 1313-60-6 | Ox. Sol. 1 Skin Corr. 1A | H271 H314 | GHS03 GHS05 Dgr | H271 H314 | | | |
| 011-004-00-7 | sodium azide | 247-852-1 | 26628-22-8 | Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H400 H410 | GHS06 GHS09 Dgr | H300 H400 H410 | EUH032 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 011-005-00-2 | sodium carbonate | 207-838-8 | 497-19-8 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 011-006-00-8 | sodium cyanate | 213-030-6 | 917-61-3 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 011-007-00-3 | propoxycarbazone-sodium | — | 181274-15-7 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | M=10 | |
| 012-001-00-3 | magnesium powder (pyrophoric) | 231-104-6 | 7439-95-4 | Water-react. 1 Pyr. Sol. 1 | H260 H250 | GHS02 Dgr | H260 H250 | | | T |
| 012-002-00-9 | magnesium, powder or turnings | 231-104-6 | — | Flam. Sol. 1 Water-react. 2 Self-heat. 1 | H228 H261 H252 | GHS02 Dgr | H228 H261 H252 | | | T |
| 012-003-00-4 | magnesium alkyls | — | — | Pyr. Liq. 1 Water-react. 1 Skin Corr. 1B | H250 H260 H314 | GHS02 GHS05 Dgr | H250 H260 H314 | EUH014 | | A |
| 013-001-00-6 | aluminium powder (pyrophoric) | 231-072-3 | 7429-90-5 | Water-react. 2 Pyr. Sol. 1 | H261 H250 | GHS02 Dgr | H261 H250 | | | T |
| 013-002-00-1 | aluminium powder (stabilised) | 231-072-3 | — | Water-react. 2 Flam.Sol. 3 | H261 H228 | GHS02 Dgr | H261 H228 | | | T |
| 013-003-00-7 | aluminium chloride, anhydrous | 231-208-1 | 7446-70-0 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | |
| 013-004-00-2 | aluminium alkyls | — | — | Pyr. Liq. 1 Water-react. 1 Skin Corr. 1B | H250 H260 H314 | GHS02 GHS05 Dgr | H250 H260 H314 | EUH014 | | A |
| 013-005-00-8 | diethyl(ethyltrimethylsilanolato)aluminium | 401-160-8 | 55426-95-4 | Water-react. 1 Pyr. Liq. 1 Skin Corr. 1A | H260 H250 H314 | GHS02 GHS05 Dgr | H260 H250 H314 | EUH014 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 013-006-00-3 | (ethyl-3-oxobutanoato-O'1,O'3)(2-diméthylaminoethanolato)(1-méthoxypropan-2-olato)aluminium(III), dimerised | 402-370-2 | — | Flam. Liq. 3 Eye Dam. 1 | H226 H318 | GHS02 GHS05 Dgr | H226 H318 | | | |
| 013-007-00-9 | poly(oxo(2-butoxyethyl-3-oxobutanoato-O'1,O'3)aluminium) | 403-430-0 | — | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 013-008-00-4 | di-n-octylaluminium iodide | 408-190-0 | 7585-14-0 | Pyr. Liq. 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H250 H314 H400 H410 | GHS02 GHS05 GHS09 Dgr | H250 H314 H410 | EUH014 | | |
| 013-009-00-X | sodium (n-butyl)x(ethyl)y-1,5-dihydro)aluminat x = 0.5 y = 1.5 | 418-720-2 | — | Flam. Sol. 1 Water-react. 1 Pyr. Sol. 1 Acute Tox. 4 (*) Skin Corr. 1A | H228 H260 H250 H332 H314 | GHS02 GHS05 GHS07 Dgr | H228 H260 H250 H332 H314 | EUH014 | | T |
| 014-001-00-9 | trichlorosilane | 233-042-5 | 10025-78-2 | Flam. Liq. 1 Pyr. Liq. 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A | H224 H250 H332 H302 H314 | GHS02 GHS05 GHS07 Dgr | H224 H250 H332 H302 H314 | EUH014 EUH029 | (*) STOT SE 3; H335: C ≥ 1 % | T |
| 014-002-00-4 | silicon tetrachloride | 233-054-0 | 10026-04-7 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H319 H335 H315 | GHS07 Wng | H319 H335 H315 | EUH014 | | |
| 014-003-00-X | dimethyldichlorosilane | 200-901-0 | 75-78-5 | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H225 H319 H335 H315 | GHS02 GHS07 Dgr | H225 H319 H335 H315 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 014-004-00-5 | trichloro(méthyl)silane; méthyltrichlorosilane | 200-902-6 | 75-79-6 | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H225 H319 H335 H315 | GHS02 GHS07 Dgr | H225 H319 H335 H315 | EUH014 | Skin Irrit. 2; H315: C ≥ 1 % Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 % | |
| 014-005-00-0 | tetraethyl silicate; ethyl silicate | 201-083-8 | 78-10-4 | Flam. Liq. 3 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 | H226 H332 H319 H335 | GHS02 GHS07 Wng | H226 H332 H319 H335 | | | |
| 014-006-00-6 | bis(4-fluorophenyl)-méthyl-(1,2,4-triazol-4-yl)méthylsilane hydrochloride | 401-380-4 | — | Eye Irrit. 2 Aquatic Chronic 2 | H319 H411 | GHS07 GHS09 Wng | H319 H411 | | | |
| 014-007-00-1 | triéthoxyisobutylsilane | 402-810-3 | 17980-47-1 | Skin Irrit. 2 | H315 | GHS07 Wng | H315 | | | |
| 014-008-00-7 | (chlorométhyl)bis(4-fluorophenyl)méthylsilane | 401-200-4 | 85491-26-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 014-009-00-2 | isobutylisopropyl diméthoxysilane | 402-580-4 | 111439-76-0 | Flam. Liq. 3 Acute Tox. 4 (*) Skin Irrit. 2 | H226 H332 H315 | GHS02 GHS07 Wng | H226 H332 H315 | | | |
| 014-010-00-8 | disodium métasilicate | 229-912-9 | 6834-92-0 | Skin Corr. 1B STOT SE 3 | H314 H335 | GHS05 GHS07 Dgr | H314 H335 | | | |
| 014-011-00-3 | cyclohexyldiméthoxyméthylsilane | 402-140-1 | 17865-32-6 | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 014-012-00-9 | bis(3-(triméthoxysilyl)propyl)amine | 403-480-3 | — | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|-------------------------------------|--|-------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 014-013-00-4 | α -hydroxypoly(méthyl-(3-(2,2,6,6-tétraméthylpiperidin-4-yloxy)propyl)siloxane) | 404-920-7 | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 2 | H312 H302 H314 H411 | GHS05 GHS07 GHS09 Dgr | H312 H302 H314 H411 | | | |
| 014-014-00-X | etacelasil (ISO); 6-(2-chloroéthyl)-6-(2-méthoxyéthoxy)-2,5,7,10-tétraoxa-6-silaundécane | 253-704-7 | 37894-46-5 | Repr. 1B Acute Tox. 4 (*) STOT RE 2 (*) | H360D (***) H302 H373 (**) | GHS08 GHS07 Dgr | H360D (***) H302 H373 (**) | | | |
| 014-015-00-5 | α -triméthylsilanyl- ω -triméthylsiloxypoly[oxy(méthyl-3-(2-(2-méthoxypropoxy)propoxy)propylsilanediy]-co-oxy(diméthylsilane)) | 406-420-4 | 69430-40-6 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 014-016-00-0 | reaction mass of: 1,3-dihex-5-en-1-yl-1,1,3,3-tétraméthyl-disiloxane; 1,3-dihex-n-en-1-yl-1,1,3,3-tétraméthyl-disiloxane | 406-490-6 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 014-017-00-6 | flusilazole (ISO); bis(4-fluorophényl)(méthyl)(1H-1,2,4-triazol-1-ylméthyl)silane | — | 85509-19-9 | Carc. 2 Repr. 1B Acute Tox. 4 (*) Aquatic Chronic 2 | H351 H360D (***) H302 H411 | GHS08 GHS07 GHS09 Dgr | H351 H360D (***) H302 H411 | | | |
| 014-018-00-1 | octaméthylcyclotétrasiloxane | 209-136-7 | 556-67-2 | Repr. 2 Aquatic Chronic 4 | H361f (***) H413 | GHS08 Wng | H361f (***) H413 | | | |
| 014-019-00-7 | reaction mass of: 4-[[bis-(4-fluorophényl)méthylsilyl]méthyl]-4H-1,2,4-triazole; 1-[[bis-(4-fluorophényl)méthylsilyl]méthyl]-1H-1,2,4-triazole | 403-250-2 | — | Carc. 2 Repr. 1B Acute Tox. 4 (*) Aquatic Chronic 2 | H351 H360D (***) H302 H411 | GHS08 GHS07 GHS09 Dgr | H351 H360D (***) H302 H411 | | | |
| 014-020-00-2 | bis(1,1-diméthyl-2-propynyl)oxydiméthylsilane | 414-960-7 | 53863-99-3 | Acute Tox. 4 (*) | H332 | GHS07 Wng | H332 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 014-021-00-8 | tris(isopropényloxy)phenyl silane | 411-340-8 | 52301-18-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H400 H410 | | | |
| 014-022-00-3 | reaction product of: (2-hydroxy-4-(3-propényloxy)benzophenone and triéthoxysilane) with (hydrolysis product of silica and méthyltriméthoxysilane) | 401-530-9 | — | Flam. Sol. 1 STOT SE 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H228 H370 (**) H332 H312 H302 | GHS02 GHS08 GHS07 Dgr | H228 H370 (**) H332 H312 H302 | | | T |
| 014-023-00-9 | α , ω -dihydroxypoly(hex-5-en-1-ylméthylsiloxane)hoxysilane with (hydrolysis product of silica and méthyltriméthoxysilane)iazole | 408-160-7 | 125613-45-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 014-024-00-4 | 1-((3-(3-chloro-4-fluorophényl)propyl)diméthylsilanyl)-4-éthoxybenzène | 412-620-2 | 121626-74-2 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 014-025-00-X | 4-[3-(diéthoxyméthylsilylpropoxy)-2,2,6,6-tétraméthyl]piperidine | 411-400-3 | 102089-33-8 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3 | H302 H373 (**) H315 H318 H412 | GHS08 GHS05 GHS07 Dgr | H302 H373 (**) H315 H318 H412 | | | |
| 014-026-00-5 | dichloro-(3-(3-chloro-4-fluorophényl)propyl)méthylsilane | 407-180-3 | 770722-36-6 | Skin Corr. 1A | H314 | GHS05 Dgr | H314 | | | |
| 014-027-00-0 | chloro(3-(3-chloro-4-fluorophényl)propyl)diméthylsilane | 410-270-5 | 770722-46-8 | Skin Corr. 1A | H314 | GHS05 Dgr | H314 | | | |
| 014-028-00-6 | α -[3-(1-oxoprop-2-ényl)-1-oxypropyl]diméthoxysilyloxy- ω -[3(1-oxoprop-2-ényl)-1-oxypropyl]diméthoxysilyl poly(diméthylsiloxane) | 415-290-8 | 193159-06-7 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 014-029-00-1 | O,O'-(ethenylmethylsilylene)di[(4-methylpentan-2-one)oxime] | 421-870-1 | 156145-66-3 | Repr. 2 Acute Tox. 4 (*) STOT RE 2 (*) | H361f (***) H302 H373 (**) | GHS08 GHS07 Wng | H361f (***) H302 H373 (**) | | | |
| 014-030-00-7 | [(dimethylsilylene)bis((1,2,3,3a,7a-η)-1H-inden-1-ylidene)dimethyl]hafnium | 422-060-0 | 137390-08-0 | Acute Tox. 2 (*) | H300 | GHS06 Dgr | H300 | | | |
| 014-031-00-2 | bis(1-methylethyl)-dimethoxysilane | 421-540-7 | 18230-61-0 | Flam. Liq. 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H226 H315 H317 H412 | GHS02 GHS07 Wng | H226 H315 H317 H412 | | | |
| 014-032-00-8 | dicyclopentyl dimethoxysilane | 404-370-8 | 126990-35-0 | Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H318 H400 H410 | GHS05 GHS09 Dgr | H315 H318 H410 | | | |
| 015-001-00-1 | white phosphorus | 231-768-7 | 12185-10-3 | Pyr. Sol. 1 Acute Tox. 2 (*) Acute Tox. 2 (*) Skin Corr. 1A Aquatic Acute 1 | H250 H330 H300 H314 H400 | GHS02 GHS06 GHS05 GHS09 Dgr | H250 H330 H300 H314 H400 | | | |
| 015-002-00-7 | red phosphorus | 231-768-7 | 7723-14-0 | Flam. Sol. 1 Aquatic Chronic 3 | H228 H412 | GHS02 Dgr | H228 H412 | | | |
| 015-003-00-2 | calcium phosphide; tricalcium diphosphide | 215-142-0 | 1305-99-3 | Water-react. 1 Acute Tox. 2 (*) Aquatic Acute 1 | H260 H300 H400 | GHS02 GHS06 GHS09 Dgr | H260 H300 H400 | EUH029 | | T |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-004-00-8 | aluminium phosphide | 244-088-0 | 20859-73-8 | Water-react. 1 Acute Tox. 2 (*) Aquatic Acute 1 | H260 H300 H400 | GHS02 GHS06 GHS09 Dgr | H260 H300 H400 | EUH029 EUH032 | | T |
| 015-005-00-3 | magnesium phosphide; trimagnesium diphosphide | 235-023-7 | 12057-74-8 | Water-react. 1 Acute Tox. 2 (*) Aquatic Acute 1 | H260 H300 H400 | GHS02 GHS06 GHS09 Dgr | H260 H300 H400 | EUH029 | | T |
| 015-006-00-9 | trizinc diphosphide; zinc phosphide | 215-244-5 | 1314-84-7 | Water-react. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H260 H300 H400 H410 | GHS02 GHS06 GHS09 Dgr | H260 H300 H410 | EUH029 EUH032 | | T |
| 015-007-00-4 | phosphorus trichloride | 231-749-3 | 7719-12-2 | Acute Tox. 2 (*) Acute Tox. 2 (*) STOT RE 2 (*) Skin Corr. 1A | H330 H300 H373 (**) H314 | GHS06 GHS08 GHS05 Dgr | H330 H300 H373 (**) H314 | EUH014 EUH029 | | |
| 015-008-00-X | phosphorus pentachloride | 233-060-3 | 10026-13-8 | Acute Tox. 2 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B | H330 H302 H373 (**) H314 | GHS06 GHS08 GHS05 Dgr | H330 H302 H373 (**) H314 | EUH014 EUH029 | | |
| 015-009-00-5 | phosphoryl trichloride | 233-046-7 | 10025-87-3 | Acute Tox. 2 (*) STOT RE 1 Acute Tox. 4 (*) Skin Corr. 1A | H330 H372 (**) H302 H314 | GHS06 GHS08 GHS05 Dgr | H330 H372 (**) H302 H314 | EUH014 EUH029 | | |
| 015-010-00-0 | phosphorus pentoxide | 215-236-1 | 1314-56-3 | Skin Corr. 1A | H314 | GHS05 Dgr | H314 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-011-00-6 | phosphoric acid ... %, orthophosphoric acid ... % | 231-633-2 | 7664-38-2 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % | B |
| 015-012-00-1 | tetraphosphorus trisulphide; phosphorus sesquisulphid | 215-245-0 | 1314-85-8 | Flam. Sol. 2 Water-react. 1 Acute Tox. 4 (*) Aquatic Acute 1 | H228 H260 H302 H400 | GHS02 GHS07 GHS09 Dgr | H228 H260 H302 H400 | | | T |
| 015-013-00-7 | triethyl phosphate | 201-114-5 | 78-40-0 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 015-014-00-2 | tributyl phosphate | 204-800-2 | 126-73-8 | Carc. 2 Acute Tox. 4 (*) Skin Irrit. 2 | H351 H302 H315 | GHS08 GHS07 Wng | H351 H302 H315 | | | |
| 015-015-00-8 | tricresyl phosphate (o—o—o-, o—o—m-, o—o—p-, o—m—m-, o—m—p-, o—p—p-); tritoyl phosphate (o—o—o-, o—o—m-, o—o—p-, o—m—m-, o—m—p-, o—p—p-); | 201-103-5 | 78-30-8 | STOT SE 1 Aquatic Chronic 2 | H370 (**) H411 | GHS08 GHS09 Dgr | H370 (**) H411 | | STOT SE 1; H370: C ≥ 1 % STOT SE 2; H371: 0,2 % ≤ C < 1 % | C |
| 015-016-00-3 | tricresyl phosphate (m—m—m-, m—m—p-, m—p—p-, p—p—p-); tritoyl phosphate (m—m—m-, m—m—p-, m—p—p-, p—p—p-); | 201-105-6 | 78-32-0 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H312 H302 H411 | GHS07 GHS09 Wng | H312 H302 H411 | | (*) | C |
| 015-019-00-X | dichlorvos (ISO); 2,2-dichlorovinyl dimethyl phosphate | 200-547-7 | 62-73-7 | Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 | H330 H311 H301 H317 H400 | GHS06 GHS09 Dgr | H330 H311 H301 H317 H400 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-020-00-5 | mevinphos (ISO); 2-methoxycarbonyl-1-méthylvinyl diméthyl phosphate | 232-095-1 | 7786-34-7 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | M=10000 | |
| 015-021-00-0 | trichlorfon (ISO); diméthyl 2,2,2-trichloro-1-hydroxyéthylphosphonate | 200-149-3 | 52-68-6 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H400 H410 | | M=1000 | |
| 015-022-00-6 | phosphamidon (ISO); 2-chloro-2-diéthylcarbamoyl-1-méthylvinyl diméthyl phosphate | 236-116-5 | 13171-21-6 | Muta. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H341 H300 H311 H400 H410 | GHS06 GHS08 GHS09 Dgr | H341 H300 H311 H410 | | | |
| 015-023-00-1 | pyrazoxon; diéthyl 3-méthylpyrazol-5-yl phosphate | — | 108-34-9 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) | H330 H310 H300 | GHS06 Dgr | H330 H310 H300 | | | |
| 015-024-00-7 | triamiphos (ISO); 5-amino-3-phényl-1,2,4-triazol-1-yl-N,N,N',N'-tétraméthylphosphonic diamide | — | 1031-47-6 | Acute Tox. 1 Acute Tox. 2 (*) | H310 H300 | GHS06 Dgr | H310 H300 | | | |
| 015-025-00-2 | TEPP (ISO); tétraéthyl pyrophosphate | 203-495-3 | 107-49-3 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 | H310 H300 H400 | GHS06 GHS09 Dgr | H310 H300 H400 | | | |
| 015-026-00-8 | schradan (ISO); octaméthylpyrophosphoramide | 205-801-0 | 152-16-9 | Acute Tox. 1 Acute Tox. 2 (*) | H310 H300 | GHS06 Dgr | H310 H300 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-027-00-3 | sulfotep (ISO); O,O,O,O-tetraethyl dithiopyrophosphate | 222-995-2 | 3689-24-5 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | M=1000 | |
| 015-028-00-9 | demeton-O (ISO); O,O-diethyl-O-2-ethylthioethyl phosphorothioate | 206-053-8 | 298-03-3 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 | H310 H300 H400 | GHS06 GHS09 Dgr | H310 H300 H400 | | | |
| 015-029-00-4 | demeton-S (ISO); diethyl-S-2-ethylthioethyl phosphorothioate | 204-801-8 | 126-75-0 | Acute Tox. 1 Acute Tox. 2 (*) | H310 H300 | GHS06 Dgr | H310 H300 | | | |
| 015-030-00-X | demeton-O-methyl (ISO); O-2-ethylthioethyl O,O-dimethyl phosphorothioate | 212-758-1 | 867-27-6 | Acute Tox. 3 (*) | H301 | GHS06 Dgr | H301 | | | |
| 015-031-00-5 | demeton-S-methyl (ISO); S-2-ethylthioethyl dimethyl phosphorothioate | 213-052-6 | 919-86-8 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2 | H311 H301 H411 | GHS06 GHS09 Dgr | H311 H301 H411 | | | |
| 015-032-00-0 | prothoate (ISO); O,O-diethyl isopropylcarbamoylmethyl phosphorodithioate | 218-893-2 | 2275-18-5 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Chronic 3 | H310 H300 H412 | GHS06 Dgr | H310 H300 H412 | | | |
| 015-033-00-6 | phorate (ISO); O,O-diethyl ethylthiomethyl phosphorodithioate | 206-052-2 | 298-02-2 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | M=1000 | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-034-00-1 | parathion (ISO); O,O-diethyl O-4-nitrophenyl phosphorothioate | 200-271-7 | 56-38-2 | Acute Tox. 2 (*) Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H300 H311 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H330 H300 H311 H372 (**) H410 | | M=100 | |
| 015-035-00-7 | parathion — methyl (ISO); O,O-dimethyl O-4-nitrophenyl phosphorothioate | 206-050-1 | 298-00-0 | Flam. Liq. 3 Acute Tox. 2 (*) Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H226 H330 H300 H311 H373 (**) H400 H410 | GHS02 GHS06 GHS08 GHS09 Dgr | H226 H330 H300 H311 H373 (**) H410 | | M=100 | |
| 015-036-00-2 | O-ethyl O-4-nitrophenyl phenylphosphonothioate; EPN | 218-276-8 | 2104-64-5 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | | |
| 015-037-00-8 | phenkapton (ISO); S-(2,5-dichlorophenylthiomethyl) O,O-diethyl phosphorodithioate | 218-892-7 | 2275-14-1 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H311 H301 H410 | | | |
| 015-038-00-3 | coumaphos (ISO); O-3-chloro-4-methylcoumarin-7-yl O,O-diethyl phosphorothioate | 200-285-3 | 56-72-4 | Acute Tox. 2 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H312 H400 H410 | GHS06 GHS09 Dgr | H300 H312 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-039-00-9 | azinphos-methyl (ISO); O,O-dimethyl-4-oxobenzotriazin-3-ylmethyl phosphorodithioate | 201-676-1 | 86-50-0 | Acute Tox. 2 (*) Acute Tox. 2 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H300 H311 H317 H400 H410 | GHS06 GHS09 Dgr | H330 H300 H311 H317 H410 | | | |
| 015-040-00-4 | diazinon (ISO); O,O-diethyl O-2-isopropyl-6-methylpyrimidin-4-yl phosphorothioate | 206-373-8 | 333-41-5 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H400 H410 | | | |
| 015-041-00-X | malathion (ISO); 1,2-bis (ethoxycarbonyl) ethyl O,O-dimethyl phosphorodithioate | 204-497-7 | 121-75-5 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H400 H410 | M=100 | | |
| 015-042-00-5 | chlorthion O-(3-chloro-4-nitrophenyl) O,O-dimethyl phosphorothioate | 207-902-5 | 500-28-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | M=100 | | |
| 015-043-00-0 | phosnichlor (ISO); O-4-chloro-3-nitrophenyl O,O-dimethyl phosphorothioate | — | 5826-76-6 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H312 H302 | GHS07 Wng | H332 H312 H302 | | | |
| 015-044-00-6 | carbophenothion (ISO); 4-chlorophenylthiomethyl O,O-diethyl phosphorodithioate | 212-324-1 | 786-19-6 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H311 H301 H400 H410 | GHS06 GHS09 Dgr | H311 H301 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-045-00-1 | mecarbam (ISO); N-ethoxycarbonyl-N-methylcarbamoylmethyl O,O-diethyl phosphorodithioate | 219-993-9 | 2595-54-2 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H311 H301 H400 H410 | GHS06 GHS09 Dgr | H311 H301 H400 H410 | | | |
| 015-046-00-7 | oxydemeton-methyl; S-2-(ethylsulphinyl)ethyl O,O-dimethyl phosphorothioate | 206-110-7 | 301-12-2 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 | H311 H301 H400 | GHS06 GHS09 Dgr | H311 H301 H400 | | | |
| 015-047-00-2 | ethion (ISO); O,O,O',O'-tetraethyl S,S'-methylenedi (phosphorodithioate); diethion | 209-242-3 | 563-12-2 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H312 H400 H410 | GHS06 GHS09 Dgr | H301 H312 H410 | | M=10000 | |
| 015-048-00-8 | fenthion (ISO); O,O-dimethyl-O-(4-methylthion-m-tolyl) phosphorothioate | 200-231-9 | 55-38-9 | Muta. 2 Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H341 H331 H372 (**) H312 H302 H400 H410 | GHS06 GHS08 GHS09 Dgr | H341 H331 H372 (**) H312 H302 H410 | | | |
| 015-049-00-3 | endosulfan (ISO); S-5-methoxy-4-oxopyran-2-ylmethyl dimethyl phosphorothioate | 220-472-3 | 2778-04-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) | H311 H301 | GHS06 Dgr | H311 H301 | | | |
| 015-050-00-9 | thiometon (ISO); S-2-ethylthioethyl O,O-dimethyl phosphorodithioate | 211-362-6 | 640-15-3 | Acute Tox. 3 (*) Acute Tox. 4 (*) | H301 H312 | GHS06 Dgr | H301 H312 | | | |
| 015-051-00-4 | dimethoate (ISO); O,O-dimethyl methylcarbamoylmethyl phosphorodithioate | 200-480-3 | 60-51-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H312 H302 | GHS07 Wng | H312 H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-052-00-X | fenchlorphos (ISO); O,O-diméthyl O—2,4,5-trichlorophenyl phosphorothioate | 206-082-6 | 299-84-3 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | | |
| 015-053-00-5 | menazon (ISO); S-[(4,6-diamino-1,3,5-triazin-2-yl)méthyl] O, O-diméthyl phosphorodithioate | 201-123-4 | 78-57-9 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 015-054-00-0 | fenitrothion (ISO); O,O-diméthyl O-4-nitro-m-tolyl phosphorothioate | 204-524-2 | 122-14-5 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 015-055-00-6 | naled (ISO); 1,2-dibromo-2,2-dichloroéthyl diméthyl phosphate | 206-098-3 | 300-76-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 | H312 H302 H319 H315 H400 | GHS07 GHS09 Wng | H312 H302 H319 H315 H400 | | M=1000 | |
| 015-056-00-1 | azinphos-éthyl (ISO); O,O-diéthyl 4-oxobenzotriazin-3-ylméthyl phosphorodithioate | 220-147-6 | 2642-71-9 | Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H311 H400 H410 | GHS06 GHS09 Dgr | H300 H311 H410 | | | |
| 015-057-00-7 | formothion (ISO); N-formyl-N-méthylcarbamoylméthyl O,O-diméthyl phosphorodithioate | 219-818-6 | 2540-82-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H312 H302 | GHS07 Wng | H312 H302 | | | |
| 015-058-00-2 | morphothion (ISO); O,O-diméthyl-S-(morpholinocarbonylméthyl) phosphorodithioate | 205-628-0 | 144-41-2 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H311 H301 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-059-00-8 | vamidotion (ISO); O,O-diméthyl S-2-(1-méthylcarbamoyl-éthylthio) éthyl phosphorothioate | 218-894-8 | 2275-23-2 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 | H301 H312 H400 | GHS06 GHS09 Dgr | H301 H312 H400 | | | |
| 015-060-00-3 | disulfoton (ISO); O,O-diéthyl 2-éthylthioéthyl phosphorodithioate | 206-054-3 | 298-04-4 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronique 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | | |
| 015-061-00-9 | dimefox (ISO); tétraméthylphosphorodiamidique fluorure | 204-076-8 | 115-26-4 | Acute Tox. 1 Acute Tox. 2 (*) | H310 H300 | GHS06 Dgr | H310 H300 | | | |
| 015-062-00-4 | mipafox (ISO); N,N'-di-isopropylphosphorodiamidique fluorure | 206-742-3 | 371-86-8 | STOT SE 1 | H370 (**) | GHS08 Dgr | H370 (**) | | | |
| 015-063-00-X | dioxathion (ISO); 1,4-dioxan-2,3-diyl-O,O,O',O'-tétraéthyl di (phosphorodithioate) | 201-107-7 | 78-34-2 | Acute Tox. 2 (*) Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronique 1 | H330 H300 H311 H400 H410 | GHS06 GHS09 Dgr | H330 H300 H311 H410 | | M=1000 | |
| 015-064-00-5 | bromophos-éthyl (ISO); O-4-bromo-2,5-dichlorophényl O,O-diéthyl phosphorothioate | 225-399-0 | 4824-78-6 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronique 1 | H301 H312 H400 H410 | GHS06 GHS09 Dgr | H301 H312 H410 | | | |
| 015-065-00-0 | S-[2-(éthylsulphinyl)éthyl] O,O-diméthyl phosphorodithioate | — | 2703-37-9 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Chronique 2 | H330 H310 H300 H411 | GHS06 GHS09 Dgr | H330 H310 H300 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-066-00-6 | omethoate (ISO); O,O-diméthyl S-méthylcarbamoylméthyl phosphorothioate | 214-197-8 | 1113-02-6 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 | H301 H312 H400 | GHS06 GHS09 Dgr | H301 H312 H400 | | | |
| 015-067-00-1 | phosalone (ISO); S-(6-chloro-2-oxobenzoxazolin-3-ylméthyl) O,O-diéthyl phosphorodithioate | 218-996-2 | 2310-17-0 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H312 H400 H410 | GHS06 GHS09 Dgr | H301 H312 H410 | | | |
| 015-068-00-7 | dichlofenthion (ISO); O—2,4-dichlorophényl O,O-diéthyl phosphorothioate | 202-564-5 | 97-17-6 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H400 H410 | | | |
| 015-069-00-2 | methidathion (ISO); 2,3-dihydro-5-méthoxy-2-oxo-1,3,4-thiadiazol-3-ylméthyl-O,O-diméthylphosphorodithioate | 213-449-4 | 950-37-8 | Acute Tox. 2 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H312 H400 H410 | GHS06 GHS09 Dgr | H300 H312 H410 | | | |
| 015-070-00-8 | cyanthoate (ISO); S-(N-(1-cyano-1-méthylethyl)carbamoylméthyl) O,O-diéthyl phosphorothioate | 223-099-4 | 3734-95-0 | Acute Tox. 2 (*) Acute Tox. 3 (*) | H300 H311 | GHS06 Dgr | H300 H311 | | | |
| 015-071-00-3 | chlorfenvinphos (ISO); 2-chloro-1-(2,4 dichlorophényl) vinyl diéthyl phosphate | 207-432-0 | 470-90-6 | Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H311 H400 H410 | GHS06 GHS09 Dgr | H300 H311 H410 | | | |
| 015-072-00-9 | monocrotophos (ISO); diméthyl-1-méthyl-2-(méthylcarbamoyl) vinyl phosphate | 230-042-7 | 6923-22-4 | Muta. 2 Acute Tox. 2 (*) Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H341 H330 H300 H311 H400 H410 | GHS06 GHS08 GHS09 Dgr | H341 H330 H300 H311 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-073-00-4 | dicrotophos (ISO); (Z)-2-diméthylcarbamoyl-1-méthylvinyl diméthyl phosphate | 205-494-3 | 141-66-2 | Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H311 H400 H410 | GHS06 GHS09 Dgr | H300 H311 H410 | | | |
| 015-074-00-X | crufomate (ISO); 4-tert-butyl-2-chlorophenyl méthyl méthylphosphoramidate | 206-083-1 | 299-86-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | | |
| 015-075-00-5 | S-[2-(isopropylsulphiny)éthyl] O,O-diméthyl phosphorothioate | — | 2635-50-9 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H331 H311 H301 | GHS06 Dgr | H331 H311 H301 | | | |
| 015-076-00-0 | potasan; O, O-diéthyl O-(4-méthylcoumarin-7-yl) phosphorothioate | — | 299-45-6 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H400 H410 | GHS06 GHS09 Dgr | H330 H310 H300 H410 | | M=1000 | |
| 015-077-00-6 | 2,2-dichlorovinyl 2-éthylsulphinyéthyl méthyl phosphate | — | 7076-53-1 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H331 H311 H301 | GHS06 Dgr | H331 H311 H301 | | | |
| 015-078-00-1 | demeton-S-méthylsulphon (ISO); S-2-éthylsulphonyéthyl diméthyl phosphorothioate | 241-109-5 | 17040-19-6 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H301 H312 H411 | GHS06 GHS09 Dgr | H301 H312 H411 | | | |
| 015-079-00-7 | acephate (ISO); O,S-diméthyl acetylphosphoramidothioate | 250-241-2 | 30560-19-1 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 015-080-00-2 | amidithion (ISO); 2-méthoxyéthylcarbamoylméthyl O,O-diméthyl phosphorodithioate | — | 919-76-6 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-081-00-8 | O,O,O',O'-tetrapropyl dithiopyrophosphate | 221-817-0 | 3244-90-4 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | | |
| 015-082-00-3 | azothoate (ISO); O-4-(4-chlorophenylazo)phenyl O,O-dimethyl phosphorothioate | 227-419-3 | 5834-96-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H302 | GHS07 Wng | H332 H302 | | | |
| 015-083-00-9 | bensulide (ISO); O,O-diisopropyl 2-phenylsulphonylaminoethyl phosphorodithioate | 212-010-4 | 741-58-2 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 015-084-00-4 | chlorpyrifos (ISO); O,O-diethyl O—3,5,6-trichloro-2-pyridyl phosphorothioate | 220-864-4 | 2921-88-2 | Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H400 H410 | GHS06 GHS09 Dgr | H301 H400 H410 | | M=10000 | |
| 015-085-00-X | chlorphonium chloride (ISO); tributyl (2,4-dichlorobenzyl) phosphonium chloride | 204-105-4 | 115-78-6 | Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 | H301 H312 H319 H315 | GHS06 Dgr | H301 H312 H319 H315 | | | |
| 015-086-00-5 | coumithoate (ISO); O,O-diethyl O—7,8,9,10-tetrahydro-6-oxo-benzo(c)chromen-3-yl phosphorothioate | — | 572-48-5 | Acute Tox. 3 (*) | H301 | GHS06 Dgr | H301 | | | |
| 015-087-00-0 | cyanophos (ISO); O-4-cyanophenyl O,O-dimethyl phosphorothioate | 220-130-3 | 2636-26-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-088-00-6 | dialifos (ISO); 2-chloro-1-phthalimidoethyl O,O-diethyl phosphorodithioate | 233-689-3 | 10311-84-9 | Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H311 H400 H410 | GHS06 GHS09 Dgr | H300 H311 H400 H410 | | | |
| 015-089-00-1 | ethoate-methyl (ISO); ethylcarbamoylmethyl O,O-dimethyl phosphorodithioate | 204-121-1 | 116-01-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H312 H302 | GHS07 Wng | H312 H302 | | | |
| 015-090-00-7 | fensulfothion (ISO); O,O-diethyl O-4-methylsulfinylphenyl phosphorothioate | 204-114-3 | 115-90-2 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | | |
| 015-091-00-2 | fonofos (ISO); O-ethyl phenyl ethylphosphonodithioate | 213-408-0 | 944-22-9 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | | |
| 015-092-00-8 | phosacetim (ISO); O,O-bis(4-chlorophenyl) N-acetimidoylphosphoramidothioate | 223-874-7 | 4104-14-7 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | | |
| 015-093-00-3 | leptophos (ISO); O-4-bromo-2,5-dichlorophenyl O-methyl phenylphosphorothioate | 244-472-8 | 21609-90-5 | Acute Tox. 3 (*) STOT SE 1 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H370 (**) H312 H400 H410 | GHS06 GHS08 GHS09 Dgr | H301 H370 (**) H312 H410 | | | |
| 015-094-00-9 | mephosfolan (ISO); diethyl 4-methyl-1,3-dithiolan-2-ylidene-phosphoramidate | 213-447-3 | 950-10-7 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Chronic 2 | H310 H300 H411 | GHS06 GHS09 Dgr | H310 H300 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-095-00-4 | methamidophos (ISO); O,S-dimethyl phosphoramidothioate | 233-606-0 | 10265-92-6 | Acute Tox. 2 (*) Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 | H330 H300 H311 H400 | GHS06 GHS09 Dgr | H330 H300 H311 H400 | | | |
| 015-096-00-X | oxydisulfoton (ISO); O, O-diethyl S-2-ethylsulphinyethyl phosphorodithioate | 219-679-1 | 2497-07-6 | Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H311 H400 H410 | GHS06 GHS09 Dgr | H300 H311 H410 | | M=10 | |
| 015-097-00-5 | phenthoate (ISO); ethyl 2-(dimethoxyphosphinothioylthio)-2-phenylacetate | 219-997-0 | 2597-03-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | M=100 | |
| 015-098-00-0 | trichloronate (ISO); O-ethyl O—2,4,5-trichlorophenyl ethylphosphonothioate | 206-326-1 | 327-98-0 | Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H311 H400 H410 | GHS06 GHS09 Dgr | H300 H311 H410 | | | |
| 015-099-00-6 | pirimiphos-ethyl (ISO); O,O-diethyl O-2-diethylamino-6-methylpyrimidin-4-yl phosphorothioate | 245-704-0 | 23505-41-1 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H312 H400 H410 | GHS06 GHS09 Dgr | H301 H312 H410 | | | |
| 015-100-00-X | phoxim (ISO); α-(diethoxyphosphinothioylimino) phenylacetone nitrile | 238-887-3 | 14816-18-3 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | M=1000 | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-101-00-5 | phosmet (ISO); O,O-dimethyl phthalimidomethyl S-phosphorodithioate | 211-987-4 | 732-11-6 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | M=100 | |
| 015-102-00-0 | tris(2-chloroethyl) phosphate | 204-118-5 | 115-96-8 | Carc. 2 Acute Tox. 4 (*) Aquatic Chronic 2 | H351 H302 H411 | GHS08 GHS07 GHS09 Wng | H351 H302 H411 | | | |
| 015-103-00-6 | phosphorus tribromide | 232-178-2 | 7789-60-8 | Skin Corr. 1B STOT SE 3 | H314 H335 | GHS05 GHS07 Dgr | H314 H335 | EUH014 | | |
| 015-104-00-1 | diphosphorus pentasulphide; phosphorus pentasulphide | 215-242-4 | 1314-80-3 | Flam. Sol. 1 Water-react. 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 | H228 H260 H332 H302 H400 | GHS02 GHS07 GHS09 Dgr | H228 H260 H332 H302 H400 | EUH029 | | T |
| 015-105-00-7 | triphenyl phosphite | 202-908-4 | 101-02-0 | Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H315 H400 H410 | GHS07 GHS09 Wng | H319 H315 H410 | | Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % | |
| 015-106-00-2 | hexamethylphosphoric triamide; hexamethylphosphoramide | 211-653-8 | 680-31-9 | Carc. 1B Muta. 1B | H350 H340 | GHS08 Dgr | H350 H340 | | Carc. 1B; H350: C ≥ 0.01 % | |
| 015-107-00-8 | ethoprophos (ISO); ethyl-S,S-dipropyl phosphorodithioate | 236-152-1 | 13194-48-4 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H301 H317 H400 H410 | GHS06 GHS09 Dgr | H330 H310 H301 H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-108-00-3 | bromophos (ISO); O-4-bromo-2,5-dichlorophenyl O,O-diméthyl phosphorothioate | 218-277-3 | 2104-96-3 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | M=100 | |
| 015-109-00-9 | crotoxyphos (ISO); 1-phényléthyl 3-(diméthoxyphosphinyloxy) isocrotonate | 231-720-5 | 7700-17-6 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H311 H301 H400 H410 | GHS06 GHS09 Dgr | H311 H301 H410 | | M=10 | |
| 015-110-00-4 | cyanofenphos (ISO); O-4-cyanophenyl O-éthyl phénylphosphorothioate | — | 13067-93-1 | Acute Tox. 3 (*) STOT SE 1 Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 2 | H301 H370 (**) H312 H319 H411 | GHS06 GHS08 GHS09 Dgr | H301 H370 (**) H312 H319 H411 | | | |
| 015-111-00-X | phosfolan (ISO); diéthyl 1,3-dithiolan-2-ylidénephosphoramidate | 213-423-2 | 947-02-4 | Acute Tox. 1 Acute Tox. 2 (*) | H310 H300 | GHS06 Dgr | H310 H300 | | | |
| 015-112-00-5 | thionazin (ISO); O,O-diéthyl O-pyrazin-2-yl phosphorothioate; | 206-049-6 | 297-97-2 | Acute Tox. 1 Acute Tox. 2 (*) | H310 H300 | GHS06 Dgr | H310 H300 | | | |
| 015-114-00-6 | chlorméphos (ISO); S-chlorométhyl O,O-diéthyl phosphorodithioate | 246-538-1 | 24934-91-6 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | | |
| 015-115-00-1 | chlorthiophos (ISO) | 244-663-6 | 21923-23-9 | Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H311 H400 H410 | GHS06 GHS09 Dgr | H300 H311 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-116-00-7 | demephion-O (ISO); O,O-diméthyl O-2-méthylthioéthyl phosphorothioate | 211-666-9 | 682-80-4 | Acute Tox. 2 (*) Acute Tox. 3 (*) | H300 H311 | GHS06 Dgr | H300 H311 | | | |
| 015-117-00-2 | demephion-S (ISO); O,O-diméthyl S-2-méthylthioéthyl phosphorothioate | 219-971-9 | 2587-90-8 | Acute Tox. 2 (*) Acute Tox. 3 (*) | H300 H311 | GHS06 Dgr | H300 H311 | | | |
| 015-118-00-8 | demeton | — | 8065-48-3 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 | H310 H300 H400 | GHS06 GHS09 Dgr | H310 H300 H400 | | | |
| 015-119-00-3 | diméthyl 4-(méthylthio)phényl phosphate | — | 3254-63-5 | Acute Tox. 1 Acute Tox. 2 (*) | H310 H300 | GHS06 Dgr | H310 H300 | | | |
| 015-120-00-9 | ditalimfos (ISO); O,O-diéthyl phthalimidophosphonothioate | 225-875-8 | 5131-24-8 | Skin Irrit. 2 Skin Sens. 1 | H315 H317 | GHS07 Wng | H315 H317 | | | |
| 015-121-00-4 | edifenphos (ISO); O-éthyl S,S-diphényl phosphorodithioate | 241-178-1 | 17109-49-8 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H312 H317 H400 H410 | GHS06 GHS09 Dgr | H331 H301 H312 H317 H410 | | | |
| 015-122-00-X | etrimfos (ISO); O-6-éthoxy-2-éthylpyrimidin-4-yl O,O-diméthylphosphorothioate | 253-855-9 | 38260-54-7 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | M=10 | |
| 015-123-00-5 | fenamiphos (ISO); éthyl-4-méthylthio- <i>m</i> -tolyl isopropyl phosphoramidate | 244-848-1 | 22224-92-6 | Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H311 H400 H410 | GHS06 GHS09 Dgr | H300 H311 H410 | | M=100 | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-124-00-0 | fosthietan (ISO); diethyl 1,3-dithietan-2-ylidenephosphoramidate | 244-437-7 | 21548-32-3 | Acute Tox. 1 Acute Tox. 2 (*) | H310 H300 | GHS06 Dgr | H310 H300 | | | |
| 015-125-00-6 | glyphosine (ISO); N,N-bis(phosphonomethyl)glycine | 219-468-4 | 2439-99-8 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 015-126-00-1 | heptenophos (ISO); 7-chlorobicyclo(3.2.0)hepta-2,6-dien-6-yl dimethyl phosphate | 245-737-0 | 23560-59-0 | Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H400 H410 | GHS06 GHS09 Dgr | H301 H410 | | M=100 | |
| 015-127-00-7 | iprobenfos(ISO); S-benzyl diisopropyl phosphorothioate | 247-449-0 | 26087-47-8 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 015-128-00-2 | IPSP; S-ethylsulphinylmethyl O,O-diisopropylphosphorodithioate | — | 5827-05-4 | Acute Tox. 1 Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H301 H400 H410 | GHS06 GHS09 Dgr | H310 H301 H410 | | M=100 | |
| 015-129-00-8 | isofenphos (ISO); O-ethyl O-2-isopropoxycarbonylphenyl-isopropylphosphoramidothioate | 246-814-1 | 25311-71-1 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H311 H301 H400 H410 | GHS06 GHS09 Dgr | H311 H301 H410 | | M=100 | |
| 015-130-00-3 | isothioate (ISO); S-2-isopropylthioethyl O,O-dimethyl phosphorodithioate; | — | 36614-38-7 | Acute Tox. 3 (*) Acute Tox. 3 (*) | H311 H301 | GHS06 Dgr | H311 H301 | | | |
| 015-131-00-9 | isoxathion (ISO); O,O-diethyl O-5-phenylisoxazol-3-ylphosphorothioate | 242-624-8 | 18854-01-8 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H311 H301 H400 H410 | GHS06 GHS09 Dgr | H311 H301 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-132-00-4 | S-(chlorophenylthiomethyl) O,O-dimethylphosphorodithioate; methylcarbophenothione | — | 953-17-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H311 H301 H400 H410 | GHS06 GHS09 Dgr | H311 H301 H410 | | M=1000 | |
| 015-133-00-X | piperophos (ISO); S-2-methylpiperidinocarbonylmethyl-O,O-dipropyl phosphorodithioate | — | 24151-93-7 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | M=10 | |
| 015-134-00-5 | pirimiphos-methyl (ISO); O-(2-diethylamino-6-methylpyrimidin-4-yl) O,O-dimethyl phosphorothioate | 249-528-5 | 29232-93-7 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 015-135-00-0 | profenofos (ISO) O-(4-bromo-2-chlorophenyl) O-ethyl S-propyl phosphorothioate; | 255-255-2 | 41198-08-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | | M=1000 | |
| 015-136-00-6 | trans-isopropyl-3-[[[(ethylamino)methoxyfosfinothioyl]oxy]crotonate]; isopropyl 3-[[[(ethylamino)methoxyphosphinothioyl]oxy]isocrotonate]; propetamphos (ISO) | 250-517-2 | 31218-83-4 | Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H400 H410 | GHS06 GHS09 Dgr | H301 H410 | | M=100 | |
| 015-137-00-1 | pyrazophos (ISO); O,O-diethyl O-(6-ethoxycarbonyl-5-methylpyrazolo[2,3-a]pyrimidin-2-yl) phosphorothioate | 236-656-1 | 13457-18-6 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H302 H400 H410 | GHS07 GHS09 Wng | H332 H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-138-00-7 | quinalphos (ISO); O,O-diethyl-O-quinoxalin-2-yl phosphorothioate | 237-031-6 | 13593-03-8 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H312 H400 H410 | GHS06 GHS09 Dgr | H301 H312 H410 | | M=1000 | |
| 015-139-00-2 | terbufos (ISO); S— <i>tert</i> -butylthiomethyl O, O-diethylphosphorodithioate; | 235-963-8 | 13071-79-9 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | M=1000 | |
| 015-140-00-8 | triazophos (ISO); O,O-diethyl-O-1-phenyl-1H,2,4-triazol-3-yl phosphorothioate | 245-986-5 | 24017-47-8 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H312 H400 H410 | GHS06 GHS09 Dgr | H331 H301 H312 H410 | | | |
| 015-141-00-3 | ethylenediammonium O,O-bis(octyl) phosphorodithioate, mixed isomers | 400-520-1 | — | Skin Corr. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H314 H302 H400 H410 | GHS05 GHS07 GHS09 Dgr | H314 H302 H410 | | | |
| 015-142-00-9 | butyl (dialkyloxy(dibutoxyphosphoryloxy)) titanium (trialkyloxy)titanium phosphate | 401-100-0 | — | Flam. Liq. 2 Eye Irrit. 2 Aquatic Chronic 2 | H225 H319 H411 | GHS02 GHS07 GHS09 Dgr | H225 H319 H411 | | | T |
| 015-143-00-4 | reaction mass of 2-chloroethyl chloropropyl 2-chloroethylphosphonate, reaction mass of isomers and 2-chloroethyl chloropropyl 2-chloropropylphosphonate, reaction mass of isomers | 401-740-0 | — | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 015-144-00-X | reaction mass of pentyl methylphosphinate and 2-methylbutyl methylphosphinate | 402-090-0 | 87025-52-3 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|-----------------------------------|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-145-00-5 | reaction mass of copper(I) O,O-diisopropyl phosphorodithioate and copper(I) O-isopropyl O-(4-methylpent-2-yl) phosphorodithioate and copper(I) O,O-bis(4-methylpent-2-yl) phosphorodithioate | 401-520-4 | — | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 015-146-00-0 | S-(tricyclo(5.2.1.0 ^{2,6})deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate | 401-850-9 | — | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 015-147-00-6 | reaction mass of C ₁₂₋₁₄ -tert-alkylammonium diphenyl phosphorothioate and dinonyl sulphide (or disulphide) | 400-930-0 | — | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H315 H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H315 H318 H317 H411 | | | |
| 015-148-00-1 | 2-(diphosphonomethyl)succinic acid | 403-070-4 | 51395-42-7 | Skin Corr. 1B Skin Sens. 1 | H314 H317 | GHS05 GHS07 Dgr | H314 H317 | | | |
| 015-149-00-7 | reaction mass of: hexyldioctylphosphineoxide; dihexyloctylphosphineoxide; trioctylphosphineoxide | 403-470-9 | — | Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H314 H400 H410 | GHS05 GHS09 Dgr | H314 H410 | | | |
| 015-150-00-2 | (2-(1,3-dioxolan-2-yl)ethyl)triphenylphosphonium bromide | 404-940-6 | 86608-70-0 | Acute Tox. 4 (*) Eye Dam. 1 STOT RE 2 (*) Aquatic Chronic 3 | H302 H318 H373 (**) H412 | GHS08 GHS05 GHS07 Dgr | H302 H318 H373 (**) H412 | | | |
| 015-151-00-8 | tris(isopropyl/tert-butylphenyl) phosphate | 405-010-2 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 015-152-00-3 | dioxabenzofos (ISO); 2-methoxy-4H—1,3,2-benzodioxaphosphorin 2-sulphide | 223-292-3 | 3811-49-2 | Acute Tox. 3 (*) Acute Tox. 3 (*) STOT SE 1 Aquatic Chronic 2 | H311 H301 H370 (**) H411 | GHS06 GHS08 GHS09 Dgr | H311 H301 H370 (**) H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------------|----------------------------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-153-00-9 | isazofos (ISO); O-(5-chloro-1-isopropyl-1,2,4-triazol-3-yl) O,O-diethyl phosphorothioate | 255-863-8 | 42509-80-8 | Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H311 H301 H373 (**) H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H330 H311 H301 H373 (**) H317 H410 | | | |
| 015-154-00-4 | 2-chloroethylphosphonic acid; ethephon | 240-718-3 | 16672-87-0 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 3 | H332 H312 H314 H412 | GHS05 GHS07 Dgr | H332 H312 H314 H412 | | STOT SE 3; H335: C ≥ 5 % | |
| 015-155-00-X | ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate; glufosinate ammonium | 278-636-5 | 77182-82-2 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 015-156-00-5 | methyl 3-[(diméthoxyphosphinothioyl)oxy]methacrylate; [1] methacrifos (ISO); methyl (E)-3-[(diméthoxyphosphinothioyl)oxy]methacrylate [2] | 250-366-9 [1] — [2] | 30864-28-9 [1] 62610-77-9 [2] | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 015-157-00-0 | phosphonic acid; [1] phosphorous acid [2] | 237-066-7 [1] 233-663-1 [2] | 13598-36-2 [1] 10294-56-1 [2] | Acute Tox. 4 (*) Skin Corr. 1A | H302 H314 | GHS05 GHS07 Dgr | H302 H314 | | | |
| 015-158-00-6 | (η-cyclopentadienyl)(η-cumenyl)iron(1+) hexafluorophosphate(1-) | 402-340-9 | 32760-80-8 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 015-159-00-1 | hydroxyphosphonoacetic acid | 405-710-8 | 23783-26-8 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Skin Sens. 1 | H302 H373 (**) H314 H317 | GHS08 GHS05 GHS07 Dgr | H302 H373 (**) H314 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|-----------------------------------|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-160-00-7 | vanadyl pyrophosphate | 406-260-5 | 58834-75-6 | Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H319 H317 H412 | GHS07 Wng | H319 H317 H412 | | | |
| 015-161-00-2 | divanadyl pyrophosphate | 407-130-0 | 65232-89-5 | Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H302 H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H317 H411 | | | |
| 015-162-00-8 | vanadium(IV) oxide hydrogen phosphate hemihydrate, lithium, zinc, molybdenum, iron and chlorine-doped | 407-350-7 | — | Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Aquatic Chronic 2 | H332 H373 (**) H318 H411 | GHS08 GHS05 GHS07 GHS09 Dgr | H332 H373 (**) H318 H411 | | | |
| 015-163-00-3 | bis(2,6-dimethoxybenzoyl)-2,4,4-trimethylpentylphosphin oxide | 412-010-6 | 145052-34-2 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 015-164-00-9 | calcium P,P'-(1-hydroxyethylene)bis(hydrogen phosphonate)dihydrate | 400-480-5 | 36669-85-9 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 015-165-00-4 | reaction mass of: thiobis(4,1-phenylene)-S,S,S',S'-tetraphenyldisulfonium bishexafluorophosphate; diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate | 404-986-7 | — | Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H400 H410 | GHS05 GHS09 Dgr | H318 H410 | | | |
| 015-166-00-X | 3,9-bis(2,6-di- <i>tert</i> -butyl-4-methylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane | 410-290-4 | 80693-00-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 015-167-00-5 | 3-(hydroxyphenylphosphinyl)propanoic acid | 411-200-6 | 14657-64-8 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-168-00-0 | fosthiazate (ISO); (RS)-S— <i>sec</i> -butyl-O-ethyl-2-oxo-1,3-thiazolidin-3-ylphosphonothioate | — | 98886-44-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H312 H317 H400 H410 | GHS06 GHS09 Dgr | H331 H301 H312 H317 H410 | EUH070 | | |
| 015-169-00-6 | tributyltetradecylphosphonium tetrafluoroborate | 413-520-1 | — | Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H373 (**) H314 H317 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H302 H373 (**) H314 H317 H410 | | | |
| 015-170-00-1 | reaction mass of: di-(1-octane- <i>N,N,N</i> -trimethylammonium) octylphosphate; 1-octane- <i>N,N,N</i> -trimethylammonium di-octylphosphate; 1-octane- <i>N,N,N</i> -trimethylammonium octylphosphate | 407-490-9 | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H312 H302 H314 | GHS05 GHS07 Dgr | H312 H302 H314 | | | |
| 015-171-00-7 | O,O,O-tris(2(or 4)-C _{9,10} -isoalkylphenyl) phosphorothioate | 406-940-1 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 015-172-00-2 | reaction mass of: bis(isotridecylammonium) mono(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl)phosphate; isotridecylammonium bis(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl) phosphate | 406-240-6 | — | Flam. Liq. 3 Skin Corr. 1B Aquatic Chronic 2 | H226 H314 H411 | GHS02 GHS05 GHS09 Dgr | H226 H314 H411 | | | |
| 015-173-00-8 | methyl [2-(1,1-dimethylethyl)-6-methoxy-pyrimidin-4-yl]ethylphosphonothioate | 414-080-3 | 117291-73-3 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-174-00-3 | 1-chloro-N,N-diethyl-1,1-diphenyl-1-(phenylmethyl)phosphoramine | 411-370-1 | 82857-68-9 | Acute Tox. 3 (*) Eye Dam. 1 Aquatic Chronic 2 | H301 H318 H411 | GHS06 GHS05 GHS09 Dgr | H301 H318 H411 | | | |
| 015-175-00-9 | <i>tert</i> -butyl (triphenylphosphoranylidene) acetate | 412-880-7 | 35000-38-5 | Acute Tox. 3 (*) STOT RE 2 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H301 H373 (**) H319 H317 H411 | GHS06 GHS08 GHS09 Dgr | H301 H373 (**) H319 H317 H411 | | | |
| 015-176-00-4 | <i>P,P,P,P</i> -tetrakis-(<i>o</i> -methoxyphenyl)propane-1,3-diphosphine | 413-430-2 | 116163-96-3 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 015-177-00-X | ((4-phenylbutyl)hydroxyphosphoryl)acetic acid | 412-170-7 | 83623-61-4 | STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 | H373 (**) H318 H317 | GHS08 GHS05 Dgr | H373 (**) H318 H317 | | | |
| 015-178-00-5 | (<i>R</i>)- α -phenylethylammonium (-)-(1 <i>R</i> , 2 <i>S</i>)-(1,2-epoxypropyl)phosphonate monohydrate | 418-570-8 | 25383-07-7 | Repr. 2 Aquatic Chronic 2 | H361f (***) H411 | GHS08 GHS09 Wng | H361f (***) H411 | | | |
| 015-179-00-0 | UVCB condensation product of: tetrakis-hydroxymethylphosphonium chloride, urea and distilled hydrogenated C ₁₆₋₁₈ tallow alkylamine | 422-720-8 | 166242-53-1 | Carc. 2 Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H302 H373 (**) H314 H317 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H351 H302 H373 (**) H314 H317 H410 | | | |
| 015-180-00-6 | [<i>R</i> -(<i>R</i> *, <i>S</i> *)]-[[2-methyl-1-(1-oxopropoxy)propoxy]-(4-phenylbutyl)phosphinyl] acetic acid, (-)-cinchonidine (1:1) salt | 415-820-8 | 137590-32-0 | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H318 H317 H412 | GHS05 GHS07 Dgr | H318 H317 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 015-181-00-1 | phosphine | 232-260-8 | 7803-51-2 | Flam. Gas 1 Press. Gas Acute Tox. 2 (*) Skin Corr. 1B Aquatic Acute 1 | H220 H330 H314 H400 | GHS02 GHS04 GHS06 GHS05 GHS09 Dgr | H220 H330 H314 H400 | | | U |
| 015-184-00-8 | Salts of glyphosate, with the exception of those specified elsewhere in this Annex | — | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | A |
| 015-186-00-9 | chlorpyrifos-methyl (ISO) O, O-dimethyl O—3,5,6-trichloro-2-pyridyl phosphorothioate | 227-011-5 | 5598-13-0 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | M=10000 | |
| 015-187-00-4 | reaction mass of: tetrasodium(((2-hydroxyethyl)imino)bis(methylene))bisphosphonate, N-oxide; trisodium ((tetrahydro-2-hydroxy-4H—1,4,2-oxazaphosphorin-4-yl)-methyl)phosphonate, N-oxide, P-oxide | 417-540-1 | — | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 015-189-00-5 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | 423-340-5 | 162881-26-7 | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 016-001-00-4 | hydrogen sulphide | 231-977-3 | 7783-06-4 | Flam. Gas 1 Press. Gas Acute Tox. 2 (*) Aquatic Acute 1 | H220 H330 H400 | GHS02 GHS04 GHS06 GHS09 Dgr | H220 H330 H400 | | | U |
| 016-002-00-X | barium sulphide | 244-214-4 | 21109-95-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 | H332 H302 H400 | GHS07 GHS09 Wng | H332 H302 H400 | EUH031 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-003-00-5 | barium polysulphides | 256-814-3 | 50864-67-0 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 | H319 H335 H315 H400 | GHS07 GHS09 Wng | H319 H335 H315 H400 | EUH031 | | |
| 016-004-00-0 | calcium sulphide | 243-873-5 | 20548-54-3 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 | H319 H335 H315 H400 | GHS07 GHS09 Wng | H319 H335 H315 H400 | EUH031 | | |
| 016-005-00-6 | calcium polysulphides | 215-709-2 | 1344-81-6 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 | H319 H335 H315 H400 | GHS07 GHS09 Wng | H319 H335 H315 H400 | EUH031 | | |
| 016-006-00-1 | dipotassium sulphide; potassium sulphide | 215-197-0 | 1312-73-8 | Skin Corr. 1B Aquatic Acute 1 | H314 H400 | GHS05 GHS09 Dgr | H314 H400 | EUH031 | | |
| 016-007-00-7 | potassium polysulphides | 253-390-1 | 37199-66-9 | Skin Corr. 1B Aquatic Acute 1 | H314 H400 | GHS05 GHS09 Dgr | H314 H400 | EUH031 | | |
| 016-008-00-2 | ammonium polysulphides | 232-989-1 | 9080-17-5 | Skin Corr. 1B Aquatic Acute 1 | H314 H400 | GHS05 GHS09 Dgr | H314 H400 | EUH031 | EUH031: C ≥ 1 % | |
| 016-009-00-8 | disodium sulphide; sodium sulphide | 215-211-5 | 1313-82-2 | Skin Corr. 1B Aquatic Acute 1 | H314 H400 | GHS05 GHS09 Dgr | H314 H400 | EUH031 | | |
| 016-010-00-3 | sodium polysulphides | 215-686-9 | 1344-08-7 | Acute Tox. 3 (*) Skin Corr. 1B Aquatic Acute 1 | H301 H314 H400 | GHS06 GHS05 GHS09 Dgr | H301 H314 H400 | EUH031 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-011-00-9 | sulphur dioxide | 231-195-2 | 7446-09-5 | Press. Gas Acute Tox. 3 (*) Skin Corr. 1B | H331 H314 | GHS04 GHS06 GHS05 Dgr | H331 H314 | | (*) | U 5 |
| 016-012-00-4 | disulphur dichloride; sulfur monochloride | 233-036-2 | 10025-67-9 | Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1A Aquatic Acute 1 | H301 H332 H314 H400 | GHS06 GHS05 GHS09 Dgr | H301 H332 H314 H400 | EUH014 EUH029 | STOT SE 3; H335: C ≥ 1 % | |
| 016-013-00-X | sulphur dichloride | 234-129-0 | 10545-99-0 | Skin Corr. 1B STOT SE 3 Aquatic Acute 1 | H314 H335 H400 | GHS05 GHS07 GHS09 Dgr | H314 H335 H400 | EUH014 | STOT SE 3; H335: C ≥ 5 % | |
| 016-014-00-5 | sulphur tetrachloride | — | 13451-08-6 | Skin Corr. 1B Aquatic Acute 1 | H314 H400 | GHS05 GHS09 Dgr | H314 H400 | EUH014 | STOT SE 3; H335: C ≥ 5 % | |
| 016-015-00-0 | thionyl dichloride; thionyl chloride | 231-748-8 | 7719-09-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A | H332 H302 H314 | GHS05 GHS07 Dgr | H332 H302 H314 | EUH014 EUH029 | STOT SE 3; H335: C ≥ 1 % | |
| 016-016-00-6 | sulphuryl chloride | 232-245-6 | 7791-25-5 | Skin Corr. 1B STOT SE 3 | H314 H335 | GHS05 GHS07 Dgr | H314 H335 | EUH014 | | |
| 016-017-00-1 | chlorosulphonic acid | 232-234-6 | 7790-94-5 | Skin Corr. 1A STOT SE 3 | H314 H335 | GHS05 GHS07 Dgr | H314 H335 | EUH014 | | |
| 016-018-00-7 | fluorosulphonic acid | 232-149-4 | 7789-21-1 | Acute Tox. 4 (*) Skin Corr. 1A | H332 H314 | GHS05 GHS07 Dgr | H332 H314 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-019-00-2 | oleum ... % SO ₃ | — | — | Skin Corr. 1A STOT SE 3 | H314 H335 | GHS05 GHS07 Dgr | H314 H335 | EUH014 | | B |
| 016-020-00-8 | sulphuric acid ... % | 231-639-5 | 7664-93-9 | Skin Corr. 1A | H314 | GHS05 Dgr | H314 | | Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 % | B |
| 016-021-00-3 | methanethiol; methyl mercaptan | 200-822-1 | 74-93-1 | Flam. Gas. 1 Press. Gas Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H220 H331 H400 H410 | GHS02 GHS04 GHS06 GHS09 Dgr | H220 H331 H410 | | | U |
| 016-022-00-9 | ethanethiol; ethyl mercaptan | 200-837-3 | 75-08-1 | Flam. Liq. 2 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H225 H332 H400 H410 | GHS02 GHS07 GHS09 Dgr | H225 H332 H410 | | | |
| 016-023-00-4 | dimethyl sulphate | 201-058-1 | 77-78-1 | Carc. 1B Muta. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 | H350 H341 H330 H301 H314 H317 | GHS06 GHS08 GHS05 Dgr | H350 H341 H330 H301 H314 H317 | | Carc. 1B; H350: C ≥ 0.01 % Muta. 2; H341: C ≥ 0.01 % STOT SE 3; H335: C ≥ 5 % | |
| 016-024-00-X | dimexano(ISO); bis(methoxythiocarbonyl) disulphide | 215-993-8 | 1468-37-7 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-025-00-5 | disul (ISO); 2-(2,4-dichlorophenoxy)ethyl hydrogensulphate; 2,4-DES | 205-259-5 | 149-26-8 | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 | H302 H315 H318 | GHS05 GHS07 Dgr | H302 H315 H318 | | | |
| 016-026-00-0 | sulphamidic acid; sulphamic acid; sulfamic acid | 226-218-8 | 5329-14-6 | Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3 | H319 H315 H412 | GHS07 Wng | H319 H315 H412 | | | |
| 016-027-00-6 | diethyl sulphate | 200-589-6 | 64-67-5 | Carc. 1B Muta. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H350 H340 H332 H312 H302 H314 | GHS05 GHS08 GHS07 Dgr | H350 H340 H332 H312 H302 H314 | | | |
| 016-028-00-1 | sodium dithionite; sodium hydrosulphite | 231-890-0 | 7775-14-6 | Self-heat. 1 Acute Tox. 4 (*) | H251 H302 | GHS02 GHS07 Dgr | H251 H302 | EUH031 | | |
| 016-029-00-7 | p-toluenesulphonic acid, containing more than 5 % H ₂ SO ₄ | — | — | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % | |
| 016-030-00-2 | p-toluenesulphonic acid (containing a maximum of 5 % H ₂ SO ₄) | 203-180-0 | 104-15-4 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H319 H335 H315 | GHS07 Wng | H319 H335 H315 | | STOT SE 3; H335: C ≥ 20 % | |
| 016-031-00-8 | tetrahydrothiophene-1,1-dioxide; sulpholane | 204-783-1 | 126-33-0 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 016-032-00-3 | 1,3-propanesultone; 1,2-oxathiolane 2,2-dioxide | 214-317-9 | 1120-71-4 | Carc. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) | H350 H312 H302 | GHS08 GHS07 Dgr | H350 H312 H302 | | Carc. 1B; H350: C ≥ 0,01 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-033-00-9 | dimethylsulfamoylchloride | 236-412-4 | 13360-57-1 | Carc. 1B Acute Tox. 2 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H350 H330 H312 H302 H314 | GHS06 GHS05 GHS08 Dgr | H350 H330 H312 H302 H314 | | | |
| 016-034-00-4 | tetrasodium 3,3'-(piperazine-1,4-diylbis((6-chloro-1,3,5-triazine-2,4-diyl)imino(2-acetamido)-4,1-phenyleneazo))bis(naphthalene-1,5-disulphonate) | 400-010-9 | 81898-60-4 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 016-035-00-X | pentasodium 5-anilino-3-(4-(4-(6-chloro-4-(3-sulphonatoanilino)-1,3,5-triazin-2-ylamino)-2,5-dimethylphenylazo)-2,5-disulphonatophenylazo)-4-hydroxynaphthalene-2,7-disulphonate | 400-120-7 | — | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 016-036-00-5 | tetrasodium 5-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-4-hydroxy-2,3-azodinaphthalene-1,2,5,7-disulphonate | 400-130-1 | — | Resp. Sens. 1 Aquatic Chronic 2 | H334 H411 | GHS08 GHS09 Dgr | H334 H411 | | | |
| 016-037-00-0 | disodium 1-amino-4-(4-benzenesulphonamido-3-sulphonatoanilino)anthraquinone-2-sulphonate | 400-350-8 | 85153-93-1 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 016-038-00-6 | disodium 6-((4-chloro-6-(N-methyl)-2-toluidino)-1,3,5-triazin-2-ylamino)-1-hydroxy-2-(4-methoxy-2-sulphonatophenylazo)naphthalene-3-sulphonate | 400-380-1 | 86393-35-3 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 016-039-00-1 | tetrasodium 2-(6-chloro-4-(4-(2,5-dimethyl-4-(2,5-disulphonatophenylazo)phenylazo)-3-ureidoanilino)-1,3,5-triazin-2-ylamino)benzene-1,4-disulphonate | 400-430-2 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-040-00-7 | reaction mass of disodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(2,4-dihydroxyphenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and disodium 6-(2,4-diaminophenylazo)-3-(4-(4-(2,4-diaminophenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and trisodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(7-(2,4-dihydroxyphenylazo)-1-hydroxy-3-sulphonato-2-naphthylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate | 400-570-4 | — | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 016-041-00-2 | calcium 2,5-dichloro-4-(4-((5-chloro-4-methyl-2-sulphonatophenyl)azo)-5-hydroxy-3-methylpyrazol-1-yl)benzenesulphonate | 400-710-4 | — | Acute Tox. 4 (*) | H332 | GHS07 Wng | H332 | | | |
| 016-042-00-8 | tetrasodium 5-benzamido-3-(5-(4-fluoro-6-(1-sulphonato-2-naphthylamino)-1,3,5-triazin-2-ylamino)-2-sulphonatophenylazo)-4-hydroxynaphthalene-2,7-disulphonate | 400-790-0 | 85665-97-0 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | | |
| 016-043-00-3 | dilithium 6-acetamido-4-hydroxy-3-(4-((2-sulphonatooxy)ethylsulphonyl)phenylazo)naphthalene-2-sulphonate | 401-010-1 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 016-044-00-9 | disodium S,S-hexane-1,6-diyl-di(thiosulphate) dihydrate | 401-320-7 | — | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 016-045-00-4 | lithium sodium hydrogen 4-amino-6-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-sulphonatophenylazo)-5-hydroxy-3-(4-(2-(sulphonatooxy)ethylsulphonyl)phenylazo)naphthalene-2,7-disulphonate | 401-560-2 | 108624-00-6 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 016-046-00-X | sodium hydrogensulphate | 231-665-7 | 7681-38-1 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 016-047-00-5 | hexasodium 7-(4-(4-(4-(2,5-disulphonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)-2-methylphenylazo)-7-sulphonatonaphthylazo)naphthalene-1,3,5-trisulphonate | 401-650-1 | 85665-96-9 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-048-00-0 | sodium 3,5-dichloro-2-(5-cyano-2,6-bis(3-hydroxypropylamino)-4-methylpyridin-3-ylazo)benzenesulphonate | 401-870-8 | — | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 016-049-00-6 | calcium octadecylxylenesulphonate | 402-040-8 | — | Skin Corr. 1B Aquatic Chronic 2 | H314 H411 | GHS05 GHS09 Dgr | H314 H411 | | | |
| 016-050-00-1 | potassium sodium 5-(4-chloro-6-(N-(4-(4-chloro-6-(5-hydroxy-2,7-disulphonato-6-(2-sulphonatophenylazo)-4-naphthylamino)-1,3,5-triazin-2-ylamino) phenyl-N-methyl) amino)-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(2-sulphonatophenylazo)naphthalene-2,7-disulphonat | 402-150-6 | — | Eye Irrit. 2 Skin Sens. 1 | H319 H317 | GHS07 Wng | H319 H317 | | | |
| 016-051-00-7 | trisodium 7-(4-(6-fluoro-4-(2-(2-vinylsulphonylethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-ureidophenylazo)naphthalene-1,3,6-trisulphonate | 402-170-5 | 106359-91-5 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 016-052-00-2 | benzyltributylammonium 4-hydroxynaphthalene-1-sulphonate | 402-240-5 | 102561-46-6 | Acute Tox. 4 (*) Aquatic Chronic 2 | H332 H411 | GHS07 GHS09 Wng | H332 H411 | | | |
| 016-053-00-8 | (C ₁₆ or C ₁₈ -n-alkyl)(C ₁₆ or C ₁₈ -n-alkyl) ammonium 2-((C ₁₆ or C ₁₈ -n-alkyl)(C ₁₆ or C ₁₈ -n-alkyl)carbamoyl)benzenesulphonate | 402-460-1 | — | Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 4 | H315 H317 H413 | GHS07 Wng | H315 H317 H413 | | | |
| 016-054-00-3 | sodium 4-(2,4,4-trimethylpentylcarbonyloxy)benzenesulfonate | 400-030-8 | — | Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Sens. 1 | H331 H372 (**) H302 H319 H335 H317 | GHS06 GHS08 Dgr | H331 H372 (**) H302 H319 H335 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-055-00-9 | tetrasodium 4-amino-3,6-bis(5-(6-chloro-4-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-5-hydroxynaphthalene-2,7-sulfonate (containing > 35 % sodium chloride and sodium acetate) | 400-510-7 | — | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 016-056-00-4 | potassium hydrogensulphate | 231-594-1 | 7646-93-7 | Skin Corr. 1B STOT SE 3 | H314 H335 | GHS05 GHS07 Dgr | H314 H335 | | | |
| 016-057-00-X | styrene-4-sulfonyl chloride | 404-770-2 | 2633-67-2 | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 | H315 H318 H317 | GHS05 GHS07 Dgr | H315 H318 H317 | | | |
| 016-058-00-5 | thionyl chloride, reaction products with 1,3,4-thiadiazol-2,5-dithiol, <i>tert</i> -nonanethiol and C ₁₂₋₁₄ — <i>tert</i> -alkylamine | 404-820-3 | — | Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H315 H317 H412 | GHS07 Wng | H315 H317 H412 | | | |
| 016-059-00-0 | N,N,N',N'-tetramethyldithiobis(ethylene)diamine dihydrochloride | 405-300-9 | 17339-60-5 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H317 H400 H410 | GHS07 GHS09 Wng | H302 H319 H317 H410 | | | |
| 016-060-00-6 | diammonium peroxodisulphate; ammonium persulphate | 231-786-5 | 7727-54-0 | Ox. Sol. 3 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1 | H272 H302 H319 H335 H315 H334 H317 | GHS03 GHS08 GHS07 Dgr | H272 H302 H319 H335 H315 H334 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-061-00-1 | dipotassium peroxodisulphate; potassium persulphate | 231-781-8 | 7727-21-1 | Ox. Sol. 3 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1 | H272 H302 H319 H335 H315 H334 H317 | GHS03 GHS08 GHS07 Dgr | H272 H302 H319 H335 H315 H334 H317 | | | |
| 016-062-00-7 | bensultap (ISO); 1,3-bis(phenylsulfonylthio)-2-(N,N-diméthylamino)propane | — | 17606-31-4 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 016-063-00-2 | sodium metabisulphite | 231-673-0 | 7681-57-4 | Acute Tox. 4 (*) Eye Dam. 1 | H302 H318 | GHS05 GHS07 Dgr | H302 H318 | EUH031 | | |
| 016-064-00-8 | sodium hydrogensulphite . . . %; sodium bisulphite . . . % | 231-548-0 | 7631-90-5 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | EUH031 | | B |
| 016-065-00-3 | sodium 1-amino-4-[2-méthyl-5-(4-méthylphenylsulfonyle)amino]phénylamino]anthraquinone-2-sulfonate | 400-100-8 | 84057-97-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 016-066-00-9 | tetrasodium [5-((4-amino-6-chloro-1,3,5-triazin-2-yl)amino)-2-((2-hydroxy-3,5-disulfonatophénylazo)-2-sulfonatobenzylidènehydrazino)benzoate]copper(II) | 404-070-7 | 116912-62-0 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 016-067-00-4 | (4-méthylphényl)mesitylène sulfonate | 407-530-5 | 67811-06-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 016-068-00-X | sodium 3,5-bis(tétracycloxycarbonyl)benzènesulfinate | 407-720-8 | 155160-86-4 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 016-069-00-5 | 3,5-bis-(tétracycloxycarbonyl)benzènesulfonique | 407-990-7 | 141915-64-2 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-070-00-0 | 4-benzyloxy-4'-(2,3-epoxy-2-methylprop-1-yloxy)diphenylsulfone | 408-220-2 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 016-071-00-6 | trisodium 3-amino-6,13-dichloro-10-((3-((4-chloro-6-(2-sulfophenylamino)-1,3,5-triazin-2-yl)amino)propyl) amino)-4,11-triphenoxydioxazinedisulfonate | 410-130-3 | 136248-03-8 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 016-072-00-1 | 3-amino-4-hydroxy-N-(2-methoxyethyl)-benzenesulfonamide | 411-520-6 | 112195-27-4 | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H318 H317 H411 | | | |
| 016-073-00-7 | tetrakis(phenylmethyl)thioperoxydi(carbothioamide) | 404-310-0 | 10591-85-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 016-074-00-2 | 6-fluoro-2-methyl-3-(4-methylthiobenzyl)indene | 405-410-7 | — | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H315 H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H315 H318 H317 H411 | | | |
| 016-075-00-8 | 2,2'-diallyl-4,4'-sulfonyldiphenol | 411-570-9 | 41481-66-7 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 016-076-00-3 | 2,3-bis((2-mercaptoethyl)thio)-1-propanethiol | 411-290-7 | 131538-00-6 | Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H373 (**) H400 H410 | GHS08 GHS07 GHS09 Wng | H302 H373 (**) H410 | | | |
| 016-077-00-9 | 2-chloro-p-toluenesulfochloride | 412-890-1 | 42413-03-6 | Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3 | H314 H317 H412 | GHS05 GHS07 Dgr | H314 H317 H412 | | | |
| 016-078-00-4 | 4-methyl-N,N-bis(2-(((4-methylphenyl)sulfonyl)amino)ethyl)benzenesulfonamide | 413-300-5 | 56187-04-3 | Aquatic Chronic 4 | H413 | — | | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-079-00-X | <i>N,N</i> -bis(2-(<i>p</i> -toluenesulfonyloxy)ethyl)- <i>p</i> -toluenesulfonamide | 412-920-3 | 16695-22-0 | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 016-080-00-5 | sodium 2-anilino-5-(2-nitro-4-(<i>N</i> -phenylsulfamoyl)anilinobenzènesulfonate | 412-320-1 | 31361-99-6 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 016-081-00-0 | hexahydrocyclopenta[<i>c</i>]pyrrole-1-(1 <i>H</i>)-ammonium <i>N</i> -ethoxycarbonyl- <i>N</i> -(<i>p</i> -tolylsulfonyl)azanide | 418-350-1 | — | Muta. 2 Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H341 H302 H319 H317 H411 | GHS08 GHS07 GHS09 Wng | H341 H302 H319 H317 H411 | | | |
| 016-082-00-6 | ethoxysulfuron (ISO); 1-(4,6-diméthoxy-pyrimidin-2-yl)-3-(2-éthoxyphénoxy-sulfonyl)urée | — | 126801-58-9 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 016-083-00-1 | acibenzolar- <i>S</i> -methyl; benzo[1,2,3]thiadiazole-7-carbothioic acid <i>S</i> -methyl ester | 420-050-0 | 135158-54-2 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H319 H335 H315 H317 H400 H410 | GHS07 GHS09 Wng | H319 H335 H315 H317 H410 | | | |
| 016-084-00-7 | prosulfuron; 1-(4-méthoxy-6-méthyl-1,3,5-triazin-2-yl)-3-[2-(3,3,3-trifluoropropyl)phénylsulfonyl]urée | — | 94125-34-5 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 016-085-00-2 | flazasulfuron (ISO); 1-(4,6-diméthoxy-pyrimidin-2-yl)-3-(3-trifluorométhyl-2-pyridylsulfonyl)urée | — | 104040-78-0 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 016-086-00-8 | tetrasodium 10-amino-6,13-dichloro-3-(3-(4-(2,5-disulfonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)prop-3-ylamino)-5,12-dioxa-7,14-diazapentacène-4,11-disulfonate | 402-590-9 | 109125-56-6 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-087-00-3 | reaction mass of: thiobis(4,1-phenylene)-S,S,S',S'-tetraphenyldisulfonium bishexafluorophosphate; diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate; propylene carbonate | 403-490-8 | 104558-95-4 | Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H319 H317 H400 H410 | GHS07 GHS09 Wng | H319 H317 H410 | | | |
| 016-088-00-9 | 4-(bis(4-(diethylamino)phenyl)methyl)benzene-1,2-dimethanesulfonic acid | 407-280-7 | 71297-11-5 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 016-089-00-4 | reaction mass of esters of 5,5',6,6',7,7'-hexahydroxy-3,3,3',3'-tetramethyl-1,1'-spirobiindan and 2-diazo-1,2-dihydro-1-oxo-5-sulfonaphthalene | 413-840-1 | — | Self-react. C (***) Aquatic Chronic 4 | H242 H413 | GHS02 Dgr | H242 H413 | | | |
| 016-090-00-X | 4-methyl-N-(methylsulfonyl)benzenesulfonamide | 415-040-8 | 14653-91-9 | Acute Tox. 4 (*) STOT SE 3 Eye Dam. 1 | H302 H335 H318 | GHS05 GHS07 Dgr | H302 H335 H318 | | | |
| 016-091-00-5 | C ₁₂₋₁₄ —tert-alkyl ammonium 1-amino-9,10-dihydro-9,10-dioxo-4-(2,4,6-trimethylamino)-anthracen-2-sulfonate | 414-110-5 | — | Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H400 H410 | GHS05 GHS09 Dgr | H318 H410 | | | |
| 016-093-00-6 | reaction mass of: 4-(7-hydroxy-2,4,4-trimethyl-2-chromanil)resorcinol-4-yl-tris(6-diazo-5,6-dihydro-5-oxonaphthalen-1-sulfonate); 4-(7-hydroxy-2,4,4-trimethyl-2-chromanil)resorcinolbis(6-diazo-5,6-dihydro-5-oxonaphthalen-1-sulfonate) (2:1) | 414-770-4 | 140698-96-0 | Self-react. C (***) Carc. 2 | H242 H351 | GHS02 GHS08 Dgr | H242 H351 | | | |
| 016-095-00-7 | reaction mass of: reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalenesulfonate (1:2); Reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalenesulfonate (1:3) | 417-980-4 | — | Self-react. C (***) Carc. 2 | H242 H351 | GHS02 GHS08 Dgr | H242 H351 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 016-096-00-2 | thifensulfuron-methyl (ISO); methyl 3-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulfamoyl)thiophene-2-carboxylate | — | 79277-27-3 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 017-001-00-7 | chlorine | 231-959-5 | 7782-50-5 | Ox. Gas 1 Press. Gas Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 | H270 H331 H319 H335 H315 H400 | GHS03 GHS04 GHS06 GHS09 Dgr | H270 H331 H319 H335 H315 H400 | | | U |
| 017-002-00-2 | hydrogen chloride | 231-595-7 | 7647-01-0 | Press. Gas Acute Tox. 3 (*) Skin Corr. 1A | H331 H314 | GHS04 GHS06 GHS05 Dgr | H331 H314 | | | U 5 |
| 017-002-01-X | hydrochloric acid ... % | 231-595-7 | — | Skin Corr. 1B STOT SE 3 | H314 H335 | GHS05 GHS07 Dgr | H314 H335 | | Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 % | B |
| 017-003-00-8 | barium chlorate | 236-760-7 | 13477-00-4 | Ox. Sol. 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H271 H332 H302 H411 | GHS03 GHS07 GHS09 Dgr | H271 H332 H302 H411 | | | |
| 017-004-00-3 | potassium chlorate | 223-289-7 | 3811-04-9 | Ox. Sol. 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H271 H332 H302 H411 | GHS03 GHS07 GHS09 Dgr | H271 H332 H302 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 017-005-00-9 | sodium chlorate | 231-887-4 | 7775-09-9 | Ox. Sol. 1 Acute Tox. 4 (*) Aquatic Chronic 2 | H271 H302 H411 | GHS03 GHS07 GHS09 Dgr | H271 H302 H411 | | | |
| 017-006-00-4 | perchloric acid ... % | 231-512-4 | 7601-90-3 | Ox. Liq. 1 Skin Corr. 1A | H271 H314 | GHS03 GHS05 Dgr | H271 H314 | | Skin Corr. 1A; H314: C ≥ 50 % Skin Corr. 1B; H314: 10 % ≤ C < 50 % Skin Irrit. 2; H315: 1 % ≤ C < 10 % Eye Irrit. 2; H319: 1 % ≤ C < 10 % Ox. Liq. 1; H271: C > 50 %; Ox. Liq. 2; H272: C ≤ 50 %; | B |
| 017-007-00-X | barium perchlorate | 236-710-4 | 13465-95-7 | Ox. Sol. 1 Acute Tox. 4 (*) Acute Tox. 4 (*) | H271 H332 H302 | GHS03 GHS07 Dgr | H271 H332 H302 | | | |
| 017-008-00-5 | potassium perchlorate | 231-912-9 | 7778-74-7 | Ox. Sol. 1 Acute Tox. 4 (*) | H271 H302 | GHS03 GHS07 Dgr | H271 H302 | | | |
| 017-009-00-0 | ammonium perchlorate | 232-235-1 | 7790-98-9 | Expl. 1.1 Ox. Sol. 1 | H201 H271 | GHS01 Dgr | H201 H271 | EUH044 | | T |
| 017-010-00-6 | sodium perchlorate | 231-511-9 | 7601-89-0 | Ox. Sol. 1 Acute Tox. 4 (*) | H271 H302 | GHS03 GHS07 Dgr | H271 H302 | | | |
| 017-011-00-1 | sodium hypochlorite, solution ... % Cl active | 231-668-3 | 7681-52-9 | Skin Corr. 1B Aquatic Acute 1 | H314 H400 | GHS05 GHS09 Dgr | H314 H400 | EUH031 | EUH031: C ≥ 5 % | B |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 017-012-00-7 | calcium hypochlorite | 231-908-7 | 7778-54-3 | Ox. Sol. 2 Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 | H272 H302 H314 H400 | GHS03 GHS05 GHS07 GHS09 Dgr | H272 H302 H314 H400 | EUH031 | Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Dam. 1; H31: 3 % ≤ C < 10 % Eye Irrit. 2; H319: 0,5 % ≤ C < 3 % STOT SE 3; H335: C ≥ 3 % | T |
| 017-013-00-2 | calcium chloride | 233-140-8 | 10043-52-4 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 017-014-00-8 | ammonium chloride | 235-186-4 | 12125-02-9 | Acute Tox. 4 (*) Eye Irrit. 2 | H302 H319 | GHS07 Wng | H302 H319 | | | |
| 017-015-00-3 | (2-(aminométhyl)phényl)acétylchlorure hydrochlorure | 417-410-4 | 61807-67-8 | Acute Tox. 4 (*) Skin Corr. 1A Skin Sens. 1 | H302 H314 H317 | GHS05 GHS07 Dgr | H302 H314 H317 | | | |
| 017-016-00-9 | méthyltriphenylphosphonium chlorure | 418-400-2 | 1031-15-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronique 2 | H312 H302 H315 H318 H411 | GHS05 GHS07 GHS09 Dgr | H312 H302 H315 H318 H411 | | | |
| 017-017-00-4 | (Z)-13-docosényl-N,N-bis(2-hydroxyéthyl)-N-méthyl-ammonium-chlorure | 426-210-6 | 120086-58-0 | Skin Corr. 1B Aquatic Acute 1 Aquatic Chronique 1 | H314 H400 H410 | GHS05 GHS09 Dgr | H314 H410 | | | |
| 017-018-00-X | N,N,N-triméthyl-2,3-bis(stéaroyloxy)propylammonium chlorure | 405-660-7 | — | Aquatic Chronique 2 | H411 | GHS09 | H411 | | | |
| 017-019-00-5 | (R)-1,2,3,4-tétrahydro-6,7-diméthoxy-1-veratryloquinoline hydrochlorure | 415-110-8 | 54417-53-7 | Acute Tox. 4 (*) Aquatic Chronique 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 017-020-00-0 | ethyl propoxy aluminium chloride | 421-790-7 | 13014-29-4 | Water-react. 1 Skin Corr. 1A | H260 H314 | GHS02 GHS05 Dgr | H260 H314 | EUH014 | | |
| 017-021-00-6 | behenamidopropyl-dimethyl-(dihydroxypropyl) ammonium chloride | 423-420-1 | 136920-10-0 | Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H318 H317 H410 | | | |
| 019-001-00-2 | potassium | 231-119-8 | 7440-09-7 | Water-react. 1 Skin Corr. 1B | H260 H314 | GHS02 GHS05 Dgr | H260 H314 | EUH014 | | |
| 019-002-00-8 | potassium hydroxide; caustic potash | 215-181-3 | 1310-58-3 | Acute Tox. 4 (*) Skin Corr. 1A | H302 H314 | GHS05 GHS07 Dgr | H302 H314 | | Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 % | |
| 020-001-00-X | calcium | 231-179-5 | 7440-70-2 | Water-react. 2 | H261 | GHS02 Dgr | H261 | | | |
| 020-002-00-5 | calcium cyanide | 209-740-0 | 592-01-8 | Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H400 H410 | GHS06 GHS09 Dgr | H300 H410 | EUH032 | | |
| 020-003-00-0 | reaction mass of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine) dihydroxide; tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide; poly[calcium ((2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)hydroxide] | 420-470-4 | — | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 022-001-00-5 | titanium tetrachloride | 231-441-9 | 7550-45-0 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | EUH014 | | |
| 022-002-00-0 | titanium(4+) oxalate | 403-260-7 | — | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 022-003-00-6 | bis(η5-cyclopentadienyl)-bis(2,6-difluoro-3-pyrrol-1-yl)-phenyl)titanium | 412-000-1 | 125051-32-3 | Flam. Sol. 1 Repr. 2 STOT RE 2 (*) Aquatic Chronic 2 | H228 H361f (***) H373 (**) H411 | GHS02 GHS08 GHS09 Dgr | H228 H361f (***) H373 (**) H411 | | | T |
| 023-001-00-8 | divanadium pentaoxide; vanadium pentoxide | 215-239-8 | 1314-62-1 | Muta. 2 Repr. 2 STOT RE 1 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Aquatic Chronic 2 | H341 H361d (***) H372 (**) H332 H302 H335 H411 | GHS08 GHS07 GHS09 Dgr | H341 H361d (***) H372 (**) H332 H302 H335 H411 | | | |
| 024-001-00-0 | chromium (VI) trioxide | 215-607-8 | 1333-82-0 | Ox. Sol. 1 Carc. 1A Muta. 1B Repr. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Skin Corr. 1A Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H271 H350 H340 H361f (***) H330 H311 H301 H372 (**) H314 H334 H317 H334 H317 H400 H410 | GHS03 GHS06 GHS08 GHS05 GHS09 Dgr | H271 H350 H340 H361f (***) H330 H311 H301 H372 (**) H314 H334 H317 H410 | STOT SE 3; H335: C ≥ 1 % | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|---|--|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 024-002-00-6 | potassium dichromate | 231-906-6 | 7778-50-9 | Ox. Sol. 2 Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H272 H350 H340 H360-FD H330 H301 H372 (**) H312 H314 H334 H317 H410 | GHS03 GHS06 GHS08 GHS05 GHS09 Dgr | H272 H350 H340 H360FD H330 H301 H372 (**) H312 H314 H334 H317 H410 | STOT SE 3; H335: C ≥ 5 % | 3 | |
| 024-003-00-1 | ammonium dichromate | 232-143-1 | 7789-09-5 | Ox. Sol. 2 (****) Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H272 H350 H340 H360-FD H330 H301 H372 (**) H312 H314 H334 H317 H400 H410 | GHS03 GHS06 GHS08 GHS05 GHS09 Dgr | H272 H350 H340 H360FD H330 H301 H372 (**) H312 H314 H334 H317 H410 | STOT SE 3; H335: C ≥ 5 % Resp. Sens.; H334: C ≥ 0,2 % Skin Sens.; H317: C ≥ 0,2 % | G 3 | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|---|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 024-004-00-7 | sodium dichromate anhydrate | 234-190-3 | 10588-01-9 | Ox. Sol. 2 Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H272 H350 H340 H360-FD H330 H301 H372 (**) H312 H314 H334 H317 H400 H410 | GHS03 GHS06 GHS08 GHS05 GHS09 Dgr | H272 H350 H340 H360FD H330 H301 H372 (**) H312 H314 H334 H317 H410 | | STOT SE 3; H335: C ≥ 5 % Resp. Sens.; H334: C ≥ 0,2 % Skin Sens.; H317: C ≥ 0,2 % | 3 |
| 024-004-01-4 | sodium dichromate, dihydrate | 234-190-3 | 7789-12-0 | Ox. Sol. 2 Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H272 H350 H340 H360-FD H330 H301 H372 (**) H312 H314 H334 H317 H400 H410 | GHS03 GHS06 GHS08 GHS05 GHS09 Dgr | H272 H350 H340 H360FD H330 H301 H372 (**) H312 H314 H334 H317 H410 | | STOT SE 3; H335: C ≥ 5 % Resp. Sens.; H334: C ≥ 0,2 % Skin Sens.; H317: C ≥ 0,2 % | 3 |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|--|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 024-005-00-2 | chromyl dichloride; chromic oxychloride | 239-056-8 | 14977-61-8 | Ox. Liq. 1 Carc. 1B Muta. 1B Skin Corr. 1A Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H271 H350i H340 H314 H317 H400 H410 | GHS03 GHS08 GHS05 GHS07 GHS09 Dgr | H271 H350i H340 H314 H317 H410 | | Skin Corr. 1A; H314: C ≥ 10 % Skin Corr. 1B; H314: 5 % ≤ C < 10 % Skin Irrit. 2; H315: 0,5 % ≤ C < 5 % Eye Irrit. 2; H319: 0,5 % ≤ C < 5 % STOT SE 3; H335: 0,5 % ≤ C < 5 % Skin Sens. 1; H317: C ≥ 0,5 % | T 3 |
| 024-006-00-8 | potassium chromate | 232-140-5 | 7789-00-6 | Carc. 1B Muta. 1B Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350i H340 H319 H335 H315 H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350i H340 H319 H335 H315 H317 H410 | | Skin Sens. 1; H317: C ≥ 0.5 % | 3 |
| 024-007-00-3 | zinc chromates including zinc potassium chromate | — | — | Carc. 1A Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H302 H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H302 H317 H410 | | | A |
| 024-008-00-9 | calcium chromate | 237-366-8 | 13765-19-0 | Carc. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H302 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 024-009-00-4 | strontium chromate | 232-142-6 | 7789-06-2 | Carc. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H302 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H302 H400 H410 | | | |
| 024-010-00-X | dichromium tris(chromate); chromium III chromate; chromic chromate | 246-356-2 | 24613-89-6 | Ox. Sol. 1 Carc. 1B Skin Corr. 1A Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H271 H350 H314 H317 H400 H410 | GHS03 GHS08 GHS05 GHS07 GHS09 Dgr | H271 H350 H314 H317 H410 | | | T |
| 024-011-00-5 | ammonium bis(1-(3,5-dinitro-2-oxidophenylazo)-3-(N-phenylcarbamoyl)-2-naphtholato)chromate(1-) | 400-110-2 | 109125-51-1 | Self-react. C (***) Aquatic Acute 1 Aquatic Chronic 1 | H242 H400 H410 | GHS02 GHS09 Dgr | H242 H410 | | | |
| 024-012-00-0 | trisodium bis(7-acetamido-2-(4-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato)chromate(1-) | 400-810-8 | — | Muta. 2 | H341 | GHS08 Wng | H341 | | | |
| 024-013-00-6 | trisodium (6-anilino-2-(5-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato)(4-sulphonato-1,1'-azodi-2,2'naphtholato)chromate(1-) | 402-500-8 | — | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 024-014-00-1 | trisodium bis(2-(5-chloro-4-nitro-2-oxidophenylazo)-5-sulphonato-1-naphtholato)chromate(1-) | 402-870-0 | 93952-24-0 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 024-015-00-7 | disodium (3-methyl-4-(5-nitro-2-oxidophenylazo)-1-phenylpyrazololato)(1-(3-nitro-2-oxido-5-sulfonatophenylazo)-2-naphtholato)chromate(1-) | 404-930-1 | — | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2 | H332 H318 H411 | GHS05 GHS07 GHS09 Dgr | H332 H318 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 024-016-00-2 | tetradecylammonium bis(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-) | 405-110-6 | 88377-66-6 | STOT RE 2 (*) Aquatic Chronic 4 | H373 (**) H413 | GHS08 Wng | H373 (**) H413 | | | |
| 024-017-00-8 | Chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex | — | — | Carc. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350i H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350i H317 H410 | | | A |
| 024-018-00-3 | sodium chromate | 231-889-5 | 7775-11-3 | Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H340 H360-FD H330 H301 H372 (**) H312 H314 H334 H317 H334 H317 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H350 H340 H360FD H330 H301 H372 (**) H312 H314 H334 H317 H410 | Resp. Sens.; H334: C ≥ 0,2 % Skin Sens.; H317: C ≥ 0,2 % | 3 | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 024-019-00-9 | Main component: acetoacetic acid anilide/3-amino-1-hydroxybenzene (ATAN-MAP): trisodium {6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}-(6"-[1-(phenylcarbamoyl)ethylazo]-5"--(phenylsulfamoyl)-3"-sulfonatonaphthalene-2"-azobenzene-1",2"-diolato)chromate (III); by-product 1: acetoacetic acid anilide/ace-toacetic acid anilide (ATAN-ATAN): trisodium bis{6-[1-(phenylcarbamoyl)ethylazo]-5'-(phenylsulfonyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}chromate (III); by-product 2: 3-amino-1-hydroxybenzene/3-amino-1-hydroxybenzene (MAP-MAP): trisodium bis{6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato} chromate (III) | 419-230-1 | — | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 024-020-00-4 | trisodium bis[(3'-nitro-5'-sulfonato(6-amino-2-[4-(2-hydroxy-1-naphtylazo)phenylsulfonylamino]pyrimidin-5-azo)benzene-2',4'-diolato)]chromate(III) | 418-220-4 | — | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 025-001-00-3 | manganese dioxide | 215-202-6 | 1313-13-9 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H302 | GHS07 Wng | H332 H302 | | | |
| 025-002-00-9 | potassium permanganate | 231-760-3 | 7722-64-7 | Ox. Sol. 2 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H272 H302 H400 H410 | GHS03 GHS07 GHS09 Dgr | H272 H302 H410 | | | |
| 025-003-00-4 | manganese sulphate | 232-089-9 | 7785-87-7 | STOT RE 2 (*) Aquatic Chronic 2 | H373 (**) H411 | GHS08 GHS09 Wng | H373 (**) H411 | | | |
| 025-004-00-X | bis(N,N',N"-trimethyl-1,4,7-triazacyclononane)-trioxo-dimanganese (IV) di(hexafluorophosphate) monohydrate | 411-760-1 | 116633-53-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 025-005-00-5 | reaction mass of: tri-sodium [29H, 31H-phthalocyanine-C,C,C-trisulfonato (6-)-N29, N30,N31,N32] manganate (3-); tetrasodium [29H,31H-phthalocyanine-C,C,C,C-tetrasulfonato (6-)-N29,N30,N31,N32], manganate (3-); pentasodium [29H,31H-phthalocyanine-C,C,C,C,C-pentasulfonato (6-)-N29,N30,N31,N32] manganate (3-) | 417-660-4 | — | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 026-001-00-6 | (η-cumene)-(η-cyclopentadienyl)iron(II) hexafluoroantimonate | 407-840-0 | 100011-37-8 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3 | H302 H318 H412 | GHS05 GHS07 Dgr | H302 H318 H412 | | | |
| 026-002-00-1 | (η-cumene)-(η-cyclopentadienyl)iron(II) trifluoromethane-sulfonate | 407-880-9 | 117549-13-0 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 027-001-00-9 | cobalt | 231-158-0 | 7440-48-4 | Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 4 | H334 H317 H413 | GHS08 Dgr | H334 H317 H413 | | | |
| 027-002-00-4 | cobalt oxide | 215-154-6 | 1307-96-6 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 027-003-00-X | cobalt sulphide | 215-273-3 | 1317-42-6 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 027-004-00-5 | cobalt dichloride | 231-589-4 | 7646-79-9 | Carc. 1B Acute Tox. 4 (*) Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350i H302 H334 H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350i H302 H334 H317 H410 | | Carc. 1B; H350i; C ≥ 0,01 % (*) | 1 |
| 027-005-00-0 | cobalt sulphate | 233-334-2 | 10124-43-3 | Carc. 1B Acute Tox. 4 (*) Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350i H302 H334 H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350i H302 H334 H317 H410 | | Carc. 1B; H350i; C ≥ 0,01 % | 1 |
| 028-001-00-1 | tetracarbonylnickel; nickel tetracarbonyl | 236-669-2 | 13463-39-3 | Flam. Liq. 2 Carc. 2 Repr. 1B Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H225 H351 H360D (***) H330 H400 H410 | GHS02 GHS06 GHS08 GHS09 Dgr | H225 H351 H360D (***) H330 H410 | | | |
| 028-002-00-7 | nickel | 231-111-4 | 7440-02-0 | Carc. 2 Skin Sens. 1 | H351 H317 | GHS08 GHS07 Wng | H351 H317 | | | |
| 028-003-00-2 | nickel monoxide | 215-215-7 | 1313-99-1 | Carc. 1Ai Skin Sens. 1 Aquatic Chronic 4 | H350i H317 H413 | GHS08 GHS07 Dgr | H350i H317 H413 | | | |
| 028-004-00-8 | nickel dioxide | 234-823-3 | 12035-36-8 | Carc. 1Ai Skin Sens. 1 Aquatic Chronic 4 | H350i H317 H413 | GHS08 GHS07 Dgr | H350i H317 H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 028-005-00-3 | dinickel trioxide | 215-217-8 | 1314-06-3 | Carc. 1Ai Skin Sens. 1 Aquatic Chronic 4 | H350i H317 H413 | GHS08 GHS07 Dgr | H350i H317 H413 | | | |
| 028-006-00-9 | nickel sulphide | 240-841-2 | 16812-54-7 | Carc. 1Ai Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350i H317 H400 H410 | GHS08 GHS07 GHS07 GHS09 Dgr | H350i H317 H410 | | | |
| 028-007-00-4 | nickel subsulphide; trinickel disulphide | 234-829-6 | 12035-72-2 | Carc. 1Ai Skin Sens. 1 Aquatic Chronic 2 | H350i H317 H411 | GHS08 GHS07 GHS09 Dgr | H350i H317 H411 | | | |
| 028-008-00-X | nickel dihydroxide | 235-008-5 | 12054-48-7 | Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H332 H302 H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H332 H302 H317 H410 | | | |
| 028-009-00-5 | nickel sulphate | 232-104-9 | 7786-81-4 | Carc. 2 Acute Tox. 4 (*) Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H302 H334 H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H351 H302 H334 H317 H410 | | | |
| 028-010-00-0 | nickel carbonate | 222-068-2 | 3333-67-3 | Carc. 2 Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H302 H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H302 H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 029-001-00-4 | copper chloride; copper (I) chloride; cuprous chloride | 231-842-9 | 7758-89-6 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H400 H410 | | | |
| 029-002-00-X | dicopper oxide; copper (I) oxide | 215-270-7 | 1317-39-1 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 029-003-00-5 | Naphthenic acids, copper salts; copper naphthenate | 215-657-0 | 1338-02-9 | Flam. Liq. 3 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H226 H302 H400 H410 | GHS02 GHS07 GHS09 Wng | H226 H302 H410 | | | |
| 029-004-00-0 | copper sulphate | 231-847-6 | 7758-98-7 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H315 H400 H410 | GHS07 GHS09 Wng | H302 H319 H315 H410 | | | |
| 029-005-00-6 | (tris(chloromethyl)phthalocyaninato)copper (II), reaction products with <i>N</i> -methylpiperazine and methoxyacetic acid | 401-260-1 | — | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 029-006-00-1 | tris(octadec-9-enylammonium) (trisulfonaphthalocyaninato)copper(II) | 403-210-4 | — | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 029-007-00-7 | (trisodium (2-((3-(6-(2-chloro-5-sulfonato)anilino)-4-(3-carboxypyridinio)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonatophenylazo)phenylmethylazo)-4-sulfonatobenzoato)copper(3-)) hydroxide | 404-670-9 | 89797-01-3 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | G |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 029-008-00-2 | copper(II) methanesulfonate | 405-400-2 | 54253-62-2 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H318 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H318 H410 | | | |
| 029-009-00-8 | phthalocyanine-N-[3-(diethylamino)propyl] sulfonamide copper complex | 413-650-9 | 93971-95-0 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 029-010-00-3 | reaction mass of compounds from (dodecakis(p-tolylthio)phthalocyaninato)copper(II) to (hexadecakis(p-tolylthio)phthalocyaninato)copper(II) | 407-700-9 | 101408-30-4 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 029-011-00-9 | sodium [29H,31H-phthalocyaninato-(2-)-N29,N30,N31,N32]-((3-(N-methyl-N-(2-hydroxyethyl)amino)propyl)amino)sulfonylsulfonato, copper complex | 412-730-0 | 150522-10-4 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | |
| 029-012-00-4 | sodium ((N-(3-trimethylammonio)propyl)sulfamoyl)methylsulfonatophthalocyaninato)copper(II) | 407-340-2 | 124719-24-0 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 029-013-00-X | trisodium(2-(α-(3-(4-chloro-6-(2-(2-(vinylsulfonyl)ethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonatophenylazo)benzylidenehydrazino)-4-sulfonatobenzoato)copper(II) | 407-580-8 | 130201-51-3 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 030-001-00-1 | zinc powder — zinc dust (pyrophoric) | 231-175-3 | 7440-66-6 | Water-react. 1 Pyr. Sol. 1 Aquatic Acute 1 Aquatic Chronic 1 | H260 H250 H400 H410 | GHS02 GHS09 Dgr | H260 H250 H410 | | | T |
| 030-001-01-9 | zinc powder — zinc dust (stabilised) | 231-175-3 | 7440-66-6 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|--------------------------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 030-003-00-2 | zinc chloride | 231-592-0 | 7646-85-7 | Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H302 H314 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H314 H410 | | STOT SE 3; H335: C ≥ 5 % | |
| 030-004-00-8 | dimethylzinc; [1] diethylzinc [2] | 208-884-1 [1] 209-161-3 [2] | 544-97-8 [1] 557-20-0 [2] | Pyr. Liq. 1 Water-react. 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H250 H260 H314 H400 H410 | GHS02 GHS05 GHS09 Dgr | H250 H260 H314 H410 | EUH014 | | |
| 030-005-00-3 | diamminediisocyanatozinc | 401-610-3 | — | Acute Tox. 4 (*) Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 | H302 H318 H334 H317 H400 | GHS05 GHS08 GHS07 GHS09 Dgr | H302 H318 H334 H317 H400 | | | |
| 030-006-00-9 | zinc sulphate (hydrous) (mono-, hexa- and hepta hydrate); [1] zinc sulphate (anhydrous) [2] | 231-793-3 [1] 231-793-3 [2] | 7446-19-7 [1] 7733-02-0 [2] | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H318 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H318 H410 | | | |
| 030-007-00-4 | bis(3,5-di- <i>tert</i> -butylsalicylato-O ¹ ,O ²)zinc | 403-360-0 | 42405-40-3 | Flam. Sol. 1 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H228 H302 H400 H410 | GHS02 GHS07 GHS09 Dgr | H228 H302 H410 | | | T |
| 030-008-00-X | hydroxo(2-(benzenesulfonamido)benzoato)zinc(II) | 403-750-0 | 113036-91-2 | Acute Tox. 4 (*) Aquatic Chronic 2 | H332 H411 | GHS07 GHS09 Wng | H332 H411 | | | |
| 030-011-00-6 | trizinc bis(orthophosphate) | 231-944-3 | 7779-90-0 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 030-013-00-7 | zinc oxide | 215-222-5 | 1314-13-2 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 033-001-00-X | arsenic | 231-148-6 | 7440-38-2 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H301 H410 | | | |
| 033-002-00-5 | arsenic compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H301 H410 | (*) | A 1 | |
| 033-003-00-0 | diarsenic trioxide; arsenic trioxide | 215-481-4 | 1327-53-3 | Carc. 1A Acute Tox. 2 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H350 H300 H314 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H350 H300 H314 H410 | | | |
| 033-004-00-6 | diarsenic pentaoxide; arsenic pentoxide; arsenic oxide | 215-116-9 | 1303-28-2 | Carc. 1A Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H331 H301 H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H331 H301 H410 | | | |
| 033-005-00-1 | arsenic acid and its salts | — | — | Carc. 1A Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H331 H301 H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H331 H301 H410 | | A | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 033-006-00-7 | arsine | 232-066-3 | 7784-42-1 | Flam. Gas 1 Press. Gas Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H220 H330 H373 (**) H400 H410 | GHS02 GHS04 GHS06 GHS08 GHS09 Dgr | H220 H330 H373 (**) H410 | | | U |
| 033-007-00-2 | tert-butylarsine | 423-320-6 | 4262-43-5 | Pyr. Liq. 1 Acute Tox. 2 (*) | H250 H330 | GHS02 GHS06 Dgr | H250 H330 | | | |
| 034-001-00-2 | selenium | 231-957-4 | 7782-49-2 | Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 4 | H331 H301 H373 (**) H413 | GHS06 GHS08 Dgr | H331 H301 H373 (**) H413 | | | |
| 034-002-00-8 | selenium compounds except cadmium sulphoselenide | — | — | Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H301 H373 (**) H410 | | | A |
| 034-003-00-3 | sodium selenite | 233-267-9 | 10102-18-8 | Acute Tox. 2 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Chronic 2 | H300 H331 H317 H411 | GHS06 GHS09 Dgr | H300 H331 H317 H411 | EUH031 | | |
| 035-001-00-5 | bromine | 231-778-1 | 7726-95-6 | Acute Tox. 2 (*) Skin Corr. 1A Aquatic Acute 1 | H330 H314 H400 | GHS06 GHS05 GHS09 Dgr | H330 H314 H400 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 035-002-00-0 | hydrogen bromide | 233-113-0 | 10035-10-6 | Press. Gas Skin Corr. 1A STOT SE 3 | H314 H335 | GHS04 GHS05 GHS07 Dgr | H314 H335 | | | U |
| 035-002-01-8 | hydrobromic acid ... % | — | — | Skin Corr. 1B STOT SE 3 | H314 H335 | GHS05 GHS07 Dgr | H314 H335 | | Skin Corr. 1B; H314: C ≥ 40 % Skin Irrit. 2; H315: 10 % ≤ C < 40 % Eye Irrit. 2; H319: 10 % ≤ C < 40 % STOT SE 3; H335: C ≥ 10 % | B |
| 035-003-00-6 | potassium bromate | 231-829-8 | 7758-01-2 | Ox. Sol. 1 Carc. 1B Acute Tox. 3 (*) | H271 H350 H301 | GHS03 GHS06 GHS08 Dgr | H271 H350 H301 | | | |
| 035-004-00-1 | 2-hydroxyethylammonium perbromide | 407-440-6 | — | Ox. Sol. 2 (****) Acute Tox. 4 (*) Skin Corr. 1A Skin Sens. 1 Aquatic Acute 1 | H272 H302 H314 H317 H400 | GHS03 GHS05 GHS07 GHS09 Dgr | H272 H302 H314 H317 H400 | | | |
| 040-001-00-3 | zirconium powder (pyrophoric) | 231-176-9 | 7440-67-7 | Water-react. 1 Pyr. Sol. 1 | H260 H250 | GHS02 Dgr | H260 H250 | | | T |
| 040-002-00-9 | zirconium powder, dry (non pyrophoric) | — | — | Self-heat. 1 | H251 | GHS02 Dgr | H251 | | | T |
| 042-001-00-9 | molybdenum trioxide | 215-204-7 | 1313-27-5 | STOT RE 2 (*) Eye Irrit. 2 STOT SE 3 | H373 (**) H319 H335 | GHS08 GHS07 Wng | H373 (**) H319 H335 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|--------------------------------|---|---|--|---|---|---|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 042-002-00-4 | tetrakis(dimethylditetradecylammonium) hexa- μ -oxotetra- μ 3-oxodi- μ 5-oxotetradecaooxooctamolybdate(4-) | 404-760-8 | 117342-25-3 | Acute Tox. 3 (*) Eye Dam. 1 Aquatic Chronic 4 | H331 H318 H413 | GHS06 GHS05 Dgr | H331 H318 H413 | | | |
| 042-003-00-X | tetrakis(trimethylhexadecylammonium) hexa- μ -oxotetra- μ 3-oxodi- μ 5-oxotetradecaooxooctamolybdate(4-) | 404-860-1 | 116810-46-9 | Flam. Sol. 1 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H228 H318 H400 H410 | GHS02 GHS05 GHS09 Dgr | H228 H318 H410 | | | T |
| 042-004-00-5 | Reaction product of ammonium molybdate and C ₁₂ -C ₂₄ -diethoxylated alkylamine (1:5-1:3) | 412-780-3 | — | Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H315 H317 H411 | GHS07 GHS09 Wng | H315 H317 H411 | | | |
| 047-001-00-2 | silver nitrate | 231-853-9 | 7761-88-8 | Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H314 H400 H410 | GHS05 GHS09 Dgr | H314 H410 | | | |
| 048-001-00-5 | cadmium compounds, with the exception of cadmium sulphoselenide (xCdS.yCdSe), reaction mass of cadmium sulphide with zinc sulphide (xCdS.yZnS), reaction mass of cadmium sulphide with mercury sulphide (xCdS.yHgS), and those specified elsewhere in this Annex | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | (*) | | A 1 |
| 048-002-00-0 | cadmium (non-pyrophoric); [1] cadmium oxide (non-pyrophoric) [2] | 231-152-8 [1] 215-146-2 [2] | 7440-43-9 [1] 1306-19-0 [2] | Carc. 1B Muta. 2 Repr. 2 Acute Tox. 2 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H341 H361fd H330 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H341 H361fd H330 H372 (**) H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 048-003-00-6 | cadmium diformate; cadmiumformate | 224-729-0 | 4464-23-7 | Acute Tox. 3 (*) Acute Tox. 3 (*) Carc. 2 STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H351 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H301 H351 H373 (**) H410 | | (*) STOT RE 2; H373: C ≥ 0,25 % | |
| 048-004-00-1 | cadmium cyanide | 208-829-1 | 542-83-6 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Carc. 2 STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H351 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H330 H310 H300 H351 H373 (**) H410 | EUH032 | STOT RE 2; H373: C ≥ 0,1 % EUH032: C ≥ 1 % | |
| 048-005-00-7 | cadmiumhexafluorosilicate(2-); cadmium fluorosilica | 241-084-0 | 17010-21-8 | Acute Tox. 3 (*) Acute Tox. 3 (*) Carc. 2 STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H351 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H301 H351 H373 (**) H410 | | (*) STOT RE 2; H373: C ≥ 0,1 % | |
| 048-006-00-2 | cadmium fluoride | 232-222-0 | 7790-79-6 | Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H340 H360FD H330 H301 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H340 H360FD H330 H301 H372 (**) H410 | | Carc. 1B; H350: C ≥ 0,01 % (*) oral STOT RE 1; H372: C ≥ 7 % STOT RE 2: 0,1 % ≤ C < 7 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 048-007-00-8 | cadmium iodide | 232-223-6 | 7790-80-9 | Acute Tox. 3 (*) Acute Tox. 3 (*) Carc. 2 STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H351 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H301 H351 H373 (**) H410 | | (*) STOT RE 2; H373: C ≥ 0,1 % | |
| 048-008-00-3 | cadmium chloride | 233-296-7 | 10108-64-2 | Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H340 H360FD H330 H301 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H340 H360FD H330 H301 H372 (**) H410 | | Carc. 1B; H350: C ≥ 0,01 % (*) oral STOT RE 1; H372: C ≥ 7 % STOT RE 2; H373: 0,1 % ≤ C < 7 % | |
| 048-009-00-9 | cadmium sulphate | 233-331-6 | 10124-36-4 | Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H340 H360FD H330 H301 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H340 H360FD H330 H301 H372 (**) H410 | | Carc. 1B; H350: C ≥ 0,01 % (*) oral STOT RE 1; H372: C ≥ 7 % STOT RE 2; H373: 0,1 % ≤ C < 7 % | |
| 048-010-00-4 | cadmium sulphide | 215-147-8 | 1306-23-6 | Carc. 1B Muta. 2 Repr. 2 STOT RE 1 Acute Tox. 4 (*) Aquatic Chronic 4 | H350 H341 H361fd H372 (**) H302 H413 | GHS08 GHS07 Dgr | H350 H341 H361fd H372 (**) H302 H413 | | (*) STOT RE 1; H372: C ≥ 10 % STOT RE 2; H373: 0,1 % ≤ C < 10 % | 1 |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 048-011-00-X | cadmium (pyrophoric) | 231-152-8 | 7440-43-9 | Pyr. Sol. 1 Carc. 1B Muta. 2 Repr. 2 Acute Tox. 2 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H250 H350 H341 H361fd H330 H372 (**) H400 H410 | GHS02 GHS06 GHS08 GHS09 Dgr | H250 H350 H341 H361fd H330 H372 (**) H410 | | | |
| 050-001-00-5 | tin tetrachloride; stannic chloride | 231-588-9 | 7646-78-8 | Skin Corr. 1B Aquatic Chronic 3 | H314 H412 | GHS05 Dgr | H314 H412 | | STOT SE 3; H335: C ≥ 5 % | |
| 050-002-00-0 | cyhexatin (ISO); hydroxytricyclohexylstannane; tri(cyclohexyl)tin hydroxide | 236-049-1 | 13121-70-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | | | |
| 050-003-00-6 | fentin acetate (ISO); triphenyltin acetate | 212-984-0 | 900-95-8 | Carc. 2 Repr. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H361d (***) H330 H311 H301 H372 (**) H335 H315 H318 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H351 H361d (***) H330 H311 H301 H372 (**) H335 H315 H318 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 050-004-00-1 | fentin hydroxide (ISO); triphenyltin hydroxide | 200-990-6 | 76-87-9 | Carc. 2 Repr. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H361d (***) H330 H311 H301 H372 (**) H335 H315 H318 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H351 H361d (***) H330 H311 H301 H372 (**) H335 H315 H318 H410 | | | |
| 050-005-00-7 | trimethyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H400 H410 | GHS06 GHS09 Dgr | H330 H310 H300 H410 | (*) | A 1 | |
| 050-006-00-2 | triethyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H400 H410 | GHS06 GHS09 Dgr | H330 H310 H300 H410 | (*) | A 1 | |
| 050-007-00-8 | tripropyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H311 H301 H410 | (*) | A 1 | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|---|--|--|--|---|---|--|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 050-008-00-3 | tributyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H301 H372 (**) H312 H319 H315 H400 H410 | GHS06 GHS08 GHS09 Dgr | H301 H372 (**) H312 H319 H315 H410 | | (*) oral STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,25 % ≤ C < 1 % (*) dermal Eye Irrit. 2; H319: C ≥ 1 % Skin Irrit. 2; H315: C ≥ 1 % | A 1 |
| 050-009-00-9 | fluorotripentylstannane; [1] hexapentyl-distannoxane [2] | 243-546-7 [1] 247-143-7 [2] | 20153-49-5 [1] 25637-27-8 [2] | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | | (*) | 1 |
| 050-010-00-4 | fluorotrihexylstannane | 243-547-2 | 20153-50-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | | (*) | 1 |
| 050-011-00-X | triphenyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H311 H301 H410 | | (*) | A 1 |
| 050-012-00-5 | tetracyclohexylstannane; [1] chlorotricyclohexylstannane; [2] butyltricyclohexylstannane [3] | 215-910-5 [1] 221-437-5 [2] 230-358-5 [3] | 1449-55-4 [1] 3091-32-5 [2] 7067-44-9 [3] | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | | (*) | A 1 |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|--|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 050-013-00-0 | trioctyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 4 | H319 H335 H315 H413 | GHS07 Wng | H319 H335 H315 H413 | | Skin Irrit. 2; H315: C ≥ 1 % Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 % | A 1 |
| 050-017-00-2 | fenbutatin oxide (ISO); bis(tris(2-methyl-2-phenylpropyl)tin)oxide | 236-407-7 | 13356-08-6 | Acute Tox. 2 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H330 H319 H315 H400 H410 | GHS06 GHS09 Dgr | H330 H319 H315 H410 | | | |
| 050-018-00-8 | tin(II) methanesulphonate | 401-640-7 | 53408-94-9 | Skin Corr. 1B Acute Tox. 4 (*) Skin Sens. 1 | H314 H302 H317 | GHS05 GHS07 Dgr | H314 H302 H317 | | | |
| 050-019-00-3 | azocyclotin (ISO); 1-(tricyclohexylstannyl)-1H—1,2,4-triazole | 255-209-1 | 41083-11-8 | Acute Tox. 2 (*) Acute Tox. 3 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H301 H335 H315 H318 H400 H410 | GHS06 GHS05 GHS09 Dgr | H330 H301 H335 H315 H318 H410 | | | |
| 050-020-00-9 | trioctylstannane | 413-320-4 | 869-59-0 | STOT RE 1 Skin Irrit. 2 Aquatic Chronic 4 | H372 (**) H315 H413 | GHS08 GHS07 Dgr | H372 (**) H315 H413 | | | |
| 051-001-00-8 | antimony trichloride | 233-047-2 | 10025-91-9 | Skin Corr. 1B Aquatic Chronic 2 | H314 H411 | GHS05 GHS09 Dgr | H314 H411 | | STOT SE 3; H335: C ≥ 5 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 051-002-00-3 | antimony pentachloride | 231-601-8 | 7647-18-9 | Skin Corr. 1B Aquatic Chronic 2 | H314 H411 | GHS05 GHS09 Dgr | H314 H411 | | STOT SE 3; H335: C ≥ 5 % | |
| 051-003-00-9 | antimony compounds, with the exception of the tetroxide (Sb ₂ O ₄), pentoxide (Sb ₂ O ₅), trisulphide (Sb ₂ S ₃), pentasulphide (Sb ₂ S ₅) and those specified elsewhere in this Annex | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H332 H302 H411 | GHS07 GHS09 Wng | H332 H302 H411 | | (*) | A 1 |
| 051-004-00-4 | antimony trifluoride | 232-009-2 | 7783-56-4 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2 | H331 H311 H301 H411 | GHS06 GHS09 Dgr | H331 H311 H301 H411 | | | |
| 051-005-00-X | antimony trioxide | 215-175-0 | 1309-64-4 | Carc. 2 | H351 | GHS08 Wng | H351 | | | |
| 051-006-00-5 | diphenyl(4-phenylthiophenyl)sulfonium hexafluoroantimonate | 403-500-0 | — | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 051-007-00-0 | bis(4-dodecylphenyl)iodonium hexafluoroantimonate | 404-420-9 | 71786-70-4 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 053-001-00-3 | iodine | 231-442-4 | 7553-56-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 | H332 H312 H400 | GHS07 GHS09 Wng | H332 H312 H400 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|-----------------------------------|---|---|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 053-002-00-9 | hydrogen iodide | 233-109-9 | 10034-85-2 | Press. Gas Skin Corr. 1A | H314 | GHS04 GHS05 Dgr | H314 | | Skin Corr. 1A; H314: C ≥ 10 % Skin Corr. 1B; H314: 0,2 % ≤ C < 10 % Skin Irrit. 2; H315: 0,02 % ≤ C < 0,2 % Eye Irrit. 2; H319: 0,02 % ≤ C < 0,2 % STOT SE 3; H335: C ≥ 0,02 % | U 5 |
| 053-002-01-6 | hydriodic acid ... % | — | — | Skin Corr. 1B | H314 | GHS05 Dgr | | | Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % | B |
| 053-005-00-5 | (4-(1-methylethyl)phenyl)-(4-methylphenyl)iodonium tetrakis(pentafluorophenyl)borate (1-) | 422-960-3 | 178233-72-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H373 (**) H400 H410 | GHS08 GHS07 GHS09 Wng | H312 H302 H373 (**) H410 | | | |
| 056-001-00-1 | barium peroxide | 215-128-4 | 1304-29-6 | Ox. Sol. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) | H272 H332 H302 | GHS03 GHS07 Dgr | H272 H332 H302 | | | |
| 056-002-00-7 | barium salts, with the exception of barium sulphate, salts of 1-azo-2-hydroxynaphthalenyl aryl sulphonic acid, and of salts specified elsewhere in this Annex | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H302 | GHS07 Wng | H332 H302 | | (*) | A 1 |
| 056-003-00-2 | barium carbonate | 208-167-3 | 513-77-9 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 056-004-00-8 | barium chloride | 233-788-1 | 10361-37-2 | Acute Tox. 3 (*) Acute Tox. 4 (*) | H301 H332 | GHS06 Dgr | H301 H332 | | | |
| 072-001-00-4 | hafnium tetra- <i>n</i> -butoxide | 411-740-2 | 22411-22-9 | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 074-001-00-X | hexasodium tungstate hydrate | 412-770-9 | 12141-67-2 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3 | H302 H318 H412 | GHS05 GHS07 Dgr | H302 H318 H412 | | | |
| 074-002-00-5 | Reaction products of tungsten hexachloride with 2-methylpropan-2-ol, nonylphenol and pentane-2,4-dione | 408-250-6 | — | Flam. Liq. 2 Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H225 H332 H314 H317 H400 H410 | GHS02 GHS05 GHS07 GHS09 Dgr | H225 H332 H314 H317 H410 | | | |
| 076-001-00-5 | osmium tetroxide; osmic acid | 244-058-7 | 20816-12-0 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Skin Corr. 1B | H330 H310 H300 H314 | GHS06 GHS05 Dgr | H330 H310 H300 H314 | | | |
| 078-001-00-0 | tetrachloroplatinates with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*) Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H301 H318 H334 H317 | GHS06 GHS05 GHS08 Dgr | H301 H318 H334 H317 | | | A |
| 078-002-00-6 | diammonium tetrachloroplatinate | 237-499-1 | 13820-41-2 | Acute Tox. 3 (*) Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H301 H315 H318 H334 H317 | GHS06 GHS05 GHS08 Dgr | H301 H315 H318 H334 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 078-003-00-1 | disodium tetrachloroplatinate | 233-051-4 | 10026-00-3 | Acute Tox. 3 (*) Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H301 H315 H318 H334 H317 | GHS06 GHS05 GHS08 Dgr | H301 H315 H318 H334 H317 | | | |
| 078-004-00-7 | dipotassium tetrachloroplatinate | 233-050-9 | 10025-99-7 | Acute Tox. 3 (*) Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H301 H315 H318 H334 H317 | GHS06 GHS05 GHS08 Dgr | H301 H315 H318 H334 H317 | | | |
| 078-005-00-2 | hexachloroplatinates with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*) Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H301 H318 H334 H317 | GHS06 GHS05 GHS08 Dgr | H301 H318 H334 H317 | | A | |
| 078-006-00-8 | disodium hexachloroplatinate | 240-983-5 | 16923-58-3 | Acute Tox. 3 (*) Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H301 H318 H334 H317 | GHS06 GHS05 GHS08 Dgr | H301 H318 H334 H317 | | | |
| 078-007-00-3 | dipotassium hexachloroplatinate | 240-979-3 | 16921-30-5 | Acute Tox. 3 (*) Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H301 H318 H334 H317 | GHS06 GHS05 GHS08 Dgr | H301 H318 H334 H317 | | | |
| 078-008-00-9 | diammonium hexachloroplatinate | 240-973-0 | 16919-58-7 | Acute Tox. 3 (*) Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H301 H318 H334 H317 | GHS06 GHS05 GHS08 Dgr | H301 H318 H334 H317 | | | |
| 078-009-00-4 | hexachloroplatinic acid | 241-010-7 | 16941-12-1 | Acute Tox. 3 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 | H301 H314 H334 H317 | GHS06 GHS05 GHS08 Dgr | H301 H314 H334 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 080-001-00-0 | mercury | 231-106-7 | 7439-97-6 | Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H373 (**) H410 | | | |
| 080-002-00-6 | inorganic compounds of mercury with the exception of mercuric sulphide and those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H330 H310 H300 H373 (**) H410 | (*) STOT RE 2; H373: C ≥ 0,1 % | A 1 | |
| 080-003-00-1 | dimercury dichloride; mercurous chloride; calomel | 233-307-5 | 10112-91-1 | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H335 H315 H400 H410 | GHS07 GHS09 Wng | H302 H319 H335 H315 H410 | | | |
| 080-004-00-7 | organic compounds of mercury with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H330 H310 H300 H373 (**) H410 | (*) STOT RE 2; H373: C ≥ 0,1 % | A 1 | |
| 080-005-00-2 | mercury difulminate; mercuric fulminate; fulminate of mercury | 211-057-8 | 628-86-4 | Unst. Expl. Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H200 H331 H311 H301 H373 (**) H400 H410 | GHS01 GHS06 GHS08 GHS09 Dgr | H200 H331 H311 H301 H373 (**) H400 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|--|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 080-005-01-X | mercury difulminate; mercuric fulminate; fulminate of mercury [≥ 20 % phlegmatiser] | 211-057-8 | 628-86-4 | Expl. 1.1 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H201 H331 H311 H301 H373 (**) H400 H410 | GHS01 GHS06 GHS08 GHS09 Dgr | H201 H331 H311 H301 H373 (**) H400 H410 | | | |
| 080-006-00-8 | dimercury dicyanide oxide; mercuric oxycyanide | 215-629-8 | 1335-31-5 | Expl. 1.1 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H201 H331 H311 H301 H373 (**) H400 H410 | GHS01 GHS06 GHS08 GHS09 Dgr | H201 H331 H311 H301 H373 (**) H410 | | T | |
| 080-007-00-3 | dimethylmercury; [1] diethylmercury [2] | 209-805-3 [1] 211-000-7 [2] | 593-74-8 [1] 627-44-1 [2] | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H330 H310 H300 H373 (**) H410 | (*) STOT RE 2; H373: C $\geq 0,05$ % | 1 | |
| 080-008-00-9 | phenylmercury nitrate; [1] phenylmercury hydroxide; [2] basic phenylmercury nitrate [3] | 200-242-9 [1] 202-866-7 [2] — [3] | 55-68-5 [1] 100-57-2 [2] 8003-05-2 [3] | Acute Tox. 3 (*) STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H301 H372 (**) H314 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H301 H372 (**) H314 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 080-009-00-4 | 2-methoxyethylmercury chloride | 204-659-7 | 123-88-6 | Acute Tox. 3 (*) STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H301 H372 (**) H314 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H301 H372 (**) H314 H410 | | | |
| 080-010-00-X | mercury dichloride; mercuric chloride | 231-299-8 | 7487-94-7 | Acute Tox. 2 (*) STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H300 H372 (**) H314 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H300 H372 (**) H314 H410 | | | |
| 080-011-00-5 | phenylmercury acetate | 200-532-5 | 62-38-4 | Acute Tox. 3 (*) STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H301 H372 (**) H314 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H301 H372 (**) H314 H410 | | | |
| 081-001-00-3 | thallium | 231-138-1 | 7440-28-0 | Acute Tox. 2 (*) Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 4 | H330 H300 H373 (**) H413 | GHS06 GHS08 Dgr | H330 H300 H373 (**) H413 | | | |
| 081-002-00-9 | thallium compounds, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*) Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2 | H330 H300 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H330 H300 H373 (**) H411 | | A | |
| 081-003-00-4 | dithallium sulphate; thallic sulphate | 231-201-3 | 7446-18-6 | Acute Tox. 2 (*) STOT RE 1 Skin Irrit. 2 Aquatic Chronic 2 | H300 H372 (**) H315 H411 | GHS06 GHS08 GHS09 Dgr | H300 H372 (**) H315 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|---|---|--|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 082-001-00-6 | lead compounds with the exception of those specified elsewhere in this Annex | — | — | Repr. 1A Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H360-Df H332 H302 H373 (**) H400 H410 | GHS08 GHS07 GHS09 Dgr | H360Df H332 H302 H373 (**) H410 | | Repr. 2; H361f: C ≥ 2,5 % (*) STOT RE 2; H373: C ≥ 0,5 % | A 1 |
| 082-002-00-1 | lead alkyls | — | — | Repr. 1A Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H360-Df H330 H310 H300 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H360Df H330 H310 H300 H373 (**) H410 | | Repr. 1A; H360D: C ≥ 0,1 % (*) STOT RE 2; H373: C ≥ 0,05 % | A 1 |
| 082-003-00-7 | lead diazide; lead azide | 236-542-1 | 13424-46-9 | Unst. Expl. Repr. 1A Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H200 H360-Df H332 H302 H373 (**) H400 H410 | GHS01 GHS08 GHS07 GHS09 Dgr | H200 H360Df H332 H302 H373 (**) H410 | | | 1 |
| 082-003-01-4 | lead diazide; lead azide [≥ 20 % phlegmatiser] | 236-542-1 | 13424-46-9 | Expl. 1.1 Repr. 1A Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H201 H360-Df H332 H302 H373 (**) H400 H410 | GHS01 GHS08 GHS07 GHS09 Dgr | H201 H360Df H332 H302 H373 (**) H410 | | | 1 |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 082-004-00-2 | lead chromate | 231-846-0 | 7758-97-6 | Carc. 2 Repr. 1A STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H360Df H373 (**) H400 H410 | GHS08 GHS09 Dgr | H351 H360Df H373 (**) H410 | | | 1 |
| 082-005-00-8 | lead di(acetate) | 206-104-4 | 301-04-2 | Repr. 1A STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H360Df H373 (**) H400 H410 | GHS08 GHS09 Dgr | H360Df H373 (**) H410 | | | 1 |
| 082-006-00-3 | trilead bis(orthophosphate) | 231-205-5 | 7446-27-7 | Repr. 1A STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H360Df H373 (**) H400 H410 | GHS08 GHS09 Dgr | H360Df H373 (**) H410 | | | 1 |
| 082-007-00-9 | lead acetate, basic | 215-630-3 | 1335-32-6 | Carc. 2 Repr. 1A STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H360Df H373 (**) H400 H410 | GHS08 GHS09 Dgr | H351 H360Df H373 (**) H410 | | | 1 |
| 082-008-00-4 | lead(II) methanesulphonate | 401-750-5 | 17570-76-2 | Repr. 1A Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Eye Dam. 1 | H360Df H332 H302 H373 (**) H315 H318 | GHS08 GHS05 GHS07 Dgr | H360Df H332 H302 H373 (**) H315 H318 | | | 1 |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 082-009-00-X | Lead sulfochromate yellow; C.I. Pigment Yellow 34; [This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77603.] | 215-693-7 | 1344-37-2 | Carc. 2 Repr. 1A STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H360-Df H373 (**) H400 H410 | GHS08 GHS09 Dgr | H351 H360Df H373 (**) H410 | | | 1 |
| 082-010-00-5 | Lead chromate molybdate sulfate red; C.I. Pigment Red 104; [This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77605.] | 235-759-9 | 12656-85-8 | Carc. 2 Repr. 1A STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H360-Df H373 (**) H400 H410 | GHS08 GHS09 Dgr | H351 H360Df H373 (**) H410 | | | 1 |
| 082-011-00-0 | lead hydrogen arsenate | 232-064-2 | 7784-40-9 | Carc. 1A Repr. 1A Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H360-Df H331 H301 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H360Df H331 H301 H373 (**) H410 | | | 1 |
| 092-001-00-8 | uranium | 231-170-6 | 7440-61-1 | Acute Tox. 2 (*) Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 4 | H330 H300 H373 (**) H413 | GHS06 GHS08 Dgr | H330 H300 H373 (**) H413 | | | |
| 092-002-00-3 | uranium compounds | — | — | Acute Tox. 2 (*) Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2 | H330 H300 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H330 H300 H373 (**) H411 | | | A |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|-----------------------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-001-00-4 | methane | 200-812-7 | 74-82-8 | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | | | U |
| 601-002-00-X | ethane | 200-814-8 | 74-84-0 | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | | | U |
| 601-003-00-5 | propane | 200-827-9 | 74-98-6 | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | | | U |
| 601-004-00-0 | butane; [1] and isobutane [2] | 203-448-7 [1] 200-857-2 [2] | 106-97-8 [1] 75-28-5 [2] | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | | | C U |
| 601-004-01-8 | butane (containing ≥ 0.1 % butadiene (203-450-8)); [1] isobutane (containing ≥ 0.1 % butadiene (203-450-8)) [2] | 203-448-7 [1] 200-857-2 [2] | 106-97-8 [1] 75-28-5 [2] | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | C S U |
| 601-005-00-6 | 2,2-dimethylpropane; neopentane | 207-343-7 | 463-82-1 | Flam. Gas 1 Press. Gas Aquatic Chronic 2 | H220 H411 | GHS02 GHS04 GHS09 Dgr | H220 H411 | | | U |
| 601-006-00-1 | pentane | 203-692-4 | 109-66-0 | Flam. Liq. 2 Asp. Tox. 1 STOT SE 3 Aquatic Chronic 2 | H225 H304 H336 H411 | GHS02 GHS08 GHS07 GHS09 Dgr | H225 H304 H336 H411 | EUH066 | | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|---|---|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-007-00-7 | hexane, reaction mass of isomers (containing < 5 % n-hexane (203-777-6)) | — | — | Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 2 | H225 H304 H315 H336 H411 | GHS02 GHS08 GHS07 GHS09 Dgr | H225 H304 H315 H336 H411 | | | C |
| 601-008-00-2 | heptane [and isomers] [1] | 205-563-8 [1] 203-548-0 [2] 207-346-3 [3] 209-230-8 [4] 209-280-0 [5] 209-643-3 [6] 209-680-5 [7] 209-730-6 [8] 210-529-0 [9] 250-610-8 [10] | 142-82-5 [1] 108-08-7 [2] 464-06-2 [3] 562-49-2 [4] 565-59-3 [5] 589-34-4 [6] 590-35-2 [7] 591-76-4 [8] 617-78-7 [9] 31394-54-4 [10] | Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 | H225 H304 H315 H336 H400 H410 | GHS02 GHS08 GHS07 GHS09 Dgr | H225 H304 H315 H336 H410 | | | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|---|---|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-009-00-8 | octane [and isomers] [1] | 203-892-1 [1] 208-759-1 [2] 209-207-2 [3] 209-243-9 [4] 209-266-4 [5] 209-292-6 [6] 209-504-7 [7] 209-547-1 [8] 209-649-6 [9] 209-650-1 [10] 209-660-6 [11] 209-689-4 [12] 209-745-8 [13] 209-747-9 [14] 209-855-6 [15] 210-187-2 [16] 210-621-0 [17] 213-923-0 [18] 247-861-0 [19] | 111-65-9 [1] 540-84-1 [2] 560-21-4 [3] 563-16-6 [4] 564-02-3 [5] 565-75-3 [6] 583-48-2 [7] 584-94-1 [8] 589-43-5 [9] 589-53-7 [10] 589-81-1 [11] 590-73-8 [12] 592-13-2 [13] 592-27-8 [14] 594-82-1 [15] 609-26-7 [16] 619-99-8 [17] 1067-08-9 [18] 26635-64-3 [19] | Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 | H225 H304 H315 H336 H400 H410 | GHS02 GHS08 GHS07 GHS09 Dgr | H225 H304 H315 H336 H410 | | C | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|--|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-010-00-3 | ethylene | 200-815-3 | 74-85-1 | Flam. Gas 1 Press. Gas STOT SE 3 | H220 H336 | GHS02 GHS04 GHS07 Dgr | H220 H336 | | | U |
| 601-011-00-9 | propene; propylene | 204-062-1 | 115-07-1 | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | | | U |
| 601-012-00-4 | but-1-ene; [1] butene, mixed-1-and-2-isomers; [2] 2-methylpropene; [3] (Z)-but-2-ene; [4] (E)-but-2-ene [5] | 203-449-2 [1] 203-452-9 [2] 204-066-3 [3] 209-673-7 [4] 210-855-3 [5] | 106-98-9 [1] 107-01-7 [2] 115-11-7 [3] 590-18-1 [4] 624-64-6 [5] | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | | | C U |
| 601-013-00-X | 1,3-butadiene; buta-1,3-diene | 203-450-8 | 106-99-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | D U |
| 601-014-00-5 | isoprene (stabilised) 2-methyl-1,3-butadiene | 201-143-3 | 78-79-5 | Flam. Liq. 1 Carc. 1B Muta. 2 Aquatic Chronic 3 | H224 H350 H341 H412 | GHS02 GHS08 Dgr | H224 H350 H341 H412 | | | D |
| 601-015-00-0 | acetylene; ethyne | 200-816-9 | 74-86-2 | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | EUH006 | | U |
| 601-016-00-6 | cyclopropane | 200-847-8 | 75-19-4 | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | | | U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-017-00-1 | cyclohexane | 203-806-2 | 110-82-7 | Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 | H225 H304 H315 H336 H400 H410 | GHS02 GHS08 GHS07 GHS09 Dgr | H225 H304 H315 H336 H410 | | | |
| 601-018-00-7 | methylcyclohexane | 203-624-3 | 108-87-2 | Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 2 | H225 H304 H315 H336 H411 | GHS02 GHS08 GHS07 GHS09 Dgr | H225 H304 H315 H336 H411 | | | |
| 601-019-00-2 | 1,4-dimethylcyclohexane | 209-663-2 | 589-90-2 | Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 2 | H225 H304 H315 H336 H411 | GHS02 GHS08 GHS07 GHS09 Dgr | H225 H304 H315 H336 H411 | | | |
| 601-020-00-8 | benzene | 200-753-7 | 71-43-2 | Flam. Liq. 2 Carc. 1A Muta. 1B STOT RE 1 Asp. Tox. 1 Eye Irrit. 2 Skin Irrit. 2 | H225 H350 H340 H372 (**) H304 H319 H315 | GHS02 GHS08 GHS07 Dgr | H225 H350 H340 H372 (**) H304 H319 H315 | | | E |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--|--|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-021-00-3 | toluene | 203-625-9 | 108-88-3 | Flam. Liq. 2 Repr. 2 Asp. Tox. 1 STOT RE 2 (*) Skin Irrit. 2 STOT SE 3 | H225 H361d (***) H304 H373 (**) H315 H336 | GHS02 GHS08 GHS07 Dgr | H225 H361d (***) H304 H373 (**) H315 H336 | | | |
| 601-022-00-9 | <i>o</i> -xylene; [1] <i>p</i> -xylene; [2] <i>m</i> -xylene; [3] xylene [4] | 202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4] | 95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4] | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 | H226 H332 H312 H315 | GHS02 GHS07 Wng | H226 H332 H312 H315 | (*) | C | |
| 601-023-00-4 | ethylbenzene | 202-849-4 | 100-41-4 | Flam. Liq. 2 Acute Tox. 4 (*) | H225 H332 | GHS02 GHS07 Dgr | H225 H332 | | | |
| 601-024-00-X | cumene; [1] propylbenzene [2] | 202-704-5 [1] 203-132-9 [2] | 98-82-8 [1] 103-65-1 [2] | Flam. Liq. 3 Asp. Tox. 1 STOT SE 3 Aquatic Chronic 2 | H226 H304 H335 H411 | GHS02 GHS08 GHS07 GHS09 Dgr | H226 H304 H335 H411 | | | C |
| 601-025-00-5 | mesitylene; 1,3,5-trimethylbenzene | 203-604-4 | 108-67-8 | Flam. Liq. 3 STOT SE 3 Aquatic Chronic 2 | H226 H335 H411 | GHS02 GHS07 GHS09 Wng | H226 H335 H411 | STOT SE 3; H335: C ≥ 25 % | | |
| 601-026-00-0 | styrene | 202-851-5 | 100-42-5 | Flam. Liq. 3 Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 | H226 H332 H319 H315 | GHS02 GHS07 Wng | H226 H332 H319 H315 | (*) | D | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|--|--|---|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-027-00-6 | 2-phenylpropene; α-methylstyrene | 202-705-0 | 98-83-9 | Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Aquatic Chronic 2 | H226 H319 H335 H411 | GHS02 GHS07 GHS09 Wng | H226 H319 H335 H411 | | STOT SE 3; H335: C ≥ 25 % | |
| 601-028-00-1 | 2-methylstyrene; 2-vinyltoluene | 210-256-7 | 611-15-4 | Acute Tox. 4 (*) Aquatic Chronic 2 | H332 H411 | GHS07 GHS09 Wng | H332 H411 | | | |
| 601-029-00-7 | dipentene; limonene; [1] (R)-p-mentha-1,8-diene; d-limonene; [2] (S)-p-mentha-1,8-diene; l-limonene; [3] trans-1-methyl-4-(1-methylvinyl)cyclohexene; [4] (±)-1-methyl-4-(1-methylvinyl)cyclohexene [5] | 205-341-0 [1] 227-813-5 [2] 227-815-6 [3] 229-977-3 [4] 231-732-0 [5] | 138-86-3 [1] 5989-27-5 [2] 5989-54-8 [3] 6876-12-6 [4] 7705-14-8 [5] | Flam. Liq. 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H226 H315 H317 H400 H410 | GHS02 GHS07 GHS09 Wng | H226 H315 H317 H410 | | | C |
| 601-030-00-2 | cyclopentane | 206-016-6 | 287-92-3 | Flam. Liq. 2 Aquatic Chronic 3 | H225 H412 | GHS02 Dgr | H225 H412 | | | |
| 601-031-00-8 | 2,4,4-trimethylpent-1-ene | 203-486-4 | 107-39-1 | Flam. Liq. 2 Aquatic Chronic 2 | H225 H411 | GHS02 GHS09 Dgr | H225 H411 | | | |
| 601-032-00-3 | benzo[a]pyrene; benzo[def]chrysene | 200-028-5 | 50-32-8 | Carc. 1B Muta. 1B Repr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H340 H360-FD H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H340 H360FD H317 H410 | | Carc. 1B; H350: C ≥ 0,01 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-033-00-9 | benz[a]anthracene | 200-280-6 | 56-55-3 | Carc. 1B Aquatc Acute 1 Aquatc Chronic 1 | H350 H400 H410 | GHS08 GHS09 Dgr | H350 H410 | | | |
| 601-034-00-4 | benz[e]acephenanthrylene | 205-911-9 | 205-99-2 | Carc. 1B Aquatc Acute 1 Aquatc Chronic 1 | H350 H400 H410 | GHS08 GHS09 Dgr | H350 H410 | | | |
| 601-035-00-X | benzo[j]fluoranthene | 205-910-3 | 205-82-3 | Carc. 1B Aquatc Acute 1 Aquatc Chronic 1 | H350 H400 H410 | GHS08 GHS09 Dgr | H350 H410 | | | |
| 601-036-00-5 | benzo[k]fluoranthene | 205-916-6 | 207-08-9 | Carc. 1B Aquatc Acute 1 Aquatc Chronic 1 | H350 H400 H410 | GHS08 GHS09 Dgr | H350 H410 | | | |
| 601-037-00-0 | n-hexane | 203-777-6 | 110-54-3 | Flam. Liq. 2 Repr. 2 Asp. Tox. 1 STOT RE 2 (*) Skin Irrit. 2 STOT SE 3 Aquatc Chronic 2 | H225 H361f (***) H304 H373 (**) H315 H336 H411 | GHS02 GHS08 GHS07 GHS09 Dgr | H225 H361f (***) H304 H373 (**) H315 H336 H411 | | STOT RE 2; H373: C ≥ 5 % | |
| 601-041-00-2 | dibenz[a,h]anthracene | 200-181-8 | 53-70-3 | Carc. 1B Aquatc Acute 1 Aquatc Chronic 1 | H350 H400 H410 | GHS08 GHS09 Dgr | H350 H410 | | Carc. 1B; H350: C ≥ 0,01 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-042-00-8 | biphenyl; diphenyl | 202-163-5 | 92-52-4 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H335 H315 H400 H410 | GHS07 GHS09 Wng | H319 H335 H315 H410 | | | |
| 601-043-00-3 | 1,2,4-trimethylbenzene | 202-436-9 | 95-63-6 | Flam. Liq. 3 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2 | H226 H332 H319 H335 H315 H411 | GHS02 GHS07 GHS09 Wng | H226 H332 H319 H335 H315 H411 | | | |
| 601-044-00-9 | 3a,4,7,7a-tetrahydro-4,7-methanoindene | 201-052-9 | 77-73-6 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2 | H225 H332 H302 H319 H335 H315 H411 | GHS02 GHS07 GHS09 Dgr | H225 H332 H302 H319 H335 H315 H411 | | | |
| 601-045-00-4 | 1,2,3,4-tetrahydronaphthalene | 204-340-2 | 119-64-2 | Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2 | H319 H315 H411 | GHS07 GHS09 Wng | H319 H315 H411 | EUH019 | | |
| 601-046-00-X | 7-methylocta-1,6-diene | 404-210-7 | 42152-47-6 | Flam. Liq. 3 Aquatic Acute 1 Aquatic Chronic 1 | H226 H400 H410 | GHS02 GHS09 Wng | H226 H410 | | | |
| 601-047-00-5 | m-mentha-1,3(8)-diene | 404-150-1 | 17092-80-7 | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|----------------------------------|--|--|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-048-00-0 | chrysene | 205-923-4 | 218-01-9 | Carc. 1B Muta. 2 Aquatic Acute 1 Aquatic Chronic 1 | H350 H341 H400 H410 | GHS08 GHS09 Dgr | H350 H341 H410 | | | |
| 601-049-00-6 | benzo[e]pyrene | 205-892-7 | 192-97-2 | Carc. 1B Aquatic Acute 1 Aquatic Chronic 1 | H350 H400 H410 | GHS08 GHS09 Dgr | H350 H410 | | | |
| 601-051-00-7 | 4-phenylbut-1-ene | 405-980-7 | 768-56-9 | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 601-052-00-2 | naphthalene | 202-049-5 | 91-20-3 | Carc. 2 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H302 H400 H410 | GHS07 GHS08 GHS09 Wng | H351 H302 H410 | | | |
| 601-053-00-8 | nonylphenol; [1] 4-nonylphenol, branched [2] | 246-672-0 [1] 284-325-5 [2] | 25154-52-3 [1] 84852-15-3 [2] | Repr. 2 Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H361fd H302 H314 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H361fd H302 H314 H410 | | | |
| 601-054-00-3 | reaction mass of isomers of: dibenzylbenzene; dibenzyl(methyl)benzene; dibenzyl(dimethyl)benzene; dibenzyl(trimethyl)benzene | 405-570-8 | — | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 601-055-00-9 | reaction mass of isomers of: mono-(2-tetradecyl)naphthalenes; di-(2-tetradecyl)naphthalenes; tri-(2-tetradecyl)naphthalenes | 410-190-0 | 132983-41-6 | Eye Irrit. 2 Aquatic Chronic 4 | H319 H413 | GHS07 Wng | H319 H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-056-00-4 | reaction mass of isomers of: methyl diphenylmethane; dimethyldiphenylmethane | 405-470-4 | 73807-39-3 | Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H315 H400 H410 | GHS07 GHS09 Wng | H315 H410 | | | |
| 601-057-00-X | N-dodecyl-[3-(4-(dimethylamino)benzamido)-propyl]dimethylammonium tosylate | 421-130-8 | 156679-41-3 | Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H318 H317 H410 | | | |
| 601-058-00-5 | di-L-para-menthene | 417-870-6 | 83648-84-4 | Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H317 H400 H410 | GHS07 GHS09 Wng | H315 H317 H410 | | | |
| 601-059-00-0 | methyl 2-benzylidene-3-oxobutyrate | 420-940-9 | 15768-07-7 | Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2 | H319 H315 H411 | GHS07 GHS09 Wng | H319 H315 H411 | | | |
| 601-060-00-6 | 1,2-bis[4-fluoro-6-(4-sulfo-5-(2-(4-sulfonaphthalene-3-ylazo)-1-hydroxy-3,6-disulfo-8-aminonaphthalene-7-ylazo)phenylamino)-1,3,5-triazin-2-ylamino]ethane; x-sodium, y-potassium salts x = 7,755 y = 0,245 | 417-610-1 | 155522-09-1 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 601-061-00-1 | (ethyl-1,2-ethanediy)[-2-[[[(2-hydroxyethyl)methylamino]acetyl]-propyl]ω-(nonylphenoxy)poly]oxy-(methyl-1,2-ethanediy] | 418-960-8 | — | Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2 | H314 H317 H411 | GHS05 GHS07 GHS09 Dgr | H314 H317 H411 | | | |
| 601-062-00-7 | reaction mass of: branched triacontane; branched dotriacontane; branched tetratriacontane; branched hexatriacontane | 417-030-9 | 151006-59-6 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-063-00-2 | reaction mass of isomers of branched tetracosane | 417-060-2 | 151006-61-0 | Acute Tox. 4 (*) Aquatic Chronic 4 | H332 H413 | GHS07 Wng | H332 H413 | | | |
| 601-064-00-8 | branched hexatriacontane | 417-070-7 | 151006-62-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 601-065-00-3 | reaction mass of: (1'- α ,3'- α ,6'- α -2,2,3',7',7'-pentamethylspiro(1,3-dioxane-5,2'-norcarane)); (1' α ,3' β ,6' α)-2,2,3',7',7'-pentamethylspiro(1,3-dioxane-5,2'-norcarane) | 416-930-9 | — | STOT RE 2 (*) Eye Dam. 1 Aquatic Chronic 2 | H373 (**) H318 H411 | GHS08 GHS05 GHS09 Dgr | H373 (**) H318 H411 | | | |
| 601-066-00-9 | 1-(4-(<i>trans</i> -4-heptylcyclohexyl)phenyl) ethanone | 426-820-2 | 78531-60-9 | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 601-067-00-4 | triethyl arsenate | 427-700-2 | 15606-95-8 | Carc. 1A Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H331 H301 H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H331 H301 H410 | | | |
| 601-068-00-X | 1,2-diacetoxybut-3-ene | 421-720-5 | 18085-02-4 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 601-069-00-5 | 2-ethyl-1-(2-(1,3-dioxanyl)ethyl)-pyridinium bromide | 422-680-1 | 287933-44-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 601-071-00-6 | 1-dimethoxymethyl-2-nitro-benzene | 423-830-9 | 20627-73-0 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 601-073-00-7 | 1-bromo-3,5-difluorobenzene | 416-710-2 | 461-96-1 | Flam. Liq. 3 Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H226 H302 H373 (**) H315 H317 H400 H410 | GHS02 GHS08 GHS07 GHS09 Wng | H226 H302 H373 (**) H315 H317 H410 | | | |
| 601-074-00-2 | reaction mass of: 4-(2,2,3-trimethylcyclopent-3-en-1-yl)-1-methyl-2-oxabicyclo[2.2.2]octane; 1-(2,2,3-trimethylcyclopent-3-en-1-yl)-5-methyl-6-oxabicyclo[3.2.1]octane; spiro[cyclohex-3-en-1-yl-[(4,5,6,6a-tetrahydro-3,6',6'a-tetramethyl)-1,3'(3'aH)-[2H]cyclopenta[b]furan]; spiro[cyclohex-3-en-1-yl-[(4,5,6,6a-tetrahydro-4,6',6'a-tetramethyl)-1,3'(3'aH)-[2H]cyclopenta[b]furan] | 422-040-1 | — | Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2 | H319 H315 H411 | GHS07 GHS09 Wng | H319 H315 H411 | | | |
| 601-085-00-2 | isopentane; 2-methylbutane | 201-142-8 | 78-78-4 | Flam. Liq. 1 Asp. Tox. 1 STOT SE 3 Aquatic Chronic 2 | H224 H304 H336 H411 | GHS02 GHS08 GHS07 GHS09 Dgr | H224 H304 H336 H411 | EUH066 | | |
| 602-001-00-7 | chloromethane; methyl chloride | 200-817-4 | 74-87-3 | Flam. Gas 1 Press. Gas Carc. 2 STOT RE 2 (*) | H220 H351 H373 (**) | GHS02 GHS04 GHS08 Dgr | H220 H351 H373 (**) | | U | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-002-00-2 | bromomethane; methylbromide | 200-813-2 | 74-83-9 | Press. Gas Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Ozone | H341 H331 H301 H373 (**) H319 H335 H315 H400 EU- H059 | GHS04 GHS06 GHS08 GHS09 Dgr | H341 H331 H301 H373 (**) H319 H335 H315 H400 | EUH059 | | U |
| 602-003-00-8 | dibromomethane | 200-824-2 | 74-95-3 | Acute Tox. 4 (*) Aquatic Chronic 3 | H332 H412 | GHS07 Wng | H332 H412 | | (*) | |
| 602-004-00-3 | dichloromethane; methylene chloride | 200-838-9 | 75-09-2 | Carc. 2 | H351 | GHS08 Wng | H351 | | | |
| 602-005-00-9 | methyl iodide; iodomethane | 200-819-5 | 74-88-4 | Carc. 2 Acute Tox. 4 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT SE 3 Skin Irrit. 2 | H351 H312 H331 H301 H335 H315 | GHS06 GHS08 Dgr | H351 H312 H331 H301 H335 H315 | | | |
| 602-006-00-4 | trichloromethane; chloroform | 200-663-8 | 67-66-3 | Carc. 2 Acute Tox. 4 (*) STOT RE 2 (*) STOT RE 2 (*) Skin Irrit. 2 | H351 H302 H373 (**) H373 (**) H315 | GHS07 GHS08 Wng | H351 H302 H373 (**) H373 (**) H315 | | (*) STOT RE 2; H373: C ≥ 5 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-007-00-X | bromoform; tribromomethane | 200-854-6 | 75-25-2 | Acute Tox. 3 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2 | H331 H319 H315 H411 | GHS06 GHS09 Dgr | H331 H319 H315 H411 | | | |
| 602-008-00-5 | carbon tetrachloride; tetrachloromethane | 200-262-8 | 56-23-5 | Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Aquatic Chronic 3 Ozone | H351 H331 H311 H301 H372 (**) H412 EU-H059 | GHS06 GHS08 Dgr | H351 H331 H311 H301 H372 (**) H412 | EUH059 | (*) STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,2 % ≤ C < 1 % | |
| 602-009-00-0 | chloroethane | 200-830-5 | 75-00-3 | Flam. Gas 1 Press. Gas Carc. 2 Aquatic Chronic 3 | H220 H351 H412 | GHS02 GHS04 GHS08 Dgr | H220 H351 H412 | | | U |
| 602-010-00-6 | 1,2-dibromoethane | 203-444-5 | 106-93-4 | Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2 | H350 H331 H311 H301 H319 H335 H315 H411 | GHS06 GHS08 GHS09 Dgr | H350 H331 H311 H301 H319 H335 H315 H411 | | (*) | |
| 602-011-00-1 | 1,1-dichloroethane | 200-863-5 | 75-34-3 | Flam. Liq. 2 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Aquatic Chronic 3 | H225 H302 H319 H335 H412 | GHS02 GHS07 Dgr | H225 H302 H319 H335 H412 | | (*) | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|-----------------------------|--|--|--|--|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-012-00-7 | 1,2-dichloroethane; ethylene dichloride | 203-458-1 | 107-06-2 | Flam. Liq. 2 Carc. 1B Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H225 H350 H302 H319 H335 H315 | GHS02 GHS08 GHS07 Dgr | H225 H350 H302 H319 H335 H315 | | | |
| 602-013-00-2 | 1,1,1-trichloroethane; methyl chloroform | 200-756-3 | 71-55-6 | Acute Tox. 4 (*) Ozone | H332 EU-H059 | GHS07 Wng | H332 | EUH059 | | F |
| 602-014-00-8 | 1,1,2-trichloroethane | 201-166-9 | 79-00-5 | Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H351 H332 H312 H302 | GHS08 GHS07 Wng | H351 H332 H312 H302 | EUH066 | (*) | |
| 602-015-00-3 | 1,1,2,2-tetrachloroethane | 201-197-8 | 79-34-5 | Acute Tox. 2 (*) Acute Tox. 1 Aquatic Chronic 2 | H330 H310 H411 | GHS06 GHS09 Dgr | H330 H310 H411 | | | |
| 602-016-00-9 | 1,1,2,2-tetrabromoethane | 201-191-5 | 79-27-6 | Acute Tox. 2 (*) Eye Irrit. 2 Aquatic Chronic 3 | H330 H319 H412 | GHS06 Dgr | H330 H319 H412 | | | |
| 602-017-00-4 | pentachloroethane | 200-925-1 | 76-01-7 | Carc. 2 STOT RE 1 Aquatic Chronic 2 | H351 H372 (**) H411 | GHS08 GHS09 Dgr | H351 H372 (**) H411 | | STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,2 % ≤ C < 1 % | |
| 602-018-00-X | 1-chloropropane; [1] 2-chloropropane [2] | 208-749-7 [1] 200-858-8 [2] | 540-54-5 [1] 75-29-6 [2] | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H225 H332 H312 H302 | GHS02 GHS07 Dgr | H225 H332 H312 H302 | | | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|--|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-019-00-5 | 1-bromopropane; n-propyl bromide | 203-445-0 | 106-94-5 | Flam. Liq. 2 Repr. 1B STOT RE 2 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 STOT SE 3 | H225 H360-FD H373 (**) H319 H335 H315 H336 | GHS02 GHS08 GHS07 Dgr | H225 H360FD H373 (**) H319 H335 H315 H336 | | | |
| 602-020-00-0 | 1,2-dichloropropane; propylene dichloride | 201-152-2 | 78-87-5 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) | H225 H332 H302 | GHS02 GHS07 Dgr | H225 H332 H302 | | | |
| 602-021-00-6 | 1,2-dibromo-3-chloropropane | 202-479-3 | 96-12-8 | Carc. 1B Muta. 1B Repr. 1A Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 3 | H350 H340 H360F (***) H301 H373 (**) H412 | GHS06 GHS08 Dgr | H350 H340 H360F (***) H301 H373 (**) H412 | | | |
| 602-022-00-1 | 1-chloropentane; [1] 2-chloropentane; [2] 3-chloropentane [3] | 208-846-4 [1] 210-885-7 [2] 210-467-4 [3] | 543-59-9 [1] 625-29-6 [2] 616-20-6 [3] | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H225 H332 H312 H302 | GHS02 GHS07 Dgr | H225 H332 H312 H302 | | | C |
| 602-023-00-7 | vinyl chloride; chloroethylene | 200-831-0 | 75-01-4 | Press. Gas Flam. Gas 1 Carc. 1A | H220 H350 | GHS02 GHS08 Dgr | H220 H350 | | | D U |
| 602-024-00-2 | bromoethylene | 209-800-6 | 593-60-2 | Press. Gas Flam. Gas 1 Carc. 1B | H220 H350 | GHS02 GHS08 Dgr | H220 H350 | | | U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--|--|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-025-00-8 | 1,1-dichloroéthylène; vinylidène chlorure | 200-864-0 | 75-35-4 | Flam. Liq. 1 Carc. 2 Acute Tox. 4 (*) | H224 H351 H332 | GHS02 GHS08 GHS07 Dgr | H224 H351 H332 | | (*) | D |
| 602-026-00-3 | 1,2-dichloroéthylène; [1] <i>cis</i> -dichloroéthylène; [2] <i>trans</i> -dichloroéthylène [3] | 208-750-2 [1] 205-859-7 [2] 205-860-2 [3] | 540-59-0 [1] 156-59-2 [2] 156-60-5 [3] | Flam. Liq. 2 Acute Tox. 4 (*) Aquatic Chron- ic 3 | H225 H332 H412 | GHS02 GHS07 Dgr | H225 H332 H412 | | (*) | C |
| 602-027-00-9 | trichloroéthylène; trichloroéthène | 201-167-4 | 79-01-6 | Carc. 1B Muta. 2 Eye Irrit. 2 Skin Irrit. 2 STOT SE 3 Aquatic Chron- ic 3 | H350 H341 H319 H315 H336 H412 | GHS08 GHS07 Dgr | H350 H341 H319 H315 H336 H412 | | | |
| 602-028-00-4 | tétrachloroéthylène | 204-825-9 | 127-18-4 | Carc. 2 Aquatic Chron- ic 2 | H351 H411 | GHS08 GHS09 Wng | H351 H411 | | | |
| 602-029-00-X | 3-chloropropène; allyl chlorure | 203-457-6 | 107-05-1 | Flam. Liq. 2 Carc. 2 Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 | H225 H351 H341 H332 H312 H302 H373 (**) H319 H335 H315 H400 | GHS02 GHS08 GHS07 GHS09 Dgr | H225 H351 H341 H332 H312 H302 H373 (**) H319 H335 H315 H400 | | | D |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|--------------------------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-030-00-5 | 1,3-dichloropropène; [1] (Z)-1,3-dichloropropène [2] | 208-826-5 [1] 233-195-8 [2] | 542-75-6 [1] 10061-01-5 [2] | Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H226 H301 H332 H312 H319 H335 H315 H317 H400 H410 | GHS02 GHS06 GHS09 Dgr | H226 H301 H332 H312 H319 H335 H315 H317 H410 | | C D | |
| 602-031-00-0 | 1,1-dichloropropène | 209-253-3 | 563-58-6 | Flam. Liq. 2 Acute Tox. 3 (*) Aquatic Chronic 3 | H225 H301 H412 | GHS02 GHS06 Dgr | H225 H301 H412 | | | |
| 602-032-00-6 | 3-chloro-2-méthylpropène | 209-251-2 | 563-47-3 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2 | H225 H332 H302 H314 H317 H411 | GHS02 GHS05 GHS07 GHS09 Dgr | H225 H332 H302 H314 H317 H411 | | | |
| 602-033-00-1 | chlorobenzène | 203-628-5 | 108-90-7 | Flam. Liq. 3 Acute Tox. 4 (*) Aquatic Chronic 2 | H226 H332 H411 | GHS02 GHS07 GHS09 Wng | H226 H332 H411 | (*) | | |
| 602-034-00-7 | 1,2-dichlorobenzène; o-dichlorobenzène | 202-425-9 | 95-50-1 | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H335 H315 H400 H410 | GHS07 GHS09 Wng | H302 H319 H335 H315 H410 | (*) | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-035-00-2 | 1,4-dichlorobenzene; p-dichlorobenzene | 203-400-5 | 106-46-7 | Carc. 2 Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H319 H400 H410 | GHS08 GHS09 Wng | H351 H319 H410 | | | |
| 602-036-00-8 | chloroprene (stabilised); 2-chlorobuta-1,3-diene (stabilised) | 204-818-0 | 126-99-8 | Flam. Liq. 2 Carc. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H225 H350 H332 H302 H373 (**) H319 H335 H315 | GHS02 GHS08 GHS07 Dgr | H225 H350 H332 H302 H373 (**) H319 H335 H315 | | D | |
| 602-037-00-3 | α-chlorotoluene; benzyl chloride | 202-853-6 | 100-44-7 | Carc. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 | H350 H331 H302 H373 (**) H335 H315 H318 | GHS06 GHS08 GHS05 Dgr | H350 H331 H302 H373 (**) H335 H315 H318 | | | |
| 602-038-00-9 | α, α,α-trichlorotoluene; benzotrichloride | 202-634-5 | 98-07-7 | Carc. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 | H350 H331 H302 H335 H315 H318 | GHS06 GHS08 GHS05 Dgr | H350 H331 H302 H335 H315 H318 | | | |
| 602-039-00-4 | polychlorobiphenyls; PCB | 215-648-1 | 1336-36-3 | STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H400 H410 | GHS08 GHS09 Wng | H373 (**) H410 | STOT RE 2; H373; C ≥ 0,005 % | C | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--|---|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-040-00-X | 2-chlorotoluene; [1] 3-chlorotoluene; [2] 4-chlorotoluene; [3] chlorotoluene [4] | 202-424-3 [1] 203-580-5 [2] 203-397-0 [3] 246-698-2 [4] | 95-49-8 [1] 108-41-8 [2] 106-43-4 [3] 25168-05-2 [4] | Acute Tox. 4 (*) Aquatic Chronic 2 | H332 H411 | GHS07 GHS09 Wng | H332 H411 | | | C |
| 602-041-00-5 | pentachloronaphthalene | 215-320-8 | 1321-64-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H319 H315 H400 H410 | GHS07 GHS09 Wng | H312 H302 H319 H315 H410 | | | C |
| 602-042-00-0 | 1,2,3,4,5,6-hexachlorocyclohexanes with the exception of those specified elsewhere in this Annex | — | — | Carc. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H301 H312 H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H301 H312 H410 | | | A C |
| 602-043-00-6 | lindane (ISO); γ-HCH or γ-BHC; γ-1,2,3,4,5,6-hexachlorocyclohexane | 200-401-2 | 58-89-9 | Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Lact. Aquatic Acute 1 Aquatic Chronic 1 | H301 H332 H312 H373 (**) H362 H400 H410 | GHS06 GHS08 GHS09 Dgr | H301 H332 H312 H373 (**) H362 H410 | | M=10 | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-044-00-1 | camphechlor (ISO); toxaphene; | 232-283-3 | 8001-35-2 | Carc. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H301 H312 H335 H315 H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H301 H312 H335 H315 H410 | | | |
| 602-045-00-7 | DDT (ISO); clofenotane (INN); dicophane; 1,1,1-trichloro-2,2-bis(4-chlorophenyl) ethane; dichlorodiphenyltrichloroethane | 200-024-3 | 50-29-3 | Carc. 2 Acute Tox. 3 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H301 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H301 H372 (**) H410 | | | |
| 602-046-00-2 | heptachlor (ISO); 1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-4,7-methanoindene | 200-962-3 | 76-44-8 | Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H311 H301 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H311 H301 H373 (**) H410 | | | |
| 602-047-00-8 | chlordane (ISO); 1,2,4,5,6,7,8,8-octachloro-3a,4,7,7a-tetrahydro-4,7-methanoindan | 200-349-0 | 57-74-9 | Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H312 H302 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H312 H302 H410 | | | |
| 602-048-00-3 | aldrin (ISO) | 206-215-8 | 309-00-2 | Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H311 H301 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H311 H301 H372 (**) H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-049-00-9 | dieldrin (ISO) | 200-484-5 | 60-57-1 | Carc. 2 Acute Tox. 1 Acute Tox. 3 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H310 H301 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H310 H301 H372 (**) H410 | | | |
| 602-050-00-4 | (1 α ,4 α ,4 $\alpha\beta$,5 β ,8 β ,8 $\alpha\beta$)-1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-dimethanonaphthalene; isodrin | 207-366-2 | 465-73-6 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H400 H410 | GHS06 GHS09 Dgr | H330 H310 H300 H410 | | | |
| 602-051-00-X | endrin (ISO); 1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4:5,8-dimethanonaphthalene | 200-775-7 | 72-20-8 | Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H311 H400 H410 | GHS06 GHS09 Dgr | H300 H311 H410 | | | |
| 602-052-00-5 | endosulfan (ISO); 1,2,3,4,7,7-hexachloro-8,9,10-trinorborn-2-en-5,6-ylenedimethyl sulphite | 204-079-4 | 115-29-7 | Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H311 H301 H319 H400 H410 | GHS06 GHS09 Dgr | H311 H301 H319 H410 | | | |
| 602-053-00-0 | isobenzan (ISO); 1,3,4,5,6,7,8,8-octachloro-1,3,3a,4,7,7a-hexahydro-4,7-methanoisobenzofuran | 206-045-4 | 297-78-9 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 | H310 H300 H400 | GHS06 GHS09 Dgr | H310 H300 H400 | | | |
| 602-054-00-6 | 3-iodpropene; allyl iodide | 209-130-4 | 556-56-9 | Flam. Liq. 2 Skin Corr. 1B | H226 H314 | GHS02 GHS05 Dgr | H226 H314 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-055-00-1 | bromoethane; ethyl bromide | 200-825-8 | 74-96-4 | Flam. Liq. 2 Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) | H225 H351 H332 H302 | GHS02 GHS08 GHS07 Dgr | H225 H351 H332 H302 | | | |
| 602-056-00-7 | α , α , α -trifluorotoluene; benzotrifluoride | 202-635-0 | 98-08-8 | Flam. Liq. 2 Aquatic Chronic 2 | H225 H411 | GHS02 GHS09 Dgr | H225 H411 | | | |
| 602-057-00-2 | α -bromotoluene; benzyl bromide | 202-847-3 | 100-39-0 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H319 H335 H315 | GHS07 Wng | H319 H335 H315 | | | |
| 602-058-00-8 | α , α -dichlorotoluene; benzylidene chloride; benzal chloride | 202-709-2 | 98-87-3 | Carc. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 | H351 H331 H302 H335 H315 H318 | GHS06 GHS08 GHS05 Dgr | H351 H331 H302 H335 H315 H318 | | | |
| 602-059-00-3 | 1-chlorobutane; butyl chloride | 203-696-6 | 109-69-3 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | | | |
| 602-060-00-9 | bromobenzene | 203-623-8 | 108-86-1 | Flam. Liq. 3 Skin Irrit. 2 Aquatic Chronic 2 | H226 H315 H411 | GHS02 GHS07 GHS09 Wng | H226 H315 H411 | | | |
| 602-061-00-4 | hexafluoropropene; hexafluoropropylene | 204-127-4 | 116-15-4 | Press. Gas Acute Tox. 4 (*) STOT SE 3 | H332 H335 | GHS07 Wng | H332 H335 | | | U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-062-00-X | 1,2,3-trichloropropane | 202-486-1 | 96-18-4 | Carc. 1B Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H350 H360F (***) H332 H312 H302 | GHS08 GHS07 Dgr | H350 H360F (***) H332 H312 H302 | | | D |
| 602-063-00-5 | heptachlor epoxide; 2,3-epoxy-1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-4,7-methanoindane | 213-831-0 | 1024-57-3 | Carc. 2 Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H301 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H301 H373 (**) H410 | | | |
| 602-064-00-0 | 1,3-dichloro-2-propanol | 202-491-9 | 96-23-1 | Carc. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) | H350 H301 H312 | GHS06 GHS08 Dgr | H350 H301 H312 | | | |
| 602-065-00-6 | hexachlorobenzene | 204-273-9 | 118-74-1 | Carc. 1B STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H372 (**) H400 H410 | GHS08 GHS09 Dgr | H350 H372 (**) H410 | | | |
| 602-066-00-1 | tetrachloro-p-benzoquinone | 204-274-4 | 118-75-2 | Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H315 H400 H410 | GHS07 GHS09 Wng | H319 H315 H410 | | | |
| 602-067-00-7 | 1,3-dichlorobenzene | 208-792-1 | 541-73-1 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 602-068-00-2 | ethylene bis(trichloroacetate) | 219-732-9 | 2514-53-6 | Skin Irrit. 2 | H315 | GHS07 Wng | H315 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-069-00-8 | dichloroacetylene | — | 7572-29-4 | Unst. Expl. Carc. 2 STOT RE 2 (*) | H200 H351 H373 (**) | GHS01 GHS08 Wng | H200 H351 H373 (**) | | | |
| 602-070-00-3 | 3-chloro-4,5,a, α,α -pentafluorotoluene | 401-930-3 | 77227-99-7 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 | H226 H332 H302 H400 | GHS02 GHS07 GHS09 Wng | H226 H332 H302 H400 | | | |
| 602-071-00-9 | bromobenzylbromotoluene, reaction mass of isomers | 402-210-1 | 99688-47-8 | STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H373 (**) H317 H410 | | | |
| 602-072-00-4 | dichloro [(dichlorophenyl)methyl]methylbenzene, reaction mass of isomers; (dichlorophenyl)(dichlorotolyl)methane, reaction mass of isomers (IUPAC) | 278-404-3 | 76253-60-6 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 602-073-00-X | 1,4-dichlorobut-2-ene | 212-121-8 | 764-41-0 | Carc. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H350 H330 H311 H301 H314 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H350 H330 H311 H301 H314 H410 | | Carc. 1B; H350: C \geq 0,01 % STOT SE 3; H335: C \geq 5 % | |
| 602-074-00-5 | pentachlorobenzene | 210-172-0 | 608-93-5 | Flam. Sol. 1 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H228 H302 H400 H410 | GHS02 GHS07 GHS09 Dgr | H228 H302 H410 | | | T |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-075-00-0 | 4,4,5,5-tetrachloro-1,3-dioxolan-2-one | 404-060-2 | 22432-68-4 | Acute Tox. 2 (*) Acute Tox. 4 (*) Skin Corr. 1B | H330 H302 H314 | GHS06 GHS05 Dgr | H330 H302 H314 | | | |
| 602-076-00-6 | 2,3,4-trichlorobut-1-ene | 219-397-9 | 2431-50-7 | Carc. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H331 H302 H319 H335 H315 H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H331 H302 H319 H335 H315 H410 | Carc. 2; H351: C ≥ 0,1 % | | |
| 602-077-00-1 | dodecachloropentacyclo[5.2.1.0 ^{2,6} .0 ^{3,9} .0 ^{5,8}] decane; mirex | 219-196-6 | 2385-85-5 | Carc. 2 Repr. 2 Lact. Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H361fd H362 H312 H302 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H361fd H362 H312 H302 H410 | | | |
| 602-078-00-7 | hexachlorocyclopentadiene | 201-029-3 | 77-47-4 | Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H330 H311 H302 H314 H400 H410 | GHS06 GHS05 GHS09 Dgr | H330 H311 H302 H314 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-079-00-2 | 2,3-dichloropropene; 2,3-dichloropropylène | 201-153-8 | 78-88-6 | Flam. Liq. 2 Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3 | H225 H341 H332 H312 H302 H335 H315 H318 H412 | GHS02 GHS08 GHS05 GHS07 Dgr | H225 H341 H332 H312 H302 H335 H315 H318 H412 | | | |
| 602-080-00-8 | alkanes, C ₁₀₋₁₃ , chloro | 287-476-5 | 85535-84-8 | Carc. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H400 H410 | GHS08 GHS09 Wng | H351 H410 | | | |
| 602-081-00-3 | 2-chloro-4,5-difluorobenzoic acid | 405-380-5 | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 | H312 H302 H318 H317 | GHS05 GHS07 Dgr | H312 H302 H318 H317 | | | |
| 602-082-00-9 | 2,2,6,6-tetrakis(bromométhyl)-4-oxaheptane-1,7-diol | 408-020-5 | 109678-33-3 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 602-083-00-4 | diphenyl ether, pentabromo derivative pentabromodiphenyl ether | 251-084-2 | 32534-81-9 | STOT RE 2 (*) Lact. Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H362 H400 H410 | GHS08 GHS09 Wng | H373 (**) H362 H410 | | | |
| 602-084-00-X | 1,1-dichloro-1-fluoroéthane | 404-080-1 | 1717-00-6 | Aquatic Chronic 3 Ozone | H412 EU-H059 | — | H412 | EUH059 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-085-00-5 | 2-bromopropane | 200-855-1 | 75-26-3 | Flam. Liq. 2 Repr. 1A STOT RE 2 (*) | H225 H360F (***) H373 (**) | GHS02 GHS08 Dgr | H225 H360F (***) H373 (**) | EUH066 | | |
| 602-086-00-0 | trifluoriodomethane; trifluoromethyl iodide | 219-014-5 | 2314-97-8 | Muta. 2 | H341 | GHS08 Wng | H341 | | | |
| 602-087-00-6 | 1,2,4-trichlorobenzene | 204-428-0 | 120-82-1 | Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H315 H400 H410 | GHS07 GHS09 Wng | H302 H315 H410 | | | |
| 602-088-00-1 | 2,3-dibromopropan-1-ol; 2,3-dibromo-1-propanol | 202-480-9 | 96-13-9 | Carc. 1B Repr. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3 | H350 H361f (***) H311 H332 H302 H412 | GHS08 GHS07 Dgr | H350 H361f (***) H311 H332 H302 H412 | | | |
| 602-089-00-7 | 4-bromo-2-chlorofluorobenzene | 405-580-2 | 60811-21-4 | Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H315 H400 H410 | GHS07 GHS09 Wng | H302 H315 H410 | | | |
| 602-090-00-2 | 1-allyl-3-chloro-4-fluorobenzene | 406-630-6 | 121626-73-1 | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 602-091-00-8 | 1,3-dichloro-4-fluorobenzene | 406-160-1 | 1435-48-9 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 | H302 H373 (**) H315 H411 | GHS08 GHS07 Wng | H302 H373 (**) H315 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|-------------------------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 602-092-00-3 | 1-bromo-3,4,5-trifluorobenzene | 418-480-9 | 138526-69-9 | Flam. Liq. 3 Carc. 2 Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2 | H226 H351 H315 H318 H411 | GHS02 GHS08 GHS05 GHS09 Dgr | H226 H351 H315 H318 H411 | | | |
| 602-093-00-9 | α , α , α ,4-tetrachlorotoluene; p-chlorobenzotrichloride | 226-009-1 | 5216-25-1 | Carc. 1B Repr. 2 STOT RE 1 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 | H350 H361f (***) H372 (**) H312 H302 H335 H315 | GHS08 GHS07 Dgr | H350 H361f (***) H372 (**) H312 H302 H335 H315 | | | |
| 602-094-00-4 | diphenylether; octabromo derivate | 251-087-9 | 32536-52-0 | Repr. 1B | H360Df | GHS08 Dgr | H360Df | | | |
| 602-096-00-5 | malachite green hydrochloride; [1] malachite green oxalate [2] | 209-322-8 [1] 219-441-7 [2] | 569-64-2 [1] 2437-29-8 [2] | Repr. 2 Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H361d (***) H302 H318 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H361d (***) H302 H318 H410 | | | |
| 602-097-00-0 | 1-bromo-9-(4,4,5,5,5-pentafluoropentylthio)nonane | 422-850-5 | 148757-89-5 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 603-001-00-X | methanol | 200-659-6 | 67-56-1 | Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT SE 1 | H225 H331 H311 H301 H370 (**) | GHS02 GHS06 GHS08 Dgr | H225 H331 H311 H301 H370 (**) | | (*) STOT SE 1; H370: C \geq 10 % STOT SE 2; H371: 3 % \leq C < 10 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-002-00-5 | ethanol; ethyl alcohol | 200-578-6 | 64-17-5 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | | | |
| 603-003-00-0 | propan-1-ol; <i>n</i> -propanol | 200-746-9 | 71-23-8 | Flam. Liq. 2 Eye Dam. 1 STOT SE 3 | H225 H318 H336 | GHS02 GHS05 GHS07 Dgr | H225 H318 H336 | | | |
| 603-004-00-6 | butan-1-ol; <i>n</i> -butanol | 200-751-6 | 71-36-3 | Flam. Liq. 3 Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 STOT SE 3 | H226 H302 H335 H315 H318 H336 | GHS02 GHS05 GHS07 Dgr | H226 H302 H335 H315 H318 H336 | | | |
| 603-005-00-1 | 2-methylpropan-2-ol; <i>tert</i> -butyl alcohol | 200-889-7 | 75-65-0 | Flam. Liq. 2 Acute Tox. 4 (*) | H225 H332 | GHS02 GHS07 Dgr | H225 H332 | | | |
| 603-006-00-7 | pentanol isomers, with the exception of those specified elsewhere in this Annex | 250-378-8 | | Flam. Liq. 3 Acute Tox. 4 (*) STOT SE 3 | H226 H332 H335 | GHS02 GHS07 Wng | H226 H332 H335 | EUH066 | | C |
| 603-007-00-2 | 2-methylbutan-2-ol; <i>tert</i> -pentanol | 200-908-9 | 75-85-4 | Flam. Liq. 2 Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 | H225 H332 H335 H315 | GHS02 GHS07 Dgr | H225 H332 H335 H315 | | | |
| 603-008-00-8 | 4-methylpentan-2-ol; methyl isobutyl carbinol | 203-551-7 | 108-11-2 | Flam. Liq. 3 STOT SE 3 | H226 H335 | GHS02 GHS07 Wng | H226 H335 | | STOT SE 3; H335: C ≥ 25 % | |
| 603-009-00-3 | cyclohexanol | 203-630-6 | 108-93-0 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 | H332 H302 H335 H315 | GHS07 Wng | H332 H302 H335 H315 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|--|---|---|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-010-00-9 | 2-méthylcyclohexanol, mixed isomers; [1] <i>cis</i> -2-méthylcyclohexanol; [2] <i>trans</i> -2-méthylcyclohexanol [3] | 209-512-0 [1] 231-187-9 [2] 231-186-3 [3] | 583-59-5 [1] 7443-70-1 [2] 7443-52-9 [3] | Acute Tox. 4 (*) | H332 | GHS07 Wng | H332 | | | C |
| 603-011-00-4 | 2-méthoxyéthanol; éthylène glycol monométhyle éther | 203-713-7 | 109-86-4 | Flam. Liq. 3 Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H226 H360-FD H332 H312 H302 | GHS02 GHS08 GHS07 Dgr | H226 H360FD H332 H312 H302 | | | |
| 603-012-00-X | 2-éthoxyéthanol; éthylène glycol monoéthyle éther | 203-804-1 | 110-80-5 | Flam. Liq. 3 Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H226 H360-FD H332 H312 H302 | GHS02 GHS08 GHS07 Dgr | H226 H360FD H332 H312 H302 | | | |
| 603-013-00-5 | 2-isopropoxyéthanol; éthylène glycol monoisopropyle éther | 203-685-6 | 109-59-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 | H332 H312 H319 | GHS07 Wng | H332 H312 H319 | | | |
| 603-014-00-0 | 2-butoxyéthanol; éthylène glycol monobutyle éther; butyle cellosolve | 203-905-0 | 111-76-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 | H332 H312 H302 H319 H315 | GHS07 Wng | H332 H312 H302 H319 H315 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-015-00-6 | allyl alcohol | 203-470-7 | 107-18-6 | Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 | H225 H331 H311 H301 H319 H335 H315 H400 | GHS02 GHS06 GHS09 Dgr | H225 H331 H311 H301 H319 H335 H315 H400 | | | |
| 603-016-00-1 | 4-hydroxy-4-methylpentan-2-one; diacetone alcohol | 204-626-7 | 123-42-2 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | Eye Irrit. 2; H319: C ≥ 10 % | |
| 603-018-00-2 | furfuryl alcohol | 202-626-1 | 98-00-0 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H312 H302 | GHS07 Wng | H332 H312 H302 | (*) | | |
| 603-019-00-8 | dimethyl ether | 204-065-8 | 115-10-6 | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | | U | |
| 603-020-00-3 | ethyl methyl ether | — | 540-67-0 | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | | U | |
| 603-021-00-9 | methyl vinyl ether | 203-475-4 | 107-25-5 | Flam. Gas 1 Press. Gas | H220 | GHS02 GHS04 Dgr | H220 | | D U | |
| 603-022-00-4 | diethyl ether; ether | 200-467-2 | 60-29-7 | Flam. Liq. 1 Acute Tox. 4 (*) STOT SE 3 | H224 H302 H336 | GHS02 GHS07 Dgr | H224 H302 H336 | EUH019 EUH066 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-023-00-X | ethylene oxide; oxirane | 200-849-9 | 75-21-8 | Flam. Gas 1 Press. Gas Carc. 1B Muta. 1B Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H220 H350 H340 H331 H319 H335 H315 | GHS02 GHS04 GHS06 GHS08 Dgr | H220 H350 H340 H331 H319 H335 H315 | | | U |
| 603-024-00-5 | 1,4-dioxane | 204-661-8 | 123-91-1 | Flam. Liq. 2 Carc. 2 Eye Irrit. 2 STOT SE 3 | H225 H351 H319 H335 | GHS02 GHS08 GHS07 Dgr | H225 H351 H319 H335 | EUH019 EUH066 | | D |
| 603-025-00-0 | tetrahydrofuran | 203-726-8 | 109-99-9 | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 | H225 H319 H335 | GHS02 GHS07 Dgr | H225 H319 H335 | EUH019 | Eye Irrit. 2; H319: C ≥ 25 % STOT SE 3; H335: C ≥ 25 % | |
| 603-026-00-6 | 1-chloro-2,3-epoxypropane; epichlorhydrin | 203-439-8 | 106-89-8 | Flam. Liq. 3 Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 | H226 H350 H331 H311 H301 H314 H317 | GHS02 GHS06 GHS08 GHS05 Dgr | H226 H350 H331 H311 H301 H314 H317 | | (*) | |
| 603-027-00-1 | ethanediol; ethylene glycol | 203-473-3 | 107-21-1 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 603-028-00-7 | 2-chloroethanol; ethylene chlorohydrin | 203-459-7 | 107-07-3 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) | H330 H310 H300 | GHS06 Dgr | H330 H310 H300 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-029-00-2 | bis(2-chloroethyl) ether | 203-870-1 | 111-44-4 | Carc. 2 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) | H351 H330 H310 H300 | GHS06 GHS08 Dgr | H351 H330 H310 H300 | | | |
| 603-030-00-8 | 2-aminoethanol; ethanolamine | 205-483-3 | 141-43-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H332 H312 H302 H314 | GHS05 GHS07 Dgr | H332 H312 H302 H314 | | STOT SE 3; H335: C ≥ 5 % | |
| 603-031-00-3 | 1,2-dimethoxyethane; ethylene glycol dimethyl ether; EGDME | 203-794-9 | 110-71-4 | Flam. Liq. 2 Repr. 1B Acute Tox. 4 (*) | H225 H360- FD H332 | GHS02 GHS08 GHS07 Dgr | H225 H360FD H332 | EUH019 | | |
| 603-032-00-9 | ethylene dinitrate; ethylene glycol dinitrate | 211-063-0 | 628-96-6 | Unst. Expl. Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) | H200 H330 H310 H300 H373 (**) | GHS01 GHS06 GHS08 Dgr | H200 H330 H310 H300 H373 (**) | | | |
| 603-033-00-4 | oxydiethylene dinitrate; diethylene glycol dinitrate; digol dinitrate | 211-745-8 | 693-21-0 | Unst. Expl Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 3 | H200 H330 H310 H300 H373 (**) H412 | GHS01 GHS06 GHS08 Dgr | H200 H330 H310 H300 H373 (**) H412 | | | |
| 603-033-01-1 | oxydiethylene dinitrate; diethylene glycol dinitrate; digol dinitrate; [>25 % phlegmatiser] | 211-745-8 | 693-21-0 | Expl. 1.1 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 3 | H201 H330 H310 H300 H373 (**) H412 | GHS01 GHS06 GHS08 Dgr | H201 H330 H310 H300 H373 (**) H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-034-00-X | glycerol trinitrate; nitroglycerine | 200-240-8 | 55-63-0 | Unst. Expl. Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2 | H200 H330 H310 H300 H373 (**) H411 | GHS01 GHS06 GHS08 GHS09 Dgr | H200 H330 H310 H300 H373 (**) H411 | | | |
| 603-034-01-7 | glycerol trinitrate; nitroglycerine; [>40 % phlegmatiser] | 200-240-8 | 55-63-0 | Expl. 1.1 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2 | H201 H330 H310 H300 H373 (**) H411 | GHS01 GHS06 GHS08 GHS09 Dgr | H201 H330 H310 H300 H373 (**) H411 | | | |
| 603-035-00-5 | pentaerythritol tetranitrate; pentaerythrite tetranitrate; P.E.T.N. | 201-084-3 | 78-11-5 | Unst. Expl. | H200 | GHS01 Dgr | H200 | | | |
| 603-035-01-2 | pentaerythritol tetranitrate; pentaerythrite tetranitrate; P.E.T.N.; [>20 % phlegmatiser] | 201-084-3 | 78-11-5 | Expl. 1.1 | H201 | GHS01 Dgr | H201 | | | T |
| 603-036-00-0 | mannitol hexanitrate; nitromannite | 239-924-6 | 15825-70-4 | Unst. Expl. | H200 | GHS01 Dgr | H200 | | | |
| 603-036-01-8 | mannitol hexanitrate; nitromannite; [≥40 % phlegmatiser] | 239-924-6 | 15825-70-4 | Expl. 1.1 | H201 | GHS01 Dgr | H201 | | | |
| 603-037-00-6 | cellulose nitrate; | — | — | Expl. 1.1 | H201 | GHS01 Dgr | H201 | EUH001 | | T |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|--|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-038-00-1 | allyl glycidyl ether; allyl 2,3-epoxypropyl ether; prop-2-en-1-yl 2,3-epoxypropyl ether | 203-442-4 | 106-92-3 | Flam. Liq. 3 Carc. 2 Muta. 2 Repr. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H226 H351 H341 H361f (***) H332 H302 H335 H315 H318 H317 H412 | GHS02 GHS08 GHS05 GHS07 Dgr | H226 H351 H341 H361f (***) H332 H302 H335 H315 H318 H317 H412 | | | |
| 603-039-00-7 | butyl glycidyl ether; butyl 2,3-epoxypropyl ether | 219-376-4 | 2426-08-6 | Flam. Liq. 3 Carc. 2 Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Sens. 1 Aquatic Chronic 3 | H226 H351 H341 H332 H302 H335 H317 H412 | GHS02 GHS08 GHS07 Wng | H226 H351 H341 H332 H302 H335 H317 H412 | | | |
| 603-040-00-2 | sodium methanolate; sodium methoxide; [1] potassium methanolate; potassium methoxide; [2] lithium methanolate; lithium methoxide [3] | 204-699-5 [1] 212-736-1 [2] 212-737-7 [3] | 124-41-4 [1] 865-33-8 [2] 865-34-9 [3] | Self-heat 1 Skin Corr. 1B | H251 H314 | GHS02 GHS05 Dgr | H251 H314 | EUH014 | | T |
| 603-041-00-8 | potassium ethanolate; potassium ethoxide; [1] sodium ethanolate; sodium ethoxide [2] | 213-029-0 [1] 205-487-5 [2] | 917-58-8 [1] 141-52-6 [2] | Self-heat 1 Skin Corr. 1B | H251 H314 | GHS02 GHS05 Dgr | H251 H314 | EUH014 | | T |
| 603-042-00-3 | aluminium-tri-isopropoxide | 209-090-8 | 555-31-7 | Flam. Sol. 1 | H228 | GHS02 Dgr | H228 | | | T |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|------------------------------|---|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-043-00-9 | triarimol (ISO); 2,4-dichloro- α -(pyrimidin-5-yl) benzhydryl alcohol | — | 26766-27-8 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 603-044-00-4 | dicofol (ISO); 2,2,2-trichloro-1,1-bis(4-chlorophenyl)ethanol | 204-082-0 | 115-32-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H315 H317 H400 H410 | GHS07 GHS09 Wng | H312 H302 H315 H317 H410 | | | |
| 603-045-00-X | diisopropyl ether; [1] dipropyl ether [2] | 203-560-6 [1] 203-869-6 [2] | 108-20-3 [1] 111-43-3 [2] | Flam. Liq. 2 STOT SE 3 | H225 H336 | GHS02 GHS07 Dgr | H225 H336 | EUH019 EUH066 | | C |
| 603-046-00-5 | bis (chloromethyl) ether; oxybis(chloromethane) | 208-832-8 | 542-88-1 | Flam. Liq. 2 Carc. 1A Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) | H225 H350 H330 H311 H302 | GHS02 GHS06 GHS08 Dgr | H225 H350 H330 H311 H302 | | Carc. 1A; H350: C \geq 0,001 % | |
| 603-047-00-0 | 2-diméthylaminoéthanol; N,N-diméthylethanolamine | 203-542-8 | 108-01-0 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H226 H332 H312 H302 H314 | GHS02 GHS05 GHS07 Dgr | H226 H332 H312 H302 H314 | | STOT SE 3; H335: C \geq 5 % | |
| 603-048-00-6 | 2-diéthylaminoéthanol; N,N-diéthylethanolamine | 202-845-2 | 100-37-8 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H226 H332 H312 H302 H314 | GHS02 GHS05 GHS07 GHS09 Dgr | H226 H332 H312 H302 H314 | | STOT SE 3; H335: C \geq 5 % | |
| 603-049-00-1 | chlorfenéthol (ISO); 1,1-bis (4-chlorophenyl) éthanol | 201-246-3 | 80-06-8 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--|---|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-050-00-7 | 1-(2-butoxypropoxy)propan-2-ol | 246-011-6 | 24083-03-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H312 H302 | GHS07 Wng | H312 H302 | | | |
| 603-051-00-2 | 2-ethylbutan-1-ol | 202-621-4 | 97-95-0 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H312 H302 | GHS07 Wng | H312 H302 | | | |
| 603-052-00-8 | 3-butoxypropan-2-ol; propylene glycol monobutyl ether | 225-878-4 | 5131-66-8 | Eye Irrit. 2 Skin Irrit. 2 | H319 H315 | GHS07 Wng | H319 H315 | | | |
| 603-053-00-3 | 2-methylpentane-2,4-diol | 203-489-0 | 107-41-5 | Eye Irrit. 2 Skin Irrit. 2 | H319 H315 | GHS07 Wng | H319 H315 | | | |
| 603-054-00-9 | di-n-butyl ether; dibutyl ether | 205-575-3 | 142-96-1 | Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 3 | H226 H319 H335 H315 H412 | GHS02 GHS07 Wng | H226 H319 H335 H315 H412 | | STOT SE 3; H335: C ≥ 10 % | |
| 603-055-00-4 | propylene oxide; 1,2-epoxypropane; methyloxirane | 200-879-2 | 75-56-9 | Flam. Liq. 1 Carc. 1B Muta. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H224 H350 H340 H332 H312 H302 H319 H335 H315 | GHS02 GHS08 GHS07 Dgr | H224 H350 H340 H332 H312 H302 H319 H335 H315 | | | |
| 603-056-00-X | [(p-tolyloxy)methyl]oxirane; [1] [(m-tolyloxy)methyl]oxirane; [2] 2,3-epoxypropyl o-tolyl ether; [3] [(tolyloxy)methyl]oxirane; cresyl glycidyl ether [4] | 218-574-8 [1] 218-575-3 [2] 218-645-3 [3] 247-711-4 [4] | 2186-24-5 [1] 2186-25-6 [2] 2210-79-9 [3] 26447-14-3 [4] | Muta. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H341 H315 H317 H411 | GHS08 GHS07 GHS09 Wng | H341 H315 H317 H411 | | | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-057-00-5 | benzyl alcohol | 202-859-9 | 100-51-6 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H302 | GHS07 Wng | H332 H302 | | | |
| 603-058-00-0 | 1,3-propylene oxide | 207-964-3 | 503-30-0 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H225 H332 H312 H302 | GHS02 GHS07 Dgr | H225 H332 H312 H302 | | | |
| 603-059-00-6 | hexan-1-ol | 203-852-3 | 111-27-3 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 603-060-00-1 | 2,2'-bioxirane; 1,2:3,4-diepoxybutane | 215-979-1 | 1464-53-5 | Carc. 1B Muta. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B | H350 H340 H330 H311 H301 H314 | GHS06 GHS08 GHS05 Dgr | H350 H340 H330 H311 H301 H314 | | | |
| 603-061-00-7 | tetrahydro-2-furyl-méthanol; tetrahydrofurfuryl alcohol | 202-625-6 | 97-99-4 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 603-062-00-2 | tetrahydrofuran-2,5-diyl-diméthanol | 203-239-0 | 104-80-3 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H319 H335 H315 | GHS07 Wng | H319 H335 H315 | | STOT SE 3; H335: C ≥ 10 % | |
| 603-063-00-8 | 2,3-époxypropan-1-ol; glycidol; oxiraneméthanol | 209-128-3 | 556-52-5 | Carc. 1B Muta. 2 Repr. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H350 H341 H360F (***) H331 H312 H302 H319 H335 H315 | GHS06 GHS08 Dgr | H350 H341 H360F (***) H331 H312 H302 H319 H335 H315 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-064-00-3 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | 203-539-1 | 107-98-2 | Flam. Liq. 3 | H226 | GHS02 Wng | H226 | | | |
| 603-065-00-9 | resorcinol diglycidyl ether; 1,3-bis(2,3-epoxypropoxy)benzene | 202-987-5 | 101-90-6 | Carc. 2 Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H351 H341 H312 H302 H319 H315 H317 H412 | GHS08 GHS07 Wng | H351 H341 H312 H302 H319 H315 H317 H412 | | | |
| 603-066-00-4 | 1,2-epoxy-4-epoxyethylcyclohexane; vinylcyclohexane diepoxide | 203-437-7 | 106-87-6 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Carc. 2 | H331 H311 H301 H351 | GHS06 GHS08 Dgr | H331 H311 H301 H351 | (*) | | |
| 603-067-00-X | phenyl glycidyl ether; 2,3-epoxypropyl phenyl ether; 1,2-epoxy-3-phenoxypropane | 204-557-2 | 122-60-1 | Carc. 1B Muta. 2 Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H350 H341 H332 H335 H315 H317 H412 | GHS08 GHS07 Dgr | H350 H341 H332 H335 H315 H317 H412 | | | |
| 603-068-00-5 | 2,3-epoxypropyl-2-ethylcyclohexyl ether; ethylcyclohexylglycidyl ether | — | 130014-35-6 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | | |
| 603-069-00-0 | 2,4,6-tris(dimethylaminomethyl)phenol | 202-013-9 | 90-72-2 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 | H302 H319 H315 | GHS07 Wng | H302 H319 H315 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-070-00-6 | 2-amino-2-méthylpropanol | 204-709-8 | 124-68-5 | Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3 | H319 H315 H412 | GHS07 Wng | H319 H315 H412 | | | |
| 603-071-00-1 | 2,2'-iminodiethanol; diethanolamine | 203-868-0 | 111-42-2 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Eye Dam. 1 | H302 H373 (**) H315 H318 | GHS08 GHS05 GHS07 Dgr | H302 H373 (**) H315 H318 | | | |
| 603-072-00-7 | 1,4-bis(2,3 epoxypropoxy)butane; butanedioldiglycidyl ether | 219-371-7 | 2425-79-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H332 H312 H319 H315 H317 | GHS07 Wng | H332 H312 H319 H315 H317 | | | |
| 603-073-00-2 | bis-[4-(2,3-epoxypropoxy)phenyl]propane | 216-823-5 | 1675-54-3 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % | |
| 603-074-00-8 | reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) | 500-033-5 | 25068-38-6 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H319 H315 H317 H411 | GHS07 GHS09 Wng | H319 H315 H317 H411 | | Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % | |
| 603-075-00-3 | chlorméthyl méthyl éther; chlorodiméthyl éther | 203-480-1 | 107-30-2 | Flam. Liq. 2 Carc. 1A Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H225 H350 H332 H312 H302 | GHS02 GHS08 GHS07 Dgr | H225 H350 H332 H312 H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-076-00-9 | but-2-yne-1,4-diol; 2-butyne-1,4-diol | 203-788-6 | 110-65-6 | Skin Corr. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 | H314 H331 H301 H312 H373 (**) H317 | GHS06 GHS05 GHS08 Dgr | H314 H331 H301 H312 H373 (**) H317 | | Skin Corr. 1B; H314: C ≥ 50 % Skin Irrit. 2; H315: 25 % ≤ C < 50 % Eye Irrit. 2; H319: 25 % ≤ C < 50 % | D |
| 603-077-00-4 | 1-diméthylaminopropan-2-ol; dimepranol (INN) | 203-556-4 | 108-16-7 | Flam. Liq. 3 Acute Tox. 4 (*) Skin Corr. 1B | H226 H302 H314 | GHS02 GHS05 GHS07 Dgr | H226 H302 H314 | | | |
| 603-078-00-X | prop-2-yn-1-ol; propargyl alcohol | 203-471-2 | 107-19-7 | Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Aquatic Chronic 2 | H226 H331 H311 H301 H314 H411 | GHS02 GHS06 GHS05 GHS09 Dgr | H226 H331 H311 H301 H314 H411 | | | |
| 603-079-00-5 | 2,2'-(méthylimino)diéthanol; N-méthyl-diéthanolamine | 203-312-7 | 105-59-9 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 603-080-00-0 | 2-méthylaminoéthanol; N-méthylethanolamine; N-méthyl-2-éthanolamine; N-méthyl-2-amino éthanol; 2-(méthylamino)éthanol | 203-710-0 | 109-83-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H312 H302 H314 | GHS05 GHS07 Dgr | H312 H302 H314 | | STOT SE 3; H335: C ≥ 5 % | |
| 603-081-00-6 | 2,2'-thiodiéthanol; thiodiglycol | 203-874-3 | 111-48-8 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 603-082-00-1 | 1-aminopropan-2-ol; isopropanolamine | 201-162-7 | 78-96-6 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | |
| 603-083-00-7 | 1,1'-iminodipropan-2-ol; di-isopropanolamine | 203-820-9 | 110-97-4 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-084-00-2 | styrene oxide; (epoxyethyl)benzene; phenyloxirane | 202-476-7 | 96-09-3 | Carc. 1B Acute Tox. 4 (*) Eye Irrit. 2 | H350 H312 H319 | GHS08 GHS07 Dgr | H350 H312 H319 | | | |
| 603-085-00-8 | bronopol (INN); 2-bromo-2-nitropropane-1,3-diol | 200-143-0 | 52-51-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 | H312 H302 H335 H315 H318 H400 | GHS05 GHS07 GHS09 Dgr | H312 H302 H335 H315 H318 H400 | | | |
| 603-086-00-3 | ethirimol (ISO); 5-butyl-2-ethylamino-6-methylpyrimidin-4-ol | 245-949-3 | 23947-60-6 | Acute Tox. 4 (*) | H312 | GHS07 Wng | H312 | | | |
| 603-087-00-9 | 2-ethylhexane-1,3-diol; octylene glycol; ethoexadiol | 202-377-9 | 94-96-2 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 603-088-00-4 | 2-(octylthio)ethanol; 2-hydroxyethyl octyl sulphide | 222-598-4 | 3547-33-9 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 603-089-00-X | 7,7-dimethyl-3-oxa-6-azaocan-1-ol | 400-390-6 | — | Skin Corr. 1A Acute Tox. 4 (*) | H314 H302 | GHS05 GHS07 Dgr | H314 H302 | | | |
| 603-090-00-5 | 2-(2-bromoethoxy)anisole | 402-010-4 | 4463-59-6 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 603-091-00-0 | exo-1-methyl-4-(1-methylethyl)-7-oxabicyclo[2.2.1]heptan-2-ol | 402-470-6 | 87172-89-2 | Acute Tox. 4 (*) Eye Dam. 1 | H302 H318 | GHS05 GHS07 Dgr | H302 H318 | | | |
| 603-092-00-6 | 2-methyl-4-phenylpentanol | 402-770-7 | 92585-24-5 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-093-00-1 | cinmethylin (ISO); <i>exo</i> -(±)-1-méthyl-2-(2-méthylbenzyloxy)-4-isopropyl-7-oxabicyclo(2.2.1)heptane | 402-410-9 | 87818-31-3 | Acute Tox. 4 (*) Aquatic Chronic 2 | H332 H411 | GHS07 GHS09 Dgr | H332 H411 | | | |
| 603-094-00-7 | 1,3-bis(2,3-époxypropoxy)-2,2-diméthylpropane | 241-536-7 | 17557-23-2 | Skin Irrit. 2 Skin Sens. 1 | H315 H317 | GHS07 Wng | H315 H317 | | | |
| 603-095-00-2 | 2-(propyloxy)éthanol; EGPE | 220-548-6 | 2807-30-9 | Acute Tox. 4 (*) Eye Irrit. 2 | H312 H319 | GHS07 Wng | H312 H319 | | | |
| 603-096-00-8 | 2-(2-butoxyéthoxy)éthanol; diéthylène glycol monobutyl éther | 203-961-6 | 112-34-5 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 603-097-00-3 | 1,1',1"-nitriлотripropan-2-ol; triisopropanolamine | 204-528-4 | 122-20-3 | Eye Irrit. 2 Aquatic Chronic 3 | H319 H412 | GHS07 Wng | H319 H412 | | | |
| 603-098-00-9 | 2-phénoxyéthanol | 204-589-7 | 122-99-6 | Acute Tox. 4 (*) Eye Irrit. 2 | H302 H319 | GHS07 Wng | H302 H319 | | | |
| 603-099-00-4 | 3-(<i>N</i> -méthyl- <i>N</i> -(4-méthylamino-3-nitrophényl)amino)propane-1,2-diol hydrochloride | 403-440-5 | 93633-79-5 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 603-100-00-8 | 1,2-diméthoxypropane | 404-630-0 | 7778-85-0 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | EUH019 | | |
| 603-101-00-3 | tétrahydro-2-isobutyl-4-méthylpyran-4-ol, mélangé d'isomères (<i>cis</i> et <i>trans</i>) | 405-040-6 | — | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-102-00-9 | 1,2-epoxybutane | 203-438-2 | 106-88-7 | Flam. Liq. 2 Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 3 | H225 H351 H332 H312 H302 H319 H335 H315 H412 | GHS02 GHS08 GHS07 Dgr | H225 H351 H332 H312 H302 H319 H335 H315 H412 | | | |
| 603-103-00-4 | oxirane, mono[(C ₁₂₋₁₄ -alkyloxy)methyl] derivs. | 271-846-8 | 68609-97-2 | Skin Irrit. 2 Skin Sens. 1 | H315 H317 | GHS07 Wng | H315 H317 | | | |
| 603-104-00-X | fenarimol (ISO); 2,4'-dichloro- α -(pyrimidin-5-yl)benzhydryl alcohol | 262-095-7 | 60168-88-9 | Repr. 2 Lact. Aquatic Chronic 2 | H361fd H362 H411 | GHS08 GHS09 Wng | H361fd H362 H411 | | | |
| 603-105-00-5 | furan | 203-727-3 | 110-00-9 | Flam. Liq. 1 Carc. 1B Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Aquatic Chronic 3 | H224 H350 H341 H332 H302 H373 (**) H315 H412 | GHS02 GHS08 GHS07 Dgr | H224 H350 H341 H332 H302 H373 (**) H315 H412 | EUH019 | | |
| 603-106-00-0 | 2-methoxypropanol | 216-455-5 | 1589-47-5 | Flam. Liq. 3 Repr. 1B STOT SE 3 Skin Irrit. 2 Eye Dam. 1 | H226 H360D (***) H335 H315 H318 | GHS02 GHS08 GHS05 GHS07 Dgr | H226 H360D (***) H335 H315 H318 | | | |
| 603-107-00-6 | 2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether | 203-906-6 | 111-77-3 | Repr. 2 | H361d (***) | GHS08 Wng | H361d (***) | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-108-00-1 | 2-méthylpropan-1-ol; iso-butanol | 201-148-0 | 78-83-1 | Flam. Liq. 3 STOT SE 3 Skin Irrit. 2 Eye Dam. 1 STOT SE 3 | H226 H335 H315 H318 H336 | GHS02 GHS05 GHS07 Dgr | H226 H335 H315 H318 H336 | | | |
| 603-117-00-0 | propan-2-ol; isopropyl alcohol; isopropanol | 200-661-7 | 67-63-0 | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 | H225 H319 H336 | GHS02 GHS07 Dgr | H225 H319 H336 | | | |
| 603-118-00-6 | 6-diméthylaminohexan-1-ol | 404-680-3 | 1862-07-3 | Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 3 | H302 H314 H412 | GHS05 GHS07 Dgr | H302 H314 H412 | | | |
| 603-119-00-1 | 1,1'-(1,3-phénylènedioxy)bis(3-(2-(prop-2-enyl)phénoxy)propan-2-ol) | 405-840-5 | — | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 603-120-00-7 | 2-méthyl-5-phénylpentanol | 405-890-8 | 25634-93-9 | Eye Irrit. 2 Skin Irrit. 2 | H319 H315 | GHS07 Wng | H319 H315 | | | |
| 603-121-00-2 | 4-[4-(1,3-dihydroxyprop-2-yl)phényl- amino]-1,8-dihydroxy-5-nitroanthraquinone | 406-057-1 | 114565-66-1 | Carc. 2 Skin Sens. 1 Aquatic Chronic 4 | H351 H317 H413 | GHS08 GHS07 Wng | H351 H317 H413 | | | |
| 603-122-00-8 | sodium 2-éthylhexanoate | 406-150-7 | 38411-13-1 | Flam. Sol. 1 Skin Corr. 1B Aquatic Chronic 3 | H228 H314 H412 | GHS02 GHS05 Dgr | H228 H314 H412 | | T | |
| 603-123-00-3 | 4-méthyl-8-méthylènetricyclo[3.3.1.1 ^{3,7}] decan-2-ol | 406-330-5 | 122760-84-3 | Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H315 H317 H411 | GHS07 GHS09 Wng | H315 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--|--|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-124-00-9 | 1,4-bis[2-(vinyloxy)ethoxy]benzene | 406-900-3 | 84563-49-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 603-125-00-4 | 2-(2,4-dichlorophenyl)-1-(1H-1,2,4-triazol-1-yl)pent-4-en-2-ol | 407-850-5 | 89544-40-1 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2 | H302 H318 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H411 | | | |
| 603-126-00-X | 2-((4-methyl-2-nitrophenyl)amino)ethanol | 408-090-7 | 100418-33-5 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 3 | H302 H317 H412 | GHS07 Wng | H302 H317 H412 | | | |
| 603-127-00-5 | butan-2-ol; [1] (S)-butan-2-ol; [2] (R)-butan-2-ol; [3] (±)-butan-2-ol [4] | 201-158-5 [1] 224-168-1 [2] 238-967-8 [3] 240-029-8 [4] | 78-92-2 [1] 4221-99-2 [2] 14898-79-4 [3] 15892-23-6 [4] | Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 STOT SE 3 | H226 H319 H335 H336 | GHS02 GHS07 Wng | H226 H319 H335 H336 | | | C |
| 603-128-00-0 | 2-(phenylmethoxy)naphthalene | 405-490-3 | 613-62-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 603-129-00-6 | 1-tert-butoxypropan-2-ol | 406-180-0 | 57018-52-7 | Flam. Liq. 3 Eye Dam. 1 | H226 H318 | GHS02 GHS05 Dgr | H226 H318 | | | |
| 603-130-00-1 | reaction mass of isomers of: α-((dimethyl)biphenyl)-ω-hydroxypoly(oxyethylene) | 406-325-8 | — | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 603-131-00-7 | reaction mass of: 1-deoxy-1-[methyl-(1-oxododecyl)amino]-D-glucitol; 1-deoxy-1-[methyl-(1-oxotetradecyl)amino]-D-glucitol (3:1) | 407-290-1 | — | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-132-00-2 | 2-hydroxyméthyl-9-méthyl-6-(1-méthylethyl)-1,4-dioxaspiro[4.5]décane | 408-200-3 | 63187-91-7 | Skin Irrit. 2 Eye Dam. 1 Aquatic Chron-ic 3 | H315 H318 H412 | GHS05 Dgr | H315 H318 H412 | | | |
| 603-133-00-8 | reaction mass of: 3-[(4-amino-2-chloro-5-nitrophenyl)amino]-propane-1,2-diol; 3,3'-(2-chloro-5-nitro-1,4-phenylenedii-mino)bis(propan-1,2-diol) | 408-240-1 | — | Acute Tox. 4 (*) Aquatic Chron-ic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 603-134-00-3 | reaction mass of substituted dodecyl and/or tetradecyl, diphenyl ethers. The substance is produced by the Friedel Crafts reaction. The catalyst is removed from the reaction product. Diphenyl ether is substituted by C ₁ -C ₁₀ alkyl groups. The alkyl groups are bonded randomly between C ₁ and C ₆ . Linear C ₁₂ and C ₁₄ , 50/50 used. | 410-450-3 | — | Aquatic Chron-ic 4 | H413 | — | H413 | | | |
| 603-135-00-9 | bis[[2,2',2''-nitriлотris-[ethanolato]]-1-N,O]-bis[2-(2-methoxyethoxy)ethoxy]-titanium | 410-500-4 | — | Eye Dam. 1 Aquatic Chron-ic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 603-136-00-4 | 3-((4-(bis(2-hydroxyethyl)amino)-2-nitrophenyl)amino)-1-propanol | 410-910-3 | 104226-19-9 | Skin Sens. 1 Aquatic Chron-ic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 603-137-00-X | reaction mass of: 1-deoxy-1-[methyl-(1-oxohexadecyl)amino]-D-glucitol; 1-deoxy-1-[methyl-(1-oxooctadecyl)amino]-D-glucitol | 411-130-6 | — | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 603-138-00-5 | 3-(2,2-diméthyl-3-hydroxypropyl)toluène; (alt.): 2,2-diméthyl-3-(3-méthylphényl)propanol | 403-140-4 | 103694-68-4 | Aquatic Chron-ic 3 | H412 | — | H412 | | | |
| 603-139-00-0 | bis(2-méthoxyéthyl) éther | 203-924-4 | 111-96-6 | Flam. Liq. 3 Repr. 1B | H226 H360-FD | GHS02 GHS08 Dgr | H226 H360FD | EUH019 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-140-00-6 | 2,2' -oxybisethanol; diethylene glycol | 203-872-2 | 111-46-6 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 603-141-00-1 | reaction mass of: dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethanoxy)]pentadecane; dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethanoxy)]heptadecane | 413-780-6 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 603-142-00-7 | 2-(2-(2-hydroxyethoxy)ethyl)-2-aza-bicyclo [2.2.1]heptane | 407-360-1 | 116230-20-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Eye Dam. 1 | H312 H302 H373 (**) H315 H318 | GHS06 GHS08 GHS05 Dgr | H312 H302 H373 (**) H315 H318 | | | |
| 603-143-00-2 | R—2,3-epoxy-1-propanol | 404-660-4 | 57044-25-4 | Self-react. C (***) Carc. 1B Muta. 2 Repr. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H242 H350 H341 H360F (***) H331 H312 H302 H314 | GHS02 GHS06 GHS08 GHS05 Dgr | H242 H350 H341 H360F (***) H331 H312 H302 H314 | | | |
| 603-144-00-8 | reaction mass of: 2,6,9-trimethyl-2,5,9-cyclododecatrien-1-ol; 6,9-dimethyl-2-méthyl-5,9-cyclododecadien-1-ol | 413-530-6 | 111850-00-1 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 603-145-00-3 | 2-isopropyl-2-(1-méthylbutyl)-1,3-diméthoxypropane | 406-970-5 | 129228-11-1 | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 603-146-00-9 | 2-[(2-[2-(diméthylamino)éthoxy]éthyl)méthylamino]éthanol | 406-080-7 | 83016-70-0 | Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 3 | H302 H314 H412 | GHS05 GHS07 Dgr | H302 H314 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-147-00-4 | (-)- <i>trans</i> -4-(4'-fluorophenyl)-3-hydroxyméthyl-N-méthylpiperidine | 406-030-4 | 105812-81-5 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2 | H302 H318 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H411 | | | |
| 603-148-00-X | 1,4-bis[(vinyloxy)méthyl]cyclohexane | 413-370-7 | 17351-75-6 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 603-149-00-5 | reaction mass of diastereoisomers of 1-(1-hydroxyéthyl)-4-(1-méthylethyl)cyclohexane | 407-640-3 | 63767-86-2 | Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2 | H319 H315 H411 | GHS07 GHS09 Wng | H319 H315 H411 | | | |
| 603-150-00-0 | (±) <i>trans</i> -3,3-diméthyl-5-(2,2,3-triméthylcyclopent-3-en-1-yl)-pent-4-en-2-ol | 411-580-3 | 107898-54-4 | Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H315 H400 H410 | GHS07 GHS09 Wng | H315 H410 | | | |
| 603-151-00-6 | (±)-2-(2,4-dichlorophenyl)-3-(1 <i>H</i> -1,2,4-triazol-1-yl)propan-1-ol | 413-570-4 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 603-152-00-1 | 2-(4- <i>tert</i> -butylphényl)éthanol | 410-020-5 | 5406-86-0 | Repr. 2 STOT RE 2 (*) Eye Dam. 1 Aquatic Chronic 2 | H361f (***) H373 (**) H318 H411 | GHS08 GHS05 GHS09 Dgr | H361f (***) H373 (**) H318 H411 | | | |
| 603-153-00-7 | 3-((2-nitro-4-(trifluorométhyl)phényl)amino)propane-1,2-diol | 410-010-0 | 104333-00-8 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 603-154-00-2 | 1-[(2- <i>tert</i> -butyl)cyclohexyloxy]-2-butanol | 412-300-2 | 139504-68-0 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 603-155-00-8 | Reaction products of 2-(4,6-bis(2,4-diméthylphényl)-1,3,5-triazin-2-yl)-5-hydroxyphénol with ((C ₁₀₋₁₆ , rich in C ₁₂₋₁₃ alkyloxy)méthyl)oxyrane | 410-560-1 | — | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-156-00-3 | 2-(2,4-dichlorophenyl)-2-(2-propenyl)oxirane | 411-210-0 | 89544-48-9 | Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H317 H400 H410 | GHS07 GHS09 Wng | H315 H317 H410 | | | |
| 603-157-00-9 | 6,9-bis(hexadecyloxyméthyl)-4,7-dioxanane-1,2,9-triol | 411-450-6 | 143747-72-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 603-158-00-4 | reaction mass of 4 diastereoisomers of 2,7-dimethyl-10-(1-méthylethyl)-1-oxaspiro [4.5]deca-3,6-diene | 412-460-3 | — | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 603-159-00-X | 2-cyclododecylpropan-1-ol | 411-410-8 | 118562-73-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 603-160-00-5 | 1,2-diéthoxypropane | 412-180-1 | 10221-57-5 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | EUH019 | | |
| 603-161-00-0 | 1,3-diéthoxypropane | 413-140-6 | 3459-83-4 | Flam. Liq. 3 | H226 | GHS02 Wng | H226 | | | |
| 603-162-00-6 | α [2-[[[(2-hydroxyéthyl)méthylamino]acétyl]amino]propyl]- ω nonylphénoxy)poly[oxo(méthyl-1,2-éthanediyl)] | 413-420-8 | 144736-29-8 | Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2 | H314 H317 H411 | GHS05 GHS07 GHS09 Dgr | H314 H317 H411 | | | |
| 603-163-00-1 | 2-phényl-1,3-propanediol | 411-810-2 | 1570-95-2 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 603-164-00-7 | 2-butyl-4-chloro-4,5-dihydro-5-hydroxyméthyl-1-[2'-(2-triphénylméthyl-1,2,3,4-2H-tétrazol-5-yl)-1,1'-biphényl-4-méthyl]-1H-imidazole | 412-420-5 | 133909-99-6 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-165-00-2 | reaction mass of: 4-allyl-2,6-bis(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol | 417-470-1 | — | Muta. 2 Skin Sens. 1 | H341 H317 | GHS08 GHS07 Wng | H341 H317 | | | |
| 603-166-00-8 | R-1-chloro-2,3-epoxypropane | 424-280-2 | 51594-55-9 | Flam. Liq. 3 Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 | H226 H350 H331 H311 H301 H314 H317 | GHS02 GHS06 GHS08 GHS05 Dgr | H226 H350 H331 H311 H301 H314 H317 | | | |
| 603-167-00-3 | 3,3',5,5'-tetra- <i>tert</i> -butylbiphenyl-2,2'-diol | 407-920-5 | 6390-69-8 | Aquatic Chronic 4 | H413 | GHS05 Dgr | H413 | | | |
| 603-168-00-9 | 3-(2-ethylhexyloxy)propane-1,2-diol | 408-080-2 | 70445-33-9 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 603-169-00-4 | (±)- <i>trans</i> -4-(4-fluorophenyl)-3-hydroxymethyl-N-methylpiperidine | 415-550-0 | 109887-53-8 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2 | H302 H318 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-170-00-X | reaction mass of: 2-methyl-1-(6-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol; 2-methyl-1-(1-methylbicyclo[2.2.1]hept-5-en-2-yl)-pent-1-en-3-ol; 2-methyl-1-(5-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol | 415-990-3 | 67739-11-1 | Eye Irrit. 2 Aquatic Chronic 2 | H319 H411 | GHS07 GHS09 Wng | H319 H411 | | | |
| 603-171-00-5 | 5-thiazolylmethanol | 414-780-9 | 38585-74-9 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 603-172-00-0 | mono-2-[2-(4-dibenzo[b,f][1,4]thiazepin-11-yl)piperazinium-1-yl]ethoxyethanol <i>trans</i> -butenedioate | 415-180-1 | 773058-82-5 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2 | H302 H318 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H411 | | | |
| 603-173-00-6 | 4,4-dimethyl-3,5,8-trioxabicyclo[5.1.0]octane | 421-750-9 | 57280-22-5 | Eye Irrit. 2 Skin Sens. 1 | H319 H317 | GHS07 Wng | H319 H317 | | | |
| 603-174-00-1 | 4-cyclohexyl-2-methyl-2-butanol | 420-630-3 | 83926-73-2 | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 603-175-00-7 | 2-(2-hexyloxyethoxy)ethanol; DEGHE; diethylene glycol monoethyl ether; 3,6-dioxa-1-dodecanol; hexyl carbitol; 3,6-dioxadodecan-1-ol | 203-988-3 | 112-59-4 | Acute Tox. 4 (*) Eye Dam. 1 | H312 H318 | GHS05 GHS07 Dgr | H312 H318 | | | |
| 603-176-00-2 | 1,2-bis(2-methoxyethoxy)ethane; TEGDME; triethylene glycol dimethyl ether; triglyme | 203-977-3 | 112-49-2 | Repr. 1B | H360- Df | GHS08 Dgr | H360Df | EUH019 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|---------------------------------|---|-----------------------------------|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-177-00-8 | 1-ethoxypropan-2-ol; 2PG1EE; 1-ethoxy-2-propanol; propylene glycol monoethyl ether; [1] 2-ethoxy-1-methylethyl acetate; 2PG1EEA [2] | 216-374-5 [1] 259-370-9 [2] | 1569-02-4 [1] 54839-24-6 [2] | Flam. Liq. 3 STOT SE 3 | H226 H336 | GHS02 GHS07 Wng | H226 H336 | | | |
| 603-178-00-3 | 2-hexyloxyethanol; ethylene glycol monoethyl ether; n-hexylglycol | 203-951-1 | 112-25-4 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H312 H302 H314 | GHS05 GHS07 Dgr | H312 H302 H314 | | | |
| 603-179-00-9 | ergocalciferol (ISO); Vitamin D2 | 200-014-9 | 50-14-6 | Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 | H330 H311 H301 H372 (**) | GHS06 GHS08 Dgr | H330 H311 H301 H372 (**) | | | |
| 603-180-00-4 | colecalfiferol; Vitamin D3 | 200-673-2 | 67-97-0 | Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 | H330 H311 H301 H372 (**) | GHS06 GHS08 Dgr | H330 H311 H301 H372 (**) | | | |
| 603-181-00-X | <i>tert</i> -butyl methyl ether; MTBE; 2-methoxy-2-methylpropane | 216-653-1 | 1634-04-4 | Flam. Liq. 2 Skin Irrit. 2 | H225 H315 | GHS02 GHS07 Dgr | H225 H315 | | | |
| 603-183-00-0 | 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether; butoxytriethylene glycol | 205-592-6 | 143-22-6 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | Eye Dam. 1; H318: C ≥ 30 % Eye Irrit. 2; H319: 20 % ≤ C < 30 % | |
| 603-184-00-6 | 2-(hydroxymethyl)-2-[[[2-hydroxy-3-(isooctadecyloxy)propoxy]methyl]-1,3-propanediol | 416-380-1 | 146925-83-9 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 603-185-00-1 | 2,4-dichloro-3-ethyl-6-nitrophenol | 420-740-1 | 99817-36-4 | Acute Tox. 3 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H301 H318 H317 H400 H410 | GHS06 GHS05 GHS09 Dgr | H301 H318 H317 H410 | | | |
| 603-186-00-7 | trans-(5RS,6SR)-6-amino-2,2-dimethyl-1,3-dioxepan-5-ol | 419-050-3 | 79944-37-9 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 603-187-00-2 | 2-((4,6-bis(4-(2-(1-methylpyridinium-4-yl)vinyl)phenylamino)-1,3,5-triazin-2-yl)(2-hydroxyethyl)amino)ethanol dichloride | 419-360-9 | 163661-77-6 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 603-189-00-3 | reaction mass of complexes of: titanium, 2,2'-oxydiethanol, ammonium lactate, nitri- lotris(2-propanol) and ethylene glycol | 405-250-8 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 603-191-00-4 | 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(3-((2-ethylhexyl)oxy)-2-hydroxypropoxy)phenol | 419-740-4 | 137658-79-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 603-195-00-6 | 2-[4-(4-methoxyphenyl)-6-phenyl-1,3,5-triazin-2-yl]-phenol | 430-810-3 | 154825-62-4 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 603-196-00-1 | 2-(7-ethyl-1H-indol-3-yl)ethanol | 431-020-1 | 41340-36-7 | Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Chronic 2 | H302 H373 (**) H411 | GHS08 GHS07 GHS09 Wng | H302 H373 (**) H411 | | | |
| 603-197-00-7 | tebuconazole (ISO); 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | 403-640-2 | 107534-96-3 | Repr. 2 Acute Tox. 4 (*) Aquatic Chronic 2 | H361d (***) H302 H411 | GHS08 GHS07 GHS09 Wng | H361d (***) H302 H411 | | | |
| 603-199-00-8 | etoxazol (ISO); (RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl]phenetole | — | 153233-91-1 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | M=100 | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--|--|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 604-001-00-2 | phenol; carbolic acid; monohydroxybenzene; phenylalcohol | 203-632-7 | 108-95-2 | Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Skin Corr. 1B | H341 H331 H311 H301 H373 (**) H314 | GHS06 GHS08 GHS05 Dgr | H341 H331 H311 H301 H373 (**) H314 | | (*) Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 % | |
| 604-002-00-8 | pentachlorophenol | 201-778-6 | 87-86-5 | Carc. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H330 H311 H301 H319 H335 H315 H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H330 H311 H301 H319 H335 H315 H410 | | | |
| 604-003-00-3 | sodium pentachlorophenolate; [1] potassium pentachlorophenolate [2] | 205-025-2 [1] 231-911-3 [2] | 131-52-2 [1] 7778-73-6 [2] | Carc. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H330 H311 H301 H319 H335 H315 H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H330 H311 H301 H319 H335 H315 H410 | | | |
| 604-004-00-9 | m-cresol; [1] o-cresol; [2] p-cresol; [3] mix-cresol [4] | 203-577-9 [1] 202-423-8 [2] 203-398-6 [3] 215-293-2 [4] | 108-39-4 [1] 95-48-7 [2] 106-44-5 [3] 1319-77-3 [4] | Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B | H311 H301 H314 | GHS06 GHS05 Dgr | H311 H301 H314 | | (*) | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|---|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 604-005-00-4 | 1,4-dihydroxybenzene; hydroquinone; quinol | 204-617-8 | 123-31-9 | Carc. 2 Muta. 2 Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 | H351 H341 H302 H318 H317 H400 | GHS08 GHS05 GHS07 GHS09 Dgr | H351 H341 H302 H318 H317 H400 | | | |
| 604-006-00-X | 3,4-xylénol; [1] 2,5-xylénol; [2] 2,4-xylénol; [3] 2,3-xylénol; [4] 2,6-xylénol; [5] xylénol; [6] 2,4(or 2,5)-xylénol [7] | 202-439-5 [1] 202-461-5 [2] 203-321-6 [3] 208-395-3 [4] 209-400-1 [5] 215-089-3 [6] 276-245-4 [7] | 95-65-8 [1] 95-87-4 [2] 105-67-9 [3] 526-75-0 [4] 576-26-1 [5] 1300-71-6 [6] 71975-58-1 [7] | Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Aquatic Chronic 2 | H311 H301 H314 H411 | GHS06 GHS05 GHS09 Dgr | H311 H301 H314 H411 | | | C |
| 604-007-00-5 | 2-naphthol | 205-182-7 | 135-19-3 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 | H332 H302 H400 | GHS07 GHS09 Wng | H332 H302 H400 | | | |
| 604-008-00-0 | 2-chlorophénol; [1] 4-chlorophénol; [2] 3-chlorophénol; [3] chlorophénol [4] | 202-433-2 [1] 203-402-6 [2] 203-582-6 [3] 246-691-4 [4] | 95-57-8 [1] 106-48-9 [2] 108-43-0 [3] 25167-80-0 [4] | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H332 H312 H302 H411 | GHS07 GHS09 Wng | H332 H312 H302 H411 | | | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 604-009-00-6 | pyrogallol; 1,2,3-trihydroxybenzene | 201-762-9 | 87-66-1 | Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3 | H341 H332 H312 H302 H412 | GHS08 GHS07 Wng | H341 H332 H312 H302 H412 | | (*) | |
| 604-010-00-1 | resorcinol; 1,3-benzenediol | 203-585-2 | 108-46-3 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 | H302 H319 H315 H400 | GHS07 GHS09 Wng | H302 H319 H315 H400 | | (*) | |
| 604-011-00-7 | 2,4-dichlorophenol | 204-429-6 | 120-83-2 | Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 2 | H311 H302 H314 H411 | GHS06 GHS05 GHS09 Dgr | H311 H302 H314 H411 | | | |
| 604-012-00-2 | 4-chloro- <i>o</i> -cresol; 4-chloro-2-methyl phenol | 216-381-3 | 1570-64-5 | Acute Tox. 3 (*) Skin Corr. 1A Aquatic Acute 1 | H331 H314 H400 | GHS06 GHS05 GHS09 Dgr | H331 H314 H400 | | STOT SE 3; H335: C ≥ 1 % | |
| 604-013-00-8 | 2,3,4,6-tetrachlorophenol | 200-402-8 | 58-90-2 | Acute Tox. 3 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H301 H319 H315 H400 H410 | GHS06 GHS09 Dgr | H301 H319 H315 H410 | | (*) Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % | |
| 604-014-00-3 | chlorocresol; 4-chloro- <i>m</i> -cresol; 4-chloro-3-methylphenol | 200-431-6 | 59-50-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 | H312 H302 H318 H317 H400 | GHS05 GHS07 GHS09 Dgr | H312 H302 H318 H317 H400 | | (*) | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--------------------------------------|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 604-015-00-9 | 2,2'-methylenebis-(3,4,6-trichlorophenol); hexachlorophene | 200-733-8 | 70-30-4 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H311 H301 H400 H410 | GHS06 GHS09 Dgr | H311 H301 H410 | | (*) | |
| 604-016-00-4 | 1,2-dihydroxybenzene; pyrocatechol | 204-427-5 | 120-80-9 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 | H312 H302 H319 H315 | GHS07 Wng | H312 H302 H319 H315 | | | |
| 604-017-00-X | 2,4,5-trichlorophenol | 202-467-8 | 95-95-4 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H315 H400 H410 | GHS07 GHS09 Wng | H302 H319 H315 H410 | | (*) Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % | |
| 604-018-00-5 | 2,4,6-trichlorophenol | 201-795-9 | 88-06-2 | Carc. 2 Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H302 H319 H315 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H302 H319 H315 H410 | | | |
| 604-019-00-0 | dichlorophen (ISO) | 202-567-1 | 97-23-4 | Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H400 H410 | GHS07 GHS09 Wng | H302 H319 H410 | | | |
| 604-020-00-6 | 2-phenylphenol (ISO) biphenyl-2-ol; 2-hydroxybiphenyl; | 201-993-5 | 90-43-7 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 | H319 H335 H315 H400 | GHS07 GHS09 Wng | H319 H335 H315 H400 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 604-021-00-1 | sodium 2-biphenylate; 2-phenylphenol, sodium salt | 205-055-6 | 132-27-4 | Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 | H302 H335 H315 H318 H400 | GHS05 GHS07 GHS09 Wng | H302 H335 H315 H318 H400 | | | |
| 604-022-00-7 | 2,2-diméthyl-1,3-benzodioxol-4-ol | 400-900-7 | 22961-82-6 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 604-023-00-2 | 2,4-dichloro-3-éthylphénol | 401-060-4 | — | Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H314 H400 H410 | GHS05 GHS09 Dgr | H314 H410 | | | |
| 604-024-00-8 | 4,4-isobutylethylidenediphénol | 401-720-1 | 6807-17-6 | Repr. 1B Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H360F (***) H319 H400 H410 | GHS08 GHS09 Dgr | H360F (***) H319 H410 | | | |
| 604-025-00-3 | 2,5-bis(1,1-diméthylbutyl)hydroquinone | 400-220-0 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-026-00-9 | 2,2-spirobi(6-hydroxy-4,4,7-triméthylchromane) | 400-270-3 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-027-00-4 | 2-méthyl-5-(1,1,3,3-tétraméthylbutyl)hydroquinone | 400-530-6 | — | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H318 H317 H411 | | | |
| 604-028-00-X | 4-amino-3-fluorophénol | 402-230-0 | 399-95-1 | Carc. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H350 H302 H317 H411 | GHS08 GHS07 GHS09 Dgr | H350 H302 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 604-029-00-5 | 1-naphtol | 201-969-4 | 90-15-3 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 | H312 H302 H335 H315 H318 | GHS05 GHS07 Dgr | H312 H302 H335 H315 H318 | | | |
| 604-030-00-0 | bisphenol A; 4,4'-isopropylidenediphenol | 201-245-8 | 80-05-7 | Repr. 2 STOT SE 3 Eye Dam. 1 Skin Sens. 1 | H361f (***) H335 H318 H317 | GHS08 GHS05 GHS07 Dgr | H361f (***) H335 H318 H317 | | | |
| 604-031-00-6 | guaiacol | 201-964-7 | 90-05-1 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 | H302 H319 H315 | GHS07 Wng | H302 H319 H315 | | | |
| 604-032-00-1 | thymol | 201-944-8 | 89-83-8 | Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 2 | H302 H314 H411 | GHS05 GHS07 GHS09 Dgr | H302 H314 H411 | | | |
| 604-033-00-7 | isobutyl but-3-enoate | 401-170-2 | 24342-03-8 | Flam. Liq. 3 | H226 | GHS02 Wng | H226 | | | |
| 604-034-00-2 | 4,4'-thiodi- <i>o</i> -cresol | 403-330-7 | 24197-34-0 | Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H400 H410 | GHS05 GHS09 Dgr | H318 H410 | | | |
| 604-035-00-8 | 4-nonylphenol, reaction products with formaldehyde and dodecane-1-thiol | 404-160-6 | — | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 604-036-00-3 | 4,4'-oxybis(ethylenethio)diphenol | 404-590-4 | 90884-29-0 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|----------------------------------|---|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 604-037-00-9 | 3,5-xylénol; 3,5-diméthylphénol | 203-606-5 | 108-68-9 | Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B | H311 H301 H314 | GHS06 GHS05 Dgr | H311 H301 H314 | | | |
| 604-038-00-4 | 4-chloro-3,5-diméthylphénol; [1] chloroxylnol [2] | 201-793-8 [1] 215-316-6 [2] | 88-04-0 [1] 1321-23-9 [2] | Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H302 H319 H315 H317 | GHS07 Wng | H302 H319 H315 H317 | | | |
| 604-039-00-X | ethyl 2-[4-[(6-chlorobenzoxazol-2-yl)oxy]phenoxy]propionate; fenoxaprop-ethyl | 266-362-9 | 66441-23-4 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 604-040-00-5 | fomesafen (ISO); 5-[2-chloro-4-(trifluorométhyl)phenoxy]-N-(méthylsulphonyl)-2-nitrobenzamide | 276-439-9 | 72178-02-0 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 604-041-00-0 | acifluorfen (ISO); 5-[2-chloro-4-(trifluorométhyl)phenoxy]-2-nitrobenzoic acid [1] sodium 5-[2-chloro-4-(trifluorométhyl)phenoxy]-2-nitrobenzoate; acifluorfen-sodium [2] | 256-634-5 [1] 263-560-7 [2] | 50594-66-6 [1] 62476-59-9 [2] | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H315 H318 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H315 H318 H410 | | | |
| 604-042-00-6 | 4-nitrosophénol | 203-251-6 | 104-91-6 | Muta. 2 Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2 | H341 H302 H318 H411 | GHS08 GHS05 GHS07 GHS09 Dgr | H341 H302 H318 H411 | | | |
| 604-043-00-1 | monobenzène; 4-hydroxyphényl benzyl éther; hydroquinone monobenzyl éther | 203-083-3 | 103-16-2 | Eye Irrit. 2 Skin Sens. 1 | H319 H317 | GHS07 Wng | H319 H317 | | | |
| 604-044-00-7 | mequinol; 4-méthoxyphénol; hydroquinone monométhyl éther | 205-769-8 | 150-76-5 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 | H302 H319 H317 | GHS07 Wng | H302 H319 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 604-045-00-2 | 2,3,5-triméthylhydroquinone | 211-838-3 | 700-13-0 | Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H332 H335 H315 H318 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H332 H335 H315 H318 H317 H410 | | | |
| 604-046-00-8 | 4-(4-isopropoxyphénylsulfonyl)phénol | 405-520-5 | 95235-30-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-047-00-3 | 4-(4-tolyl)oxy)biphényl | 405-730-7 | 51601-57-1 | STOT RE 2 (*) Aquatic Chronic 4 | H373 (**) H413 | GHS08 Wng | H373 (**) H413 | | | |
| 604-048-00-9 | 4,4',4''-(éthane-1,1,1-triyl)triphénoles | 405-800-7 | 27955-94-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-049-00-4 | 4-4'-méthylènebis(oxyéthyléthio)diphénol | 407-480-4 | 93589-69-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-051-00-5 | 3,5-bis((3,5-di- <i>tert</i> -butyl-4-hydroxy)benzyl)-2,4,6-triméthylphénol | 401-110-5 | 87113-78-8 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 604-052-00-0 | 2,2'-méthylènebis(6-(2 <i>H</i> -benzotriazol-2-yl)-4-(1,1,3,3-tétraméthylbutyl)phénol) | 403-800-1 | 103597-45-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 604-053-00-6 | 2-méthyl-4-(1,1-diméthylethyl)-6-(1-méthylpentadécyl)-phénol | 410-760-9 | 157661-93-3 | Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H317 H400 H410 | GHS07 GHS09 Wng | H315 H317 H410 | | | |
| 604-054-00-1 | reaction mass of: 2-méthoxy-4-(tétrahydro-4-méthylène-2 <i>H</i> -pyran-2-yl)-phénol; 4-(3,6-dihydro-4-méthyl-2 <i>H</i> -pyran-2-yl)-2-méthoxyphénol | 412-020-0 | — | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|-----------------------------------|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 604-055-00-7 | 2,2'-((3,3';5,5'-tetraméthyl-(1,1'-biphényl)-4,4'-diyl)-bis(oxyéthylène))-bis-oxirane | 413-900-7 | 85954-11-6 | Muta. 2 | H341 | GHS08 Wng | H341 | | | |
| 604-056-00-2 | 2-(2-hydroxy-3,5-dinitroanilino)éthanol | 412-520-9 | 99610-72-7 | Flam. Sol. 2 Repr. 2 Acute Tox. 4 (*) | H228 H361f (***) H302 | GHS02 GHS07 GHS08 Dgr | H228 H361f (***) H302 | | | |
| 604-057-00-8 | reaction mass of: isomers of 2-(2H-benzotriazol-2-yl)-4-méthyl-(n)-dodécylphénol; isomers of 2-(2H-benzotriazol-2-yl)-4-méthyl-(n)-tétracosylphénol; isomers of 2-(2H-benzotriazol-2-yl)-4-méthyl-5,6-didodécyl-phénol. n=5 or 6 | 401-680-5 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-058-00-3 | 1,2-bis(3-méthylphénoxy)éthane | 402-730-9 | 54914-85-1 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 604-059-00-9 | 2-n-hexadécylhydroquinone | 406-400-5 | — | STOT RE 2 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 4 | H373 (**) H315 H317 H413 | GHS08 GHS07 Wng | H373 (**) H315 H317 H413 | | | |
| 604-060-00-4 | 9,9-bis(4-hydroxyphényl)fluorene | 406-950-6 | 3236-71-3 | Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H315 H400 H410 | GHS07 GHS09 Wng | H319 H315 H410 | | | |
| 604-061-00-X | reaction mass of: 2-chloro-5-sec-tétradécyl-hydroquinones where sec-tétradécyl= 1-méthyltridécy; 1-éthylododécyl; 1-propylundécyl; 1-butylodécyl; 1-pentylnonyl; 1-hexyloctyl | 407-740-7 | — | Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H315 H317 H412 | GHS07 Wng | H315 H317 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 604-062-00-5 | 2,4-diméthyl-6-(1-méthyl-pentadécyl)phénol | 411-220-5 | — | Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H317 H400 H410 | GHS07 GHS09 Wng | H315 H317 H410 | | | |
| 604-063-00-0 | 5,6-dihydroxyindole | 412-130-9 | 3131-52-0 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2 | H302 H318 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H411 | | | |
| 604-064-00-6 | 2-(4,6-diphényl-1,3,5-triazin-2-yl)-5-((hexyloxy)-phénol | 411-380-6 | 147315-50-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 604-065-00-1 | 4,4',4''-(1-méthylpropan-1-yl-3-ylidène)tris(2-cyclohexyl-5-méthylphénol) | 407-460-5 | 111850-25-0 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 604-066-00-7 | reaction mass of: phénol, 6-(1,1-diméthylethyl)-4-tétrapropyl-2-[(2-hydroxy-5-tétrapropylphényl)méthyl] (C ₄₁ -composé) et méthane, 2,2'-bis[6-(1,1-diméthylethyl)-1-hydroxy-4-tétrapropyl-phényl]- (C ₄₅ -composé); 2,6-bis(1,1-diméthylethyl)-4-tétrapropyl-phénol et 2-(1,1-diméthylethyl)-4-tétrapropyl-phénol; 2,6-bis[(6-(1,1-diméthylethyl)-1-hydroxy-4-tétrapropylphényl)méthyl]-4-(tétrapropyl)phénol et 2-[(6-(1,1-diméthylethyl)-1-hydroxy-4-tétrapropylphényl)méthyl]-6-[1-hydroxy-4-tétrapropylphényl)méthyl]-4-(tétrapropyl)phénol | 414-550-8 | — | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 604-067-00-2 | reaction mass of: 2,2'-[[[2-hydroxyéthyl]imino]bis(méthylène)]bis[4-dodécylphénol]; formaldéhyde, oligomère avec 4-dodécylphénol et 2-aminoéthanol(n = 2); formaldéhyde, oligomère avec 4-dodécylphénol et 2-aminoéthanol(n = 3, 4 et plus) | 414-520-4 | — | Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H318 H400 H410 | GHS05 GHS09 Dgr | H315 H318 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 604-068-00-8 | (±)-4-[2-[[3-(4-hydroxyphenyl)-1-méthylpropyl]amino]-1-hydroxyéthyl]phénol hydrochloride | 415-170-5 | 90274-24-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 | H332 H302 H317 | GHS07 Wng | H332 H302 H317 | | | |
| 604-069-00-3 | 2-(1-méthylpropyl)-4-tert-butylphénol | 421-740-4 | 51390-14-8 | Skin Corr. 1B Aquatic Chronic 2 | H314 H411 | GHS05 GHS09 Dgr | H314 H411 | | | |
| 604-070-00-9 | triclosan; 2,4,4'-trichloro-2'-hydroxy-diphényl-éther; 5-chloro-2-(2,4-dichlorophénoxy)phénol | 222-182-2 | 3380-34-5 | Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H315 H400 H410 | GHS07 GHS09 Wng | H319 H315 H410 | | M=100 | |
| 605-001-00-5 | formaldéhyde ...% | 200-001-8 | 50-00-0 | Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 | H351 H331 H311 H301 H314 H317 | GHS06 GHS08 GHS05 Dgr | H351 H331 H311 H301 H314 H317 | | (*) Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Irrit. 2; H319: 5 % ≤ C < 25 % STOT SE 3; H335: C ≥ 5 % Skin Sens. 1; H317: C ≥ 0,2 % | B D |
| 605-002-00-0 | 1,3,5-trioxan; trioxyméthylène | 203-812-5 | 110-88-3 | Flam. Sol. 1 Repr. 2 STOT SE 3 | H228 H361d (***) H335 | GHS02 GHS08 GHS07 Dgr | H228 H361d (***) H335 | | | T |
| 605-003-00-6 | acétaldéhyde; éthanal | 200-836-8 | 75-07-0 | Flam. Liq. 1 Carc. 2 Eye Irrit. 2 STOT SE 3 | H224 H351 H319 H335 | GHS02 GHS08 GHS07 Dgr | H224 H351 H319 H335 | | | |
| 605-004-00-1 | 2,4,6-triméthyl-1,3,5-trioxan; paraldéhyde | 204-639-8 | 123-63-7 | Flam. Liq. 3 | H226 | GHS02 Dgr | H226 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|-------------------------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 605-005-00-7 | 2,4,6,8-tetraméthyl-1,3,5,7-tetraoxacyclooctane; metaldehyde | 203-600-2 | 108-62-3 | Flam. Sol. 2 Acute Tox. 4 (*) | H228 H302 | GHS02 GHS07 Wng | H228 H302 | | | |
| 605-006-00-2 | butyraldehyde | 204-646-6 | 123-72-8 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | | | |
| 605-007-00-8 | 1,1-diméthoxyethane; diméthyl acétal | 208-589-8 | 534-15-6 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | | | |
| 605-008-00-3 | acrylaldehyde; acrolein; prop-2-enal | 203-453-4 | 107-02-8 | Flam. Liq. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Aquatic Acute 1 | H225 H330 H311 H301 H314 H400 | GHS02 GHS06 GHS05 GHS09 Dgr | H225 H330 H311 H301 H314 H400 | | | D |
| 605-009-00-9 | crotonaldehyde; 2-butenal; [1] (E)-2-butenal; (E)-crotonaldehyde [2] | 224-030-0 [1] 204-647-1 [2] | 4170-30-3 [1] 123-73-9 [2] | Flam. Liq. 2 Muta. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 | H225 H341 H330 H311 H301 H373 (**) H335 H315 H318 H400 | GHS02 GHS06 GHS08 GHS05 GHS09 Dgr | H225 H341 H330 H311 H301 H373 (**) H335 H315 H318 H400 | | | |
| 605-010-00-4 | 2-furaldehyde | 202-627-7 | 98-01-1 | Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 | H351 H331 H301 H312 H319 H335 | GHS06 GHS08 Dgr | H351 H331 H301 H312 H319 H335 | | | (*) |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 605-011-00-X | 2-chlorobenzaldehyde; o-chlorobenzaldehyde | 201-956-3 | 89-98-5 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | |
| 605-012-00-5 | benzaldehyde | 202-860-4 | 100-52-7 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 605-013-00-0 | chloralose (INN); (R)-1,2-O-(2,2,2-trichloroethylidene)- α -D-glucofuranose; glucochloralose; anhydroglucochloral | 240-016-7 | 15879-93-3 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H302 | GHS07 Wng | H332 H302 | | | |
| 605-014-00-6 | chloral hydrate; 2,2,2-trichloroethane-1,1-diol | 206-117-5 | 302-17-0 | Acute Tox. 3 (*) Eye Irrit. 2 Skin Irrit. 2 | H301 H319 H315 | GHS06 Dgr | H301 H319 H315 | | | |
| 605-015-00-1 | 1,1-diethoxyethane; acetal | 203-310-6 | 105-57-7 | Flam. Liq. 2 Eye Irrit. 2 Skin Irrit. 2 | H225 H319 H315 | GHS02 GHS07 Dgr | H225 H319 H315 | | | |
| 605-016-00-7 | glyoxal...%; ethandial...% | 203-474-9 | 107-22-2 | Muta. 2 Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H341 H332 H319 H315 H317 | GHS07 GHS08 Wng | H341 H332 H319 H315 H317 | (*) | B | |
| 605-017-00-2 | 1,3-dioxolane | 211-463-5 | 646-06-0 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | | | |
| 605-018-00-8 | propanal; propionaldehyde | 204-623-0 | 123-38-6 | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H225 H319 H335 H315 | GHS02 GHS07 Dgr | H225 H319 H335 H315 | | | |
| 605-019-00-3 | citral | 226-394-6 | 5392-40-5 | Skin Irrit. 2 Skin Sens. 1 | H315 H317 | GHS07 Wng | H315 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 605-020-00-9 | safrole; 5-allyl-1,3-benzodioxole | 202-345-4 | 94-59-7 | Carc. 1B Muta. 2 Acute Tox. 4 (*) | H350 H341 H302 | GHS08 GHS07 Dgr | H350 H341 H302 | | | |
| 605-021-00-4 | formaldehyde, reaction products with butylphenol | 294-145-9 | 91673-30-2 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 605-022-00-X | glutaral; glutaraldehyde; 1,5-pentanedial | 203-856-5 | 111-30-8 | Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 | H331 H301 H314 H334 H317 H400 | GHS06 GHS08 GHS05 GHS09 Dgr | H331 H301 H314 H334 H317 H400 | | (*) Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 0,5 % ≤ C < 10 % Eye Dam. ; H318: 2 % ≤ C < 10 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 % STOT SE; H335: C ≥ 0,5 % Skin Sens. 1; H317: C ≥ 0,5 % | |
| 605-025-00-6 | chloroacetaldehyde | 203-472-8 | 107-20-0 | Carc. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Aquatic Acute 1 | H351 H330 H311 H301 H314 H400 | GHS06 GHS08 GHS05 GHS09 Dgr | H351 H330 H311 H301 H314 H400 | | STOT SE 3; H335: C ≥ 5 % | |
| 605-026-00-1 | 2,5,7,7-tetramethyloctanal | 405-690-0 | 114119-97-0 | Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H315 H317 H411 | GHS07 GHS09 Wng | H315 H317 H411 | | | |
| 605-027-00-7 | reaction mass of: 3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-indene-6-carboxaldehyde; 3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-indene-5-carboxaldehyde | 410-480-7 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 605-028-00-2 | β -methyl-3-(1-methylethyl)-benzenepropanal | 412-050-4 | 125109-85-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 605-029-00-8 | 2-cyclohexylpropanal | 412-270-0 | 2109-22-0 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 605-030-00-3 | 1-(p-methoxyphenyl)acetaldehyde oxime | 411-510-1 | 3353-51-3 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 605-031-00-9 | reaction mass of: 2,2-dimethoxyethanal [this component is considered to be anhydrous in terms of identity, structure and composition. However, 2,2-dimethoxyethanal will exist in a hydrated form. 60 % anhydrous is equivalent to 70.4 % hydrate; water(Including free water and water in hydrated 2,2-dimethoxyethanal)] | 421-890-0 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 606-001-00-8 | acetone; propan-2-one; propanone | 200-662-2 | 67-64-1 | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 | H225 H319 H336 | GHS02 GHS07 Dgr | H225 H319 H336 | EUH066 | | |
| 606-002-00-3 | butanone; ethyl methyl ketone | 201-159-0 | 78-93-3 | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 | H225 H319 H336 | GHS02 GHS07 Dgr | H225 H319 H336 | EUH066 | | |
| 606-003-00-9 | heptan-3-one; butyl ethyl ketone | 203-388-1 | 106-35-4 | Flam. Liq. 3 Acute Tox. 4 (*) Eye Irrit. 2 | H226 H332 H319 | GHS02 GHS07 Wng | H226 H332 H319 | | | |
| 606-004-00-4 | 4-methylpentan-2-one; isobutyl methyl ketone | 203-550-1 | 108-10-1 | Flam. Liq. 2 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 | H225 H332 H319 H335 | GHS02 GHS07 Dgr | H225 H332 H319 H335 | EUH066 | | |
| 606-005-00-X | 2,6-dimethylheptan-4-one; di-isobutyl ketone | 203-620-1 | 108-83-8 | Flam. Liq. 3 STOT SE 3 | H226 H335 | GHS02 GHS07 Wng | H226 H335 | | STOT SE 3; H335: C \geq 10 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 606-006-00-5 | pentan-3-one; diethyl ketone | 202-490-3 | 96-22-0 | Flam. Liq. 2 STOT SE 3 STOT SE 3 | H225 H335 H336 | GHS02 GHS07 Dgr | H225 H335 H336 | EUH066 | | |
| 606-007-00-0 | 3-methylbutan-2-one; methyl isopropyl ketone | 209-264-3 | 563-80-4 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | | | |
| 606-009-00-1 | 4-methylpent-3-en-2-one; mesityl oxide | 205-502-5 | 141-79-7 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H226 H332 H312 H302 | GHS02 GHS07 Wng | H226 H332 H312 H302 | | (*) | |
| 606-010-00-7 | cyclohexanone | 203-631-1 | 108-94-1 | Flam. Liq. 3 Acute Tox. 4 (*) | H226 H332 | GHS02 GHS07 Wng | H226 H332 | | | |
| 606-011-00-2 | 2-methylcyclohexanone | 209-513-6 | 583-60-8 | Flam. Liq. 3 Acute Tox. 4 (*) | H226 H332 | GHS02 GHS07 Wng | H226 H332 | | | |
| 606-012-00-8 | 3,5,5-trimethylcyclohex-2-enone; isophorone | 201-126-0 | 78-59-1 | Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 | H351 H312 H302 H319 H335 | GHS08 GHS07 Wng | H351 H312 H302 H319 H335 | | STOT SE 3; H335: C ≥ 10 % | |
| 606-013-00-3 | p-benzoquinone; quinone | 203-405-2 | 106-51-4 | Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 | H331 H301 H319 H335 H315 H400 | GHS06 GHS09 Dgr | H331 H301 H319 H335 H315 H400 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 606-014-00-9 | chlorophacinone (ISO); 2-(2-(4-chlorophenyl)phenylacetyl)indan-1,3-dione | 223-003-0 | 3691-35-8 | Acute Tox. 1 Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H331 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H310 H300 H331 H372 (**) H410 | | | |
| 606-016-00-X | pindone (ISO); 2-pivaloylindan-1,3-dione | 201-462-8 | 83-26-1 | Acute Tox. 3 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H301 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H301 H372 (**) H410 | | | |
| 606-017-00-5 | diketene; diketen | 211-617-1 | 674-82-8 | Flam. Liq. 3 Acute Tox. 4 (*) | H226 H332 | GHS02 GHS07 Wng | H226 H332 | | | D |
| 606-018-00-0 | dichlone (ISO); 2,3-dichloro-1,4-naphthoquinone | 204-210-5 | 117-80-6 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H315 H400 H410 | GHS07 GHS09 Wng | H302 H319 H315 H410 | | | |
| 606-019-00-6 | chlordecone (ISO); perchloropentacyclo[5,3,0,0 ^{2,6} ,0 ^{3,9} ,0 ^{4,8}]decan-5-one; decachloropentacyclo[5,2,1,0 ^{2,6} ,0 ^{3,9} ,0 ^{5,8}]decan-4-one | 205-601-3 | 143-50-0 | Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H311 H301 H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H311 H301 H410 | | | |
| 606-020-00-1 | 5-methylheptan-3-one | 208-793-7 | 541-85-5 | Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 | H226 H319 H335 | GHS02 GHS07 Wng | H226 H319 H335 | | STOT SE 3; H335: C ≥ 10 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 606-021-00-7 | N-méthyl-2-pyrrolidone | 212-828-1 | 872-50-4 | Eye Irrit. 2 Skin Irrit. 2 | H319 H315 | GHS07 Wng | H319 H315 | | | |
| 606-022-00-2 | 1-phenyl-3-pyrazolidone | 202-155-1 | 92-43-3 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 606-023-00-8 | 4-methoxy-4-méthylpentan-2-one | 203-512-4 | 107-70-0 | Flam. Liq. 3 Acute Tox. 4 (*) | H226 H332 | GHS02 GHS07 Wng | H226 H332 | | | |
| 606-024-00-3 | heptan-2-one; methyl amyl ketone | 203-767-1 | 110-43-0 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) | H226 H332 H302 | GHS02 GHS07 Wng | H226 H332 H302 | | | |
| 606-025-00-9 | cyclopentanone | 204-435-9 | 120-92-3 | Flam. Liq. 3 Eye Irrit. 2 Skin Irrit. 2 | H226 H319 H315 | GHS02 GHS07 Wng | H226 H319 H315 | | | |
| 606-026-00-4 | 5-méthylhexan-2-one; isoamyl methyl ketone | 203-737-8 | 110-12-3 | Flam. Liq. 3 Acute Tox. 4 (*) | H226 H332 | GHS02 GHS07 Wng | H226 H332 | | | |
| 606-027-00-X | heptan-4-one; di-n-propyl ketone | 204-608-9 | 123-19-3 | Flam. Liq. 3 Acute Tox. 4 (*) | H226 H332 | GHS02 GHS07 Wng | H226 H332 | | | |
| 606-028-00-5 | 2,4-diméthylpentan-3-one; di-isopropyl ketone | 209-294-7 | 565-80-0 | Flam. Liq. 2 Acute Tox. 4 (*) | H225 H332 | GHS02 GHS07 Dgr | H225 H332 | | | |
| 606-029-00-0 | pentane-2,4-dione; acetylacetone | 204-634-0 | 123-54-6 | Flam. Liq. 3 Acute Tox. 4 (*) | H226 H302 | GHS02 GHS07 Wng | H226 H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 606-030-00-6 | hexan-2-one; methyl butyl ketone; butyl methyl ketone; methyl- <i>n</i> -butyl ketone | 209-731-1 | 591-78-6 | Flam. Liq. 3 Repr. 2 STOT RE 1 STOT SE 3 | H226 H361f (***) H372 (**) H336 | GHS02 GHS08 GHS07 Dgr | H226 H361f (***) H372 (**) H336 | | | |
| 606-031-00-1 | 3-propanolide; 1,3-propiolactone | 200-340-1 | 57-57-8 | Carc. 1B Acute Tox. 2 (*) Eye Irrit. 2 Skin Irrit. 2 | H350 H330 H319 H315 | GHS06 GHS08 Dgr | H350 H330 H319 H315 | | | |
| 606-032-00-7 | hexachloroacetone | 204-129-5 | 116-16-5 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 606-033-00-2 | 2-(3,4-dichlorophenyl)-4-methyl-1,2,4-oxadiazolidinedione; methazole | 243-761-6 | 20354-26-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2 | H312 H302 H319 H315 H411 | GHS07 GHS09 Wng | H312 H302 H319 H315 H411 | | | |
| 606-034-00-8 | metribuzin (ISO); 4-amino-6- <i>tert</i> -butyl-3-methylthio-1,2,4-triazin-5(4 <i>H</i>)-one; 4-amino-4,5-dihydro-6-(1,1-dimethylethyl)-3-methylthio-1,2,4-triazin-5-one | 244-209-7 | 21087-64-9 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 606-035-00-3 | chloridazon (ISO); 5-amino-4-chloro-2-phenylpyridazine-3-(2 <i>H</i>)-one; pyrazon | 216-920-2 | 1698-60-8 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 606-036-00-9 | quinomethionate; chinomethionat (ISO); 6-méthyl-1,3-dithiolo(4,5-b)quinoxalin-2-one | 219-455-3 | 2439-01-2 | Repr. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H361f (***) H332 H312 H302 H373 (**) H319 H317 H410 | GHS08 GHS07 GHS09 Wng | H361f (***) H332 H312 H302 H373 (**) H319 H317 H410 | | | |
| 606-037-00-4 | triadimefon (ISO); 1-(4-chlorophenoxy)-3,3-diméthyl-1-(1,2,4-triazol-1-yl)butanone | 256-103-8 | 43121-43-3 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H302 H317 H411 | GHS07 GHS09 Wng | H302 H317 H411 | | | |
| 606-038-00-X | diphacinone (ISO); 2-diphénylacétylindan-1,3-dione | 201-434-5 | 82-66-6 | Acute Tox. 2 (*) STOT RE 1 | H300 H372 (**) | GHS06 GHS08 Dgr | H300 H372 (**) | | | |
| 606-039-00-5 | 5(or 6)-tert-butyl-2'-chloro-6'-éthylamino-3',7'-diméthylspiro(isobenzofuran-1(1H),9'-xanthène)-3-one | 400-680-2 | — | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H400 H410 | GHS07 GHS09 Wng | H332 H410 | | | |
| 606-040-00-0 | (N-benzyl-N-éthyl)amino-3-hydroxyacétophénone hydrochloride | 401-840-4 | 55845-90-4 | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 606-041-00-6 | 2-méthyl-1-(4-méthylthiophényl)-2-morpholinopropan-1-one | 400-600-6 | 71868-10-5 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 606-042-00-1 | acétophénone | 202-708-7 | 98-86-2 | Acute Tox. 4 (*) Eye Irrit. 2 | H302 H319 | GHS07 Wng | H302 H319 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 606-043-00-7 | 2,4-di- <i>tert</i> -butylcyclohexanone | 405-340-7 | 13019-04-0 | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 606-044-00-2 | 2,4,6-triméthylbenzophénone | 403-150-9 | 954-16-5 | Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H400 H410 | GHS07 GHS09 Wng | H302 H319 H410 | | | |
| 606-045-00-8 | oxadiazon (ISO); 3-[2,4-dichloro-5-(1-méthylethoxy)phényl]- 5-(1,1-diméthylethyl)-1,3,4-oxadiazol-2 (3 <i>H</i>)-one | 243-215-7 | 19666-30-9 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 606-046-00-3 | reaction mass of <i>cis</i> - and <i>trans</i> -cyclohexadec- 8-en-1-one | 401-700-2 | 3100-36-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 606-047-00-9 | 2-benzyl-2-diméthylamino-4-morpholino- butyrophénone | 404-360-3 | 119313-12-1 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 606-048-00-4 | 2'-anilino-3'-méthyl-6'-dipentylaminospiro (isobenzofuran-1(1 <i>H</i>),9'-xanthen)-3-one | 406-480-1 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 606-049-00-X | 4-(<i>trans</i> -4-propylcyclohexyl)acétophénone | 406-700-6 | 78531-61-0 | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 606-050-00-5 | 6-anilino-1-benzoyl-4-(4- <i>tert</i> -pentylphénoxy) naphto[1,2,3- <i>de</i>]quinoline-2,7-(3 <i>H</i>)- dione | 412-480-2 | 72453-58-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 606-051-00-0 | 4-pentylcyclohexanone | 406-670-4 | 61203-83-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 606-052-00-6 | 4-(<i>N,N</i> -dibutylamino)-2-hydroxy-2'-carbo- xybenzophénone | 410-410-5 | 54574-82-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 606-053-00-1 | flurtamone (ISO); (RS)-5-méthylamino-2-phényl-4-(<i>α,α,α</i> -trifluoro- <i>m</i> -tolyl)furan-3(2H)-one | — | 96525-23-4 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 606-054-00-7 | isoxaflutole (ISO); 5-cyclopropyl-1,2-oxazol-4-yl <i>α,α,α</i> -trifluoro-2-mésyl- <i>p</i> -tolyl ketone | — | 141112-29-0 | Repr. 2 Aquatic Acute 1 Aquatic Chronic 1 | H361d (***) H400 H410 | GHS08 GHS09 Wng | H361d (***) H410 | | | |
| 606-055-00-2 | 1-(2,3-dihydro-1,3,3,6-tétraméthyl-1-(1-méthylethyl)-1H-indén-5-yl)éthanone | 411-180-9 | 92836-10-7 | Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Chronic 2 | H302 H373 (**) H411 | GHS08 GHS07 GHS09 Wng | H302 H373 (**) H411 | | | |
| 606-056-00-8 | 4-chloro-3',4'-diméthoxybenzophénone | 404-610-1 | 116412-83-0 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 606-057-00-3 | 4-propylcyclohexanone | 406-810-4 | 40649-36-3 | Skin Irrit. 2 Aquatic Chronic 3 | H315 H412 | GHS07 Wng | H315 H412 | | | |
| 606-058-00-9 | 4'-fluoro-2,2-diméthoxyacétophénone | 407-500-1 | 21983-80-2 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 606-059-00-4 | 2,4-difluoro- <i>α</i> -(1H-1,2,4-triazol-1-yl)acétophénone hydrochloride | 412-390-3 | 86386-75-6 | Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 | H302 H318 H317 | GHS05 GHS07 Dgr | H302 H318 H317 | | | |
| 606-060-00-X | reaction mass of: <i>trans</i> -2,4-diméthyl-2-(5,6,7,8-tétrahydro-5,5,8,8-tétraméthyl-naphthalène-2-yl)-1,3-dioxolane; <i>cis</i> -2,4-diméthyl-2-(5,6,7,8-tétrahydro-5,5,8,8-tétraméthyl-naphthalène-2-yl)-1,3-dioxolane | 412-950-7 | — | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 606-061-00-5 | (3-chlorophenyl)-(4-methoxy-3-nitrophenyl) methanone | 423-290-4 | 66938-41-8 | Muta. 2 Aquatic Acute 1 Aquatic Chronic 1 | H341 H400 H410 | GHS08 GHS09 Wng | H341 H410 | | | |
| 606-062-00-0 | tetrahydrothiopyran-3-carboxaldehyde | 407-330-8 | 61571-06-0 | Repr. 1B Eye Dam. 1 Aquatic Chronic 3 | H360D (***) H318 H412 | GHS08 GHS05 Dgr | H360D (***) H318 H412 | | | |
| 606-063-00-6 | (E)-3-(2-chlorophenyl)-2-(4-fluorophenyl) propenal | 410-980-5 | 112704-51-5 | Eye Irrit. 2 Skin Sens. 1 | H319 H317 | GHS07 Wng | H319 H317 | | | |
| 606-064-00-1 | pregn-5-ene-3,20-dione bis(ethylene ketal) | 407-450-0 | 7093-55-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 606-065-00-7 | 1-(4-morpholinophenyl)butan-1-one | 413-790-0 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 606-066-00-2 | (E)-5[(4-chlorophenyl)methylene]-2,2-dimethylcyclopentanone | 410-440-9 | 164058-20-2 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 606-067-00-8 | reaction mass of: 1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1H-benz(g)inden-4-yl)ethanone; 1-(2,3,5,6,7,8-hexahydro-1,1-dimethyl-1H-benz(f)inden-4-yl)ethanone; 1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1H-benz(g)inden-5-yl)ethanone; 1-(2,3,6,7,8,9-hexahydro-3,3-dimethyl-1H-benz(g)inden-5-yl)ethanone | 414-870-8 | 96792-67-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 606-068-00-3 | 2,7,11-trimethyl-13-(2,6,6-trimethylcyclohex-1-en-1-yl)tridecahexaen-2,4,6,8,10,12-al | 415-770-7 | 1638-05-7 | STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 3 | H373 (**) H317 H412 | GHS08 GHS07 Wng | H373 (**) H317 H412 | | | |
| 606-069-00-9 | spiro[1,3-dioxolane-2,5'-(4',4',8',8'-tetramethyl-hexahydro-3',9'-methanonaphthalene)] | 415-460-1 | 154171-76-3 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 606-070-00-4 | butroxydim (ISO); 5-(3-butyryl-2,4,6-trimethylphenyl)-2-[1-(ethoxyimino)propyl]-3-hydroxycyclohex-2-en-1-one | 414-790-3 | 138164-12-2 | Repr. 2 Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H361fd H302 H315 H400 H410 | GHS08 GHS07 GHS09 Wng | H361fd H302 H315 H410 | | | |
| 606-071-00-X | 17-spiro(5,5-dimethyl-1,3-dioxan-2-yl)androsta-1,4-diene-3-one | 421-050-3 | 13258-43-0 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 606-072-00-5 | 3-acetyl-1-phenyl-pyrrolidine-2,4-dione | 421-600-2 | 719-86-8 | STOT RE 2 (*) Aquatic Chronic 2 | H373 (**) H411 | GHS08 GHS09 Wng | H373 (**) H411 | | | |
| 606-073-00-0 | 4,4'-bis(diméthylamino)benzophenone; Michler's ketone | 202-027-5 | 90-94-8 | Carc. 1B Muta. 2 Eye Dam. 1 | H350 H341 H318 | GHS08 GHS05 Dgr | H350 H341 H318 | | | |
| 606-075-00-1 | 1-benzyl-5-ethoxyimidazolidine-2,4-dione | 417-340-4 | 65855-02-9 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 606-076-00-7 | 1-((2-quinolinyl-carbonyl)oxy)-2,5-pyrrolidinedione | 418-630-3 | 136465-99-1 | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 606-077-00-2 | (3S,4S)-3-hexyl-4-[(R)-2-hydroxytridecyl]-2-oxetanone | 418-650-2 | 104872-06-2 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 606-078-00-8 | 1-octylazepin-2-one | 420-040-6 | 59227-88-2 | Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2 | H314 H317 H411 | GHS05 GHS07 GHS09 Dgr | H314 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 606-079-00-3 | 2- <i>n</i> -butyl-benzo[<i>d</i>]isothiazol-3-one | 420-590-7 | 4299-07-4 | Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H314 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H314 H317 H410 | | | |
| 606-080-00-9 | Reaction product of: 3-hydroxy-5,7-di- <i>tert</i> -butylbenzofuran-2-one with <i>o</i> -xylene | 417-100-9 | — | Aquatic Chronic 4 | H413 | | H413 | | | |
| 606-081-00-4 | (3β, 5α, 6β)-3-(acetyloxy)-5-bromo-6-hydroxy-androstan-17-one | 419-790-7 | 4229-69-0 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 606-082-00-X | reaction mass of: butan-2-one oxime; <i>syn-O,O'</i> -di(butan-2-one oxime)diethoxysilane | 406-930-7 | | STOT RE 1 Skin Sens. 1 Aquatic Chronic 3 | H372 (**) H317 H412 | GHS08 GHS07 Dgr | H372 (**) H317 H412 | | | |
| 606-083-00-5 | 2-chloro-5- <i>sec</i> -hexadecylhydroquinone | 407-750-1 | 137193-60-3 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H319 H315 H317 H412 | GHS07 Wng | H319 H315 H317 H412 | | | |
| 606-084-00-0 | 1-(4-methoxy-5-benzofuranyl)-3-phenyl-1,3-propanedione | 414-540-3 | 484-33-3 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 606-085-00-6 | (1 <i>R</i> ,4 <i>S</i>)-2-azabicyclo[2.2.1]hept-5-en-3-one | 418-530-1 | 79200-56-9 | Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 | H302 H318 H317 | GHS05 GHS07 Dgr | H302 H318 H317 | | | |
| 606-086-00-1 | 1-(3,3-dimethylcyclohexyl)pent-4-en-1-one | 422-330-8 | 56973-87-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 606-087-00-7 | 6-ethyl-5-fluoro-4(3 <i>H</i>)-pyrimidone | 422-460-5 | 137234-87-8 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 606-088-00-2 | 2,4,4,7-tetraméthyl-6-octen-3-one | 422-520-0 | 74338-72-0 | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 606-089-00-8 | reaction mass of: 1,4-diamino-2-chloro-3-phenoxyanthraquinone; 1,4-diamino-2,3-bis-phenoxyanthraquinone | 423-220-2 | 12223-77-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 606-091-00-9 | 6-chloro-5-(2-chloroethyl)-1,3-dihydroindol-2-one | 421-320-0 | 118289-55-7 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 606-092-00-4 | reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one | 422-320-3 | | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 607-001-00-0 | formic acid ... % | 200-579-1 | 64-18-6 | Skin Corr. 1A | H314 | GHS05 Dgr | H314 | | Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 10 % ≤ C < 90 % Skin Irrit. 2; H315: 2 % ≤ C < 10 % Eye Irrit. 2; H319: 2 % ≤ C < 10 % | B |
| 607-002-00-6 | acetic acid ... % | 200-580-7 | 64-19-7 | Flam. Liq. 3 Skin Corr. 1A | H226 H314 | GHS02 GHS05 Dgr | H226 H314 | | Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % | B |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-003-00-1 | chloroacetic acid | 201-178-4 | 79-11-8 | Acute Tox. 3 (*) Skin Corr. 1B Aquatic Acute 1 | H301 H314 H400 | GHS06 GHS05 GHS09 Dgr | H301 H314 H400 | | | |
| 607-004-00-7 | TCA (ISO); trichloroacetic acid | 200-927-2 | 76-03-9 | Skin Corr. 1A Aquatic Acute 1 Aquatic Chronic 1 | H314 H400 H410 | GHS05 GHS09 Dgr | H314 H410 | | STOT SE 3; H335: C ≥ 1 % | |
| 607-005-00-2 | TCA-sodium (ISO); sodium trichloroacetate | 211-479-2 | 650-51-1 | STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 | H335 H400 H410 | GHS07 GHS09 Wng | H335 H410 | | | |
| 607-006-00-8 | oxalic acid | 205-634-3 | 144-62-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H312 H302 | GHS07 Wng | H312 H302 | | * | |
| 607-007-00-3 | salts of oxalic acid | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) | H312 H302 | GHS07 Wng | H312 H302 | | * | A |
| 607-008-00-9 | acetic anhydride | 203-564-8 | 108-24-7 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H226 H332 H302 H314 | GHS02 GHS05 GHS07 Dgr | H226 H332 H302 H314 | | Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Dam. 1; H318: 5 % ≤ C < 25 % Eye Irrit. 2; H319: 1 % ≤ C < 5 % STOT SE 3; H335: C ≥ 5 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-009-00-4 | phthalic anhydride | 201-607-5 | 85-44-9 | Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H302 H335 H315 H318 H334 H317 | GHS08 GHS05 GHS07 Dgr | H302 H335 H315 H318 H334 H317 | | | |
| 607-010-00-X | propionic anhydride | 204-638-2 | 123-62-6 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % | |
| 607-011-00-5 | acetyl chloride | 200-865-6 | 75-36-5 | Flam. Liq. 2 Skin Corr. 1B | H225 H314 | GHS02 GHS05 Dgr | H225 H314 | EUH014 | | |
| 607-012-00-0 | benzoyl chloride | 202-710-8 | 98-88-4 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | |
| 607-013-00-6 | dimethyl carbonate | 210-478-4 | 616-38-6 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | | | |
| 607-014-00-1 | methyl formate | 203-481-7 | 107-31-3 | Flam. Liq. 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 | H224 H332 H302 H319 H335 | GHS02 GHS07 Dgr | H224 H332 H302 H319 H335 | | | |
| 607-015-00-7 | ethyl formate | 203-721-0 | 109-94-4 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 | H225 H332 H302 H319 H335 | GHS02 GHS07 Dgr | H225 H332 H302 H319 H335 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|--|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-016-00-2 | propyl formate; [1] isopropyl formate [2] | 203-798-0 [1] 210-901-2 [2] | 110-74-7 [1] 625-55-8 [2] | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 STOT SE 3 | H225 H319 H335 H336 | GHS02 GHS07 Dgr | H225 H319 H335 H336 | | | C |
| 607-017-00-8 | butyl formate; [1] tert-butyl formate; [2] isobutyl formate [3] | 209-772-5 [1] 212-105-0 [2] 208-818-1 [3] | 592-84-7 [1] 762-75-4 [2] 542-55-2 [3] | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 | H225 H319 H335 | GHS02 GHS07 Dgr | H225 H319 H335 | | | C |
| 607-018-00-3 | isopentyl formate; [1] 2-methylbutyl formate [2] | 203-769-2 [1] 252-343-2 [2] | 110-45-2 [1] 35073-27-9 [2] | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 | H225 H319 H335 | GHS02 GHS07 Dgr | H225 H319 H335 | | | C |
| 607-019-00-9 | methyl chloroformate | 201-187-3 | 79-22-1 | Flam. Liq. 2 Acute Tox. 2 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H225 H330 H312 H302 H314 | GHS02 GHS06 GHS05 Dgr | H225 H330 H312 H302 H314 | | | |
| 607-020-00-4 | ethyl chloroformate | 208-778-5 | 541-41-3 | Flam. Liq. 2 Acute Tox. 2 (*) Acute Tox. 4 (*) Skin Corr. 1B | H225 H330 H302 H314 | GHS02 GHS06 GHS05 Dgr | H225 H330 H302 H314 | | | |
| 607-021-00-X | methyl acetate | 201-185-2 | 79-20-9 | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 | H225 H319 H336 | GHS02 GHS07 Dgr | H225 H319 H336 | EUH066 | | |
| 607-022-00-5 | ethyl acetate | 205-500-4 | 141-78-6 | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 | H225 H319 H336 | GHS02 GHS07 Dgr | H225 H319 H336 | EUH066 | | |
| 607-023-00-0 | vinyl acetate | 203-545-4 | 108-05-4 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | | | D |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|--|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-024-00-6 | propyl acetate; [1] isopropyl acetate [2] | 203-686-1 [1] 203-561-1 [2] | 109-60-4 [1] 108-21-4 [2] | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 | H225 H319 H336 | GHS02 GHS07 Dgr | H225 H319 H336 | EUH066 | | C |
| 607-025-00-1 | <i>n</i> -butyl acetate | 204-658-1 | 123-86-4 | Flam. Liq. 3 STOT SE 3 | H226 H336 | GHS02 GHS07 Wng | H226 H336 | EUH066 | | |
| 607-026-00-7 | <i>sec</i> -butyl acetate; [1] isobutyl acetate; [2] <i>tert</i> -butyl acetate [3] | 203-300-1 [1] 203-745-1 [2] 208-760-7 [3] | 105-46-4 [1] 110-19-0 [2] 540-88-5 [3] | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | EUH066 | | C |
| 607-027-00-2 | methyl propionate | 209-060-4 | 554-12-1 | Flam. Liq. 2 Acute Tox. 4 (*) | H225 H332 | GHS02 GHS07 Dgr | H225 H332 | | | |
| 607-028-00-8 | ethyl propionate | 203-291-4 | 105-37-3 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | | | |
| 607-029-00-3 | <i>n</i> -butyl propionate; [1] <i>sec</i> -butyl propionate; [2] iso-butyl propionate [3] | 209-669-5 [1] - [2] 208-746-0 [3] | 590-01-2 [1] 591-34-4 [2] 540-42-1 [3] | Flam. Liq. 3 | H226 | GHS02 Wng | H226 | | | C |
| 607-030-00-9 | propyl propionate | 203-389-7 | 106-36-5 | Flam. Liq. 3 Acute Tox. 4 (*) | H226 H332 | GHS02 GHS07 Wng | H226 H332 | | | |
| 607-031-00-4 | butyl butyrate | 203-656-8 | 109-21-7 | Flam. Liq. 3 | H226 | GHS02 Wng | H226 | | | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-032-00-X | ethyl acrylate | 205-438-8 | 140-88-5 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 | H225 H332 H312 H302 H319 H335 H315 H317 | GHS02 GHS07 Dgr | H225 H332 H312 H302 H319 H335 H315 H317 | | Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % STOT SE 3; H335: C ≥ 5 % | D |
| 607-033-00-5 | n-butyl methacrylate | 202-615-1 | 97-88-1 | Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 | H226 H319 H335 H315 H317 | GHS02 GHS07 Wng | H226 H319 H335 H315 H317 | | | D |
| 607-034-00-0 | methyl acrylate; methyl propenoate | 202-500-6 | 96-33-3 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 | H225 H332 H312 H302 H319 H335 H315 H317 | GHS02 GHS07 Dgr | H225 H332 H312 H302 H319 H335 H315 H317 | | | D |
| 607-035-00-6 | methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate | 201-297-1 | 80-62-6 | Flam. Liq. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 | H225 H335 H315 H317 | GHS02 GHS07 Dgr | H225 H335 H315 H317 | | | D |
| 607-036-00-1 | 2-methoxyethyl acetate; methylglycol acetate | 203-772-9 | 110-49-6 | Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H360- FD H332 H312 H302 | GHS08 GHS07 Dgr | H360FD H332 H312 H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-037-00-7 | 2-ethoxyethyl acetate; ethylglycol acetate | 203-839-2 | 111-15-9 | Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H360-FD H332 H312 H302 | GHS08 GHS07 Dgr | H360FD H332 H312 H302 | | | |
| 607-038-00-2 | 2-butoxyethyl acetate; butylglycol acetate | 203-933-3 | 112-07-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H312 | GHS07 Wng | H332 H312 | | | |
| 607-039-00-8 | 2,4-D (ISO); 2,4-dichlorophenoxyacetic acid | 202-361-1 | 94-75-7 | Acute Tox. 4 (*) STOT SE 3 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H302 H335 H318 H317 H412 | GHS05 GHS07 Dgr | H302 H335 H318 H317 H412 | | | |
| 607-040-00-3 | salts of 2,4-D | — | — | Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H302 H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H317 H411 | | | A |
| 607-041-00-9 | 2,4,5-T (ISO); 2,4,5-trichlorophenoxy acetic acid | 202-273-3 | 93-76-5 | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H335 H315 H400 H410 | GHS07 GHS09 Wng | H302 H319 H335 H315 H410 | | | |
| 607-042-00-4 | salts and esters of 2,4,5-T; salts and esters of 2,4,5-trichlorophenoxy acetic acid | — | — | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H335 H315 H400 H410 | GHS07 GHS09 Wng | H302 H319 H335 H315 H410 | | | A |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|---------------------------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-043-00-X | dicamba (ISO); 2,5-dichloro-6-methoxybenzoic acid; 3,6-dichloro-2-methoxybenzoic acid | 217-635-6 | 1918-00-9 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3 | H302 H318 H412 | GHS05 GHS07 Dgr | H302 H318 H412 | | | |
| 607-044-00-5 | 3,6-dichloro- <i>o</i> -anisic acid, compound with dimethylamine (1:1); [1] potassium 3,6-dichloro- <i>o</i> -anisate [2] | 218-951-7 [1] 233-002-7 [2] | 2300-66-5 [1] 10007-85-9 [2] | Eye Irrit. 2 Aquatic Chronic 3 | H319 H412 | GHS07 Wng | H319 H412 | | | |
| 607-045-00-0 | dichlorprop (ISO); 2-(2,4-dichlorophenoxy) propionic acid | 204-390-5 | 120-36-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 | H312 H302 H315 H318 | GHS05 GHS07 Dgr | H312 H302 H315 H318 | | | |
| 607-046-00-6 | salts of dichlorprop | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H312 H302 | GHS07 Wng | H332 H312 H302 | | | A |
| 607-047-00-1 | fenoprop (ISO); 2-(2,4,5-trichlorophenoxy)propionic acid | 202-271-2 | 93-72-1 | Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H315 H400 H410 | GHS07 GHS09 Wng | H302 H315 H410 | | | |
| 607-048-00-7 | salts of fenoprop; salts of 2-(2,4,5-trichlorophenoxy)propionic acid | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | | | A |
| 607-049-00-2 | mecoprop (ISO); 2-(4-chloro- <i>o</i> -tolylxy) propionic acid; (<i>RS</i>)-2-(4-chloro- <i>o</i> -tolylxy)propionic acid; [1] 2-(4-chloro-2-methylphenoxy)propionic acid [2] | 230-386-8 [1] 202-264-4 [2] | 7085-19-0 [1] 708519-0 [2] | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H315 H318 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H315 H318 H410 | | M=100 | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|---|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-050-00-8 | salts of mecoprop | — | — | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H315 H318 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H315 H318 H410 | | | A |
| 607-051-00-3 | MCPA (ISO); 4-chloro- <i>o</i> -tolylxyacetic acid | 202-360-6 | 94-74-6 | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 | H302 H315 H318 | GHS05 GHS07 Dgr | H302 H315 H318 | | | |
| 607-052-00-9 | salts and esters of MCPA | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H312 H302 | GHS07 Wng | H332 H312 H302 | | | A |
| 607-053-00-4 | MCPB (ISO); 4-(4-chloro- <i>o</i> -tolylxy) butyric acid | 202-365-3 | 94-81-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 607-054-00-X | salts and esters of MCPB | — | — | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | A |
| 607-055-00-5 | endothal-sodium (ISO); disodium 7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylate | 204-959-8 | 129-67-9 | Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H301 H312 H319 H335 H315 | GHS06 Dgr | H301 H312 H319 H335 H315 | | | |
| 607-056-00-0 | warfarin (ISO); [1] (<i>S</i>)-4-hydroxy-3-(3-oxo-1-phenylbutyl)-2-benzopyrone; [2] (<i>R</i>)-4-hydroxy-3-(3-oxo-1-phenylbutyl)-2-benzopyrone [3] | 201-377-6 [1] 226-907-3 [2] 226-908-9 [3] | 81-81-2 [1] 5543-57-7 [2] 5543-58-8 [3] | Repr. 1A STOT RE 1 Aquatic Chronic 3 | H360D (***) H372 (**) H412 | GHS08 Dgr | H360D (***) H372 (**) H412 | | | |
| 607-057-00-6 | coumachlor (ISO); 3-[1-(4-chlorophenyl)-3-oxobutyl]-4-hydroxycoumarin | 201-378-1 | 81-82-3 | STOT RE 2 (*) Aquatic Chronic 3 | H373 (**) H412 | GHS08 Wng | H373 (**) H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-058-00-1 | coumafuryl (ISO); fumarin; (RS)-3-(1-(2-furyl)-3-oxobutyl)4-hydroxycoumarin; 4-hydroxy-3-[3-oxo-1-(2-furyl) butyl]coumarin | 204-195-5 | 117-52-2 | Acute Tox. 3 (*) STOT RE 1 Aquatic Chronic 3 | H301 H372 (**) H412 | GHS06 GHS08 Dgr | H301 H372 (**) H412 | | | |
| 607-059-00-7 | coumatetralyl; 4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin | 227-424-0 | 5836-29-3 | Acute Tox. 1 Acute Tox. 2 (*) STOT RE 1 Aquatic Chronic 3 | H310 H300 H372 (**) H412 | GHS06 GHS08 Dgr | H310 H300 H372 (**) H412 | | | |
| 607-060-00-2 | dicoumarol; 4,4'-dihydroxy-3,3'-methylenebis(2H-chromen-2-one) | 200-632-9 | 66-76-2 | STOT RE 1 Acute Tox. 4 (*) Aquatic Chronic 2 | H372 (**) H302 H411 | GHS08 GHS07 GHS09 Dgr | H372 (**) H302 H411 | | | |
| 607-061-00-8 | acrylic acid; prop-2-enoic acid | 201-177-9 | 79-10-7 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A Aquatic Acute 1 | H226 H332 H312 H302 H314 H400 | GHS02 GHS05 GHS07 GHS09 Dgr | H226 H332 H312 H302 H314 H400 | STOT SE 3; H335: C ≥ 1 % | D | |
| 607-062-00-3 | n-butyl acrylate | 205-480-7 | 141-32-2 | Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 | H226 H319 H335 H315 H317 | GHS02 GHS07 Wng | H226 H319 H335 H315 H317 | | | D |
| 607-063-00-9 | isobutyric acid | 201-195-7 | 79-31-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H312 H302 | GHS07 Wng | H312 H302 | | | |
| 607-064-00-4 | benzyl chloroformate | 207-925-0 | 501-53-1 | Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H314 H400 H410 | GHS05 GHS09 Dgr | H314 H410 | STOT SE 3; H335: C ≥ 5 % | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-065-00-X | bromoacetic acid | 201-175-8 | 79-08-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1A Aquatic Acute 1 | H331 H311 H301 H314 H400 | GHS06 GHS05 GHS09 Dgr | H331 H311 H301 H314 H400 | | | |
| 607-066-00-5 | dichloroacetic acid | 201-207-0 | 79-43-6 | Skin Corr. 1A Aquatic Acute 1 | H314 H400 | GHS05 GHS09 Dgr | H314 H400 | | | |
| 607-067-00-0 | dichloroacetyl chloride | 201-199-9 | 79-36-7 | Skin Corr. 1A Aquatic Acute 1 | H314 H400 | GHS05 GHS09 Dgr | H314 H400 | | | |
| 607-068-00-6 | iodoacetic acid | 200-590-1 | 64-69-7 | Acute Tox. 3 (*) Skin Corr. 1A | H301 H314 | GHS06 GHS05 Dgr | H301 H314 | | | |
| 607-069-00-1 | ethyl bromoacetate | 203-290-9 | 105-36-2 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) | H330 H310 H300 | GHS06 Dgr | H330 H310 H300 | | | |
| 607-070-00-7 | ethyl chloroacetate | 203-294-0 | 105-39-5 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 | H331 H311 H301 H400 | GHS06 GHS09 Dgr | H331 H311 H301 H400 | | | |
| 607-071-00-2 | ethyl methacrylate | 202-597-5 | 97-63-2 | Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 | H225 H319 H335 H315 H317 | GHS02 GHS07 Dgr | H225 H319 H335 H315 H317 | | D | |
| 607-072-00-8 | 2-hydroxyethyl acrylate | 212-454-9 | 818-61-1 | Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 | H311 H314 H317 H400 | GHS06 GHS05 GHS09 Dgr | H311 H314 H317 H400 | * Skin Sens. 1; H317: C ≥ 0,2 % | D | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-073-00-3 | 4-CPA (ISO); 4-chlorophenoxyacetic acid | 204-581-3 | 122-88-3 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 607-074-00-9 | chlorfenac(ISO); 2,3,6-trichlorophenylacetic acid | 201-599-3 | 85-34-7 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 607-075-00-4 | chlorfenprop-methyl; methyl 2-chloro-3-(4-chlorophenyl)propionate | 238-413-5 | 14437-17-3 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | | |
| 607-076-00-X | dodine(ISO); dodecylguanidinium acetate | 219-459-5 | 2439-10-3 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H315 H400 H410 | GHS07 GHS09 Wng | H302 H319 H315 H410 | | | |
| 607-077-00-5 | erbon (ISO); 2-(2,4,5-trichlorophenoxy)ethyl 2,2-dichloropropionate | — | 136-25-4 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 607-078-00-0 | fluenetil (ISO); 2-fluoroethyl biphenyl-4-ylacetate | — | 4301-50-2 | Acute Tox. 1 Acute Tox. 2 (*) | H310 H300 | GHS06 Dgr | H310 H300 | | | |
| 607-079-00-6 | kelevan (ISO); ethyl 5-(perchloro-5-hydroxypentacyclo [5,3,0,0 ^{2,6} ,0 ^{3,9} ,0 ^{4,8}]decan-5-yl)-4-oxopentanoate; ethyl 5-(1,2,3,5,6,7,8,9,10,10-decachloro-4-hydroxypentacyclo(5,2,1,0 ^{2,6} ,0 ^{3,9} ,0 ^{5,8})dec-4-yl)-4-oxovalerate | — | 4234-79-1 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H311 H302 H411 | GHS06 GHS09 Dgr | H311 H302 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-080-00-1 | chloroacetyl chloride | 201-171-6 | 79-04-9 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Skin Corr. 1A Aquatic Acute 1 | H331 H311 H301 H372 (**) H314 H400 | GHS06 GHS08 GHS05 GHS09 Dgr | H331 H311 H301 H372 (**) H314 H400 | EUH014 EUH029 | | |
| 607-081-00-7 | fluoroacetic acid | 205-631-7 | 144-49-0 | Acute Tox. 2 (*) Aquatic Acute 1 | H300 H400 | GHS06 GHS09 Dgr | H300 H400 | | | |
| 607-082-00-2 | fluoroacetates, soluble | — | — | Acute Tox. 2 (*) Aquatic Acute 1 | H300 H400 | GHS06 GHS09 Dgr | H300 H400 | | | A |
| 607-083-00-8 | 2,4-DB (ISO); 4-(2,4-dichlorophenoxy)butyric acid | 202-366-9 | 94-82-6 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 607-084-00-3 | salts of 2,4-DB | — | — | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2 | H302 H318 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H411 | | | A |
| 607-085-00-9 | benzyl benzoate | 204-402-9 | 120-51-4 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 607-086-00-4 | diallyl phthalate | 205-016-3 | 131-17-9 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 607-088-00-5 | methacrylic acid; 2-methylpropenoic acid | 201-204-4 | 79-41-4 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A | H312 H302 H314 | GHS05 GHS07 Dgr | H312 H302 H314 | | STOT SE 3; H335: C ≥ 1 % | D |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--|---|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-089-00-0 | propionic acid ... % | 201-176-3 | 79-09-4 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H319: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 % | B |
| 607-090-00-6 | thioglycolic acid | 200-677-4 | 68-11-1 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B | H331 H311 H301 H314 | GHS06 GHS05 Dgr | H331 H311 H301 H314 | | * | |
| 607-091-00-1 | trifluoroacetic acid . . . % | 200-929-3 | 76-05-1 | Acute Tox. 4 (*) | H332 | GHS05 | H332 | | * | B |
| | | | | Skin Corr. 1A Aquatic Chronic 3 | H314 H412 | GHS07 Dgr | H314 H412 | | | |
| 607-092-00-7 | methyl lactate; [1] methyl (±)-lactate; [2] methyl (R)-lactate; [3] methyl (S)-(-)-lactate [4] | 208-930-0 [1] 218-449-8 [2] 241-420-6 [3] 248-704-9 [4] | 547-64-8 [1] 2155-30-8 [2] 17392-83-5 [3] 27871-49-4 [4] | Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 | H226 H319 H335 | GHS02 GHS07 Wng | H226 H319 H335 | | | C |
| 607-093-00-2 | propionyl chloride | 201-170-0 | 79-03-8 | Flam. Liq. 2 Skin Corr. 1B | H225 H314 | GHS02 GHS05 Dgr | H225 H314 | EUH014 | | B D |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--|--|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-094-00-8 | peracetic acid . . . % | 201-186-8 | 79-21-0 | Flam. Liq. 3 Org. Perox. D (****) Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A Aquatic Acute 1 | H226 H242 H332 H312 H302 H314 H400 | GHS02 GHS05 GHS07 GHS09 Dgr | H226 H242 H332 H312 H302 H314 H400 | | * STOT SE 3; H335: C ≥ 1 % | B D |
| 607-095-00-3 | maleic acid | 203-742-5 | 110-16-7 | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H302 H319 H335 H315 | GHS07 Wng | H302 H319 H335 H315 | | | |
| 607-096-00-9 | maleic anhydride | 203-571-6 | 108-31-6 | Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 | H302 H314 H334 H317 | GHS08 GHS05 GHS07 Dgr | H302 H314 H334 H317 | | | |
| 607-097-00-4 | benzene-1,2,4-tricarboxylic acid 1,2-anhydride; trimellitic anhydride | 209-008-0 | 552-30-7 | STOT SE 3 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H335 H318 H334 H317 | GHS08 GHS05 GHS07 Dgr | H335 H318 H334 H317 | | | |
| 607-098-00-X | benzene-1,2:4,5-tetracarboxylic dianhydride; benzene-1,2:4,5-tetracarboxylic dianhydride; pyromellitic dianhydride | 201-898-9 | 89-32-7 | Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H318 H334 H317 | GHS08 GHS05 Dgr | H318 H334 H317 | | | |
| 607-099-00-5 | 1,2,3,6-tetrahydrophthalic anhydride; [1] cis-1,2,3,6-tetrahydrophthalic anhydride; [2] 3,4,5,6-tetrahydrophthalic anhydride; [3] tetrahydrophthalic anhydride [4] | 201-605-4 [1] 213-308-7 [2] 219-374-3 [3] 247-570-9 [4] | 85-43-8 [1] 935-79-5 [2] 2426-02-0 [3] 26266-63-7 [4] | Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3 | H318 H334 H317 H412 | GHS08 GHS05 Dgr | H318 H334 H317 H412 | | | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|---|---|--------------------------------------|--|--------------------------------------|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-100-00-9 | benzophenone-3,3',4,4'-tetracarboxylic dianhydride; 4,4'-carbonyldi(phthalic anhydride) | 219-348-1 | 2421-28-5 | Eye Irrit. 2 STOT SE 3 | H319 H335 | GHS07 Wng | H319 H335 | | Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 % | |
| 607-101-00-4 | 1,4,5,6,7,7-hexachlorobicyclo [2,2,1]hept-5-ene-2,3-dicarboxylic anhydride chlorendic anhydride | 204-077-3 | 115-27-5 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H319 H335 H315 | GHS07 Wng | H319 H335 H315 | | Skin Irrit. 2; H315: C ≥ 1 % Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 % | |
| 607-102-00-X | cyclohexane-1,2-dicarboxylic anhydride; [1] <i>cis</i> -cyclohexane-1,2-dicarboxylic anhydride; [2] <i>trans</i> -cyclohexane-1,2-dicarboxylic anhydride [3] | 201-604-9 [1] 236-086-3 [2] 238-009-9 [3] | 85-42-7 [1] 13149-00-3 [2] 14166-21-3 [3] | Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H318 H334 H317 | GHS08 GHS05 Dgr | H318 H334 H317 | | | C |
| 607-103-00-5 | succinic anhydride | 203-570-0 | 108-30-5 | Eye Irrit. 2 STOT SE 3 | H319 H335 | GHS07 Wng | H319 H335 | | Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 % | |
| 607-104-00-0 | cyclopentane-1,2,3,4-tetracarboxylic dianhydride | 227-964-7 | 6053-68-5 | Eye Irrit. 2 STOT SE 3 | H319 H335 | GHS07 Wng | H319 H335 | | Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 % | |
| 607-105-00-6 | 8,9,10-trinorborn-5-ene-2,3-dicarboxylic anhydride; [1] 1,2,3,6-tetrahydro-3,6-methanophthalic anhydride; [2] (1 α ,2 α ,3 β ,6 β)-1,2,3,6-tetrahydro-3,6-methanophthalic anhydride [3] | 204-957-7 [1] 212-557-9 [2] 220-384-5 [3] | 129-64-6 [1] 826-62-0 [2] 2746-19-2 [3] | Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H318 H334 H317 | GHS08 GHS05 Dgr | H318 H334 H317 | | | C |
| 607-106-00-1 | 8,9-dinorborn-5-ene-2,3-dicarboxylic anhydride | — | 123748-85-6 | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H302 H319 H335 H315 H334 | GHS08 GHS07 Dgr | H302 H319 H335 H315 H334 | | STOT SE 3; H335: C ≥ 10 % | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|---|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-107-00-7 | 2-ethylhexyl acrylate | 203-080-7 | 103-11-7 | STOT SE 3 Skin Irrit. 2 Skin Sens. 1 | H335 H315 H317 | GHS07 Wng | H335 H315 H317 | | | D |
| 607-108-00-2 | 2-hydroxy-1-methylethylacrylate; [1] 2-hydroxypropylacrylate; [2] acrylic acid, monoester with propane-1,2-diol [3] | 220-852-9 [1] 213-663-8 [2] 247-118-0 [3] | 2918-23-2 [1] 999-61-1 [2] 25584-83-2 [3] | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 | H331 H311 H301 H314 H317 | GHS06 GHS05 Dgr | H331 H311 H301 H314 H317 | | * Skin Sens. 1; H317: C ≥ 0,2 % | C D |
| 607-109-00-8 | hexamethylene diacrylate; hexane-1,6-diol diacrylate | 235-921-9 | 13048-33-4 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | | D |
| 607-110-00-3 | pentaerythritol triacrylate | 222-540-8 | 3524-68-3 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | | D |
| 607-111-00-9 | 2,2-bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate | 239-701-3 | 15625-89-5 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | | D |
| 607-112-00-4 | 2,2-dimethyltrimethylene diacrylate; neopentyl glycol diacrylate | 218-741-5 | 2223-82-7 | Acute Tox. 3 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H311 H319 H315 H317 | GHS06 Dgr | H311 H319 H315 H317 | | * | D |
| 607-113-00-X | isobutyl methacrylate | 202-613-0 | 97-86-9 | Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 | H226 H319 H335 H315 H317 H400 | GHS02 GHS07 GHS09 Wng | H226 H319 H335 H315 H317 H400 | | | D |
| 607-114-00-5 | ethylene dimethacrylate | 202-617-2 | 97-90-5 | STOT SE 3 Skin Sens. 1 | H335 H317 | GHS07 Wng | H335 H317 | | STOT SE 3; H335: C ≥ 10 % | D |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-115-00-0 | isobutyl acrylate | 203-417-8 | 106-63-8 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1 | H226 H332 H312 H315 H317 | GHS02 GHS07 Wng | H226 H332 H312 H315 H317 | | | D |
| 607-116-00-6 | cyclohexyl acrylate | 221-319-3 | 3066-71-5 | STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2 | H335 H315 H411 | GHS07 GHS09 Wng | H335 H315 H411 | | STOT SE 3; H335: C ≥ 10 % | D |
| 607-117-00-1 | 2,3-epoxypropyl acrylate; glycidyl acrylate | 203-440-3 | 106-90-1 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 | H331 H311 H301 H314 H317 | GHS06 GHS05 Dgr | H331 H311 H301 H314 H317 | | * Skin Sens. 1; H317: C ≥ 0,2 % | D |
| 607-118-00-7 | 1-methyltrimethylene diacrylate; 1,3-butylene glycol diacrylate | 243-105-9 | 19485-03-1 | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 | H312 H314 H317 | GHS05 GHS07 Dgr | H312 H314 H317 | | | D |
| 607-119-00-2 | tetramethylene diacrylate; 1,4-butylenglycol diacrylate | 213-979-6 | 1070-70-8 | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 | H312 H314 H317 | GHS05 GHS07 Dgr | H312 H314 H317 | | | D |
| 607-120-00-8 | 2,2'-oxydiethyl diacrylate; diethylene glycol diacrylate | 223-791-6 | 4074-88-8 | Acute Tox. 3 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H311 H319 H315 H317 | GHS06 Dgr | H311 H319 H315 H317 | | * Skin Sens. 1; H317: C ≥ 0,2 % | D |
| 607-121-00-3 | 8,9,10-trinorborn-2-yl acrylate | — | 10027-06-2 | Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1 | H312 H315 H317 | GHS07 Wng | H312 H315 H317 | | | D |
| 607-122-00-9 | pentaerythritol tetraacrylate | 225-644-1 | 4986-89-4 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | | D |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|-------------------------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-123-00-4 | 2,3-epoxypropyl methacrylate; glycidyl methacrylate | 203-441-9 | 106-91-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H332 H312 H302 H319 H315 H317 | GHS07 Wng | H332 H312 H302 H319 H315 H317 | | | D |
| 607-124-00-X | 2-hydroxyethyl methacrylate | 212-782-2 | 868-77-9 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | | D |
| 607-125-00-5 | 2-hydroxypropyl methacrylate; [1] 3-hydroxypropyl methacrylate [2] | 213-090-3 [1] 220-426-2 [2] | 923-26-2 [1] 2761-09-3 [2] | Eye Irrit. 2 Skin Sens. 1 | H319 H317 | GHS07 Wng | H319 H317 | | | C D |
| 607-126-00-0 | 2,2'-(ethylenedioxy)diethyl diacrylate; triethylene glycol diacrylate | 216-853-9 | 1680-21-3 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | | D |
| 607-127-00-6 | 2-diethylaminoethyl methacrylate | 203-275-7 | 105-16-8 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H332 H319 H315 H317 | GHS07 Wng | H332 H319 H315 H317 | | | D |
| 607-128-00-1 | 2-tert-butylaminoethyl methacrylate | 223-228-4 | 3775-90-4 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | | D |
| 607-129-00-7 | ethyl lactate; ethyl DL-lactate; [1] ethyl (S)-2-hydroxypropionate; ethyl L-lactate; ethyl-(S)-lactate [2] | 202-598-0 [1] 211-694-1 [2] | 97-64-3 [1] 687-47-8 [2] | Flam. Liq. 3 STOT SE 3 Eye Dam. 1 | H226 H335 H318 | GHS02 GHS05 GHS07 Dgr | H226 H335 H318 | | | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|--|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-130-00-2 | pentyl acetate; [1] isopentyl acetate; [2] 1-methylbutyl acetate; [3] 2-methylbutyl acetat; [4] 2(or 3)-methylbutyl acetate [5] | 211-047-3 [1] 204-662-3 [2] 210-946-8 [3] 210-843-8 [4] 282-263-3 [5] | 628-63-7 [1] 123-92-2 [2] 626-38-0 [3] 624-41-9 [4] 84145-37-9 [5] | Flam. Liq. 3 | H226 | GHS02 Wng | H226 | EUH066 | | C |
| 607-131-00-8 | isopentyl propionate; [1] pentyl propionate; [2] 2-methylbutyl propionate [3] | 203-322-1 [1] 210-852-7 [2] 219-449-0 [3] | 105-68-0 [1] 624-54-4 [2] 2438-20-2 [3] | Flam. Liq. 3 | H226 | GHS02 Wng | H226 | | | C |
| 607-132-00-3 | 2-dimethylaminoethyl methacrylate | 220-688-8 | 2867-47-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H312 H302 H319 H315 H317 | GHS07 Wng | H312 H302 H319 H315 H317 | | | D |
| 607-133-00-9 | monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid with the exception of those specified elsewhere in this Annex | — | — | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2 | H319 H335 H315 H411 | GHS07 GHS09 Wng | H319 H335 H315 H411 | | STOT SE 3; H335: C ≥ 10 % | A |
| 607-134-00-4 | monoalkyl or monoaryl or monoalkylaryl esters of methacrylic acid with the exception of those specified elsewhere in this Annex | — | — | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H319 H335 H315 | GHS07 Wng | H319 H335 H315 | | STOT SE 3; H335: C ≥ 10 % | A |
| 607-135-00-X | butyric acid | 203-532-3 | 107-92-6 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-136-00-5 | butyryl chloride | 205-498-5 | 141-75-3 | Flam. Liq. 2 Skin Corr. 1B | H225 H314 | GHS02 GHS05 Dgr | H225 H314 | | | |
| 607-137-00-0 | methyl acetoacetate | 203-299-8 | 105-45-3 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 607-138-00-6 | butyl chloroformate; chloroformic acid butyl ester | 209-750-5 | 592-34-7 | Flam. Liq. 3 Acute Tox. 3 (*) Skin Corr. 1B | H226 H331 H314 | GHS02 GHS06 GHS05 Dgr | H226 H331 H314 | | | |
| 607-139-00-1 | 2-chloropropionic acid | 209-952-3 | 598-78-7 | Acute Tox. 4 (*) Skin Corr. 1A | H302 H314 | GHS05 GHS07 Dgr | H302 H314 | | | |
| 607-140-00-7 | isobutyryl chloride | 201-194-1 | 79-30-1 | Flam. Liq. 2 Skin Corr. 1A | H225 H314 | GHS02 GHS05 Dgr | H225 H314 | | | |
| 607-141-00-2 | oxydiethylene bis(chloroformate) | 203-430-9 | 106-75-2 | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2 | H302 H315 H318 H411 | GHS05 GHS07 GHS09 Dgr | H302 H315 H318 H411 | | | |
| 607-142-00-8 | propyl chloroformate; chloroformic acid propylester; <i>n</i> -propyl chloroformate | 203-687-7 | 109-61-5 | Flam. Liq. 2 Acute Tox. 3 (*) Skin Corr. 1B | H225 H331 H314 | GHS02 GHS06 GHS05 Dgr | H225 H331 H314 | | | |
| 607-143-00-3 | valeric acid | 203-677-2 | 109-52-4 | Skin Corr. 1B Aquatic Chronic 3 | H314 H412 | GHS05 Dgr | H314 H412 | | | |
| 607-144-00-9 | adipic acid | 204-673-3 | 124-04-9 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-145-00-4 | methanesulphonic acid | 200-898-6 | 75-75-2 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | |
| 607-146-00-X | fumaric acid | 203-743-0 | 110-17-8 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 607-147-00-5 | oxalic acid diethylester; diethyl oxalate | 202-464-1 | 95-92-1 | Acute Tox. 4 (*) Eye Irrit. 2 | H302 H319 | GHS07 Wng | H302 H319 | | | |
| 607-148-00-0 | guanidinium chloride; guanadine hydrochloride | 200-002-3 | 50-01-1 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 | H302 H319 H315 | GHS07 Wng | H302 H319 H315 | | | |
| 607-149-00-6 | urethane (INN); ethyl carbamate | 200-123-1 | 51-79-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | |
| 607-150-00-1 | endothal (ISO); 7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylic acid | 205-660-5 | 145-73-3 | Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H301 H312 H319 H335 H315 | GHS06 Dgr | H301 H312 H319 H335 H315 | | | |
| 607-151-00-7 | propargite (ISO); 2-(4- <i>tert</i> -butylphenoxy) cyclohexyl prop-2-ynyl sulphite | 219-006-1 | 2312-35-8 | Carc. 2 Acute Tox. 3 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H331 H315 H318 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H351 H331 H315 H318 H410 | | M=10 | |
| 607-152-00-2 | 2,3,6-TBA (ISO); 2,3,6-trichlorobenzoic acid | 200-026-4 | 50-31-7 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 607-153-00-8 | benazolin (ISO); 4-chloro-2,3-dihydro-2-oxo-1,3-benzothiazol-3-ylacetic acid | 223-297-0 | 3813-05-6 | Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3 | H319 H315 H412 | GHS07 Wng | H319 H315 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|-----------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-154-00-3 | ethyl N-benzoyl-N-(3,4-dichlorophenyl)-DL-alaninate; benzoylprop-ethyl (ISO) | 244-845-5 | 22212-55-1 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 607-155-00-9 | 3-(3-amino-5-(1-methylguanidino)-1-oxopentylamino-6-(4-amino-2-oxo-2,3-dihydro-pyrimidin-1-yl)-2,3-dihydro-(6H)-pyran-2-carboxylic acid; blasticidin-s | — | 2079-00-7 | Acute Tox. 2 (*) | H300 | GHS06 Dgr | H300 | | | |
| 607-156-00-4 | chlorfenson (ISO); 4-chlorophenyl 4-chlorobenzenesulfonate | 201-270-4 | 80-33-1 | Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H315 H400 H410 | GHS07 GHS09 Wng | H302 H315 H410 | | | |
| 607-157-00-X | 3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxycoumarin; difenacoum | 259-978-4 | 56073-07-5 | Acute Tox. 2 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H300 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H300 H372 (**) H410 | | | |
| 607-158-00-5 | sodium salt of chloroacetic acid; sodium chloroacetate | 223-498-3 | 3926-62-3 | Acute Tox. 3 (*) Skin Irrit. 2 Aquatic Acute 1 | H301 H315 H400 | GHS06 GHS09 Dgr | H301 H315 H400 | | | |
| 607-159-00-0 | chlorobenzilate (ISO); ethyl 2,2-di(4-chlorophenyl)-2-hydroxyacetate; ethyl 4,4'-dichlorobenzilate | 208-110-2 | 510-15-6 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 607-160-00-6 | isobutyl 2-(4-(4-chlorophenoxy)phenoxy)propionate; clofop-isobutyl (ISO) | — | 51337-71-4 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 607-161-00-1 | diethanolamine salt of 4-CPA | — | — | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-162-00-7 | 2,2-dichloropropionic acid; dalapon | 200-923-0 | 75-99-0 | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3 | H302 H315 H318 H412 | GHS05 GHS07 Dgr | H302 H315 H318 H412 | | | |
| 607-163-00-2 | 3-acetyl-6-methyl-2H-pyran-2,4(3H)-dione; dehydracetic acid | 208-293-9 | 520-45-6 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 607-164-00-8 | sodium 1-(3,4-dihydro-6-methyl-2,4-dioxo-2H-pyran-3-ylidene)ethonolate; sodium dehydracetate | 224-580-1 | 4418-26-2 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 607-165-00-3 | diclofop-methyl (ISO) methyl 2-(4-(2,4-dichlorophenoxy)phenoxy) propionate; methyl (RS)-2-[4-(2,4-dichlorophenoxy)phenoxy]propionate; | 257-141-8 | 51338-27-3 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 607-166-00-9 | medinoterb acetate (ISO); 6-tert-butyl-3-methyl-2,4-dinitrophenyl acetate | 219-634-6 | 2487-01-6 | Acute Tox. 3 (*) Acute Tox. 4 (*) | H301 H312 | GHS06 Dgr | H301 H312 | | | |
| 607-167-00-4 | sodium 3-chloroacrylate | — | 4312-97-4 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H312 H302 | GHS07 Wng | H312 H302 | | | |
| 607-168-00-X | dipropyl 6,7-methylenedioxy-1,2,3,4-tetrahydro-3-methylnaphthalene-1,2-dicarboxylate; propylisome | — | 83-59-0 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H311 H302 H400 H410 | GHS06 GHS09 Dgr | H311 H302 H410 | | | |
| 607-169-00-5 | sodium fluoroacetate | 200-548-2 | 62-74-8 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 | H330 H310 H300 H400 | GHS06 GHS09 Dgr | H330 H310 H300 H400 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-170-00-0 | bis(1,2,3-trithiacyclohexyldiméthylammonium) oxalate; thiocyclam-oxalate | 250-859-2 | 31895-22-4 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | | |
| 607-172-00-1 | 4-hydroxy-3-(3-(4'-bromo-4-biphenyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin; brodifacoum | 259-980-5 | 56073-10-0 | Acute Tox. 1 Acute Tox. 2 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H310 H300 H372 (**) H410 | | | |
| 607-173-00-7 | diméthyl (3-méthyl-4-(5-nitro-3-éthoxycarbonyl-2-thienyl)azo)phénylnitrilodipropionate | 400-460-6 | — | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 607-174-00-2 | reaction mass of dodecyl 3-(2,2,4,4-tetraméthyl-21-oxo-7-oxa-3,20-diazadispéro(5,1,1,1,2)hénicosan-20-yl)propionate and tétradécyl 3-(2,2,4,4-tetraméthyl-21-oxo-7-oxa-3,20-diazadispéro(5,1,1,1,2)hénicosan-20-yl)propionate | 400-580-9 | — | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 607-175-00-8 | méthyl 2-(2-nitrobenzylidène)acétoacétate | 400-650-9 | 39562-27-1 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 607-176-00-3 | reaction mass of α -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphényl)propionyl- ω -hydroxypoly(oxyéthylène) and α -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphényl)propionyl- ω -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphényl)propionyloxypoly(oxyéthylène) | 400-830-7 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 607-177-00-9 | méthyl 2-(3-(4-méthoxy-6-méthyl-1,3,5-triazin-2-yl)3-méthyluréidosulphonyl)benzoate | 401-190-1 | 101200-48-0 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-178-00-4 | methyl α -((4,6-diméthoxy-pyrimidin-2-yl)ureidosulphonyl)- <i>o</i> -toluate | 401-340-6 | 83055-99-6 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 607-179-00-X | (benzothiazol-2-ylthio)succinic acid | 401-450-4 | 95154-01-1 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-180-00-5 | potassium 2-hydroxycarbazole-1-carboxylate | 401-630-2 | 96566-70-0 | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Aquatic Chronic 3 | H302 H319 H335 H412 | GHS07 Wng | H302 H319 H335 H412 | | | |
| 607-181-00-0 | 3,5-dichloro-2,4-difluorobenzoyl fluoride | 401-800-6 | 101513-70-6 | Acute Tox. 3 (*) Skin Corr. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 3 | H331 H314 H302 H317 H412 | GHS06 GHS05 Dgr | H331 H314 H302 H317 H412 | EUH029 | | |
| 607-182-00-6 | methyl 3-sulphamoyl-2-thenoate | 402-050-2 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-183-00-1 | zinc 2-hydroxy-5-C ₁₃₋₁₈ alkylbenzoate | 402-280-3 | — | Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2 | H319 H315 H411 | GHS07 GHS09 Wng | H319 H315 H411 | | | |
| 607-184-00-7 | S-(3-triméthoxysilyl)propyl 19-isocyanato-11-(6-isocyanatohexyl)-10,12-dioxo-2,9,11,13-tetraazanadecanethioate | 402-290-8 | 85702-90-5 | Flam. Liq. 3 Resp. Sens. 1 Skin Sens. 1 | H226 H334 H317 | GHS02 GHS08 Dgr | H226 H334 H317 | | | |
| 607-185-00-2 | ethyl <i>trans</i> -3-diméthylaminoacrylate | 402-650-4 | 1117-37-9 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-186-00-8 | quinclorac (ISO); 3,7-dichloroquinoline-8-carboxylic acid | 402-780-1 | 84087-01-4 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-187-00-3 | bis(2,2,6,6-tetraméthyl-4-piperidyl) succinate | 402-940-0 | 62782-03-0 | Eye Irrit. 2 Aquatic Chronic 3 | H319 H412 | GHS07 Wng | H319 H412 | | | |
| 607-188-00-9 | hydrogen sodium N-carboxylatoethyl-N-octadec-9-enylmaleamate | 402-970-4 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 607-189-00-4 | triméthylènediaminetetraacetic acid | 400-400-9 | 1939-36-2 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H318 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H318 H410 | | | |
| 607-190-00-X | méthyl acrylamidométhoxyacétate (containing ≥ 0,1 % acrylamid) | 401-890-7 | 77402-03-0 | Carc. 1B Muta. 1B Acute Tox. 4 (*) Eye Irrit. 2 | H350 H340 H302 H319 | GHS08 GHS07 Dgr | H350 H340 H302 H319 | | | |
| 607-191-00-5 | isobutyl 3,4-époxybutyrate | 401-920-9 | 100181-71-3 | Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H317 H400 H410 | GHS07 GHS09 Wng | H315 H317 H410 | | | |
| 607-192-00-0 | disodium N-carboxyméthyl-N-(2-(2-hydroxyéthoxy)éthyl)glycinate | 402-360-8 | 92511-22-3 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 607-194-00-1 | propylène carbonate | 203-572-1 | 108-32-7 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 607-195-00-7 | 2-méthoxy-1-méthylethyl acétate | 203-603-9 | 108-65-6 | Flam. Liq. 3 Eye Irrit. 2 | H226 H319 | GHS02 GHS07 Wng | H226 H319 | | | |
| 607-196-00-2 | heptanoic acid | 203-838-7 | 111-14-8 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-197-00-8 | nonanoic acid | 203-931-2 | 112-05-0 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | |
| 607-198-00-3 | propyl 3,4,5-trihydroxybenzoate | 204-498-2 | 121-79-9 | Acute Tox. 4 (*) Skin Sens. 1 | H302 H317 | GHS07 Wng | H302 H317 | | | |
| 607-199-00-9 | octyl 3,4,5-trihydroxybenzoate | 213-853-0 | 1034-01-1 | Acute Tox. 4 (*) Skin Sens. 1 | H302 H317 | GHS07 Wng | H302 H317 | | | |
| 607-200-00-2 | dodecyl 3,4,5-trihydroxybenzoate | 214-620-6 | 1166-52-5 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-201-00-8 | thiocarbonyl chloride | 207-341-6 | 463-71-8 | Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H331 H302 H319 H335 H315 | GHS06 Dgr | H331 H302 H319 H335 H315 | | | |
| 607-203-00-9 | 2-ethylhexyl[[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]thio]acetate | 279-452-8 | 80387-97-9 | Repr. 1B Skin Sens. 1 Aquatic Chronic 3 | H360D (***) H317 H412 | GHS08 GHS07 Dgr | H360D (***) H317 H412 | | | |
| 607-204-00-4 | (chlorophenyl)(chlorotolyl)methane, mixed isomers | 400-140-6 | — | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 607-205-00-X | methyl chloroacetate | 202-501-1 | 96-34-4 | Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 3 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 | H226 H331 H301 H335 H315 H318 | GHS02 GHS06 GHS05 Dgr | H226 H331 H301 H335 H315 H318 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-206-00-5 | isopropyl chloroacetate | 203-301-7 | 105-48-6 | Flam. Liq. 3 Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H226 H301 H319 H335 H315 | GHS02 GHS06 Dgr | H226 H301 H319 H335 H315 | | | |
| 607-207-00-0 | haloxyfop-etotyl (ISO); 2-ethoxyethyl 2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate; haloxyfop-(2-ethoxyethyl) | 402-560-5 | 87237-48-7 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 607-208-00-6 | 4,8,12-trimethyltrideca-3,7,11-trienoic acid, mixed isomers | 403-000-2 | 91853-67-7 | Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H315 H400 H410 | GHS07 GHS09 Wng | H315 H410 | | | |
| 607-209-00-1 | reaction mass of O,O'-diisopropyl (penta-thio)dithioformate and O,O'-diisopropyl (trithio)dithioformate and O,O'-diisopropyl (tetrathio)dithioformate | 403-030-6 | — | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 607-210-00-7 | methyl acrylamidoglycolate (containing ≥ 0,1 % acrylamide) | 403-230-3 | 77402-05-2 | Carc. 1B Muta. 1B Skin Corr. 1B Skin Sens. 1 | H350 H340 H314 H317 | GHS08 GHS05 GHS07 Dgr | H350 H340 H314 H317 | | | |
| 607-211-00-2 | methyl 3-(3-tert-butyl-4-hydroxy-5-methylphenyl)propionate | 403-270-1 | 6386-39-6 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 607-212-00-8 | poly(oxypropylenecarbonyl-co-oxy(ethylene)carbonyl), containing 27 % hydroxyvalerate | 403-300-3 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------------|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-213-00-3 | ethyl 3,3-bis(<i>tert</i> -pentylperoxy)butyrate | 403-320-2 | 67567-23-1 | Org. Perox. D (***) Flam. Liq. 3 Aquatic Chronic 2 | H242 H226 H411 | GHS02 GHS09 Dgr | H242 H226 H411 | | | |
| 607-214-00-9 | N,N-hydrazinodiacetic acid | 403-510-5 | 19247-05-3 | Acute Tox. 3 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 3 | H301 H373 (**) H317 H412 | GHS06 GHS08 Dgr | H301 H373 (**) H317 H412 | | | |
| 607-215-00-4 | 3-(3- <i>tert</i> -butyl-4-hydroxyphenyl)propionic acid | 403-920-4 | 107551-67-7 | Acute Tox. 4 (*) Eye Irrit. 2 | H302 H319 | GHS07 Wng | H302 H319 | | | |
| 607-216-00-X | glutamic acid, reaction products with N-(C ₁₂₋₁₄ alkyl)propylenediamine | 403-950-8 | — | Acute Tox. 2 (*) Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H330 H302 H314 H400 H410 | GHS06 GHS05 GHS09 Dgr | H330 H302 H314 H410 | | | |
| 607-217-00-5 | 2-ethoxyethyl 2-(4-(2,6-dihydro-2,6-dioxo-7-phenyl-1,5-dioxaindacen-3-yl)phenoxy)acetate | 403-960-2 | — | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 607-218-00-0 | dichlorprop-P (ISO); (+)-R-2-(2,4-dichlorophenoxy)propionic acid | 403-980-1 | 15165-67-0 | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 | H302 H315 H318 H317 | GHS05 GHS07 Dgr | H302 H315 H318 H317 | | | |
| 607-219-00-6 | bis(2-ethylhexyl) dithiodiacetate | 404-510-8 | 62268-47-7 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H302 H317 H411 | GHS07 GHS09 Wng | H302 H317 H411 | | | |
| 607-221-00-7 | 6-docosyloxy-1-hydroxy-4-(1-(4-hydroxy-3-methylphenanthren-1-yl)-3-oxo-2-oxaphenalen-1-yl)naphthalene-2-carboxylic acid | 404-550-6 | — | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-222-00-2 | 6-(2,3-diméthylmaleimido)hexyl méthacrylate | 404-870-6 | 63740-41-0 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 607-223-00-8 | transfluthrin (ISO); 2,3,5,6-tetrafluorobenzyl <i>trans</i> -2-(2,2-dichlorovinyl)-3,3-diméthylcyclopropanecarboxylate | 405-060-5 | 118712-89-3 | Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H315 H400 H410 | GHS07 GHS09 Wng | H315 H410 | | | |
| 607-224-00-3 | méthyl 2-(3-nitrobenzylidène)acétoacétate | 405-270-7 | 39562-17-9 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 607-225-00-9 | 3-azidosulfonylbenzoïque acid | 405-310-3 | 15980-11-7 | Self-React. C (****) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 | H241 H373 (**) H318 H317 | GHS02 GHS08 GHS05 GHS07 Dgr | H241 H373 (**) H318 H317 | | | |
| 607-226-00-4 | réaction mass of 2-acryloyloxyéthyl hydrogène cyclohexane-1,2-dicarboxylate and 2-méthacryloyloxyéthyl hydrogène cyclohexane-1,2-dicarboxylate | 405-360-6 | — | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H315 H318 H317 H412 | GHS05 GHS07 Dgr | H315 H318 H317 H412 | | | |
| 607-227-00-X | potassium 2-amino-2-méthylpropionate octahydrate | 405-560-3 | 120447-91-8 | Acute Tox. 4 (*) Skin Corr. 1A | H302 H314 | GHS05 GHS07 Dgr | H302 H314 | | | |
| 607-228-00-5 | bis(2-méthoxyéthyl) phtalate | 204-212-6 | 117-82-8 | Repr. 1B | H360- Df | GHS08 Dgr | H360Df | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-229-00-0 | diethylcarbamoyl chloride | 201-798-5 | 88-10-8 | Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H351 H332 H302 H319 H335 H315 | GHS08 GHS07 Wng | H351 H332 H302 H319 H335 H315 | | | |
| 607-230-00-6 | 2-ethylhexanoic acid | 205-743-6 | 149-57-5 | Repr. 2 | H361d (***) | GHS08 Wng | H361d (***) | | | |
| 607-231-00-1 | 3,6-dichloropyridine-2-carboxylic acid; clopyralid | 216-935-4 | 1702-17-6 | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 607-232-00-7 | pyridate (ISO); O-(6-chloro-3-phenylpyridazin-4-yl) S-octyl thiocarbonate | 259-686-7 | 55512-33-9 | Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H317 H400 H410 | GHS07 GHS09 Wng | H315 H317 H410 | | | |
| 607-233-00-2 | hexyl acrylate | 219-698-5 | 2499-95-8 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H319 H335 H315 H317 H411 | GHS07 GHS09 Wng | H319 H335 H315 H317 H411 | | | |
| 607-234-00-8 | flurenol (ISO); 9-hydroxy-9H-fluorene-9-carboxylic acid | 207-397-1 | 467-69-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-235-00-3 | mecrilate; methyl 2-cyanoacrylate | 205-275-2 | 137-05-3 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H319 H335 H315 | GHS07 Wng | H319 H335 H315 | STOT SE 3; H335: C ≥ 10 % | | |
| 607-236-00-9 | ethyl 2-cyanoacrylate | 230-391-5 | 7085-85-0 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H319 H335 H315 | GHS07 Wng | H319 H335 H315 | STOT SE 3; H335: C ≥ 10 % | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|---|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-237-00-4 | benzyl 2-chloro-4-(trifluorométhyl)thiazole-5-carboxylate; flurazole | 276-942-3 | 72850-64-7 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-238-00-X | tau-fluvalinate (ISO); cyano-(3-phénoxyphényl)méthyl N-[2-chloro-4-(trifluorométhyl)phényl]-D-valinate | — | 102851-06-9 | Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H315 H400 H410 | GHS07 GHS09 Wng | H302 H315 H410 | | | |
| 607-239-00-5 | fenpropathrin (ISO); α-cyano-3-phénoxybenzyl 2,2,3,3-tétraméthylcyclopropanecarboxylate | 254-485-0 | 39515-41-8 | Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H301 H312 H400 H410 | GHS06 GHS09 Dgr | H330 H301 H312 H410 | | | |
| 607-240-00-0 | cis-1,2,3,6-tétrahydro-4-méthylphthalic anhydride; [1] 1,2,3,6-tétrahydro-4-méthylphthalic anhydride; [2] 1,2,3,6-tétrahydro-3-méthylphthalic anhydride; [3] tétrahydrométhylphthalic anhydride; [4] 1,2,3,6-tétrahydrométhylphthalic anhydride; [5] tétrahydro-4-méthylphthalic anhydride; [6] 2,3,5,6-tétrahydro-2-méthylphthalic anhydride [7] | 216-906-6 [1] 222-323-8 [2] 226-247-6 [3] 234-290-7 [4] 247-830-1 [5] 251-823-9 [6] 255-853-3 [7] | 1694-82-2 [1] 3425-89-6 [2] 5333-84-6 [3] 11070-44-3 [4] 26590-20-5 [5] 34090-76-1 [6] 42498-58-8 [7] | Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H318 H334 H317 | GHS08 GHS05 Dgr | H318 H334 H317 | | | C |
| 607-241-00-6 | hexahydro-4-méthylphthalic anhydride; [1] hexahydrométhylphthalic anhydride; [2] hexahydro-1-méthylphthalic anhydride; [3] hexahydro-3-méthylphthalic anhydride [4] | 243-072-0 [1] 247-094-1 [2] 256-356-4 [3] 260-566-1 [4] | 19438-60-9 [1] 25550-51-0 [2] 48122-14-1 [3] 57110-29-9 [4] | Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H318 H334 H317 | GHS08 GHS05 Dgr | H318 H334 H317 | | | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|---|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-242-00-1 | tetrachlorophthalic anhydride | 204-171-4 | 117-08-8 | Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H334 H317 H400 H410 | GHS08 GHS05 GHS09 Dgr | H318 H334 H317 H410 | | | |
| 607-243-00-7 | sodium 3,6-dichloro-o-anisate; [1] 3,6-dichloro-o-anisic acid, compound with 2,2'-iminodiethanol (1:1); [2] 3,6-dichloro-o-anisic acid, compound with 2-aminoethanol (1:1) [3] | 217-846-3 [1] 246-590-5 [2] 258-527-9 [3] | 1982-69-0 [1] 25059-78-3 [2] 53404-28-7 [3] | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-244-00-2 | isooctyl acrylate | 249-707-8 | 29590-42-9 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H335 H315 H400 H410 | GHS07 GHS09 Wng | H319 H335 H315 H410 | | STOT SE 3; H335: C ≥ 10 % | |
| 607-245-00-8 | tert-butyl acrylate | 216-768-7 | 1663-39-4 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H225 H332 H312 H302 H335 H315 H317 H412 | GHS02 GHS07 Dgr | H225 H332 H312 H302 H335 H315 H317 H412 | | D | |
| 607-246-00-3 | allyl methacrylate; 2-methyl-2-propenoic acid 2-propenyl ester | 202-473-0 | 96-05-9 | Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 | H226 H331 H312 H302 H400 | GHS02 GHS06 GHS09 Dgr | H226 H331 H312 H302 H400 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-247-00-9 | dodecyl methacrylate | 205-570-6 | 142-90-5 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H335 H315 H400 H410 | GHS07 GHS09 Wng | H319 H335 H315 H410 | | STOT SE 3; H335: C ≥ 10 % | |
| 607-248-00-4 | naptalam-sodium (ISO); sodium N-naphth-1-ylphthalamate | 205-073-4 | 132-67-2 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 607-249-00-X | (1-méthyl-1,2-éthanediyl)bis[oxy(méthyl-2,1-éthanediyl)] diacrylate | 256-032-2 | 42978-66-5 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H319 H335 H315 H317 H411 | GHS07 GHS09 Wng | H319 H335 H315 H317 H411 | | STOT SE 3; H335: C ≥ 10 % | |
| 607-250-00-5 | 4H-3,1-benzoxazine-2,4(1H)-dione | 204-255-0 | 118-48-9 | Eye Irrit. 2 Skin Sens. 1 | H319 H317 | GHS07 Wng | H319 H317 | | | |
| 607-251-00-0 | 2-méthoxypropyl acetate | 274-724-2 | 70657-70-4 | Flam. Liq. 3 Repr. 1B STOT SE 3 | H226 H360D (***) H335 | GHS02 GHS08 GHS07 Dgr | H226 H360D (***) H335 | | | |
| 607-252-00-6 | lambda-cyhalothrin (ISO); reaction mass of (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-diméthylcyclopropanecarboxylate and (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-diméthylcyclopropanecarboxylate (1:1) | 415-130-7 | 91465-08-6 | Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H301 H312 H400 H410 | GHS06 GHS09 Dgr | H330 H301 H312 H410 | | | |
| 607-253-00-1 | α-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-diméthylcyclopropanecarboxylate; cyfluthrin | 269-855-7 | 68359-37-5 | Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H300 H331 H400 H410 | GHS06 GHS09 Dgr | H300 H331 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-254-00-7 | α -cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; beta-cyfluthrin | 269-855-7 | 68359-37-5 | Acute Tox. 2 (*) Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H300 H400 H410 | GHS06 GHS09 Dgr | H330 H300 H410 | | | |
| 607-255-00-2 | fluroxypyr (ISO); 4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid | — | 69377-81-7 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-256-00-8 | azoxystrobin (ISO); methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate | — | 131860-33-8 | Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H400 H410 | GHS06 GHS09 Dgr | H331 H410 | | | |
| 607-257-00-3 | isopropyl propionate | 211-300-8 | 637-78-5 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | | | |
| 607-258-00-9 | dodecyl 3-(2-(3-benzyl-4-ethoxy-2,5-dioximidazolidin-1-yl)-3-(4-methoxybenzoyl)acetamido)-4-chlorobenzoate | 403-990-6 | 70950-45-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-259-00-4 | methyl 2R,3S-(-)-3-(4-methoxyphenyl)oxirane-carboxylate | 404-130-2 | 105560-93-8 | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H318 H317 H412 | GHS05 GHS07 Dgr | H318 H317 H412 | | | |
| 607-260-00-X | ethyl 2-(3-nitrobenzylidene)acetoacetate | 404-490-0 | 39562-16-8 | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H318 H317 H412 | GHS05 GHS07 Dgr | H318 H317 H412 | | | |
| 607-261-00-5 | iso(C ₁₀ -C ₁₄)alkyl (3,5-di-tert-butyl-4-hydroxyphenyl)methylthioacetate | 404-800-4 | 118832-72-7 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 607-262-00-0 | 7-chloro-1-cyclopropyl-6-fluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid | 405-050-0 | 86393-33-1 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-263-00-6 | potassium iron(III) 1,3-propanediamine-N,N,N',N'-tetraacetate hemihydrate | 405-680-6 | — | Self-heat. 2 (***) Aquatic Chronic 2 | H252 H411 | GHS02 GHS09 Wng | H252 H411 | | | |
| 607-264-00-1 | 2-chloro-4-(methylsulfonyl)benzoic acid | 406-520-8 | 53250-83-2 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 607-265-00-7 | ethyl-2-chloro-2,2-diphenylacetate | 406-580-5 | 52460-86-3 | Skin Irrit. 2 Aquatic Chronic 3 | H315 H412 | GHS07 Wng | H315 H412 | | | |
| 607-266-00-2 | reaction mass of: hydroxyaluminium bis[2-hydroxy-3,5-di- <i>tert</i> -butylbenzoate]; 3,5-di- <i>tert</i> -butyl-salicylic acid | 406-890-0 | 130296-87-6 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 607-267-00-8 | <i>tert</i> -butyl (5 <i>S</i> ,6 <i>R</i> ,7 <i>R</i>)-3-bromomethyl-5,8-dioxo-7-(2-(2-phenylacetamido)-5-thia-1-azabicyclo[4.2.0] oct-2-ene-2-carboxylate | 407-620-4 | 33610-13-8 | Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3 | H334 H317 H412 | GHS08 Dgr | H334 H317 H412 | | | |
| 607-268-00-3 | 2-methylpropyl (R)-2-hydroxypropanoate | 407-770-0 | 61597-96-4 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 607-269-00-9 | (R)-2-(4-hydroxyphenoxy)propanoic acid | 407-960-3 | 94050-90-5 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 607-270-00-4 | 3,9-bis(2-(3-(3- <i>tert</i> -butyl-4-hydroxy-5-methylphenyl)propionyloxy-1,1-dimethyl)-2,4,8,10-tetraoxaspiro[5.5]undecane | 410-730-5 | 90498-90-1 | Acute Tox. 4 (*) | H312 | GHS07 Wng | H312 | | | |
| 607-271-00-X | 2-isopropyl-5-methylcyclohexyloxycarbonyloxy-2-hydroxypropane | 417-420-9 | 156324-82-2 | Eye Irrit. 2 Aquatic Chronic 2 | H319 H411 | GHS07 GHS09 Wng | H319 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---------------------|--------------------------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-272-00-5 | fluroxypyr-meptyl (ISO); methylheptyl, O-(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate; [1] fluroxypyr-butometyl (ISO); 2-butoxy-1-methylethyl, O-(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate [2] | 279-752-9 [1] - [2] | 81406-37-3 [1] 154486-27-8 [2] | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 607-273-00-0 | ammonium 7-(2,6-dimethyl-8-(2,2-dimethylbutyryloxy)-1,2,6,7,8,8a-hexahydro-1-naphthyl)-3,5-dihydroxyheptanoate | 404-520-2 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-274-00-6 | 2-(N-benzyl-N-methylamino)ethyl 3-amino-2-butenoate | 405-350-1 | 54527-73-0 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 607-275-00-1 | sodium benzoxybenzene-4-sulfonate | 405-450-5 | 66531-87-1 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-276-00-7 | bis[(1-methylimidazol)-(2-ethyl-hexanoate)], zinc complex | 405-635-0 | — | Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H318 H400 H410 | GHS05 GHS09 Dgr | H315 H318 H410 | | | |
| 607-277-00-2 | reaction mass of: 2-(hexylthio)ethylamine hydrochloride; sodium propionate | 405-720-2 | — | Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H302 H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H317 H411 | | | |
| 607-278-00-8 | reaction mass of isomers of: sodium phenethylnaphthalenesulfonate; sodium naphthylethylbenzenesulfonate | 405-760-0 | — | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H318 H317 H412 | GHS05 GHS07 Dgr | H318 H317 H412 | | | |
| 607-279-00-3 | reaction mass of n-octadecylaminodiethyl bis(hydrogen maleate); n-octadecylaminodiethyl hydrogen maleate hydrogenphthalate | 405-960-8 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-280-00-9 | sodium 4-chloro-1-hydroxybutane-1-sulfonate | 406-190-5 | 54322-20-2 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 | H302 H319 H317 | GHS07 Wng | H302 H319 H317 | | | |
| 607-281-00-4 | reaction mass of branched and linear C ₇ -C ₉ alkyl 3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]propionates | 407-000-3 | 127519-17-9 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-282-00-X | 2-acetoxymethyl-4-benzyloxybut-1-yl acetate | 407-140-5 | 131266-10-9 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-283-00-5 | E-ethyl-4-oxo-4-phenylcrotonate | 408-040-4 | 15121-89-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H315 H318 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H312 H302 H315 H318 H317 H410 | | | |
| 607-284-00-0 | reaction mass of: sodium 3,3'-(1,4-phenylenebis(carbonylimino-3,1-propanediylimino))bis(10-amino-6,1,3-dichloro-4,1,1-triphenodioxazinedisulfonate); lithium 3,3'-(1,4-phenylenebis-(carbonylimino-3,1-propanediyl-imino))bis(10-amino-6,1,3-dichloro)-4,1,1-triphenodioxazinedisulfonate (9:1) | 410-040-4 | 136213-76-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-285-00-6 | reaction mass of: 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonic acid; sodium 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonate; potassium 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonate | 410-065-0 | — | Skin Sens. 1 | H317 | GHS07 Wng | | | | |
| 607-286-00-1 | reaction mass of: sodium/potassium 7-[[[3-[[4-((2-hydroxy-naphthyl)azo)phenyl]azo]phenyl]sulfonyl]amino]-naphthalene-1,3-disulfonate | 410-070-8 | 141880-36-6 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-287-00-7 | O'-methyl O-(1-methyl-2-methacryloyloxyethyl)-1,2,3,6-tetrahydrophthalate | 410-140-8 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-288-00-2 | tetrasodium (c-(3-(1-(3-(e-6-dichloro-5-cyanopyrimidin-f-yl(methyl)amino)propyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)-4-sulfonatophenyl)sulfamoyl)phthalocyanine-a,b,d-trisulfonato(6-))nickelato II, where a is 1 or 2 or 3 or 4, b is 8 or 9 or 10 or 11, c is 15 or 16 or 17 or 18, d is 22 or 23 or 24 or 25 and where e and f together are 2 and 4 or 4 and 2 respectively | 410-160-7 | 148732-74-5 | Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H319 H317 H412 | GHS07 Wng | H319 H317 H412 | | | |
| 607-289-00-8 | 3-(3-(4-(2,4-bis(1,1-dimethylpropyl)phenoxy)butylaminocarbonyl-4-hydroxy-1-naphthalenyl)thio)propanoic acid | 410-370-9 | 105488-33-3 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-290-00-3 | reaction mass (ratio not known) of: ammonium 1-C ₁₄ -C ₁₈ -alkyloxycarbonyl-2-(3-allyloxy-2-hydroxypropoxycarbonyl)ethane-1-sulfonate; ammonium 2-C ₁₄ -C ₁₈ -alkyloxycarbonyl-1-(3-allyloxy-2-hydroxypropoxycarbonyl)ethane-1-sulfonate | 410-540-2 | — | Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H317 H400 H410 | GHS07 GHS09 Wng | H315 H317 H410 | | | |
| 607-291-00-9 | dodecyl-ω-(C ₅ /C ₆ -cycloalkyl)alkyl carboxylate | 410-630-1 | 104051-92-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-292-00-4 | reaction mass of: [1-(methoxymethyl)-2-(C ₁₂ -alkoxy)-ethoxy]acetic acid; [1-(methoxymethyl)-2-(C ₁₄ -alkoxy)-ethoxy]acetic acid | 410-640-6 | — | Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H318 H400 H410 | GHS05 GHS09 Dgr | H315 H318 H410 | | | |
| 607-293-00-X | reaction mass of: N-aminoethylpiperazonium mono-2,4,6-trimethylnonyldiphenyl ether di-sulfonate; N-aminoethylpiperazonium di-2,4,6-trimethylnonyldiphenyl ether di-sulfonate | 410-650-0 | — | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H318 H317 H411 | | | |
| 607-294-00-5 | sodium 2-benzoyloxy-1-hydroxyethane-sulfonate | 410-680-4 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-295-00-0 | reaction mass of: tetrasodium phosphonothane-1,2-dicarboxylate; hexasodium phosphonobutane-1,2,3,4-tetracarboxylate | 410-800-5 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 607-296-00-6 | reaction mass of: pentaerythriol tetraesters with heptanoic acid and 2-ethylhexanoic acid | 410-830-9 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-297-00-1 | (E-E)-3,3'-(1,4-phenylenedimethylidene)bis(2-oxobornane-10-sulfonic acid) | 410-960-6 | 92761-26-7 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 607-298-00-7 | 2-(trimethylammonium)ethoxycarboxybenzene-4-sulfonate | 411-010-3 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-299-00-2 | methyl 3-(acetylthio)-2-methyl-propanoate | 411-040-7 | 97101-46-7 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 607-300-00-6 | trisodium [2-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-5-(b-sulfamoyl-c,d-sulfonatotphthalocyanin-a-yl-K4,N29,N30,N31,N32-sulfonylamino)benzoato(5-)]cuprate(II) where a=1,2,3,4 b=8,9,10,11 c=15,16,17,18 d=22,23,24,25 | 411-430-7 | — | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 607-301-00-1 | reaction mass of: dodecanoic acid; poly(1-7)lactate esters of dodecanoic acid | 411-860-5 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 607-302-00-7 | reaction mass of: tetradecanoic acid; poly(1-7)lactate esters of tetradecanoic acid | 411-910-6 | — | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H315 H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H315 H318 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-303-00-2 | 1-cyclopropyl-6,7-difluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid | 413-760-7 | 93107-30-3 | Repr. 2 Aquatic Chronic 3 | H361f (***) H412 | GHS08 Wng | H361f (***) H412 | | | |
| 607-304-00-8 | fluazifop-butyl (ISO); butyl (RS)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate | 274-125-6 | 69806-50-4 | Repr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H360D (***) H400 H410 | GHS08 GHS09 Dgr | H360D (***) H410 | | | |
| 607-305-00-3 | fluazifop-P-butyl (ISO); butyl (R)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate | — | 79241-46-6 | Repr. 2 Aquatic Acute 1 Aquatic Chronic 1 | H361d (***) H400 H410 | GHS08 GHS09 Wng | H361d (***) H410 | | | |
| 607-306-00-9 | chlozolate (ISO); ethyl (RS)-3-(3,5-dichlorophenyl)-5-methyl-2,4-dioxo-oxazolidine-5-carboxylate | 282-714-4 | 84332-86-5 | Carc. 2 Aquatic Chronic 2 | H351 H411 | GHS08 GHS09 Wng | H351 H411 | | | |
| 607-307-00-4 | vinclozolin (ISO); N-3,5-dichlorophenyl-5-methyl-5-vinyl-1,3-oxazolidine-2,4-dione | 256-599-6 | 50471-44-8 | Carc. 2 Repr. 1B Skin Sens. 1 Aquatic Chronic 2 | H351 H360FD H317 H411 | GHS08 GHS07 GHS09 Dgr | H351 H360FD H317 H411 | | | |
| 607-308-00-X | esters of 2,4-D | — | — | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | A |
| 607-309-00-5 | carfentrazone-ethyl (ISO); ethyl (RS)-2-chloro-3-[2-chloro-4-fluoro-5-[4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]propionate | — | 128639-02-1 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-310-00-0 | kresoxim-méthyl (ISO); méthyl (E)-2-méthoxyimino-[2-(o-tolyloxy-méthyl)phényl]acétate | — | 143390-89-0 | Carc. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H400 H410 | GHS08 GHS09 Wng | H351 H410 | | | |
| 607-311-00-6 | benazolin-éthyl; éthyl 4-chloro-2-oxo-2H-benzothiazole-3-acétate | 246-591-0 | 25059-80-7 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-312-00-1 | méthoxyacétique | 210-894-6 | 625-45-6 | Repr. 1B Acute Tox. 4 (*) Skin Corr. 1B | H360-FD H302 H314 | GHS08 GHS05 GHS07 Dgr | H360FD H302 H314 | | STOT SE 3; H335: C ≥ 5 % | |
| 607-313-00-7 | néodécanoyle chlorure | 254-875-0 | 40292-82-8 | Acute Tox. 2 (*) Acute Tox. 4 (*) Skin Corr. 1B | H330 H302 H314 | GHS06 GHS06 Dgr | H330 H302 H314 | | STOT SE 3; H335: C ≥ 5 % | |
| 607-314-00-2 | éthofumesate (ISO); (±)-2-éthoxy-2,3-dihydro-3,3-diméthylbenzofurane-5-yl méthanesulfonate | 247-525-3 | 26225-79-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-315-00-8 | glyphosate (ISO); N-(phosphonométhyl)glycine | 213-997-4 | 1071-83-6 | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 607-316-00-3 | glyphosate-trimesium; glyphosate-triméthylsulfonium | — | 81591-81-3 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 607-317-00-9 | bis(2-éthylhexyle) phtalate; di-(2-éthylhexyle) phtalate; DEHP | 204-211-0 | 117-81-7 | Repr. 1B | H360-FD | GHS08 Dgr | H360FD | | | |
| 607-318-00-4 | dibutyle phtalate; DBP | 201-557-4 | 84-74-2 | Repr. 1B Aquatic Acute 1 | H360-Df H400 | GHS08 GHS09 Dgr | H360Df H400 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-319-00-X | deltamethrin (ISO); (S)- α -cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate | 258-256-6 | 52918-63-5 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H301 H410 | | | |
| 607-320-00-5 | bis[4-(ethenoxy)butyl] 1,3-benzenedicarboxylate | 413-930-0 | 130066-57-8 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 607-321-00-0 | (S)-methyl-2-chloropropionate | 412-470-8 | 73246-45-4 | Flam. Liq. 3 STOT RE 2 (*) Eye Irrit. 2 | H226 H373 (**) H319 | GHS02 GHS08 Wng | H226 H373 (**) H319 | | | |
| 607-322-00-6 | 4-(4,4-dimethyl-3-oxo-pyrazolidin-1-yl)-benzoic acid | 413-120-7 | 107144-30-9 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 607-323-00-1 | 2-(1-(2-hydroxy-3,5-di- <i>tert</i> -pentyl-phenyl)ethyl)-4,6-di- <i>tert</i> -pentylphenyl acrylate | 413-850-6 | 123968-25-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-324-00-7 | reaction mass of: N,N-di(hydrogenated alkyl C ₁₄ -C ₁₈)phthalamic acid; dihydrogenated alkyl (C ₁₄ -C ₁₈)amine | 413-800-3 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-325-00-2 | (S)-2-chloropropionic acid | 411-150-5 | 29617-66-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A | H312 H302 H314 | GHS05 GHS07 Dgr | H312 H302 H314 | | | |
| 607-326-00-8 | reaction mass of: isobutyl hydrogen 2-(α -2,4,6-trimethylnon-2-enyl)succinate; isobutyl hydrogen 2-(β -2,4,6-trimethylnon-2-enyl)succinate | 410-720-0 | 141847-13-4 | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 607-327-00-3 | 2-(2-iodoethyl)-1,3-propanediol diacetate | 411-780-0 | 127047-77-2 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-328-00-9 | methyl 4-bromomethyl-3-methoxybenzoate | 410-310-1 | 70264-94-7 | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H318 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H315 H318 H317 H410 | | | |
| 607-329-00-4 | reaction mass of: sodium 2-(C _{12-18-n} -alkyl) amino-1,4-butandioate; sodium 2-octadecenyl-amino-1,4-butandioate | 411-250-9 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-330-00-X | (S)-2,3-dihydro-1H-indole-2-carboxylic acid | 410-860-2 | 79815-20-6 | Repr. 2 STOT RE 2 (*) Skin Sens. 1 | H361f (***) H373 (**) H317 | GHS08 GHS07 Wng | H361f (***) H373 (**) H317 | | | |
| 607-331-00-5 | reaction mass of: bis(2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-1,10-decanedioate; 1,8-bis[(2,2,6,6-tetramethyl-4-((2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-decan-1,10-diyl)piperidin-1-yl)oxy]octane | 406-750-9 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-332-00-0 | cyclopentyl chloroformate | 411-460-0 | 50715-28-1 | Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 | H226 H331 H302 H373 (**) H318 H317 | GHS02 GHS06 GHS08 GHS05 Dgr | H226 H331 H302 H373 (**) H318 H317 | | | |
| 607-333-00-6 | reaction mass of: dodecyl N-(2,2,6,6-tetramethylpiperidin-4-yl)-β-alaninate; tetradecyl N-(2,2,6,6-tetramethylpiperidin-4-yl)-β-alaninate | 405-670-1 | — | Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H302 H373 (**) H314 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H302 H373 (**) H314 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-334-00-1 | ethyl 1-ethyl-6,7,8-trifluoro-1,4-dihydro-4-oxoquinoline-3-carboxylate | 405-880-3 | 100501-62-0 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 607-335-00-7 | methyl (R)-2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate | 406-250-0 | 72619-32-0 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 607-336-00-2 | 4-methyl-8-methylenetricyclo[3.3.1.1 ^{3,7}]dec-2-yl acetate | 406-560-6 | 122760-85-4 | Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H315 H317 H411 | GHS07 GHS09 Wng | H315 H317 H411 | | | |
| 607-337-00-8 | di-tert-(C ₁₂₋₁₄)-alkylammonium 2-benzothiazolythiosuccinate | 406-052-4 | 125078-60-6 | Flam. Liq. 3 Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2 | H226 H302 H315 H318 H411 | GHS02 GHS05 GHS07 GHS09 Dgr | H226 H302 H315 H318 H411 | | | |
| 607-338-00-3 | 2-methylpropyl 2-hydroxy-2-methylbut-3-enoate | 406-235-9 | 72531-53-4 | Eye Irrit. 2 Skin Irrit. 2 | H319 H315 | GHS07 Wng | H319 H315 | | | |
| 607-339-00-9 | 2,3,4,5-tetrachlorobenzoylchloride | 406-760-3 | 42221-52-3 | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 | H302 H314 H317 | GHS05 GHS07 Dgr | H302 H314 H317 | | | |
| 607-340-00-4 | 1,3-bis(4-benzoyl-3-hydroxyphenoxy)prop-2-yl acetate | 406-990-4 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-341-00-X | (9S)-9-amino-9-deoxyerythromycin | 406-790-7 | 26116-56-3 | Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H400 H410 | GHS05 GHS09 Dgr | H318 H410 | | | |
| 607-342-00-5 | 4-chlorobutyl veratrate | 410-950-1 | 69788-75-6 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-343-00-0 | 4,7-methanooctahydro-1H-indene-diyl-dimethyl bis(2-carboxybenzoate) | 407-410-2 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-344-00-6 | reaction mass of: 3-(N-(3-dimethylamino-propyl)-(C ₄₋₈)perfluoroalkylsulfonamido)propionic acid; N-[dimethyl-3-(C ₄₋₈ -perfluoroalkylsulfonamido)propylammonium propionate; 3-(N-(3-dimethyl-propylammonium)-(C ₄₋₈)perfluoroalkylsulfonamido)propionic acid propionate | 407-810-7 | — | STOT RE 2 (*) | H373 (**) | GHS08 Wng | H373 (**) | | | |
| 607-345-00-1 | potassium 2-(2,4-dichlorophenoxy)-(R)-propionate | 413-580-9 | 113963-87-4 | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 | H302 H315 H318 H317 | GHS05 GHS07 Dgr | H302 H315 H318 H317 | | | |
| 607-346-00-7 | 3-icosyl-4-henicosylidene-2-oxetanone | 401-210-9 | 83708-14-9 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-347-00-2 | sodium (R)-2-(2,4-dichlorophenoxy)propionate | 413-340-3 | 119299-10-4 | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 | H302 H315 H318 H317 | GHS05 GHS07 Dgr | H302 H315 H318 H317 | | | |
| 607-348-00-8 | magnesium bis((R)-2-(2,4-dichlorophenoxy)propionate) | 413-360-2 | — | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 | H302 H315 H318 H317 | GHS05 GHS07 Dgr | H302 H315 H318 H317 | | | |
| 607-349-00-3 | mono-(tetrapropylammonium) hydrogen 2,2'-dithiobisbenzoate | 411-270-8 | — | Aquatic Chronic 3 | H412 | | H412 | | | |
| 607-350-00-9 | bis(4-(1,2-bis(ethoxycarbonyl)ethylamino)-3-methylcyclohexyl)methane | 412-060-9 | 136210-32-7 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 607-351-00-4 | methyl O-(4-amino-3,5-dichloro-6-fluoropyridin-2-yloxy)acetate | 407-550-4 | 69184-17-4 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-352-00-X | 4,4'-oxydiphthalic anhydride | 412-830-4 | 1823-59-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-353-00-5 | reaction mass of: ethyl <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane- <i>endo</i> -2-carboxylate; ethyl <i>endo</i> -tricyclo[5.2.1.0 ^{2,6}]decane- <i>exo</i> -2-carboxylate | 407-520-0 | 80657-64-3 | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 607-354-00-0 | ethyl 2-cyclohexylpropionate | 412-280-5 | 2511-00-4 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-355-00-6 | <i>p</i> -tolyl 4-chlorobenzoate | 411-530-0 | 15024-10-9 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 607-356-00-1 | ethyl <i>trans</i> -2,2,6-trimethylcyclohexanecarboxylate | 412-540-8 | — | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 607-357-00-7 | reaction mass of: <i>trans</i> -4-acetoxy-4-methyl-2-propyl-tetrahydro-2 <i>H</i> -pyran; <i>cis</i> -4-acetoxy-4-methyl-2-propyl-tetrahydro-2 <i>H</i> -pyran | 412-450-9 | 131766-73-9 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-358-00-2 | (1 <i>S</i> ,3 <i>S</i> ,5 <i>R</i> ,6 <i>R</i>)-(4-nitrophenylmethyl)-1-dioxo-6-phenylacetamido-penam-3-carboxylate | 412-670-5 | 54275-93-3 | Resp. Sens. 1 | H334 | GHS08 Dgr | H334 | | | |
| 607-359-00-8 | (1 <i>S</i> ,4 <i>R</i> ,6 <i>R</i> ,7 <i>R</i>)-(4-nitrophenylmethyl)3-methylene-1-oxo-7-phenylacetamido-cepham-4-carboxylateido-penam-3-carboxylate | 412-800-0 | 76109-32-5 | Resp. Sens. 1 | H334 | GHS08 Dgr | H334 | | | |
| 607-360-00-3 | sodium 3-acetoacetylamino-4-methoxytolyl-6-sulfonate | 411-680-7 | 133167-77-8 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-361-00-9 | methyl (<i>R</i>)-2-(4-hydroxyphenoxy)propionate | 411-950-4 | 96562-58-2 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-362-00-4 | reaction mass of: (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)hexadec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)tetradec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)hexadec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)tetradec-4-enoate | 413-500-2 | — | Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2 | H315 H318 H411 | GHS05 GHS09 Dgr | H315 H318 H411 | | | |
| 607-363-00-X | methyl-3-methoxyacrylate | 412-900-4 | 5788-17-0 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-364-00-5 | 3-phenyl-7-[4-(tetrahydrofurfuryloxy)phenyl]-1,5-dioxas-indacen-2,6-dione | 413-330-9 | 134724-55-3 | Aquatic Chronic 4 | H413 | | H413 | | | |
| 607-365-00-0 | 2-(2-amino-1,3-thiazol-4-yl)-(Z)-2-methoxyiminoacetyl chloride hydrochloride | 410-620-7 | 119154-86-8 | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 | H302 H314 H317 | GHS05 GHS07 Dgr | H302 H314 H317 | | | |
| 607-366-00-6 | 3,5-dimethylbenzoyl chloride | 413-010-9 | 6613-44-1 | Skin Corr. 1B Skin Sens. 1 | H314 H317 | GHS05 GHS07 Dgr | H314 H317 | | | |
| 607-367-00-1 | potassium bis(N-carboxymethyl)-N-methylglycinato-(2-)N,O,O,N)-ferrate-(1-) monohydrate | 411-640-9 | 153352-59-1 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 607-368-00-7 | 1-(N,N-dimethylcarbamoyl)-3-tert-butyl-5-carbethoxymethylthio-1H-1,2,4-triazole | 411-650-3 | 110895-43-7 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H301 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-369-00-2 | reaction mass of: <i>trans</i> -(2 <i>R</i>)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid; <i>cis</i> -(2 <i>R</i>)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid | 411-660-8 | 147027-04-1 | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 | H302 H315 H318 H317 | GHS05 GHS07 Dgr | H302 H315 H318 H317 | | | |
| 607-370-00-8 | 2-[[2-(acetyloxy)-3-(1,1-dimethyl-ethyl)-5-methylphenyl]methyl]-6-(1,1-diméthylethyl)-4-méthylphénol | 412-210-3 | 41620-33-1 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 607-371-00-3 | 3-ethyl 5-methyl 4-(2-chlorophenyl)-1,4-dihydro-2-[2-(1,3-dihydro-1,3-dioxo-(2 <i>H</i>)isoindol-2-yl)-ethoxymethyl]-6-methyl-3,5-pyridinedicarboxylate | 413-410-3 | 88150-62-3 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-372-00-9 | ethoxylated bis phenol A di-(norbornene carboxylate) | 412-410-0 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-373-00-4 | (±) tetrahydrofurfuryl (<i>R</i>)-2-[4-(6-chloroquinoxalin-2-yloxy)phenoxy]propionate | 414-200-4 | 119738-06-6 | Muta. 2 Repr. 1B Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H341 H360Df H302 H373 (**) H400 H410 | GHS08 GHS07 GHS09 Dgr | H341 H360Df H302 H373 (**) H410 | | | |
| 607-374-00-X | 5-amino-2,4,6-triiodo-1,3-benzenedicarbonyldichloride | 417-220-1 | 37441-29-5 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 607-375-00-5 | reaction mass of: <i>cis</i> -4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluorométhylbenzyloxy)phényl)-1-naphthyl)coumarin; <i>trans</i> -4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluorométhylbenzyloxy)phényl)-1-naphthyl)coumarin | 421-960-0 | 90035-08-8 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H372 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H330 H310 H300 H372 (**) H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-376-00-0 | benzyl 2,4-dibromobutanoate | 420-710-8 | 23085-60-1 | Repr. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H361f (***) H315 H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H361f (***) H315 H317 H410 | | | |
| 607-377-00-6 | <i>trans</i> -4-cyclohexyl-L-proline monohydrochloride | 419-160-1 | 90657-55-9 | Repr. 2 Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 | H361f (***) H302 H315 H318 H317 | GHS08 GHS05 GHS07 Dgr | H361f (***) H302 H315 H318 H317 | | | |
| 607-378-00-1 | ammonium (Z)- α -methoxyimino-2-furylacetate | 405-990-1 | 97148-39-5 | Flam. Sol. 2 | H228 | GHS02 Dgr | H228 | | | T |
| 607-379-00-7 | reaction mass of: 2-[N-(2-hydroxyethyl)stearamido]ethyl stearate; sodium [bis[2-(stearoyloxy)ethyl]amino]methylsulfonate; sodium [bis(2-hydroxyethyl)amino]methylsulfonate; N,N-bis(2-hydroxyethyl)stearamide | 401-230-8 | | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-380-00-2 | reaction mass of: ammonium-1,2-bis(hexyloxycarbonyl)ethanesulfonate; ammonium-1-hexyloxycarbonyl-2-octyloxycarbonylethanesulfonate; ammonium-2-hexyloxycarbonyl-1-octyloxycarbonylethanesulfonate | 407-320-3 | — | Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3 | H315 H318 H412 | GHS05 Dgr | H315 H318 H412 | | | |
| 607-381-00-8 | reaction mass of triesters of 2,2-bis(hydroxymethyl)butanol with C ₇ -alkanoic acids and 2-ethylhexanoic acid | 413-710-4 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-382-00-3 | 2-((4-amino-2-nitrophenyl)amino)benzoic acid | 411-260-3 | 117907-43-4 | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H318 H317 H412 | GHS05 GHS07 Dgr | H318 H317 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-383-00-9 | reaction mass of: 2,2,6,6-tetramethylpiperidin-4-yl-hexadecanoate; 2,2,6,6-tetramethylpiperidin-4-yl-octadecanoate | 415-430-8 | 86403-32-9 | Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H318 H317 H410 | | | |
| 607-384-00-4 | reaction mass of: esters of C ₁₄ -C ₁₅ branched alcohols with 3,5-di-t-butyl-4-hydroxyphenyl propionic acid; C ₁₅ branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate; C ₁₃ branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate | 413-750-2 | 171090-93-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-385-00-X | Copolymer of vinyl-alcohol and vinyl acetate partially acetylated with 4-(2-(4-formylphenyl)ethenyl)-1-methylpyridinium methylsulfate | 414-590-6 | 125229-74-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-386-00-5 | reaction mass of: tetradecanoic acid (42,5-47,5 %); poly(1-7)lactate esters of tetradecanoic acid (52,5- 57,5 %) | 412-580-6 | 174591-51-6 | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H318 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H315 H318 H317 H410 | | | |
| 607-387-00-0 | reaction mass of: dodecanoic acid (35-40 %); poly(1-7)lactate esters of dodecanoic acid (60-65 %) | 412-590-0 | 58856-63-6 | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H318 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H315 H318 H317 H410 | | | |
| 607-388-00-6 | 4-ethylamino-3-nitrobenzoic acid | 412-090-2 | 2788-74-1 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 3 | H302 H317 H412 | GHS07 Wng | H302 H317 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-389-00-1 | trisodium N,N-bis(carboxyméthyl)-3-amino-2-hydroxypropionate | 414-130-4 | 119710-96-2 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 607-390-00-7 | 1,2,3,4-tetrahydro-6-nitro-quinoline | 414-270-6 | 41959-35-7 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 607-391-00-2 | dimethylcyclopropane-1,1-dicarboxylate | 414-240-2 | 6914-71-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-392-00-8 | 2-phenoxyethyl 4-((5-cyano-1,6-dihydro-2-hydroxy-1,4-diméthyl-6-oxo-3-pyridinyl)azo)benzoate | 414-260-1 | 88938-37-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-393-00-3 | 3-(cis-1-propenyl)-7-amino-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid | 415-750-8 | 106447-44-3 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-394-00-9 | 5-méthylpyrazine-2-carboxylic acid | 413-260-9 | 5521-55-1 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 607-395-00-4 | reaction mass of: sodium 1-tridecyl-4-allyl-(2 or 3)-sulfobutanedioate; sodium 1-dodecyl-4-allyl-(2 or 3)-sulfobutanedioate | 410-230-7 | — | Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2 | H314 H317 H411 | GHS05 GHS07 GHS09 Dgr | H314 H317 H411 | | | |
| 607-396-00-X | bis(1,2,2,6,6-pentaméthyl-4-piperidinyl) 2-(4-méthoxybenzylidène)malonate | 414-840-4 | 147783-69-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 607-397-00-5 | reaction mass of: Ca salicylates (branched C ₁₀₋₁₄ and C ₁₈₋₃₀ alkylated); Ca phenates (branched C ₁₀₋₁₄ and C ₁₈₋₃₀ alkylated); Ca sulfurized phenates (branched C ₁₀₋₁₄ and C ₁₈₋₃₀ alkylated) | 415-930-6 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-398-00-0 | ethyl N-(5-chloro-3-(4-(diéthylamino)-2-méthylphénylimino)-4-méthyl-6-oxo-1,4-cyclohexadienyl)carbamate | 414-820-5 | 125630-94-6 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|-----------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-399-00-6 | 2,2-diméthyl 3-méthyl-3-butenyl propanoate | 415-610-6 | 104468-21-5 | Skin Irrit. 2 Aquatic Chronic 3 | H315 H412 | GHS07 Wng | H315 H412 | | | |
| 607-400-00-X | méthyl 3-[[[dibutylamino]thioxométhyl]thio]propanoate | 414-400-1 | 32750-89-3 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 607-401-00-5 | éthyl 3-hydroxy-5-oxo-3-cyclohexène-1-carboxylate | 414-450-4 | 88805-65-6 | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 | H315 H318 H317 | GHS05 GHS07 Dgr | H315 H318 H317 | | | |
| 607-402-00-0 | méthyl N-(phénoxy-carbonyl)-L-valinate | 414-500-5 | 153441-77-1 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-403-00-6 | reaction mass of: bis(1 <i>S</i> ,2 <i>S</i> ,4 <i>S</i>)-(1-benzyl-4- <i>tert</i> -butoxycarboxamido-2-hydroxy-5-phényl)pentylammonium succinate; isopropyl alcohol | 414-810-0 | — | STOT RE 2 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H318 H400 H410 | GHS08 GHS05 GHS09 Dgr | H373 (**) H318 H410 | | | |
| 607-404-00-1 | reaction mass of: ((<i>Z</i>)-3,7-diméthyl-2,6-octadiényl)oxycarbonylpropanoic acid; di-((<i>E</i>)-3,7-diméthyl-2,6-octadiényl) butanedioate; di-((<i>Z</i>)-3,7-diméthyl-2,6-octadiényl) butanedioate; (<i>Z</i>)-3,7-diméthyl-2,6-octadiényl butanedioate; ((<i>E</i>)-3,7-diméthyl-2,6-octadiényl)oxycarbonylpropanoic acid | 415-190-4 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-405-00-7 | 2-hexyldecyl- <i>p</i> -hydroxybenzoate | 415-380-7 | 148348-12-3 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-406-00-2 | potassium 2,5-dichlorobenzoate | 415-700-5 | 184637-62-5 | Acute Tox. 4 (*) Eye Dam. 1 | H302 H318 | GHS05 GHS07 Dgr | H302 H318 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-407-00-8 | ethyl 2-carboxy-3-(2-thienyl)propionate | 415-680-8 | 143468-96-6 | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 | H315 H318 H317 | GHS05 GHS07 Dgr | H315 H318 H317 | | | |
| 607-408-00-3 | potassium N-(4-fluorophenyl)glycinate | 415-710-1 | 184637-63-6 | STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H373 (**) H318 H317 H412 | GHS08 GHS05 GHS07 Dgr | H373 (**) H318 H317 H412 | | | |
| 607-409-00-9 | reaction mass of: (3R)-[1S-(1 α , 2 α , 6 β -((2S)-2-methyl-1-oxo-butoxy)-8 α)]hexahydro-2,6-dimethyl-1-naphthalene]-3,5-dihydroxyheptanoic acid; inert biomass from <i>Aspergillus terreus</i> | 415-840-7 | — | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 607-410-00-4 | mono[2-(dimethylamino)ethyl]monohydrogen-2-(hexadec-2-enyl)butanedioate and/or mono[2-(dimethylamino)ethyl]monohydrogen-3-(hexadec-2-enyl)butanedioate | 415-880-5 | 779343-34-9 | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H318 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H315 H318 H317 H410 | | | |
| 607-411-00-X | oxiranemethanol, 4-methylbenzene-sulfonate, (S)- | 417-210-7 | 70987-78-9 | Carc. 1B Muta. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H350 H341 H318 H317 H411 | GHS08 GHS05 GHS07 GHS09 Dgr | H350 H341 H318 H317 H411 | | | |
| 607-412-00-5 | ethyl 2-(1-cyanocyclohexyl)acetate | 415-970-4 | 133481-10-4 | Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Chronic 3 | H302 H373 (**) H412 | GHS08 GHS07 Wng | H302 H373 (**) H412 | | | |
| 607-413-00-0 | trans-4-phenyl-L-proline | 416-020-1 | 96314-26-0 | Repr. 2 Skin Sens. 1 | H361f (***) H317 | GHS08 GHS07 Wng | H361f (***) H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-414-00-6 | tris(2-ethylhexyl)-4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)tribenzoate | 402-070-1 | 88122-99-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-415-00-1 | poly-(methyl methacrylate)-co-(butylmethacrylate)-co-(4-acryloxybutyl-isopropenyl- α,α -dimethylbenzyl carbamate)-co-(maleicanhydride) | 419-590-1 | — | Flam. Sol. 1 Skin Sens. 1 | H228 H317 | GHS02 GHS07 Dgr | H228 H317 | | | T |
| 607-416-00-7 | 4-(2-carboxymethylthio)ethoxy-1-hydroxy-5-isobutyloxycarbonylamino-N-(3-dodecylloxypropyl)-2-naphthamide | 420-730-7 | — | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 607-418-00-8 | 2-ethylhexyl 4-aminobenzoate | 420-170-3 | 26218-04-2 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 607-419-00-3 | (3'-carboxymethyl-5-(2-(3-ethyl-3H-benzothiazol-2-ylidene)-1-methyl-ethylidene)-4,4'-dioxo-2'-thioxo-(2,5')bithiazolidinyliden-3-yl)-acetic acid | 422-240-9 | 166596-68-5 | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 607-420-00-9 | 2,2-bis(hydroxymethyl)butanoic acid | 424-090-1 | 10097-02-6 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 607-421-00-4 | cypermethrin <i>cis/trans</i> +/- 40/60; (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 257-842-9 | 52315-07-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 | H332 H302 H335 H400 H410 | GHS07 GHS09 Wng | H332 H302 H335 H410 | | | |
| 607-422-00-X | α -cypermethrin | 257-842-9 | 67375-30-8 | Acute Tox. 3 (*) STOT RE 2 (*) STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 | H301 H373 (**) H335 H400 H410 | GHS06 GHS08 GHS09 Dgr | H301 H373 (**) H335 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--|---|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-423-00-5 | esters of mecoprop and of mecoprop-P | — | — | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | A |
| 607-424-00-0 | trifloxystrobin (ISO); (E,E)- α -methoxyimino-2-[[[1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]benzeneacetic acid methyl ester | — | 141517-21-7 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 607-425-00-6 | metalaxyl (ISO); methyl-N-(2,6-dimethylphenyl)-N-(methoxyacetyl)-DL-alaninate | 260-979-7 | 57837-19-1 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 3 | H302 H317 H412 | GHS07 Wng | H302 H317 H412 | | | |
| 607-426-00-1 | 1,2-benzenedicarboxylic acid, dipentylester, branched and linear; [1] n-pentyl-isopentylphthalate; [2] di-n-pentyl phthalate; [3] diisopentylphthalate [4] | 284-032-2 [1] - [2] 205-017-9 [3] 210-088-4 [4] | 84777-06-0 [1] - [2] 131-18-0 [3] 605-50-5 [4] | Repr. 1B Aquatic Acute 1 | H360-FD H400 | GHS08 GHS09 Dgr | H360FD H400 | | | |
| 607-427-00-7 | bromoxynil heptanoate (ISO); 2,6-dibromo-4-cyanophenyl heptanoate | 260-300-4 | 56634-95-8 | Repr. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H361d (***) H332 H302 H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H361d (***) H332 H302 H317 H410 | | | |
| 607-430-00-3 | BBP; benzyl butyl phthalate e | 201-622-7 | 85-68-7 | Repr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H360-Df H400 H410 | GHS08 GHS09 Dgr | H360Df H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|----------------|-----------------------------------|--|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-431-00-9 | prallethrin (ISO); ETOC; 2-méthyl-4-oxo-3-(prop-2-ynyl)cyclopent-2-en-1-yl 2,2-diméthyl-3-(2-méthylprop-1-enyl)cyclopropanecarboxylate | 245-387-9 | 23031-36-9 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H302 H400 H410 | GHS06 GHS09 Dgr | H331 H302 H410 | | | |
| 607-432-00-4 | S-metolachlor; reaction mass of (S)-2-chloro-N-(2-éthyl-6-méthyl-phényl)-N-(2-méthoxy-1-méthyl-éthyl)-acétamide (80-100 %); [1] (R)-2-chloro-N-(2-éthyl-6-méthyl-phényl)-N-(2-méthoxy-1-méthyl-éthyl)-acétamide (0-20 %) [2] | - [1] - [2] | 87392-12-9 [1] 178961-20-1 [2] | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 607-433-00-X | cyperméthrin <i>cis/trans</i> +/- 80/20; (RS)- α -cyano-3-phénoxybenzyl (1RS; 3RS; 1RS, 3SR)-3-(2,2-dichlorovinyl)-2,2-diméthylcyclopropanecarboxylate | 257-842-9 | 52315-07-8 | Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H335 H315 H317 H400 H410 | GHS07 GHS09 Wng | H302 H335 H315 H317 H410 | | | |
| 607-434-00-5 | mecoprop-P [1] and its salts; (R)-2-(4-chloro-2-méthylphénoxy)propionique acide | 240-539-0 | 16484-77-8 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2 | H302 H318 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H411 | | | |
| 607-435-00-0 | 2S-isopropyl-5R-méthyl-1R-cyclohexyl 2,2-dihydroxyacétate | 416-810-6 | 111969-64-3 | STOT RE 2 (*) Eye Dam. 1 Aquatic Chronic 2 | H373 (**) H318 H411 | GHS08 GHS05 GHS09 Dgr | H373 (**) H318 H411 | | | |
| 607-436-00-6 | 2-hydroxy-3-(2-éthyl-4-méthylimidazolyl)propyl neodécanoate | 417-350-9 | — | Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H318 H400 H410 | GHS05 GHS09 Dgr | H315 H318 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-437-00-1 | 3-(4-aminophenyl)-2-cyano-2-propenoic acid | 417-480-6 | 252977-62-1 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-438-00-7 | methyl-2-[(aminosulfonyl)methyl]benzoate | 419-010-5 | 112941-26-1 | Acute Tox. 4 (*) Eye Irrit. 2 | H302 H319 | GHS07 Wng | H302 H319 | | | |
| 607-439-00-2 | methyl tetrahydro-2-furancarboxylate | 420-670-1 | 37443-42-8 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 607-440-00-8 | methyl 2-aminosulfonyl-6-(trifluoromethyl)pyridine-3-carboxylate | 421-220-7 | 144740-59-0 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 607-441-00-3 | 3-[3-(2-dodecyloxy-5-methylphenylcarbamoyl)-4-hydroxy-1-naphthylthio]propionic acid | 421-490-6 | 167684-63-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-442-00-9 | benzyl [hydroxy-(4-phenylbutyl)phosphinyl]acetate | 416-050-5 | 87460-09-1 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 607-443-00-4 | bis(2,4-di-tert-butyl-6-methylphenyl)ethyl phosphate | 416-140-4 | 145650-60-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-444-00-X | reaction mass of: <i>cis</i> -1,4-dimethylcyclohexyl dibenzoate; <i>trans</i> -1,4-dimethylcyclohexyl dibenzoate | 416-230-3 | 35541-81-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-445-00-5 | Iron (III) tris(4-methylbenzenesulfonate) | 420-960-8 | 77214-82-5 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 607-446-00-0 | methyl 2-[4-(2-chloro-4-nitrophenylazo)-3-(1-oxopropyl)amino]phenylaminopropionate | 416-240-8 | 155522-12-6 | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 607-447-00-6 | sodium 4-[4-(4-hydroxyphenylazo)phenylamino]-3-nitrobenzenesulfonate | 416-370-5 | 156738-27-1 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-448-00-1 | 2,3,5,6-tetrafluorobenzoic acid | 416-800-1 | 652-18-6 | Skin Irrit. 2 Eye Dam. 1 | H315 H318 | GHS05 Dgr | H315 H318 | | | |
| 607-449-00-7 | reaction mass of: 4,4',4''-[(2,4,6-trioxo-1,3,5-(2H,4H,6H)-triazine-1,3,5-triyl)tris[methylene(3,5,5-trimethyl-3,1-cyclohexanediyl)iminocarbonyloxy-2,1-ethanediy]l(ethylamino)]trisbenzenediazoniumtri[bis(2-methylpropyl)naphthalenesulfonate]; 4,4',4''-4'''-[[5,5'-[carbonylbis[imino(1,5,5-trimethyl-3,1-cyclohexanediyl)methylene]]-2,4,6-trioxo-1,3,5-(2H,4H,6H)-triazine-1,1',3,3'-tetrayl]tetrakis[methylene(3,5,5-trimethyl-3,1-cyclohexanediyl)iminocarbonyloxy-2,1-ethanediy]l(ethylamino)]tetrakisbenzenediazoniumtetra[bis(2-methylpropyl)naphthalenesulfonate] | 417-080-1 | — | Self-react. D (***) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H242 H317 H400 H410 | GHS02 GHS07 GHS09 Dgr | H242 H317 H410 | | | |
| 607-450-00-2 | 2-mercaptobenzothiazolyl-(Z)-(2-aminothiazol-4-yl)-2-(tert-butoxycarbonyl) isopropoxyiminoacetate | 419-040-9 | 89604-92-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-451-00-8 | 4-[4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonapht-6-ylazo]-6-[3-(4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonapht-6-ylazo]phenylcarbonylamino]benzenesulfonic acid, sodium salt | 417-640-5 | 161935-19-9 | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 607-453-00-9 | 4-benzyl-2,6-dihydroxy-4-aza-heptylene bis(2,2-dimethyloctanoate) | 418-100-1 | 172964-15-7 | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 607-454-00-4 | reaction mass of: <i>trans</i> -2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid; <i>cis</i> -2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid | 418-170-3 | 116193-72-7 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 607-455-00-X | 1-amino-4-(3-[4-chloro-6-(2,5-di-sulfophenylamino)-1,3,5-triazin-2-ylamino]-2,2-dimethyl-propylamino)-anthraquinone-2-sulfonic acid, sodium/lithium salt | 419-520-8 | 172890-93-6 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-456-00-5 | 3-amino-4-chlorobenzoic acid, hexadecyl ester | 419-700-6 | 143269-74-3 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-457-00-0 | tetrasodium dihydrogen 1,1"-dihydroxy-8,8"-[p-phenylbis(imino-{6-[4-(2-aminoethyl)piperazin-1-yl]}-1,3,5-triazine-4,2-diylimino)]bis(2,2'-azonaphthalene-1',3,6-trisulfonate) | 420-350-1 | 172277-97-3 | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 607-458-00-6 | reaction mass of: 2-ethyl-[2,6-dibromo-4-[1-[3,5-dibromo-4-(2-hydroxyethoxy)phenyl]-1-methylethyl]phenoxy]propenoate; 2,2'-diethyl-[4,4'-bis(2,6-dibromophenoxy)-1-methylethylidene] dipropenoate; 2,2'-[(1-methylethylidene)bis[[2,6-dibromo-4,1-phenylene)oxy]ethanol]] | 420-850-1 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-459-00-1 | isopentyl 4-{2-[5-cyano-1,2,3,6-tetrahydro-1-(2-isopropoxyethoxy-carbonylmethyl)-4-methyl-2,6-dioxo-3-pyridylidene]hydrazino} benzoate | 418-930-4 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-460-00-7 | 3-tridecyloxy-propyl-ammonium 9-octadecenoate | 418-990-1 | 778577-53-0 | STOT RE 2 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H319 H315 H400 H410 | GHS08 GHS07 GHS09 Wng | H373 (**) H319 H315 H410 | | | |
| 607-461-00-2 | reaction mass of: pentasodium 2-{4-{3-methyl-4-[6-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino}-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino}-benzene-1,4-disulfonate; pentasodium 2-{4-{3-methyl-4-[7-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino}-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino}-benzene-1,4-disulfonate | 421-160-1 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-462-00-8 | reaction mass of: 1-hexyl acetate; 2-methyl-1-pentyl acetate; 3-methyl-1-pentyl acetate; 4-methyl-1-pentyl acetate; other mixed linear and branched C ₆ -alkyl acetates | 421-230-1 | 88230-35-7 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-463-00-3 | 3-(phenothiazin-10-yl)propionic acid | 421-260-5 | 362-03-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-464-00-9 | reaction mass of: 7-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid; 5-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid | 421-280-4 | | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-465-00-4 | tris(2-hydroxyethyl)ammonium 7-{4-[4-(2-cyanoamino-4-hydroxy-6-oxidopyrimidin-5-ylazo)benzamido]-2-ethoxy-phenylazo} naphthalene-1,3-disulfonate | 421-440-3 | 778583-04-3 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-466-00-X | reaction mass of: phenyl 1-(1-[2-chloro-5-(hexadecyloxy carbonyl)phenyl carbamoyl]-3,3-dimethyl-2-oxobutyl)-1H-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 2-(1-(2-chloro-5-(hexadecyloxy carbonyl)phenyl carbamoyl)-3,3-dimethyl-2-oxobutyl)-1H-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 3-(1-(2-chloro-5-(hexadecyloxy carbonyl)phenyl carbamoyl)-3,3-dimethyl-2-oxobutyl)-1H-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate | 421-480-1 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-467-00-5 | 1,1,3,3-tetrabutyl-1,3-dithioxydicaprylate | 419-430-9 | 56533-00-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H373 (**) H314 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H312 H302 H373 (**) H314 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-468-00-0 | reaction mass of: monosodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; disodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; trisodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; tetrasodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate | 419-450-8 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-469-00-6 | disodium 7-((4,6-bis(3-diethylaminopropylamino)-1,3,5-triazine-2-yl)amino)-4-hydroxy-3-(4-(4-sulfonatophenylazo)phenylazo)-2-naphthalene sulfonate | 419-460-2 | 120029-06-3 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-470-00-1 | potassium sodium 6,13-dichloro-3,10-bis{2-[4-[3-(2-hydroxysulphonyloxyethanesulfonyl)phenylamino]-6-(2,5-disulfonatophenylamino)-1,3,5-triazin-2-ylamino]ethylamino}benzo[5,6][1,4]oxazino[2,3-b]phenoxazine-4,11-disulfonate | 414-100-0 | 154336-20-6 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 607-472-00-2 | ammonium iron(III) trimethylenediaminetetraacetate hemihydrate | 400-660-3 | 111687-36-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-474-00-3 | (4-(4-(4-dimethylaminobenzyliden-1-yl)-3-methyl-5-oxo-2-pyrazolin-1-yl)benzoic acid | 410-430-4 | 117573-89-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-475-00-9 | reaction mass of: tetrasodium 7-(4-[4-chloro-6-[methyl-(3-sulfonatophenyl)amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate; tetrasodium 7-(4-[4-chloro-6-[methyl-(4-sulfonatophenyl)amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate (1:1) | 412-940-2 | 148878-18-6 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-476-00-4 | trisodium N,N-bis(carboxymethyl)-β-alanine | 414-070-9 | 129050-62-0 | Skin Corr. 1B Aquatic Chronic 3 | H314 H412 | GHS05 Dgr | H314 H412 | | | |
| 607-478-00-5 | tetramethylammonium hydrogen phthalate | 416-900-5 | 79723-02-7 | Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 | H301 H373 (**) H400 | GHS06 GHS08 GHS09 Dgr | H301 H373 (**) H400 | | | |
| 607-479-00-0 | hexadecyl 4-chloro-3-[2-(5,5-dimethyl-2,4-dioxo-1,3-oxazolidin-3-yl)-4,4-dimethyl-3-oxopentamido]benzoate | 418-550-9 | 168689-49-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-480-00-6 | 1,2-benzenedicarboxylic acid; di-C ₇₋₁₁ -branched and linear alkylesters | 271-084-6 | 68515-42-4 | Repr. 1B | H360-Df | GHS08 Dgr | H360Df | | | |
| 607-487-00-4 | reaction mass of: disodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-hydroxy-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl)benzenesulfonate; trisodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-oxido-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl)benzenesulfonate | 402-660-9 | — | Repr. 1B Aquatic Chronic 3 | H360-D (***) H412 | GHS08 Dgr | H360D (***) H412 | | | |
| 607-488-00-X | ethyl (2-acetyl-amino-5-fluoro-4-isothiocyanatophenoxy)acetate | 414-210-9 | 147379-38-2 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-489-00-5 | reaction mass of: 2-ethylhexyl linolenate, linoleate and oleate; 2-ethylhexyl epoxyoleate; 2-ethylhexyl diepoxylinoleate; 2-ethylhexyl triepoxylinolenate | 414-890-7 | 71302-79-9 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-490-00-0 | N-[2-hydroxy-3-(C ₁₂₋₁₆ -alkyloxy)propyl]-N-methyl glycinate | 415-060-7 | — | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 607-492-00-1 | 2-(1-(3',3'-dimethyl-1'-cyclohexyl)ethoxy)-2-methyl propyl propanoate | 415-490-5 | 141773-73-1 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-493-00-7 | methyl (3aR,4R,7aR)-2-methyl-4-(1S,2R,3-triacetoxypropyl)-3a,7a-dihydro-4H-pyrano [3,4-d]oxazole-6-carboxylate | 415-670-3 | 78850-37-0 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 607-494-00-2 | bis(2-ethylhexyl)octylphosphonate | 417-170-0 | 52894-02-7 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 607-495-00-8 | sodium 4-sulfophenyl-6-((1-oxononyl)amino)hexanoate | 417-550-6 | 168151-92-6 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 607-496-00-3 | 2,2'-methylenebis(4,6-di-tert-butyl-phenyl)-2-ethylhexyl phosphite | 418-310-3 | 126050-54-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-497-00-9 | cerium oxide isostearate | 419-760-3 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-498-00-4 | (E)-3,7-dimethyl-2,6-octadienylhexadecanoate | 421-370-3 | 3681-73-0 | Skin Irrit. 2 Aquatic Chronic 4 | H315 H413 | GHS07 Wng | H315 H413 | | | |
| 607-499-00-X | bis(dimethyl-(2-hydroxyethyl)ammonium) 1,2-ethanediy-bis(2-hexadecenylsuccinate) | 421-660-1 | — | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H318 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-500-00-3 | calcium 2,2-bis[(5-tetrapropylene-2-hydroxy)phenyl]ethanoate | 421-670-4 | — | Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H315 H400 H410 | GHS07 GHS09 Wng | H315 H410 | | | |
| 607-501-00-9 | reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives | 421-820-9 | 192268-65-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 607-502-00-4 | (N-benzyl-N,N,N-tributyl)ammonium 4-dodecylbenzenesulfonate | 422-200-0 | 178277-55-9 | Skin Corr. 1B Acute Tox. 4 (*) Aquatic Chronic 2 | H314 H302 H411 | GHS05 GHS07 GHS09 Dgr | H314 H302 H411 | | | |
| 607-503-00-X | 2,4,6-tri- <i>n</i> -propyl-2,4,6-trioxo-1,3,5,2,4,6-trioxatriphosphorinane | 422-210-5 | 68957-94-8 | Skin Corr. 1B | H314 | GHS05 Dgr | H314 | | | |
| 607-505-00-0 | pentasodium 7-(4-(4-(5-amino-4-sulfonato-2-(4-((2-(sulfonato-ethoxy)sulfonyl)phenylazo)phenylamino)-6-chloro-1,3,5-triazin-2-yl)amino-2-ureidophenylazo)naphtalene-1,3,6-trisulfonate | 422-930-1 | | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-506-00-6 | reaction mass of: strontium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1H-pyrazol-4-yl)azo)-5-methyl)benzenesulfonate; disodium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1H-pyrazol-4-yl)azo)-5-methyl)benzenesulfonate | 422-970-8 | | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 607-507-00-1 | potassium,sodium 2,4-diamino-3-[4-(2-sulfonatoethoxysulfonyl)phenylazo]-5-[4-(2-sulfonatoethoxysulfonyl)-2-sulfonatophenylazo]-benzenesulfonate | 422-980-2 | 187026-95-5 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-508-00-7 | disodium 3,3'-[iminobis(sulfonyl-4,1-phenylene-(5-hydroxy-3-methylpyrazole-1,4-diyl)azo-4,1-phenylenesulfonylimino-(4-amino-6-hydroxypyrimidine-2,5-diyl)azo-4,1-phenylenesulfonylimino(4-amino-6-hydroxypyrimidine-2,5-diyl)azo]bis(benzenesulfonate)] | 423-110-4 | — | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 607-512-00-9 | trisodium 2,4-diamino-3,5-bis-[4-(2-sulfonatoethoxy)sulfonyl]phenylazo]benzenesulfonate | 423-970-0 | 182926-43-8 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 607-513-00-4 | reaction mass of: trisodium 4-benzoylamino-6-(6-ethenesulfonyl-1-sulfato-naphthalen-2-ylazo)-5-hydroxynaphthalene-2,7-disulfonate; 5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo)naphthalene-2,7-disulfonic acid sodium salt; 5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo)naphthalene-2,7-disulfonic acid | 423-200-3 | — | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H318 H317 H412 | GHS05 GHS07 Dgr | H318 H317 H412 | | | |
| 607-515-00-5 | reaction mass of: disodium hexyldiphenyl ether disulphonate; disodium dihexyldiphenyl ether disulphonate | 429-650-7 | 147732-60-3 | Eye Irrit. 2 Aquatic Chronic 2 | H319 H411 | GHS07 GHS09 Wng | H319 H411 | | | |
| 607-516-00-0 | N,N'-bis(trifluoroacetyl)-S,S'-bis-L-homocysteine | 429-670-6 | 105996-54-1 | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 607-517-00-6 | (S)- α -(acetylthio)benzenepropanoic acid | 430-300-0 | 76932-17-7 | Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 | H302 H318 H317 | GHS05 GHS07 Dgr | H302 H318 H317 | | | |
| 607-526-00-5 | cartap (ISO); 1,3-bis(carbamoylthio)-2-(dimethylamino)propane | — | 15263-53-3 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 607-527-00-0 | reaction mass of: 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-tridecafluorooctyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-heptadecafluorodecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-heneicosafuorododecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-pentacosafuorotetradecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-heptadecafluorodecyl)-12-(1''H,1''H,2''H,2''H-heptadecafluorodecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-heptadecafluorodecyl)-12-(1''H,1''H,2''H,2''H-heneicosafuorododecyl)dodecanedioate | 423-180-6 | — | STOT RE 2 (*) | H373 (**) | GHS08 Wng | H373 (**) | | | |
| 607-696-00-0 | pentyl formate | 211-340-6 | 638-49-3 | Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 | H226 H319 H335 | GHS02 GHS07 Dgr | H226 H319 H335 | | | C |
| 607-697-00-6 | tert-butyl propionate | — | 20487-40-5 | Flam. Liq. 2 | H225 | GHS02 Dgr | H225 | | | C |
| 608-001-00-3 | acetonitrile; cyanomethane | 200-835-2 | 75-05-8 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 | H225 H332 H312 H302 H319 | GHS02 GHS07 Dgr | H225 H332 H312 H302 H319 | | | |
| 608-002-00-9 | trichloroacetonitrile | 208-885-7 | 545-06-2 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2 | H331 H311 H301 H411 | GHS06 GHS09 Dgr | H331 H311 H301 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 608-003-00-4 | acrylonitrile | 203-466-5 | 107-13-1 | Flam. Liq. 2 Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H225 H350 H331 H311 H301 H335 H315 H318 H317 H411 | GHS02 GHS06 GHS08 GHS05 GHS09 Dgr | H225 H350 H331 H311 H301 H335 H315 H318 H317 H411 | * | D | |
| 608-004-00-X | 2-hydroxy-2-methylpropionitrile; 2-cyanopropan-2-ol; acetone cyanohydrin | 200-909-4 | 75-86-5 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H400 H410 | GHS06 GHS09 Dgr | H330 H310 H300 H410 | | | |
| 608-005-00-5 | n-butyronitrile | 203-700-6 | 109-74-0 | Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H225 H331 H311 H301 | GHS02 GHS06 Dgr | H225 H331 H311 H301 | | | |
| 608-006-00-0 | bromoxynil (ISO) 3,5-dibromo-4-hydroxybenzonnitrile; bromoxynil phenol | 216-882-7 | 1689-84-5 | Repr. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H361d (***) H330 H301 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H361d (***) H330 H301 H317 H410 | M=10 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 608-007-00-6 | ioxynil (ISO) 4-hydroxy-3,5-diiodobenzonitrile | 216-881-1 | 1689-83-4 | Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H361d (***) H331 H301 H312 H373 (**) H319 H400 H410 | GHS06 GHS08 GHS09 Dgr | H361d (***) H331 H301 H312 H373 (**) H319 H410 | | M=10 | |
| 608-008-00-1 | chloroacetonitrile | 203-467-0 | 107-14-2 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2 | H331 H311 H301 H411 | GHS06 GHS09 Dgr | H331 H311 H301 H411 | | | |
| 608-009-00-7 | malononitrile | 203-703-2 | 109-77-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H311 H301 H410 | | | |
| 608-010-00-2 | methacrylonitrile; 2-méthyl-2-propène nitrile | 204-817-5 | 126-98-7 | Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Sens. 1 | H225 H331 H311 H301 H317 | GHS02 GHS06 Dgr | H225 H331 H311 H301 H317 | | * Skin Sens. 1; H317: C ≥ 0,2 % | D |
| 608-011-00-8 | oxalonitrile; cyanogen | 207-306-5 | 460-19-5 | Flam. Gas 1 Press. Gas Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H220 H331 H400 H410 | GHS02 GHS04 GHS06 GHS09 Dgr | H220 H331 H410 | | | U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 608-012-00-3 | benzonnitrile | 202-855-7 | 100-47-0 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H312 H302 | GHS07 Wng | H312 H302 | | | |
| 608-013-00-9 | 2-chlorobenzonnitrile | 212-836-5 | 873-32-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 | H312 H302 H319 | GHS07 Wng | H312 H302 H319 | | | |
| 608-014-00-4 | chlorothalonil (ISO); tetrachloroisophthalonitrile | 217-588-1 | 1897-45-6 | Carc. 2 Acute Tox. 2 (*) Eye Dam. 1 STOT SE 3 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H330 H318 H335 H317 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H351 H330 H318 H335 H317 H410 | M=10 | | |
| 608-015-00-X | dichlobenil (ISO); 2,6-dichlorobenzonnitrile | 214-787-5 | 1194-65-6 | Acute Tox. 4 (*) Aquatic Chronic 2 | H312 H411 | GHS07 GHS09 Wng | H312 H411 | | | |
| 608-016-00-5 | 1,4-Dicyano-2,3,5,6-tetra-chloro-benzene | 401-550-8 | 1897-41-2 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 608-017-00-0 | bromoxynil octanoate (ISO); 2,6-dibromo-4-cyanophenyl octanoate | 216-885-3 | 1689-99-2 | Repr. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H361d (***) H331 H302 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H361d (***) H331 H302 H317 H410 | M=10 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 608-018-00-6 | ioxynil octanoate (ISO); 4-cyano-2,6-diiodophenyl octanoate | 223-375-4 | 3861-47-0 | Repr. 2 Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H361d (***) H301 H319 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H361d (***) H301 H319 H317 H410 | | M=10 | |
| 608-019-00-1 | 2,2'-dimethyl-2,2'-azodipropiononitrile; ADZN | 201-132-3 | 78-67-1 | Self-react. C Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3 | H242 H332 H302 H412 | GHS02 GHS07 Dgr | H242 H332 H302 H412 | | | T |
| 608-021-00-2 | 3-(2-(diaminomethyleneamino)thiazol-4-ylmethylthio)propionitrile | 403-710-2 | 76823-93-3 | Acute Tox. 4 (*) Skin Sens. 1 | H302 H317 | GHS07 Wng | H302 H317 | | | |
| 608-022-00-8 | 3,7-dimethyloctanenitrile | 403-620-3 | 40188-41-8 | Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H315 H317 H411 | GHS07 GHS09 Wng | H315 H317 H411 | | | |
| 608-023-00-3 | fenbuconazole (ISO); 4-(4-chlorophenyl)-2-phenyl-2-[[1H-1,2,4-triazol-1-yl)methyl]butanenitrile | 406-140-2 | 114369-43-6 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 608-024-00-9 | 2-(4-(N-butyl-N-phenethylamino)phenyl)ethylene-1,1,2-tricarbonitrile | 407-650-8 | 97460-76-9 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 608-025-00-4 | 2-nitro-4,5-bis(benzyloxy)phenylacetonitrile | 410-970-0 | 117568-27-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 608-026-00-X | 3-cyano-3,5,5-trimethylcyclohexanone | 411-490-4 | 7027-11-4 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 3 | H302 H373 (**) H317 H412 | GHS08 GHS07 Wng | H302 H373 (**) H317 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 608-027-00-5 | reaction mass of: 3-(4-ethylphenyl)-2,2-dimethylpropanenitrile; 3-(2-ethylphenyl)-2,2-dimethylpropanenitrile; 3-(3-ethylphenyl)-2,2-dimethylpropanenitrile | 412-660-0 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 608-028-00-0 | 4-(2-cyano-3-phenylamino acryloyloxymethyl)-cyclohexyl-methyl 2-cyano-3-phenylamino)-acrylate | 413-510-7 | 147374-67-2 | STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 2 | H373 (**) H317 H411 | GHS08 GHS09 Wng | H373 (**) H317 H411 | | | |
| 608-029-00-6 | 1,2-dihydro-6-hydroxy-4-methyl-1-[3-(1-methylethoxy)propyl]-2-oxo-3-pyridinecarboxonitrile | 411-990-2 | 68612-94-2 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 608-030-00-1 | N-acetyl-N-[5-cyano-3-(2-dibutylamino-4-phenylthiazol-5-yl-methylene)-4-methyl-2,6-dioxo-1,2,3,6-tetrahydropyridin-1-yl] benzamide | 412-340-0 | 147741-93-3 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 608-031-00-7 | 2-benzyl-2-methyl-3-butenitrile | 407-870-4 | 97384-48-0 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 608-033-00-8 | N-butyl-3-(2-chloro-4-nitrophenylhydrazono)-1-cyano-2-methylprop-1-ene-1,3-dicarboximide | 407-970-8 | 75511-91-0 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 608-034-00-3 | chlorfenapyr; 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile | — | 122453-73-0 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H302 H400 H410 | GHS06 GHS09 Dgr | H331 H302 H410 | | | |
| 608-035-00-9 | (±)-α-[(2-acetyl-5-methylphenyl)-amino]-2,6-dichlorobenzene-aceto-nitrile | 419-290-9 | — | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 608-036-00-4 | 3-(2-[4-[2-(4-cyanophenyl)vinyl]phenyl]vinyl)benzonnitrile | 419-060-8 | 79026-02-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 608-037-00-X | reaction mass of: (E)-2,12-tridecadiennitrile; (E)-3,12-tridecadiennitrile; (Z)-3,12-tridecadiennitrile | 422-190-8 | | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 608-038-00-5 | 2,2,4-triméthyl-4-phényl-butane-nitrile | 422-580-8 | 75490-39-0 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 608-039-00-0 | 2-phénylhexanenitrile | 423-460-8 | 3508-98-3 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 608-040-00-6 | 4,4'-dithiobis(5-amino-1-(2,6-dichloro-4-(trifluorométhyl)phényl)-1H-pyrazole-3-carbonitrile) | 423-490-1 | 130755-46-3 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 608-041-00-1 | 4'-((2-butyl-4-oxo-1,3-diazaspiro[4.4]non-1-ène-3-yl)méthyl)(1,1'-biphényl)-2-carbonitrile | 423-500-4 | 138401-24-8 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 608-043-00-2 | 3-(<i>cis</i> -3-hexényloxy)propanenitril | 415-220-6 | 142653-61-0 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H302 H400 H410 | GHS06 GHS09 Dgr | H331 H302 H410 | | | |
| 608-065-00-2 | salts of bromoxynil with the exception of those specified elsewhere in this Annex | — | — | Repr. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H361d (***) H330 H301 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H361d (***) H330 H301 H317 H410 | | M=10 | A |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--|---|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 608-066-00-8 | salts of ioxnyil with the exception of those specified elsewhere in this Annex | — | — | Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H361d (***) H331 H301 H312 H373 (**) H319 H400 H410 | GHS06 GHS08 GHS09 Dgr | H361d (***) H331 H301 H312 H373 (**) H319 H410 | | M=10 | A |
| 609-001-00-6 | 1-nitropropane | 203-544-9 | 108-03-2 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H226 H332 H312 H302 | GHS02 GHS07 Wng | H226 H332 H312 H302 | | * | |
| 609-002-00-1 | 2-nitropropane | 201-209-1 | 79-46-9 | Flam. Liq. 3 Carc. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) | H226 H350 H332 H302 | GHS02 GHS08 GHS07 Dgr | H226 H350 H332 H302 | | | |
| 609-003-00-7 | nitrobenzene | 202-716-0 | 98-95-3 | Carc. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Aquatic Chronic 2 | H351 H361f (***) H331 H311 H301 H372 (**) H411 | GHS06 GHS08 GHS09 Dgr | H351 H361f (***) H331 H311 H301 H372 (**) H411 | | | |
| 609-004-00-2 | dinitrobenzene; [1] 1,4-dinitrobenzene; [2] 1,3-dinitrobenzene; [3] 1,2-dinitrobenzene [4] | 246-673-6 [1] 202-833-7 [2] 202-776-8 [3] 208-431-8 [4] | 25154-54-5 [1] 100-25-4 [2] 99-65-0 [3] 528-29-0 [4] | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H330 H310 H300 H373 (**) H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|--------------------------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-005-00-8 | 1,3,5-trinitrobenzene | 202-752-7 | 99-35-4 | Expl. 1.1 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H201 H330 H310 H300 H373 (**) H400 H410 | GHS01 GHS06 GHS08 GHS09 Dgr | H201 H330 H310 H300 H373 (**) H410 | | | |
| 609-006-00-3 | 4-nitrotoluene | 202-808-0 | 99-99-0 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2 | H331 H311 H301 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H411 | | | |
| 609-007-00-9 | 2,4-dinitrotoluene; dinitrotoluene, technical grade; [1] dinitrotoluene [2] | 204-450-0 [1] 246-836-1 [2] | 121-14-2 [1] 25321-14-6 [2] | Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2 | H350 H341 H361f (***) H331 H311 H301 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H350 H341 H361f (***) H331 H311 H301 H373 (**) H411 | | | |
| 609-008-00-4 | 2,4,6-trinitrotoluene; TNT | 204-289-6 | 118-96-7 | Expl. 1.1 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2 | H201 H331 H311 H301 H373 (**) H411 | GHS01 GHS06 GHS08 GHS09 Dgr | H201 H331 H311 H301 H373 (**) H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-009-00-X | 2,4,6-trinitrophenol; picric acid | 201-865-9 | 88-89-1 | Expl. 1.1 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H201 H331 H311 H301 | GHS01 GHS06 Dgr | H201 H331 H311 H301 | | | |
| 609-010-00-5 | salts of picric acid | — | — | Unst. Expl Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H201 H331 H311 H301 | GHS01 GHS06 Dgr | H201 H331 H311 H301 | | | T |
| 609-011-00-0 | 2,4,6-trinitroanisole | — | 606-35-9 | Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H201 H332 H312 H302 H411 | GHS01 GHS07 GHS09 Wng | H201 H332 H312 H302 H411 | | | |
| 609-012-00-6 | 2,4,6-trinitro- <i>m</i> -cresol | 210-027-1 | 602-99-3 | Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H201 H332 H312 H302 | GHS01 GHS07 Wng | H201 H332 H312 H302 | | | |
| 609-013-00-1 | 2,4,6-trinitro- <i>m</i> -xylene | 211-187-5 | 632-92-8 | Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) | H201 H332 H312 H302 H373 (**) | GHS01 GHS08 GHS07 Wng | H201 H332 H312 H302 H373 (**) | | | |
| 609-015-00-2 | 4-nitrophenol; <i>p</i> -nitrophenol | 202-811-7 | 100-02-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) | H332 H312 H302 H373 (**) | GHS08 GHS07 Wng | H332 H312 H302 H373 (**) | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|----------------------------------|---|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-016-00-8 | dinitrophenol (reaction mass of isomers); [1] 2,4(or 2,6)-dinitrophenol [2] | 247-096-2 [1] 275-732-9 [2] | 25550-58-7 [1] 71629-74-8 [2] | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H410 | | | |
| 609-018-00-9 | 2,4,6-trinitroresorcinol; styphnic acid | 201-436-6 | 82-71-3 | Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H201 H332 H312 H302 | GHS01 GHS07 Wng | H201 H332 H312 H302 | | | T |
| 609-019-00-4 | lead 2,4,6-trinitro- <i>m</i> -phenylene dioxide; lead 2,4,6-trinitroresorcinoxide; lead styphnate | 239-290-0 | 15245-44-0 | Unst. Expl Repr. 1A Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H200 H360-Df H332 H302 H373 (**) H400 H410 | GHS01 GHS08 GHS07 GHS09 Dgr | H200 H360Df H332 H302 H373 (**) H410 | | | 1 |
| 609-019-01-1 | lead 2,4,6-trinitro- <i>m</i> -phenylene dioxide; lead 2,4,6-trinitroresorcinoxide; lead styphnate (≥ 20 % phlegmatiser) | 239-290-0 | 15245-44-0 | Expl. 1.1 Repr. 1A Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H201 H360-Df H332 H302 H373 (**) H400 H410 | GHS01 GHS08 GHS07 GHS09 Dgr | H201 H360Df H332 H302 H373 (**) H410 | | | 1 |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---------------------------|--------------------------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-020-00-X | DNOC (ISO); 4,6-dinitro- <i>o</i> -cresol | 208-601-1 | 534-52-1 | Muta. 2 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H341 H330 H310 H300 H315 H318 H317 H400 H410 | GHS06 GHS08 GHS05 GHS07 GHS09 Dgr | H341 H330 H310 H300 H315 H318 H317 H410 | EUH044 | | |
| 609-021-00-5 | sodium salt of DNOC; sodium 4,6-dinitro- <i>o</i> -cresolate; [1] potassium salt of DNOC; potassium 4,6-dinitro- <i>o</i> -cresolate [2] | 219-007-7 [1] - [2] | 2312-76-7 [1] 5787-96-2 [2] | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H410 | | | |
| 609-022-00-0 | ammonium salt of DNOC; ammonium 4,6-dinitro- <i>o</i> -tolyl oxide | 221-037-0 | 2980-64-5 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H310 H300 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H330 H310 H300 H373 (**) H410 | | | |
| 609-023-00-6 | dinocap (ISO) | 254-408-0 | 39300-45-3 | Repr. 1B Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H360D (***) H332 H373 (**) H315 H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H360D (***) H332 H373 (**) H315 H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-024-00-1 | binapacryl (ISO); 2-sec-butyl-4,6-dinitrophenyl-3-methylcrotonate | 207-612-9 | 485-31-4 | Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H360-D (***) H312 H302 H400 H410 | GHS08 GHS07 GHS09 Dgr | H360D (***) H312 H302 H410 | | | |
| 609-025-00-7 | dinoseb(ISO); 6-sec-butyl-2,4-dinitrophenol | 201-861-7 | 88-85-7 | Repr. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H360-Df H311 H301 H319 H400 H410 | GHS06 GHS08 GHS09 Dgr | H360Df H311 H301 H319 H410 | EUH044 | | |
| 609-026-00-2 | salts and esters of dinoseb, with the exception of those specified elsewhere in this Annex | — | — | Repr. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H360-Df H311 H301 H319 H400 H410 | GHS06 GHS08 GHS09 Dgr | H360Df H311 H301 H319 H410 | EUH044 | A | |
| 609-027-00-8 | dinocton; reaction mass of isomers: methyl 2-octyl-4,6-dinitrophenyl carbonate, methyl 4-octyl-2,6-dinitrophenyl carbonate | — | 63919-26-6 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 609-028-00-3 | dinex (ISO); 2-cyclohexyl-4,6-dinitrophenol | 205-042-5 | 131-89-5 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H311 H301 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|-------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-029-00-9 | salts and esters of dinex | — | — | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H311 H301 H410 | | | A |
| 609-030-00-4 | dinoterb (ISO); 2- <i>tert</i> -butyl-4,6-dinitrophenol | 215-813-8 | 1420-07-1 | Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H360D (***) H300 H311 H400 H410 | GHS06 GHS08 GHS09 Dgr | H360D (***) H300 H311 H410 | EUH044 | | |
| 609-031-00-X | salts and esters of dinoterb | — | — | Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H360D (***) H300 H311 H400 H410 | GHS06 GHS08 GHS09 Dgr | H360D (***) H300 H311 H410 | | | A |
| 609-032-00-5 | bromofenoxim (ISO); 3,5-dibromo-4-hydroxybenzaldehyde-O-(2,4-dinitrophenyl)-oxime | 236-129-6 | 13181-17-4 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 609-033-00-0 | dinosam (ISO); 2-(1-methylbutyl)-4,6-dinitrophenol | — | 4097-36-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H311 H301 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|-------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-034-00-6 | salts and esters of dinosam | — | — | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H311 H301 H410 | | | A |
| 609-035-00-1 | nitroethane | 201-188-9 | 79-24-3 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) | H226 H332 H302 | GHS02 GHS07 Wng | H226 H332 H302 | | * | |
| 609-036-00-7 | nitromethane | 200-876-6 | 75-52-5 | Flam. Liq. 3 Acute Tox. 4 (*) | H226 H302 | GHS02 GHS07 Wng | H226 H302 | | * | |
| 609-037-00-2 | 5-nitroacenaphthene | 210-025-0 | 602-87-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | |
| 609-038-00-8 | 2-nitronaphthalene | 209-474-5 | 581-89-5 | Carc. 1B Aquatic Chronic 2 | H350 H411 | GHS08 GHS09 Dgr | H350 H411 | | | |
| 609-039-00-3 | 4-nitrobiphenyl | 202-204-7 | 92-93-3 | Carc. 1B Aquatic Chronic 2 | H350 H411 | GHS08 GHS09 Dgr | H350 H411 | | | |
| 609-040-00-9 | nitrofen (ISO); 2,4-dichlorophenyl 4-nitrophenyl ether | 217-406-0 | 1836-75-5 | Carc. 1B Repr. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H360D (***) H302 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H360D (***) H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-041-00-4 | 2,4-dinitrophenol | 200-087-7 | 51-28-5 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 | H331 H311 H301 H373 (**) H400 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H400 | | | |
| 609-042-00-X | pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylydine | 254-938-2 | 40487-42-1 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 609-043-00-5 | quintozene (ISO); pentachloronitrobenzene | 201-435-0 | 82-68-8 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 609-044-00-0 | tecnazene (ISO); 1,2,4,5-tetrachloro-3-nitrobenzene | 204-178-2 | 117-18-0 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 609-045-00-6 | reaction mass of: 4,6-dinitro-2-(3-octyl)phenyl methyl carbonate and 4,6-dinitro-2-(4-octyl)phenyl methyl carbonate; dinoocton-6 | — | 8069-76-9 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 609-046-00-1 | trifluralin (ISO) (containing < 0.5 ppm NPDA); α,α,α-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine (containing < 0.5 ppm NPDA); 2,6-dinitro-N,N-dipropyl-4-trifluoromethylaniline (containing < 0.5 ppm NPDA); N,N-dipropyl-2,6-dinitro-4-trifluoromethylaniline (containing < 0.5 ppm NPDA) | 216-428-8 | 1582-09-8 | Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H319 H317 H400 H410 | GHS07 GHS09 Wng | H319 H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-047-00-7 | 2-nitroanisole | 202-052-1 | 91-23-6 | Carc. 1B Acute Tox. 4 (*) | H350 H302 | GHS08 GHS07 Dgr | H350 H302 | | | |
| 609-048-00-2 | sodium 3-nitrobenzenesulphonate | 204-857-3 | 127-68-4 | Eye Irrit. 2 Skin Sens. 1 | H319 H317 | GHS07 Wng | H319 H317 | | | |
| 609-049-00-8 | 2,6-dinitrotoluene | 210-106-0 | 606-20-2 | Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 3 | H350 H341 H361f (***) H331 H311 H301 H373 (**) H412 | GHS06 GHS08 Dgr | H350 H341 H361f (***) H331 H311 H301 H373 (**) H412 | | | |
| 609-050-00-3 | 2,3-dinitrotoluene | 210-013-5 | 602-01-7 | Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H341 H361f (***) H331 H311 H301 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H341 H361f (***) H331 H311 H301 H373 (**) H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|--|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-051-00-9 | 3,4-dinitrotoluene | 210-222-1 | 610-39-9 | Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2 | H350 H341 H361f (***) H331 H311 H301 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H350 H341 H361f (***) H331 H311 H301 H373 (**) H411 | | | |
| 609-052-00-4 | 3,5-dinitrotoluene | 210-566-2 | 618-85-9 | Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 3 | H350 H341 H361f (***) H331 H311 H301 H373 (**) H412 | GHS06 GHS08 Dgr | H350 H341 H361f (***) H331 H311 H301 H373 (**) H412 | | | |
| 609-053-00-X | hydrazine-trinitromethane | 414-850-9 | — | Expl. 1.1 (****) Self-react. A Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Sens. 1 | H201 H240 H350 H331 H301 H317 | GHS01 GHS06 GHS08 Dgr | H201 H240 H350 H331 H301 H317 | | | |
| 609-054-00-5 | 2,3-dinitrophenol; [1] 2,5-dinitrophenol; [2] 2,6-dinitrophenol; [3] 3,4-dinitrophenol; [4] salts of dinitrophenol [5] | 200-628-7 [1] 206-348-1 [2] 209-357-9 [3] 209-415-3 [4] - [5] | 66-56-8 [1] 329-71-5 [2] 573-56-8 [3] 577-71-9 [4] - [5] | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2 | H331 H311 H301 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-055-00-0 | 2,5-dinitrotoluene | 210-581-4 | 619-15-8 | Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2 | H350 H341 H361f (***) H331 H311 H301 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H350 H341 H361f (***) H331 H311 H301 H373 (**) H411 | | | |
| 609-056-00-6 | 2,2-dibromo-2-nitroethanol | 412-380-9 | 69094-18-4 | Expl. 1.1 Carc. 2 Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1A Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H201 H351 H302 H373 (**) H314 H317 H400 H410 | GHS01 GHS08 GHS05 GHS07 GHS09 Dgr | H201 H351 H302 H373 (**) H314 H317 H410 | * STOT SE 3; H335: C ≥ 1 % | T | |
| 609-057-00-1 | 3-chloro-2,4-difluoronitrobenzene | 411-980-8 | 3847-58-3 | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H314 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H314 H317 H410 | | | |
| 609-058-00-7 | 2-nitro-2-phenyl-1,3-propanediol | 410-360-4 | 5428-02-4 | STOT RE 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H372 (**) H312 H302 H317 H411 | GHS08 GHS07 GHS09 Dgr | H372 (**) H312 H302 H317 H411 | EUH070 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-059-00-2 | 2-chloro-6-(ethylamino)-4-nitrophenol | 411-440-1 | 131657-78-8 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H302 H317 H411 | GHS07 GHS09 Wng | H302 H317 H411 | | | |
| 609-060-00-8 | 4-[(3-hydroxypropyl)amino]-3-nitrophenol | 406-305-9 | 92952-81-3 | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 609-061-00-3 | (E,Z)-4-chlorophenyl(cyclopropyl)ketone O-(4-nitrophenylmethyl)oxime | 406-100-4 | 94097-88-8 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 609-062-00-9 | 2-bromo-2-nitropropanol | 407-030-7 | 24403-04-1 | Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H311 H302 H373 (**) H314 H317 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H311 H302 H373 (**) H314 H317 H410 | | | |
| 609-063-00-4 | 2-[(4-chloro-2-nitrophenyl)amino]ethanol | 413-280-8 | 59320-13-7 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 609-064-00-X | mesotrione(ISO); 2-[4-(methylsulfonyl)-2-nitrobenzoyl]-1,3-cyclohexanedione | — | 104206-82-8 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 609-065-00-5 | 2-nitrotoluene | 201-853-3 | 88-72-2 | Carc. 1B Muta. 1B Repr. 2 Acute Tox. 4 (*) Aquatic Chronic 2 | H350 H340 H361f (***) H302 H411 | GHS08 GHS07 GHS09 Dgr | H350 H340 H361f (***) H302 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 609-066-00-0 | lithium sodium 3-amino-10-{4-(10-amino-6,13-dichloro-4,11-disulfonatobenzo[5,6][1,4]oxazino[2,3-b]phenoxazine-3-ylamino)-6-[methyl(2-sulfonato-ethyl)amino]-1,3,5-triazin-2-ylamino)-6,13-dichlorobenzo[5,6][1,4]oxazino[2,3-b]phenoxazine-4,11-disulfonate | 418-870-9 | 154212-58-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 2 (*) (*) | H332 H312 H302 H371 (**) | GHS08 GHS07 Dgr | H332 H312 H302 H371 (**) | | | |
| 609-067-00-6 | sodium and potassium 4-(3-aminopropylamino)-2,6-bis[3-(4-methoxy-2-sulfophenylazo)-4-hydroxy-2-sulfo-7-naphthylamino]-1,3,5-triazine | 416-280-6 | 156769-97-0 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 609-068-00-1 | musk xylene; 5-tert-butyl-2,4,6-trinitro- <i>m</i> -xylene | 201-329-4 | 81-15-2 | Expl. 1.1 Carc. 2 Aquatic Acute 1 Aquatic Chronic 1 | H201 H351 H400 H410 | GHS01 GHS08 GHS09 Wng | H201 H351 H410 | | | T |
| 609-070-00-2 | 1,4-dichloro-2-(1,1,2,3,3,3-hexafluoropropoxy)-5-nitrobenzene | 415-580-4 | 130841-23-5 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 609-071-00-8 | reaction mass of: 2-methylsulfanyl-4,6-bis-(2-hydroxy-4-methoxy-phenyl)-1,3,5-triazine; 2-(4,6-bis-methylsulfanyl-1,3,5-triazin-2-yl)-5-methoxy-phenol | 423-520-3 | 156137-33-6 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 610-001-00-3 | trichloronitromethane; chloropicrin | 200-930-9 | 76-06-2 | Acute Tox. 2 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H330 H302 H319 H335 H315 | GHS06 Dgr | H330 H302 H319 H335 H315 | | | |
| 610-002-00-9 | 1,1-dichloro-1-nitroethane | 209-854-0 | 594-72-9 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H331 H311 H301 | GHS06 Dgr | H331 H311 H301 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 610-003-00-4 | chlorodinitrobenzene | — | — | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H410 | | C | |
| 610-004-00-X | 2-chloro-1,3,5-trinitrobenzene | 201-864-3 | 88-88-0 | Expl. 1.1 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H201 H330 H310 H300 H400 H410 | GHS01 GHS06 GHS09 Dgr | H201 H330 H310 H300 H410 | | | |
| 610-005-00-5 | 1-chloro-4-nitrobenzene | 202-809-6 | 100-00-5 | Carc. 2 Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2 | H351 H341 H331 H311 H301 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H351 H341 H331 H311 H301 H373 (**) H411 | | | |
| 610-006-00-0 | chloronitroanilines with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2 | H330 H310 H300 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H330 H310 H300 H373 (**) H411 | | A C | |
| 610-007-00-6 | 1-chloro-1-nitropropane | 209-990-0 | 600-25-9 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H302 | GHS07 Wng | H332 H302 | * | | |
| 610-008-00-1 | 2,6-dichloro-4-nitroanisole | 403-350-6 | 17742-69-7 | Acute Tox. 3 (*) Aquatic Chronic 2 | H301 H411 | GHS06 GHS09 Dgr | H301 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 610-009-00-7 | 2-chloro-4-nitroaniline | 204-502-2 | 121-87-9 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 610-010-00-2 | 2-bromo-1-(2-furyl)-2-nitroethylene | 406-110-9 | 35950-52-8 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H373 (**) H314 H317 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H302 H373 (**) H314 H317 H410 | | | |
| 611-001-00-6 | azobenzene | 203-102-5 | 103-33-3 | Carc. 1B Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H341 H332 H302 H373 (**) H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H341 H332 H302 H373 (**) H410 | | | |
| 611-002-00-1 | azoxybenzene | 207-802-1 | 495-48-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H302 | GHS07 Wng | H332 H302 | | | |
| 611-003-00-7 | fenaminosulf (ISO); sodium 4-dimethylaminobenzenediazosulphonate | 205-419-4 | 140-56-7 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Chronic 3 | H301 H312 H412 | GHS06 Dgr | H301 H312 H412 | | | |
| 611-004-00-2 | methyl-ONN-azoxymethyl acetate; methyl azoxy methyl acetate | 209-765-7 | 592-62-1 | Carc. 1B Repr. 1B | H350 H360-D (***) | GHS08 Dgr | H350 H360D (***) | | | |
| 611-005-00-8 | disodium {5-[(4'-((2,6-hydroxy-3-((2-hydroxy-5-sulphophenyl)azo)phenyl)azo)(1,1'-biphenyl)-4-yl)azo]salicylato(4-)} cuprate(2-); CI Direct Brown 95 | 240-221-1 | 16071-86-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-006-00-3 | 4- <i>o</i> -tolylazo- <i>o</i> -toluidine; 4-amino-2',3-diméthylazobenzène; fast garnet GBC base; AAT; <i>o</i> -aminoazotoluène | 202-591-2 | 97-56-3 | Carc. 1B Skin Sens. 1 | H350 H317 | GHS08 Dgr | H350 H317 | | | |
| 611-007-00-9 | tricyclazole (ISO); 5-méthyl-1,2,4-triazolo(3,4- <i>b</i>)benzo-1,3-thiazole; | 255-559-5 | 41814-78-2 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 611-008-00-4 | 4-aminoazobenzène; 4-phénylazoaniline | 200-453-6 | 60-09-3 | Carc. 1B Aquatic Acute 1 Aquatic Chronic 1 | H350 H400 H410 | GHS08 GHS09 Dgr | H350 H410 | | | |
| 611-009-00-X | sodium (1-(5-(4-(4-anilino-3-sulphophénylazo)-2-méthyl-5-méthylsulphonamidophénylazo)-4-hydroxy-2-oxido-3-(phénylazo)phénylazo)-5-nitro-4-sulphonato-2-naphtholato)iron(II) | 401-220-3 | — | Acute Tox. 4 (*) Aquatic Chronic 3 | H332 H412 | GHS07 Wng | H332 H412 | | | |
| 611-010-00-5 | 2'-(2-cyano-4,6-dinitrophénylazo)-5'-(<i>N,N</i> -dipropylamino)propionanilide | 403-010-7 | 106359-94-8 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 611-011-00-0 | <i>N,N,N',N'</i> -tetraméthyl-3,3'-(propylènebis(iminocarbonyl-4,1-phénylénazo(1,6-dihydro-2-hydroxy-4-méthyl-6-oxopyridine-3,1-diyll))di(propylammonium) dilactate | 403-340-1 | — | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dg | H318 H411 | | | |
| 611-012-00-6 | reaction mass of 2,2-iminodiéthanol 6-méthyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phényl)benzothiazole-7-sulfonate and 2-méthylaminoéthanol 6-méthyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phényl)benzothiazole-7-sulfonate and <i>N,N</i> -diéthylpropane-1,3-diamine 6-méthyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phényl)benzothiazole-7-sulfonate | 403-410-1 | 114565-65-0 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-013-00-1 | trilithium-1-hydroxy-7-(3-sulfonatoanilino)-2-(3-méthyl-4-(2-méthoxy-4-(3-sulfonato-phenylazo)phenylazo)phenylazo)naphthalene-3-sulfonate | 403-650-7 | 117409-78-6 | Expl. 1.3 (****) Aquatic Chronic 2 | H203 H411 | GHS01 GHS09 Dgr | H203 H411 | | | |
| 611-014-00-7 | (tetrasodium 1-(4-(3-acetamido-4-(4'-nitro-2,2'-disulfonatostilben-4-ylazo)anilino)-6-(2,5-disulfonatoanilino)-1,3,5-triazin-2-yl)-3-carboxypyridinium) hydroxide | 404-250-5 | 115099-55-3 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-015-00-2 | tetrasodium 4-amino-5-hydroxy-6-(4-(2-(2-(sulfonatooxy)ethylsulfonyl)ethylcarbamoyl)phenylazo)-3-(4-(2-(sulfonatooxy)ethylsulfonyl)phenylazo)naphthalene-2,7-disulfonate | 404-320-5 | 116889-78-2 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-016-00-8 | reaction mass of 1,1'-(dihydroxyphenylene) bis(azo-3,1-phenylenazo(1-(3-diméthylaminopropyl)-1,2-dihydro-6-hydroxy-4-méthyl-2-oxopyridine-5,3-diy))dipyridinium dichloride dihydrochloride, mixed isomers and 1-(1-(3-diméthylaminopropyl)-5-(3-(4-(1-(3-diméthylaminopropyl)-1,6-dihydro-2-hydroxy-4-méthyl-6-oxo-5-pyridinio-3-pyridylazo)phenylazo)-2,4(or 2,6 or 3,5)-dihydroxyphenylazo)phenylazo)-1,2-dihydro-6-hydroxy-4-méthyl-2-oxo-3-pyridyl)pyridinium dichloride | 404-540-1 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-017-00-3 | 2-(4-(diéthylaminopropylcarbamoyl)phenylazo)-3-oxo-N-(2,3-dihydro-2-oxobenzimidazol-5-yl)butyramide | 404-910-2 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 611-018-00-9 | tetraammonium 5-(4-(7-amino-1-hydroxy-3-sulfonato-2-naphthylazo)-6-sulfonato-1-naphthylazo)isophthalate | 405-130-5 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-019-00-4 | tetalithium 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate | 405-150-4 | 106028-58-4 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-020-00-X | tetrakis(tetramethylammonium) 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate | 405-170-3 | 116340-05-7 | Acute Tox. 3 (*) Skin Sens. 1 Aquatic Chronic 3 | H301 H317 H412 | GHS06 Dgr | H301 H317 H412 | | | |
| 611-021-00-5 | 2-(4-(4-cyano-3-methylisothiazol-5-ylazo)-N-ethyl-3-methylanilino)ethyl acetate | 405-480-9 | — | Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Aquatic Chronic 4 | H302 H373 (**) H315 H413 | GHS08 GHS07 Wng | H302 H373 (**) H315 H413 | | | |
| 611-022-00-0 | 4-dimethylaminobenzenediazonium 3-carboxy-4-hydroxybenzenesulfonate | 404-980-4 | — | Self-react. C Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H242 H331 H301 H312 H373 (**) H318 H317 H400 H410 | GHS02 GHS06 GHS08 GHS05 GHS09 Dgr | H242 H331 H301 H312 H373 (**) H318 H317 H410 | | T | |
| 611-023-00-6 | disodium 7-(4,6-dichloro-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(4-(2-(sulfonatooxy)ethylsulfonyl)phenylazo) naphthalene-2-sulfonate | 404-600-7 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-024-00-1 | Benzidine based azo dyes; 4,4'-diarylazobiphenyl dyes, with the exception of those specified elsewhere in this Annex | — | — | Carc. 1B | H350 | GHS08 Dgr | H350 | | | A |
| 611-025-00-7 | disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate; C.I. Direct Black 38 | 217-710-3 | 1937-37-7 | Carc. 1B Repr. 2 | H350 H361d (***) | GHS08 Dgr | H350 H361d (***) | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-026-00-2 | tetrasodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis[5-amino-4-hydroxynaphthalene-2,7-disulphonate]; C.I. Direct Blue 6 | 220-012-1 | 2602-46-2 | Carc. 1B Repr. 2 | H350 H361d (***) | GHS08 Dgr | H350 H361d (***) | | | |
| 611-027-00-8 | disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate); C.I. Direct Red 28 | 209-358-4 | 573-58-0 | Carc. 1B Repr. 2 | H350 H361d (***) | GHS08 Dgr | H350 H361d (***) | | | |
| 611-028-00-3 | C,C'-azodi(formamide) | 204-650-8 | 123-77-3 | Resp. Sens. 1 | H334 | GHS08 Dgr | H334 | | G | |
| 611-029-00-9 | <i>o</i> -dianisidine based azo dyes; 4,4'-diarylazo-3,3'-dimethoxybiphenyl dyes with the exception of those mentioned elsewhere in this Annex | — | — | Carc. 1B | H350 | GHS08 Dgr | H350 | | A H | |
| 611-030-00-4 | <i>o</i> -tolidine based dyes; 4,4'-diarylazo-3,3'-dimethylbiphenyl dyes, with the exception of those mentioned elsewhere in this Annex | — | — | Carc. 1B | H350 | GHS08 Dgr | H350 | | A H | |
| 611-031-00-X | 4,4'-(4-iminocyclohexa-2,5-dienylidene-methylene)dianiline hydrochloride; C.I. Basic Red 9 | 209-321-2 | 569-61-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | |
| 611-032-00-5 | 1,4,5,8-tetraaminoanthraquinone; C.I. Disperse Blue 1 | 219-603-7 | 2475-45-8 | Carc. 1B Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 | H350 H315 H318 H317 | GHS08 GHS05 GHS07 Dgr | H350 H315 H318 H317 | | | |
| 611-033-00-0 | hexasodium [4,4'-azoxybis(2,2'-disulfonato-stilbene-4,4'-diylazo)]-bis[5'-sulfonatobenzene-2,2'-diolato-O(2),O(2),N(1)]-copper(II) | 400-020-3 | 82027-60-9 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-034-00-6 | N-(5-(bis(2-methoxyethyl)amino)-2-((5-nitro-2,1-benzisothiazol-3-yl)azo)phenylacetamide | 402-430-8 | 105076-77-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-035-00-1 | tetralithium 6-amino-4-hydroxy-3-[7-sulfonato-4-(5-sulfonato-2-naphthylazo)-1-naphthylazo]naphthalene-2,7-disulfonate | 403-660-1 | 107246-80-0 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 611-036-00-7 | 2-(4-(5,6(or 6,7)-dichloro-1,3-benzothiazol-2-ylazo)-N-methyl-m-toluidino)ethyl acetate | 405-440-0 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-037-00-2 | 3(or 5)-(4-(N-benzyl-N-ethylamino)-2-methylphenylazo)-1,4-dimethyl-1,2,4-triazolium methylsulphate | 406-055-0 | 124584-00-5 | Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H302 H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H317 H411 | | | |
| 611-038-00-8 | trisodium 1-hydroxynaphthalene-2-azo-4'(5',5"-dimethylbiphenyl)-4"-azo(4"-phenylsulfonyloxybenzene)- 2',2",4-trisulfonate | 406-820-9 | — | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 611-039-00-3 | 7-[[[(4,6-dichloro-1,3,5-triazin-2-yl)amino]-4-hydroxy-3-(4-((2-sulfoxyethyl)sulfonyl)phenylazo)naphthalene-2-sulfonic acid | 407-050-6 | 117715-57-8 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-040-00-9 | 3-(5-acetylamino-4-(4-[4,6-bis(3-diethylamino)propylamino]-1,3,5-triazin-2-ylamino)phenylazo)-2-(2-methoxyethoxy)phenylazo)-6-amino-4-hydroxy-2-naphthalenesulfonic acid | 407-670-7 | 115099-58-6 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 611-041-00-4 | 2-[[[4[[4,6-bis[[3-(diethylamino)propyl]amino]-1,3,5-triazine-2-yl]amino]phenyl]azo]-N-(2,3-dihydro-2-oxo-1H-benzimidazol-5-yl)-3-oxobutanamide | 407-680-1 | 98809-11-1 | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H318 H317 H411 | | | |
| 611-042-00-X | trisodium 5-amino-3-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-4-hydroxy-6-(4-vinylsulfonylphenylazo)naphthalene-2,7-disulfonate | 411-770-6 | 136213-71-3 | Aquatic Chronic 3 | H412 | — | H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-043-00-5 | <p>reaction mass of: trisodium N(1')-N(2):N(1'')-N(2'')-η-6-[2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]-6''-(1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3'''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate;</p> <p>trisodium N(1')-N(2):N(1'')-N(2'')-η-6,6''-bis(1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3'''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate;</p> <p>trisodium N(1')-N(2):N(1'')-N(2'')-η-6,6''-bis[2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]5',5'''-disulfamoyl-3,3'''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate (2:1:1)</p> | 402-850-1 | — | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 611-044-00-0 | <p>reaction mass of: <i>tert</i>-alkyl(C₁₂-C₁₄)ammonium bis[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium bis[1-[(2-hydroxy-4-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium bis[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium [[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium [[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium ((1-(4(or 5)-nitro-2-oxidophenylazo)-2-naphtholato(1-(3-nitro-2-oxido-5-pentylphenylazo)-2-naphtholato))chromate(1-)</p> | 403-720-7 | 117527-94-3 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-045-00-6 | 2-[4-[N-(4-acetoxybutyl)-N-ethyl]amino-2-methylphenylazo]-3-acetyl-5-nitrothiophene | 404-830-8 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|--------------|---|---|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-046-00-1 | 4,4'-diamino-2-méthylazobenzène | 407-590-2 | 431 51-99-1 | Acute Tox. 3 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H301 H373 (**) H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H301 H373 (**) H317 H410 | | | |
| 611-047-00-7 | reaction mass of: 2-[[4-[N-éthyl-N-(2-acétoxyéthyl)amino]phényl]azo]-5,6-dichlorobenzothiazole; 2-[[4-[N-éthyl-N-(2-acétoxyéthyl)amino]phényl]azo]-6,7-dichlorobenzothiazole (1:1) | 407-890-3 | 111 381-11-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-048-00-2 | reaction mass of: 2-[[4-[bis(2-acétoxyéthyl)amino]phényl]azo]-5,6-dichlorobenzothiazole; 2-[[4-[bis(2-acétoxyéthyl)amino]phényl]azo]-6,7-dichlorobenzothiazole (1:1) | 407-900-6 | 111 381-12-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-049-00-8 | reaction mass of 7-[4-(3-diéthylaminopropylamino)-6-(3-diéthylammoniopropylamino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-phénylazophénylazo)-naphthalène-2-sulfonate, acétique acid, lactique acid (2:1:1) | 408-000-6 | 118 658-98-3 | STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 3 | H373 (**) H317 H412 | GHS08 Wng | H373 (**) H317 H412 | | | |
| 611-051-00-9 | 2-(4-(N-éthyl-N-(2-hydroxyéthyl)amino-2-méthylphényl)azo-6-méthoxy-3-méthylbenzothiazolium chlorure | 411-110-7 | 136 213-74-6 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 611-052-00-4 | monosodium aqua-[5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophényl)azo]phényl]azo]-2-naphthalensulfonate], complexe fer | 400-720-9 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 611-053-00-X | 2,2'-azobis[2-méthylpropionamide] dihydrochlorure | 221-070-0 | 2997-92-4 | Acute Tox. 4 (*) Skin Sens. 1 | H302 H317 | GHS07 Wng | H302 H317 | | | |
| 611-055-00-0 | C.I. Disperse Yellow 3; N-[4-[(2-hydroxy-5-méthylphényl)azo]phényl]acétamide | 220-600-8 | 2832-40-8 | Carc. 2 Skin Sens. 1 | H351 H317 | GHS08 GHS07 Wng | H351 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-056-00-6 | C.I. Solvent Yellow 14; 1-phenylazo-2-naphthol | 212-668-2 | 842-07-9 | Carc. 2 Muta. 2 Skin Sens. 1 Aquatic Chronic 4 | H351 H341 H317 H413 | GHS08 GHS07 Wng | H351 H341 H317 H413 | | | |
| 611-057-00-1 | 6-hydroxy-1-(3-isopropoxypropyl)-4-methyl-2-oxo-5-[4-(phenylazo)phenylazo]-1,2-dihydro-3-pyridinecarbonitrile | 400-340-3 | 85136-74-9 | Carc. 1B Aquatic Chronic 4 | H350 H413 | GHS08 Wng | H350 H413 | | | |
| 611-058-00-7 | (6-(4-hydroxy-3-(2-methoxyphenylazo)-2-sulfonato-7-naphthylamino)-1,3,5-triazin-2,4-diyl)bis[(amino-1-methylethyl)ammonium] formate | 402-060-7 | 108225-03-2 | Carc. 1B Eye Dam. 1 Aquatic Chronic 2 | H350 H318 H411 | GHS08 GHS05 GHS09 Dgr | H350 H318 H411 | | | |
| 611-059-00-2 | octasodium 2-(6-(4-chloro-6-(3-(N-methyl-N-(4-chloro-6-(3,5-disulfonato-2-naphthylazo)-1-hydroxy-6-naphthylamino)-1,3,5-triazin-2-yl)aminomethyl)phenylamino)-1,3,5-triazin-2-yl)-2,5-dimethylpiperazin-1-yl)-6-hydroxy-3,5-disulfonato-1-hydroxy-2-naphthylazo)naphthalene-1,5-disulfonate | 412-960-1 | 148878-21-1 | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H318 H317 H412 | GHS05 GHS07 Dgr | H318 H317 H412 | | | |
| 611-060-00-8 | reaction mass of: sodium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalate; ammonium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalate; 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalic acid | 413-180-4 | 187285-15-0 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-061-00-3 | disodium 5-[5-[4-(5-chloro-2,6-difluoropyrimidin-4-ylamino)benzamido]-2-sulfonato-phenylazo]-1-ethyl-6-hydroxy-4-methyl-2-oxo-3-pyridylmethylsulfonate | 412-530-3 | — | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 611-062-00-9 | octasodium 2-(8-(4-chloro-6-(3-((4-chloro-6-(3,6-disulfonato-2-(1,5-disulfonatonaphthalen-2-ylazo)-1-hydroxynaphthalen-8-ylamino)-1,3,5-triazin-2-yl)aminomethyl)phenylamino)-1,3,5-triazin-2-ylamino)-3,6-disulfonato-1-hydroxynaphthalen-2-ylazo)naphthalene-1,5-disulfonate | 413-550-5 | — | Skin Irrit. 2 Eye Dam. 1 | H315 H318 | GHS05 Dgr | H315 H318 | | | |
| 611-063-00-4 | trisodium [4'-(8-acetylamino-3,6-disulfonato-2-naphthylazo)-4''-(6-benzoylamino-3-sulfonato-2-naphthylazo)-biphenyl-1,3',3'',1'''-tetraolato-O,O',O'',O''']copper(II) | 413-590-3 | 164058-22-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | |
| 611-064-00-X | 4-(3,4-dichlorophenylazo)-2,6-di-sec-butylphenol | 410-600-8 | 124719-26-2 | STOT RE 2 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H315 H400 H410 | GHS08 GHS07 GHS09 Wng | H373 (**) H315 H410 | | | |
| 611-065-00-5 | 4-(4-nitrophenylazo)-2,6-di-sec-butylphenol | 410-610-2 | 111850-24-9 | STOT RE 2 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H319 H315 H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H373 (**) H319 H315 H317 H410 | | | |
| 611-066-00-0 | tetrasodium 5-[4-chloro-6-(N-ethyl-anilino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(1,5-disulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate | 411-540-5 | 130201-57-9 | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H318 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-067-00-6 | reaction mass of: bis(tris(2-(2-hydroxy(1-methyl)ethoxy)ethyl)ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate; bis(tris(2-(2-hydroxy(2-methyl)ethoxy)ethyl)ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate | 406-910-8 | — | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3 | H302 H318 H412 | GHS05 GHS07 Dgr | H302 H318 H412 | | | |
| 611-068-00-1 | tetrasodium 4-amino-3,6-bis(5-[4-chloro-6-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino]-2-sulfonatophenylazo)-5-hydroxynaphthalene-2,7-disulfonate | 400-690-7 | 85665-98-1 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-069-00-7 | N,N-di-[poly(oxyethylene)-co-poly(oxypropylene)]-4-[(3,5-dicyano-4-methyl-2-thienylazo)]-3-methylaniline | 413-380-1 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-070-00-2 | reaction mass of: disodium (6-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-); trisodium bis(5-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)chromate(1-) | 405-665-4 | — | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 611-071-00-8 | tris(tetramethylammonium) 5-hydroxy-1-(4-sulphonatophenyl)-4-(4-sulphonatophenylazo)pyrazole-3-carboxylate | 406-073-9 | 131013-81-5 | Acute Tox. 3 (*) Aquatic Chronic 3 | H301 H412 | GHS06 Dgr | H301 H412 | | | |
| 611-072-00-3 | 2,4-bis[2,2'-(2-(N,N-dimethylamino)ethoxycarbonyl)phenylazo]-1,3-dihydroxybenzene, dihydrochloride | 407-010-8 | 118208-02-9 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2 | H302 H318 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H411 | | | |
| 611-073-00-9 | dimethyl 3,3'-(N-(4-(4-bromo-2,6-dicyanophenylazo)-3-hydroxyphenyl)imino)dipropionate | 407-310-9 | 122630-55-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-074-00-4 | reaction mass of: sodium/potassium (3-(4-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato)copper(II); sodium/potassium (3-(4-(5-(5-chloro-4,6-difluoropyrimidin-2-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato)copper(II) | 407-100-7 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-075-00-X | reaction mass of: tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(2-amino-4-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazononaphthalene-2,7-disulfonate; tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(4-amino-2-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazononaphthalene-2,7-disulfonate (2:1) | 406-000-0 | — | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 611-076-00-5 | 3-(2,6-dichloro-4-nitrophenylazo)-1-methyl-2-phenylindole | 406-280-4 | 117584-16-4 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 611-077-00-0 | dilithium disodium (5,5'-diamino-(μ-4,4'-dihydroxy-1:2-κ-2,04,04',-3,3'-[3,3'-dihydroxy-1:2-κ-2-O3,03'-biphenyl-4,4'-ylenebisazo-1:2-(N3,N4-η:N3',N4'-η)]-dinaphthalene-2,7-disulfonato(8)))dicuprate(2-) | 407-230-4 | 126637-70-5 | Acute Tox. 4 (*) Skin Sens. 1 | H302 H317 | GHS07 Wng | H302 H317 | | | |
| 611-078-00-6 | (2,2'-(3,3'-dioxidobiphenyl-4,4'-diyldiazo)bis(6-(4-(3-(diethylamino)propylamino)-6-(3-(diethylammonio)propylamino)-1,3,5-triazin-2-ylamino)-3-sulfonato-1-naphtholato)) dicopper(II) acetate lactate | 407-240-9 | 159604-94-1 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 611-079-00-1 | disodium 7-[4-chloro-6-(N-ethyl-o-toluidino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-methoxy-2-sulfonatophenylazo)-2-naphthalenesulfonate | 410-390-8 | 147703-64-8 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 611-080-00-7 | sodium 3-(2-acetamido-4-(4-(2-hydroxybutoxy)phenylazo)phenylazo)benzenesulfonate | 410-150-2 | 147703-65-9 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-081-00-2 | tetrasodium [7-(2,5-dihydroxy-KO2-7-sulfonato-6-[4-(2,5,6-trichloro-pyrimidin-4-ylamino)phenylazo]-(N1,N7-N)-1-naphthylazo)-8-hydroxy-KO8-naphthalene-1,3,5-trisulfonato(6-)]cuprate(II) | 411-470-5 | 141048-13-7 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 611-082-00-8 | reaction mass of: pentasodium bis(1-(3(or 5)-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)ferrate(1-); pentasodium [(1-(3-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)-(5-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato]ferrate(1-) | 407-570-3 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-083-00-3 | reaction mass of: 2-[N-ethyl-4-[(5,6-dichlorobenzothiazol-2-yl)azo]-m-toluidino]ethyl acetate; 2-[N-ethyl-4-[(6,7-dichlorobenzothiazol-2-yl)azo]-m-toluidino]ethyl acetate (1:1) | 411-560-4 | — | STOT RE 1 Skin Sens. 1 Aquatic Chronic 2 | H372 (**) H317 H411 | GHS08 GHS07 GHS09 Dgr | H372 (**) H317 H411 | | | |
| 611-084-00-9 | reaction mass of: N-(4-chlorophenyl)-4-(2,5-dichloro-4-(dimethylsulfamoyl)phenylazo)-3-hydroxy-2-naphthalenecarboxamide; N-(4-chlorophenyl)-4-(2,5-dichloro-4-(methylsulfamoyl)phenylazo)-3-hydroxy-2-naphthalenecarboxamide | 412-550-2 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-085-00-4 | reaction mass of: 3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-(2-hydroxy-ethylamino)-4-methyl-6-[3-(2-phenoxyethoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-(2-hydroxy-ethylamino)-4-methyl-2-[3-(2-phenoxyethoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-amino-4-methyl-6-[3-(3-hydroxypropoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-amino-4-methyl-2-[3-(3-methoxypropoxy)propylamino]pyridine | 411-880-4 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-086-00-X | monolithium 5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophenyl)azo]phenyl]azo]-2-naphthalenesulfonate], iron complex, monohydrate | 411-360-7 | — | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 611-087-00-5 | reaction mass of: 3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxyl-6-oxo-3-pyridinyl)azo)-benzoyloxy-2-phenoxyethane; 3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxy-6-oxo-3-pyridinyl)azo)-benzoyloxy-2-ethyloxy-2-(ethylphenol) | 411-710-9 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-088-00-0 | reaction mass of: trilithium 4-amino-3-((4-((4-((2-amino-4-hydroxyphenyl)azo)phenyl)amino)-3-sulfo-phenyl)azo)-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulfonate; trilithium 4-amino-3-((4-((4-((4-amino-2-hydroxyphenyl)azo)phenyl)amino)-3-sulfo-phenyl)azo)-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulfonate | 411-890-9 | — | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3 | H302 H318 H412 | GHS05 GHS07 Dgr | H302 H318 H412 | | | |
| 611-089-00-6 | 2-((4-(ethyl-(2-hydroxyethyl)amino)-2-methylphenyl)azo)-6-methoxy-3-methyl-benzothiazolium methylsulfate | 411-100-2 | 136213-73-5 | STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H373 (**) H317 H410 | | | |
| 611-090-00-1 | 2,5-dibutoxy-4-(morpholin-4-yl)benzene-diazonium 4-methylbenzenesulfonate | 413-290-2 | 93672-52-7 | Self-react. C Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H242 H302 H318 H317 H412 | GHS02 GHS05 GHS07 Dgr | H242 H302 H318 H317 H412 | | | T |
| 611-091-00-7 | sodium (1,0-1,95)/lithium (0,05-1) 5-((5-((5-chloro-6-fluoro-pyrimidin-4-yl)amino)-2-sulfonatophenyl)azo)-1,2-dihydro-6-hydroxy-1,4-dimethyl-2-oxo-3-pyridinemethylsulfonate | 413-470-0 | 134595-59-8 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-092-00-2 | <i>tert</i> -(dodecyl/tetradecyl)-ammonium bis(3-(4-((5-(1,1-diméthyl-propyl)-2-hydroxy-3-nitrophenyl)azo)-3-méthyl-5-hydroxy-(1 <i>H</i>)pyrazol-1-yl)benzenesulfonamidato)chromate | 413-210-6 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-093-00-8 | sodium 2-(4-(4-fluoro-6-(2-sulfo-éthylamino)-[1,3,5]triazin-2-ylamino)-2-urèido-phenylazo)-5-(4-sulfophenylazo)benzene-1-sulfonate | 410-770-3 | 146177-84-6 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-094-00-3 | reaction mass of: 2-[2-acétylamino-4-[<i>N,N</i> -bis[2-éthoxy-carbonyloxy]éthyl]amino]phénylazo]-5,6-dichloro-1,3-benzothiazole; 2-[2-acétylamino-4-[<i>N,N</i> -bis[2-éthoxy-carbonyloxy]éthyl]amino]phénylazo]-6,7-dichloro-1,3-benzotriazole (1:1) | 411-600-0 | 143145-93-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-095-00-9 | hexasodium 1,1'-[(1-amino-8-hydroxy-3,6-disulfonate-2,7-naphthalenediyl)bis(azo(4-sulfonate-1,3-phenyl)imino[6-[(4-chloro-3-sulfonatophenyl)amino]-1,3,5-triazin-2,4-diyl]]]bis[3-carboxypyridinium] dihydroxide | 412-240-7 | 89797-03-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-096-00-4 | méthyl <i>N</i> -[3-acétylamino)-4-(2-cyano-4-nitrophenylazo)phényl]- <i>N</i> -[(1-méthoxy)acétyl]glycinate | 413-040-2 | 149850-30-6 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-097-00-X | reaction mass of iron complexes of: 1,3-dihydroxy-4-[(5-phénylamino)sulfonyl]-2-hydroxyphénylazo)- <i>n</i> -(5-amino-sulfonyl)-2-hydroxyphénylazo)benzene and: 1,3-dihydroxy-4-[(5-phénylamino)sulfonyl]-2-hydroxyphénylazo)- <i>n</i> -[4-(4-nitro-2-sulfophénylamino)phénylazo]benzene (<i>n</i> =2,5,6) | 414-150-3 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 611-098-00-5 | tetrakis(tetraméthylammonium)3,3'-(6-(2-hydroxyéthylamino)1,3,5-triazine-2,4-diyl-bisimino(2-méthyl-4,1-phénylèneazo))bis-naphthalène-1,5-disulfonate | 405-950-3 | 131013-83-7 | Acute Tox. 3 (*) Aquatic Chronic 3 | H301 H412 | GHS06 Dgr | H301 H412 | | | |
| 611-099-00-0 | (méthylènebis(4,1-phénylèneazo(1-(3-(dimeéthylamino)propyl)-1,2-dihydro-6-hydroxy-4-méthyl-2-oxopyridine-5,3-diyl)))1,1'-dipyridinium dichloride dihydrochloride | 401-500-5 | 118658-99-4 | Carc. 1B Aquatic Chronic 2 | H350 H411 | GHS08 GHS09 Dgr | H350 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-100-00-4 | potassium sodium 3,3'-(3(or4)-methyl-1,2-phenylenebis(imino(6-chloro)-1,3,5-triazine-4,2-diylimino(2-acetamido-5-methoxy)-4,1-phenylenazo)dinaphthalene-1,5-disulfonate | 403-810-6 | 140876-13-7 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 611-101-00-X | 2'-(4-chloro-3-cyano-5-formyl-2-thienyl)azo-5'-diethylaminoacetanilide | 405-200-5 | 104366-25-8 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-103-00-0 | trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatophthalen-2-amido)nickel(II) | 407-110-1 | — | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H318 H317 H411 | | | |
| 611-104-00-6 | reaction mass of: trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2or 6)-(4-(4-nitro-2-sulfonatoanilino)phenylazo)phenolato)ferrate(1-); trisodium bis(2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)ferrate(1-); trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(4-nitro-2-sulfonatophenylazo)phenolato)ferrate(1-); trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(3-sulfonatophenylazo)phenolato)ferrate(1-); disodium 3,3'-(2,4-dihydroxy-1,3(or 1,5 or 3,5)-phenylenediazo)dibzenesulfonate | 406-870-1 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 611-105-00-1 | sodium 4-(4-chloro-6-(N-ethylanilino)-1,3,5-triazin-2-ylamino)-2-(1-(2-chlorophenyl)-5-hydroxy-3-methyl-1H-pyrazol-4-ylazo)benzenesulfonate | 407-800-2 | 136213-75-7 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-106-00-7 | hexasodium 4,4'-dihydroxy-3,3'-bis[2-sulfonato-4-(4-sulfonatophenylazo)phenylazo]-7,7'[p-phenylenebis(imino(6-chloro-1,3,5-triazine-4,2-diyl)imino)]dinaphthalene-2-sulfonate | 410-180-6 | 157627-99-1 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 611-107-00-2 | potassium sodium 4-(4-chloro-6-(3,6-disulfonato-7-(5,8-disulfonato-naphthalen-2-ylazo)-8-hydroxy-naphthalen-1-ylamino)-1,3,5-triazin-2-ylamino)-5-hydroxy-6-(4-(2-sulfatoethanesulfonyl)-phenylazo)-naphthalene-1,7-disulfonate | 412-490-7 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-108-00-8 | disodium 5-(((4-(4-chloro-3-sulfonatophenyl)azo)-1-naphthyl)azo)-8-(phenylamino)-1-naphthalenesulfonate | 413-600-6 | 6527-62-4 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 611-109-00-3 | reaction products of: copper(II) sulfate and tetrasodium 2,4-bis[6-(2-methoxy-5-sulfonatophenylazo)-5-hydroxy-7-sulfonato-2-naphthylamino]-6-(2-hydroxyethylamino)-1,3,5-triazine (2:1) | 407-710-3 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 611-110-00-9 | tetra-sodium/lithium 4,4'-bis-(8-amino-3,6-disulfonato-1-naphthol-2-ylazo)-3-methylazobenzene | 408-210-8 | 124605-82-9 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 611-111-00-4 | disodium 2-[[4-(2-chloroethylsulfonyl)phenyl]-[(2-hydroxy-5-sulfo-3-[3-[2-(2-sulfooxy)ethylsulfonyl)ethylazo]-4-sulfobenzoato(3-)cuprate(1-)] | 414-230-8 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-112-00-X | tetrasodium 4-hydroxy-5-[4-[3-(2-sulfatoethanesulfonyl)phenylamino]-6-morpholin-4-yl-1,3,5-triazin-2-ylamino]-3-(1-sulfatonaphthalen-2-ylazo)naphthalene-2,7-disulfonate | 413-070-6 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-113-00-5 | lithium sodium (2-(((5-((2,5-dichlorophenyl)azo)-2-hydroxyphenyl)methylene)amino)benzoato(2-)))(2-((4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo)-5-sulfobenzoato(3-)) chromate(2-) | 414-280-0 | 149626-00-6 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-114-00-0 | lithium sodium (4-((5-chloro-2-hydroxyphenyl)azo)-2,4-dihydro-5-methyl-3H-pyrazol-3-onato(2-)))(3-((4,5-dihydro-3-methyl-1-(4-methylphenyl)-5-oxo-1H-pyrazol-4-yl)azo)-4-hydroxy-5-nitrobenzenesulfonato(3-)) chromate(2-) | 414-250-7 | 149564-66-9 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3 | H302 H318 H412 | GHS05 GHS07 Dgr | H302 H318 H412 | | | |
| 611-115-00-6 | trilithium bis(4-((4-(diethylamino)-2-hydroxyphenyl)azo)-3-hydroxy-1-naphthalenesulfonato(3-))chromate(3-)) | 414-290-5 | 149564-65-8 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 611-116-00-1 | reaction mass of: trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalene-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalene-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate | 414-620-8 | — | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 611-117-00-7 | 1,3-bis{6-fluoro-4-[1,5-disulfo-4-(3-aminocarbonyl-1-ethyl-6-hydroxy-4-methyl-pyrid-2-on-5-ylazo)-phenyl-2-ylamino]-1,3,5-triazin-2-ylamino}propane lithium-, sodium salt | 415-100-3 | 149850-29-3 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 611-118-00-2 | sodium 1,2-bis[4-[4-(4-sulfofenylazo)-2-sulfofenylazo]-2-ureido-phenyl-amino]-6-fluoro-1,3,5-triazin-2-ylamino]-propane, sodium salt | 413-990-8 | | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-119-00-8 | tetrasodium 4-[4-chloro-6-(4-methyl-2-sulfophenylamino)-1,3,5-triazin-2-ylamino]-6-(4,5-dimethyl-2-sulfophenylazo)-5-hydroxynaphthalene-2,7-disulfonate | 415-400-4 | 148878-22-2 | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 611-120-00-3 | 5-{4-[5-amino-2-[4-(2-sulfoxyethylsulfonyl)phenylazo]-4-sulfo-phenylamino]-6-chloro-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfo-naphthalen-2-ylazo)-naphthalene-2,7-disulfonicacid sodium salt | 418-340-7 | 157707-94-3 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 611-121-00-9 | main component 6 (isomer): asym. 1:2 Cr (III)-complex of: A: 3-hydroxy-4-(2-hydroxynaphthalene-1-ylazo)naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)phenylazo]naphthalene-2-ol; main component 8 (isomer): asym. 1:2 Cr-complex of: A: 3-hydroxy-4-(2-hydroxynaphthalene-1-ylazo)-naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)-phenylazo]-naphthalene-2-ol | 417-280-9 | 30785-74-1 | Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H400 H410 | GHS05 GHS09 Dgr | H318 H410 | | | |
| 611-122-00-4 | hexasodium (di[N-(3-(4-[5-(5-amino-3-methyl-1-phenylpyrazol-4-yl-azo)-2,4-disulfo-anilino]-6-chloro-1,3,5-triazin-2-ylamino)phenyl)-sulfamoyl](di-sulfo)-phthalocyaninato)nickel | 417-250-5 | 151436-99-6 | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 611-123-00-X | 3-(2,4-bis(4-((5-(4,6-bis(2-aminopropylamino)-1,3,5-triazin-2-ylamino)-4-hydroxy-2,7-disulfonaphthalen-3-yl)azo)phenylamino)-1,3,5-triazin-6-ylamino)propyldiethylammonium lactate | 424-310-4 | 178452-66-9 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-124-00-5 | reaction mass of: pentasodium 5-amino-3-(5-(4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate; pentasodium 5-amino-6-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-3-(5-(4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-4-hydroxynaphthalene-2,7-disulfonate; tetrasodium 5-amino-3-[5-(4-chloro-6-[4-(vinylsulfonyl)phenylamino]-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo]-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate | 424-320-9 | | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 611-125-00-0 | reaction mass of: Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl]pyrazolin-4-yl-azo]-3-[2-oxido-4-(ethensulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex; Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl]pyrazolin-4-yl-azo]-3-[2-oxido-4-(2-hydroxyethylsulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex | 423-940-7 | — | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 611-126-00-6 | 2,6-bis-(2-(4-(4-amino-phenylamino)-phenylazo)-1,3-dimethyl-3 <i>H</i> -imidazolium)-4-dimethylamino-1,3,5-triazine, dichloride | 424-120-1 | 174514-06-8 | Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H400 H410 | GHS05 GHS09 Dgr | H318 H410 | | | |
| 611-127-00-1 | pentasodium 4-amino-6-(5-(4-(2-ethyl-phenylamino)-6-(2-sulfatoethanesulfonyl)-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-5-hydroxy-3-(4-(2-sulfatoethanesulfonyl)phenylazo)naphthalene-2,7-disulfonate | 423-790-2 | — | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H318 H317 H412 | GHS05 GHS07 Dgr | H318 H317 H412 | | | G |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-128-00-7 | N,N'-bis{6-chloro-4-[6-(4-vinylsulfonylphenylazo)-2,7-disulfonicacid-5-hydroxynapht-4-ylamino]-1,3,5-triazin-2-yl}-N-(2-hydroxyethyl)ethane-1,2-diamine, sodium salt | 419-500-9 | 171599-85-2 | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |
| 611-129-00-2 | reaction mass of: 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-phosphonophenyl)azo]benzoic acid; 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-3-[(3-phosphonophenyl)azo]benzoic acid | 418-230-9 | 163879-69-4 | Expl. 1.3 (****) Repr. 2 STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 2 | H203 H361f (***) H373 (**) H317 H411 | GHS01 GHS08 GHS07 GHS09 Dgr | H203 H361f (***) H373 (**) H317 H411 | | | |
| 611-130-00-8 | tetra-ammonium 2-[6-[7-(2-carboxylatophenylazo)-8-hydroxy-3,6-disulfonato-1-naphthylamino]-4-hydroxy-1,3,5-triazin-2-ylamino]benzoate | 418-520-5 | 183130-96-3 | Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H400 H410 | GHS07 GHS09 Wng | H319 H410 | | | |
| 611-131-00-3 | 2-[2-hydroxy-3-(2-chlorophenyl)carbamoyl-1-naphthylazo]-7-[2-hydroxy-3-(3-methylphenyl)carbamoyl-1-naphthylazo]fluoren-9-one | 420-580-2 | 151798-26-4 | Repr. 1B Aquatic Chronic 4 | H360D (***) H413 | GHS08 Dgr | H360D (***) H413 | | | |
| 611-132-00-9 | pentasodium bis{7-[4-(1-butyl-5-cyano-1,2-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)phenylsulfonylamino]-5'-nitro-3,3'-disulfonatonaphthalene-2-azobenzene-1,2'-diolato} chromate (III) | 419-210-2 | 178452-71-6 | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 611-133-00-4 | Product by process iron complex of azo dyestuffs obtained by coupling a mixture of diazotized 2-amino-1-hydroxybenzene-4-sulfanilide and 2-amino-1-hydroxybenzene-4-sulfonamide with resorcin, the obtained mixture being subsequently submitted to a second coupling reaction with a mixture of diazotized 3-aminobenzene-1-sulfonic acid (metanilic acid) and 4'-amino-4-nitro-1,1'-diphenylamine-2-sulfonic acid and metallization with ferric chloride, sodium salt | 419-260-5 | — | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|--|---|--------------------------------------|--|--------------------------------------|---|---|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 611-134-00-X | trisodium 2-{α[2-hydroxy-3-[4-chloro-6-[4-(2,3-dibromopropionylamino)-2-sulfonatophenylamino]-1,3,5-triazin-2-ylamino]-5-sulfonatophenylazo]-benzylidenedihydrano]-4-sulfonatobenzoate, copper complex | 423-770-3 | — | Eye Dam. 1 Aquatic Chronic 2 | H318 H411 | GHS05 GHS09 Dgr | H318 H411 | | | |
| 611-135-00-5 | reaction product of: 2-[[4-amino-2-ureidophenylazo]-5-[(2-(sulfoxy)ethyl)sulfonyl]] benzenesulfonic acid with 2,4,6-trifluoropyrimidine and partial hydrolysis to the corresponding vinylsulfonyl derivative, mixed potassium/sodium salt | 424-250-9 | — | Eye Dam. 1 Aquatic Chronic 3 | H318 H412 | GHS05 Dgr | H318 H412 | | | |
| 611-136-00-0 | 2-{4-(2-ammoniopropylamino)-6-[4-hydroxy-3-(5-methyl-2-methoxy-4-sulfamoylphenylazo)-2-sulfonatophenyl]-7-ylamino]-1,3,5-triazin-2-ylamino}-2-amino-propyl formate | 424-260-3 | — | Repr. 2 Eye Dam. 1 Aquatic Chronic 2 | H361f (***) H318 H411 | GHS05 GHS08 GHS09 Dgr | H361f (***) H318 H411 | | | |
| 611-137-00-6 | 6-tert-butyl-7-chloro-3-tridecyl-7,7a-dihydro-1H-pyrazolo[5,1-c]-1,2,4-triazole | 419-870-1 | 159038-16-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 611-138-00-1 | 2-(4-aminophenyl)-6-tert-butyl-1H-pyrazolo[1,5-b][1,2,4]triazole | 415-910-7 | 152828-25-6 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 611-140-00-2 | azafenidin (ISO); 2-(2,4-dichloro-5-prop-2-ynyloxyphenyl)-5,6,7,8-tetrahydro-1,2,4-triazolo[4,3-a]pyridin-3(2H)-one | — | 68049-83-2 | Repr. 1B STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H360Df H373 (**) H400 H410 | GHS08 GHS09 Dgr | H360Df H373 (**) H410 | | M=1000 | |
| 612-001-00-9 | mono-methylamine; [1] di-methylamine; [2] tri-methylamine [3] | 200-820-0 [1] 204-697-4 [2] 200-875-0 [3] | 74-89-5 [1] 124-40-3 [2] 75-50-3 [3] | Flam. Gas 1 Press. Gas Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 | H220 H332 H335 H315 H318 | GHS02 GHS04 GHS05 GHS07 Dgr | H220 H332 H335 H315 H318 | | * Skin Irrit. 2; H315: C ≥ 5 % Eye Dam. 1; H318: C ≥ 5 % Eye Irrit. 2; H319: 0,5 % ≤ C < 5 % STOT SE 3; H335: C ≥ 5 % | U 5 |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|--|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-001-01-6 | mono-méthylamine ... %; [1] di-méthylamine ... %; [2] tri-méthylamine ... % [3] | 200-820-0 [1] 204-697-4 [2] 200-875-0 [3] | 74-89-5 [1] 124-40-3 [2] 75-50-3 [3] | Flam. Liq. 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H224 H332 H302 H314 | GHS02 GHS05 GHS07 Dgr | H224 H332 H302 H314 | | * STOT SE 3; H335: C ≥ 5 % | B |
| 612-002-00-4 | ethylamine | 200-834-7 | 75-04-7 | Flam. Gas 1 Press. Gas Eye Irrit. 2 STOT SE 3 | H220 H319 H335 | GHS02 GHS04 GHS07 Dgr | H220 H319 H335 | | | U |
| 612-003-00-X | diethylamine | 203-716-3 | 109-89-7 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A | H225 H332 H312 H302 H314 | GHS02 GHS05 GHS07 Dgr | H225 H332 H312 H302 H314 | | STOT SE 3; H335: C ≥ 1 % | |
| 612-004-00-5 | triethylamine | 204-469-4 | 121-44-8 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A | H225 H332 H312 H302 H314 | GHS02 GHS05 GHS07 Dgr | H225 H332 H312 H302 H314 | | STOT SE 3; H335: C ≥ 1 % | |
| 612-005-00-0 | butylamine | 203-699-2 | 109-73-9 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A | H225 H332 H312 H302 H314 | GHS02 GHS05 GHS07 Dgr | H225 H332 H312 H302 H314 | | STOT SE 3; H335: C ≥ 1 % | |
| 612-006-00-6 | ethylenediamine; 1,2-diaminoethane | 203-468-6 | 107-15-3 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 | H226 H312 H302 H314 H334 H317 | GHS02 GHS08 GHS05 GHS07 Dgr | H226 H312 H302 H314 H334 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes | |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|--|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | | |
| 612-007-00-1 | 2-aminopropane; isopropylamine | 200-860-9 | 75-31-0 | Flam. Liq. 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H224 H319 H335 H315 | GHS02 GHS07 Dgr | H224 H319 H335 H315 | | | | |
| 612-008-00-7 | aniline | 200-539-3 | 62-53-3 | Carc. 2 Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 | H351 H341 H331 H311 H301 H372 (**) H318 H317 H400 | GHS06 GHS08 GHS05 GHS09 Dgr | H351 H341 H331 H311 H301 H372 (**) H318 H317 H400 | * STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,2 % ≤ C < 1 % | | | |
| 612-009-00-2 | salts of aniline | — | — | Carc. 2 Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 | H351 H341 H331 H311 H301 H372 (**) H318 H317 H400 | GHS06 GHS08 GHS05 GHS09 Dgr | H351 H341 H331 H311 H301 H372 (**) H318 H317 H400 | * STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,2 % ≤ C < 1 % | A | | |
| 612-010-00-8 | chloroanilines (with exception of those specified elsewhere in this Annex) | — | — | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H410 | | | C | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|--|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-011-00-3 | 4-nitrosoaniline | 211-535-6 | 659-49-4 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H312 H302 | GHS07 Wng | H332 H312 H302 | | | |
| 612-012-00-9 | <i>o</i> -nitroaniline; [1] <i>m</i> -nitroaniline; [2] <i>p</i> -nitroaniline [3] | 201-855-4 [1] 202-729-1 [2] 202-810-1 [3] | 88-74-4 [1] 99-09-2 [2] 100-01-6 [3] | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 3 | H331 H311 H301 H373 (**) H412 | GHS06 GHS08 Dgr | H331 H311 H301 H373 (**) H412 | | | C |
| 612-013-00-4 | 3-aminobenzene sulphonic acid; metanilic acid | 204-473-6 | 121-47-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H312 H302 | GHS07 Wng | H332 H312 H302 | | | |
| 612-014-00-X | sulphanilic acid; 4-aminobenzenesulphonic acid | 204-482-5 | 121-57-3 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H319 H315 H317 | GHS07 Wng | H319 H315 H317 | | | |
| 612-015-00-5 | <i>N</i> -methylaniline | 202-870-9 | 100-61-8 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H410 | | | |
| 612-016-00-0 | <i>N,N</i> -dimethylaniline | 204-493-5 | 121-69-7 | Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2 | H351 H331 H311 H301 H411 | GHS06 GHS08 GHS09 Dgr | H351 H331 H311 H301 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-017-00-6 | N-methyl-N,2,4,6-tetranitroaniline; tetryl | 207-531-9 | 479-45-8 | Expl. 1.1 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) | H201 H331 H311 H301 H373 (**) | GHS01 GHS06 GHS08 Dgr | H201 H331 H311 H301 H373 (**) | | | |
| 612-018-00-1 | bis(2,4,6-trinitrophenyl)amine; hexyl | 205-037-8 | 131-73-7 | Expl. 1.1 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2 | H201 H330 H310 H300 H373 (**) H411 | GHS01 GHS06 GHS08 GHS09 Dgr | H201 H330 H310 H300 H373 (**) H411 | | | |
| 612-019-00-7 | dipicrylamine, ammonium salt | 220-639-0 | 2844-92-0 | Expl. 1.1 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2 | H201 H330 H310 H300 H373 (**) H411 | GHS01 GHS06 GHS08 GHS09 Dgr | H201 H330 H310 H300 H373 (**) H411 | EUH001 | | |
| 612-020-00-2 | 1-naphthylamine | 205-138-7 | 134-32-7 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 612-022-00-3 | 2-naphthylamine | 202-080-4 | 91-59-8 | Carc. 1A Acute Tox. 4 (*) Aquatic Chronic 2 | H350 H302 H411 | GHS08 GHS07 GHS09 Dgr | H350 H302 H411 | | Carc. 1A; H350: C ≥ 0,01 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--|---|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-023-00-9 | phenylhydrazine; [1] phenylhydrazinium chloride; [2] phenylhydrazine hydrochloride; [3] phenylhydrazinium sulphate (2:1) [4] | 202-873-5 [1] 200-444-7 [2] 248-259-0 [3] 257-622-2 [4] | 100-63-0 [1] 59-88-1 [2] 27140-08-5 [3] 52033-74-6 [4] | Carc. 1B Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 | H350 H341 H331 H311 H301 H372 (**) H319 H315 H317 H400 | GHS06 GHS08 GHS09 Dgr | H350 H341 H331 H311 H301 H372 (**) H319 H315 H317 H400 | | | |
| 612-024-00-4 | m-toluidine; 3-aminotoluene | 203-583-1 | 108-44-1 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 | H331 H311 H301 H373 (**) H400 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H400 | | | |
| 612-025-00-X | nitrotoluidines, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2 | H331 H311 H301 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H411 | | C | |
| 612-026-00-5 | diphenylamine | 204-539-4 | 122-39-4 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H373 (**) H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|-------------------------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-027-00-0 | xylidines with the exception of those specified elsewhere in this Annex; dimethyl anilines with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2 | H331 H311 H301 H373 H411 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H411 | | | C |
| 612-028-00-6 | <i>p</i> -phenylenediamine | 203-404-7 | 106-50-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H319 H317 H400 H410 | GHS06 GHS09 Dgr | H331 H311 H301 H319 H317 H410 | | | |
| 612-029-00-1 | benzene-1,4-diamine dihydrochloride; <i>p</i> -phenylenediamine dihydrochloride | 210-834-9 | 624-18-0 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H319 H317 H400 H410 | GHS06 GHS09 Dgr | H331 H311 H301 H319 H317 H410 | | | |
| 612-030-00-7 | 2-methyl- <i>p</i> -phenylenediamine sulphate [1] | 210-431-8 [1] 228-871-4 [2] | 615-50-9 [1] 6369-59-1 [2] | Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H301 H332 H312 H317 H411 | GHS06 GHS09 Dgr | H301 H332 H312 H317 H411 | | | |
| 612-031-00-2 | <i>N,N</i> -dimethylbenzene-1,3-diamine; [1] 4-amino- <i>N,N</i> -dimethylaniline; 3-amino- <i>N,N'</i> -dimethylaniline [2] | 220-623-3 [1] 202-807-5 [2] | 2836-04-6 [1] 99-98-9 [2] | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H331 H311 H301 | GHS06 Dgr | H331 H311 H301 | | | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-032-00-8 | N,N,** TYPE="ITALIC">N',N'-tetramethyl-p-phenylenediamine | 202-831-6 | 100-22-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H312 H302 | GHS07 Wng | H332 H312 H302 | | | |
| 612-033-00-3 | 2-aminophenol | 202-431-1 | 95-55-6 | Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) | H341 H332 H302 | GHS08 GHS07 Wng | H341 H332 H302 | | | |
| 612-034-00-9 | 2-amino-4,6-dinitrophenol; picramic acid (< 20 % water) | 202-544-6 | 96-91-3 | Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3 | H201 H332 H312 H302 H412 | GHS01 GHS07 Wng | H201 H332 H312 H302 H412 | | | T |
| 612-034-01-6 | 2-amino-4,6-dinitrophenol; picramic acid; [≥ 20 % water] | 202-544-6 | 96-91-3 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3 | H332 H312 H302 H412 | GHS07 Wng | H332 H312 H302 H412 | | | G |
| 612-035-00-4 | 2-methoxyaniline; o-anisidine | 201-963-1 | 90-04-0 | Carc. 1B Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) | H350 H341 H331 H311 H301 | GHS06 GHS08 Dgr | H350 H341 H331 H311 H301 | | | |
| 612-036-00-X | 3,3'-dimethoxybenzidine; o-dianisidine | 204-355-4 | 119-90-4 | Carc. 1B Acute Tox. 4 (*) | H350 H302 | GHS08 GHS07 Dgr | H350 H302 | | | |
| 612-037-00-5 | salts of 3,3'-dimethoxybenzidine; salts of o-dianisidine | — | — | Carc. 1B Acute Tox. 4 (*) | H350 H302 | GHS08 GHS07 Dgr | H350 H302 | | | A |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-038-00-0 | 2-nitro- <i>p</i> -anisidine; 4-methoxy-2-nitroaniline | 202-547-2 | 96-96-8 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 3 | H330 H310 H300 H373 (**) H412 | GHS06 GHS08 Dgr | H330 H310 H300 H373 (**) H412 | | | |
| 612-039-00-6 | 2-ethoxyaniline; <i>o</i> -phenetidine | 202-356-4 | 94-70-2 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) | H331 H311 H301 H373 (**) | GHS06 GHS08 Dgr | H331 H311 H301 H373 (**) | | | |
| 612-040-00-1 | 2,4-dinitroaniline | 202-553-5 | 97-02-9 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2 | H330 H310 H300 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H330 H310 H300 H373 (**) H411 | | | |
| 612-041-00-7 | 4,4'- <i>bi-o</i> -toluidine | 204-358-0 | 119-93-7 | Carc. 1B Acute Tox. 4 (*) Aquatic Chronic 2 | H350 H302 H411 | GHS08 GHS07 GHS09 Dgr | H350 H302 H411 | | | |
| 612-042-00-2 | benzidine; 1,1'-biphenyl-4,4'-diamine; 4,4'-diaminobiphenyl; biphenyl-4,4'-ylenediamine | 202-199-1 | 92-87-5 | Carc. 1A Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H302 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H302 H410 | | Carc. 1A; H350: C ≥ 0,01 % | |
| 612-043-00-8 | <i>N,N'</i> -dimethylbenzidine | — | 2810-74-4 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H312 H302 | GHS07 Wng | H332 H312 H302 | | | |
| 612-044-00-3 | <i>N,N'</i> -diacetylbenzidine | 210-338-2 | 613-35-4 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H332 H312 H302 | GHS07 Wng | H332 H312 H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|------------------------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-046-00-4 | allylamine | 203-463-9 | 107-11-9 | Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2 | H225 H331 H311 H301 H411 | GHS02 GHS06 GHS09 Dgr | H225 H331 H311 H301 H411 | | | |
| 612-047-00-X | benzylamine | 202-854-1 | 100-46-9 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H312 H302 H314 | GHS05 GHS07 Dgr | H312 H302 H314 | | | |
| 612-048-00-5 | dipropylamine | 205-565-9 | 142-84-7 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A | H225 H332 H312 H302 H314 | GHS02 GHS05 GHS07 Dgr | H225 H332 H312 H302 H314 | STOT SE 3; H335: C ≥ 1 % | | |
| 612-049-00-0 | di- <i>n</i> -butylamine; [1] di- <i>sec</i> -butylamine [2] | 203-921-8 [1] 210-937-9 [2] | 111-92-2 [1] 626-23-3 [2] | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H226 H332 H312 H302 | GHS02 GHS07 Wng | H226 H332 H312 H302 | | | |
| 612-050-00-6 | cyclohexylamine | 203-629-0 | 108-91-8 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H226 H312 H302 H314 | GHS02 GHS05 GHS07 Dgr | H226 H312 H302 H314 | | | |
| 612-051-00-1 | 4,4'-diaminodiphenylmethane; 4,4'-methylenedianiline | 202-974-4 | 101-77-9 | Carc. 1B Muta. 2 STOT SE 1 STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 2 | H350 H341 H370 (**) H373 (**) H317 H411 | GHS08 GHS07 GHS09 Dgr | H350 H341 H370 (**) H373 (**) H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|--|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-052-00-7 | (S)- <i>sec</i> -butylamine; [1] (S)-2-aminobutane; [1] (R)- <i>sec</i> -butylamine; [2] (R)-2-aminobutane; [2] <i>sec</i> -butylamine; [3] 2-aminobutane [3] | 208-164-7 [1] 236-232-6 [2] 237-732-7 [3] | 513-49-5 [1] 13250-12-9 [2] 13952-84-6 [3] | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A Aquatic Acute 1 | H225 H332 H302 H314 H400 | GHS02 GHS05 GHS07 GHS09 Dgr | H225 H332 H302 H314 H400 | | | C |
| 612-053-00-2 | N-ethylaniline | 203-135-5 | 103-69-5 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) | H331 H311 H301 H373 (**) | GHS06 GHS08 Dgr | H331 H311 H301 H373 (**) | | | |
| 612-054-00-8 | N,N-diethylaniline | 202-088-8 | 91-66-7 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2 | H331 H311 H301 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H411 | * | | |
| 612-055-00-3 | N-methyl- <i>o</i> -toluidine; [1] N-methyl- <i>m</i> -toluidine; [2] N-methyl- <i>p</i> -toluidine [3] | 210-260-9 [1] 211-795-0 [2] 210-769-6 [3] | 611-21-2 [1] 696-44-6 [2] 623-08-5 [3] | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 3 | H331 H311 H301 H373 (**) H412 | GHS06 GHS08 Dgr | H331 H311 H301 H373 (**) H412 | | | C |
| 612-056-00-9 | N,N-dimethyl- <i>p</i> -toluidine; [1] N,N-dimethyl- <i>m</i> -toluidine; [2] N,N-dimethyl- <i>o</i> -toluidine [3] | 202-805-4 [1] 204-495-6 [2] 210-199-8 [3] | 99-97-8 [1] 121-72-2 [2] 609-72-3 [3] | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 3 | H331 H311 H301 H373 (**) H412 | GHS06 GHS08 Dgr | H331 H311 H301 H373 (**) H412 | * | | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-057-00-4 | piperazine | 203-808-3 | 110-85-0 | Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3 | H314 H334 H317 H412 | GHS08 GHS05 Dgr | H314 H334 H317 H412 | | | |
| 612-058-00-X | 2,2'-iminodiethylamine; diethylenetriamine | 203-865-4 | 111-40-0 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 | H312 H302 H314 H317 | GHS05 GHS07 Dgr | H312 H302 H314 H317 | | | |
| 612-059-00-5 | 3,6-diazaoctanethylenediamin; triethylenetetramine | 203-950-6 | 112-24-3 | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3 | H312 H314 H317 H412 | GHS05 GHS07 Dgr | H312 H314 H317 H412 | | | |
| 612-060-00-0 | 3,6,9-triazaundecamethylenediamine; tetraethylenepentamine | 203-986-2 | 112-57-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2 | H312 H302 H314 H317 H411 | GHS05 GHS07 GHS09 Dgr | H312 H302 H314 H317 H411 | | | |
| 612-061-00-6 | 3-aminopropyldimethylamine; N,N-dimethyl-1,3-diaminopropane | 203-680-9 | 109-55-7 | Flam. Liq. 3 Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 | H226 H302 H314 H317 | GHS02 GHS05 GHS07 Dgr | H226 H302 H314 H317 | | | |
| 612-062-00-1 | 3-aminopropyldiethylamine; N,N-diethyl-1,3-diaminopropane | 203-236-4 | 104-78-9 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 | H226 H312 H302 H314 H317 | GHS02 GHS05 GHS07 Dgr | H226 H312 H302 H314 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-063-00-7 | 3,3'-iminodi(propylamine); dipropylentriamine | 200-261-2 | 56-18-8 | Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1A Skin Sens. 1 | H330 H311 H302 H314 H317 | GHS06 GHS05 Dgr | H330 H311 H302 H314 H317 | | | |
| 612-064-00-2 | 3,6,9,12-tetra-azatetradecaméthylènediamine; pentactylènehexamine | 223-775-9 | 4067-16-7 | Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H314 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H314 H317 H410 | | | |
| 612-065-00-8 | polyéthylène polyamines with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H314 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H312 H302 H314 H317 H410 | | | |
| 612-066-00-3 | dicyclohexylamine | 202-980-7 | 101-83-7 | Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H302 H314 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H314 H410 | | | |
| 612-067-00-9 | 3-aminométhyl-3,5,5-triméthylcyclohexylamine | 220-666-8 | 2855-13-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3 | H312 H302 H314 H317 H412 | GHS05 GHS07 Dgr | H312 H302 H314 H317 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--|--|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-068-00-4 | 3,3'-dichlorobenzidine; 3,3'-dichlorobiphenyl-4,4'-ylenediamine | 202-109-0 | 91-94-1 | Carc. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H312 H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H312 H317 H410 | | | |
| 612-069-00-X | salts of 3,3'-dichlorobenzidine; salts of 3,3'-dichlorobiphenyl-4,4'-ylenediamine | — | — | Carc. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H312 H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H312 H317 H410 | | A | |
| 612-070-00-5 | salts of benzidine | 208-519-6 208-520-1 244-236-4 252-984-8 | 531-85-1 531-86-2 21136-70-9 36341-27-2 | Carc. 1A Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H302 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H302 H410 | | A | |
| 612-071-00-0 | salts of 2-naphthylamine | 209-030-0 210-313-6 | 553-00-4 612-52-2 | Carc. 1A Acute Tox. 4 (*) Aquatic Chronic 2 | H350 H302 H411 | GHS08 GHS07 GHS09 Dgr | H350 H302 H411 | | A | |
| 612-072-00-6 | biphenyl-4-ylamine; xenylamine; 4-aminobiphenyl | 202-177-1 | 92-67-1 | Carc. 1A Acute Tox. 4 (*) | H350 H302 | GHS08 GHS07 Dgr | H350 H302 | | | |
| 612-073-00-1 | salts of biphenyl-4-ylamine; salts of xenylamine; salts of 4-aminobiphenyl | — | — | Carc. 1A Acute Tox. 4 (*) | H350 H302 | GHS08 GHS07 Dgr | H350 H302 | | A | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-074-00-7 | benzylidiméthylamine | 203-149-1 | 103-83-3 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 3 | H226 H332 H312 H302 H314 H412 | GHS02 GHS05 GHS07 Dgr | H226 H332 H312 H302 H314 H412 | | | |
| 612-075-00-2 | 2-aminoéthylidiméthylamine; 2-diméthylaminoéthylamine | 203-541-2 | 108-00-9 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A | H225 H312 H302 H314 | GHS02 GHS05 GHS07 Dgr | H225 H312 H302 H314 | | | |
| 612-076-00-8 | éthylidiméthylamine | 209-940-8 | 598-56-1 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H225 H332 H302 H314 | GHS02 GHS05 GHS07 Dgr | H225 H332 H302 H314 | | | |
| 612-077-00-3 | diméthylnitrosoamine; N-nitrosodiméthylamine | 200-549-8 | 62-75-9 | Carc. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Aquatic Chronic 2 | H350 H330 H301 H372 (**) H411 | GHS06 GHS08 GHS09 Dgr | H350 H330 H301 H372 (**) H411 | Carc. 1B; H350: C ≥ 0,001 % | | |
| 612-078-00-9 | 2,2'-dichloro-4,4'-méthylènedianiline; 4,4'-méthylène bis(2-chloroaniline) | 202-918-9 | 101-14-4 | Carc. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H302 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H302 H410 | | | |
| 612-079-00-4 | salts of 2,2'-dichloro-4,4'-méthylènedianiline; salts of 4,4'-méthylènebis(2-chloroaniline) | — | — | Carc. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H302 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H302 H410 | | A | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|-------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-080-00-X | 4-amino- <i>N,N</i> -diethylaniline; <i>N,N</i> -diethyl- <i>p</i> -phenylendiamine | 202-214-1 | 93-05-0 | Acute Tox. 3 (*) Skin Corr. 1B | H301 H314 | GHS06 GHS05 Dgr | H301 H314 | | | |
| 612-081-00-5 | salts of 4,4'- <i>bi-o</i> -toluidine; salts of 3,3'-dimethylbenzidine; salts of <i>o</i> -toluidine | 210-322-5 265-294-7 277-985-0 | 612-82-8 64969-36-4 74753-18-7 | Carc. 1B Acute Tox. 4 (*) Aquatic Chronic 2 | H350 H302 H411 | GHS08 GHS07 GHS09 Dgr | H350 H302 H411 | | | A |
| 612-082-00-0 | thiourea; thiocarbamide | 200-543-5 | 62-56-6 | Carc. 2 Repr. 2 Acute Tox. 4 (*) Aquatic Chronic 2 | H351 H361d (***) H302 H411 | GHS08 GHS07 GHS09 Wng | H351 H361d (***) H302 H411 | | | |
| 612-083-00-6 | 1-methyl-3-nitro-1-nitrosoguanidine | 200-730-1 | 70-25-7 | Carc. 1B Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2 | H350 H332 H319 H315 H411 | GHS08 GHS07 GHS09 Dgr | H350 H332 H319 H315 H411 | | Carc. 1B; H350: C ≥ 0,01 % | |
| 612-084-00-1 | dapsone; 4,4'-diamino diphenyl sulfone | 201-248-4 | 80-08-0 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 612-085-00-7 | 4,4'-methylenedi- <i>o</i> -toluidine | 212-658-8 | 838-88-0 | Carc. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H302 H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H350 H302 H317 H410 | | | |
| 612-086-00-2 | amitraz (ISO); <i>N,N</i> -bis(2,4-xylyliminomethyl) methylamine | 251-375-4 | 33089-61-1 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H373 (**) H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H302 H373 (**) H317 H410 | | M=10 | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-087-00-8 | guazatine (ISO) | | 108173-90-6 | Acute Tox. 2 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H312 H302 H335 H315 H318 H400 H410 | GHS06 GHS05 GHS09 Dgr | H330 H312 H302 H335 H315 H318 H410 | | | |
| 612-088-00-3 | simazine (ISO); 6-chloro-N,N'-diethyl-1,3,5-triazine-2,4-diamine | 204-535-2 | 122-34-9 | Carc. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H400 H410 | GHS08 GHS09 Wng | H351 H410 | | | |
| 612-089-00-9 | 1,5-naphthylenediamine | 218-817-8 | 2243-62-1 | Carc. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H400 H410 | GHS08 GHS09 Wng | H351 H410 | | | |
| 612-090-00-4 | 2,2'-(nitrosoimino)bisethanol | 214-237-4 | 1116-54-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | |
| 612-091-00-X | o-toluidine; 2-aminotoluene | 202-429-0 | 95-53-4 | Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Aquatic Acute 1 | H350 H331 H301 H319 H400 | GHS06 GHS08 GHS09 Dgr | H350 H331 H301 H319 H400 | | | |
| 612-092-00-5 | N,N'-(2,2-dimethylpropylidene)hexamethylenediamine | 401-660-6 | 1000-78-8 | Skin Irrit. 2 Skin Sens. 1 | H315 H317 | GHS07 Wng | H315 H317 | | | |
| 612-093-00-0 | 3,5-dichloro-4-(1,1,2,2-tetrafluoroethoxy)aniline | 401-790-3 | 104147-32-2 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-094-00-6 | 4-(2-chloro-4-trifluorométhyl)phénoxy-2-fluoroaniline hydrochloride | 402-190-4 | — | STOT RE 1 Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H372 (**) H302 H318 H317 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H372 (**) H302 H318 H317 H410 | | | |
| 612-095-00-1 | benzyl-2-hydroxydodecyl-diméthylammonium benzoate | 402-610-6 | 113694-52-3 | Skin Corr. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H314 H302 H400 H410 | GHS05 GHS07 GHS09 Dgr | H314 H302 H410 | | | |
| 612-096-00-7 | 4,4'-carbonimidoylbis[N,N-diméthylaniline] | 207-762-5 | 492-80-8 | Carc. 2 Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 2 | H351 H302 H319 H411 | GHS08 GHS07 GHS09 Wng | H351 H302 H319 H411 | | | |
| 612-097-00-2 | salts of 4,4'-carbonimidoylbis[N,N-diméthylaniline] | — | — | Carc. 2 Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 2 | H351 H302 H319 H411 | GHS08 GHS07 GHS09 Wng | H351 H302 H319 H411 | | A | |
| 612-098-00-8 | nitrosodipropylamine | 210-698-0 | 621-64-7 | Carc. 1B Acute Tox. 4 (*) Aquatic Chronic 2 | H350 H302 H411 | GHS08 GHS07 GHS09 Dgr | H350 H302 H411 | Carc. 1B; H350: C ≥ 0,001 % | | |
| 612-099-00-3 | 4-méthyl- <i>m</i> -phénylènediamine; 2,4-toluènediamine | 202-453-1 | 95-80-7 | Carc. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H350 H301 H312 H319 H317 H411 | GHS06 GHS08 GHS09 Dgr | H350 H301 H312 H319 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|-----------------------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-100-00-7 | propylenediamine | 201-155-9 | 78-90-0 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A | H226 H312 H302 H314 | GHS02 GHS05 GHS07 Dgr | H226 H312 H302 H314 | | | |
| 612-101-00-2 | methenamine; hexamethylenetetramine | 202-905-8 | 100-97-0 | Flam. Sol. 2 Resp. Sens. 1 Skin Sens. 1 | H228 H334 H317 | GHS02 GHS08 Dgr | H228 H334 H317 | | | |
| 612-102-00-8 | N,N-bis(3-aminopropyl)methylamine | 203-336-8 | 105-83-9 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1B | H331 H311 H302 H314 | GHS06 GHS05 Dgr | H331 H311 H302 H314 | | | |
| 612-103-00-3 | N,N,N',N'-tetramethylethylenediamine | 203-744-6 | 110-18-9 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H225 H332 H302 H314 | GHS02 GHS05 GHS07 Dgr | H225 H332 H302 H314 | | | |
| 612-104-00-9 | hexamethylenediamine | 204-679-6 | 124-09-4 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Corr. 1B | H312 H302 H335 H314 | GHS05 GHS07 Dgr | H312 H302 H335 H314 | | | |
| 612-105-00-4 | 2-piperazin-1-ylethylamine | 205-411-0 | 140-31-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3 | H312 H302 H314 H317 H412 | GHS05 GHS07 Dgr | H312 H302 H314 H317 H412 | | | |
| 612-106-00-X | 2,6-diethylaniline | 209-445-7 | 579-66-8 | Acute Tox. 4 (*) | H302 | — | H302 | | | |
| 612-107-00-5 | 1-phenylethylamine; [1] DL- α -methylbenzylamine [2] | 202-706-6 [1] 210-545-8 [2] | 98-84-0 [1] 618-36-0 [2] | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H312 H302 H314 | GHS05 GHS07 Dgr | H312 H302 H314 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-108-00-0 | 3-aminopropyltriéthoxysilane | 213-048-4 | 919-30-2 | Acute Tox. 4 (*) Skin Corr. 1B | H302 H314 | GHS05 GHS07 Dgr | H302 H314 | | | |
| 612-109-00-6 | bis(2-diméthylaminoéthyl)(méthyl)amine | 221-201-1 | 3030-47-5 | Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1B | H311 H302 H314 | GHS06 GHS05 Dgr | H311 H302 H314 | | | |
| 612-110-00-1 | 2,2'-diméthyl-4,4'-méthylènebis(cyclohexylamine) | 229-962-1 | 6864-37-5 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1A Aquatic Chronic 2 | H331 H311 H302 H314 H411 | GHS06 GHS05 GHS09 Dgr | H331 H311 H302 H314 H411 | | | |
| 612-111-00-7 | 2-méthyl- <i>m</i> -phénylènediamine; 2,6-toluènediamine | 212-513-9 | 823-40-5 | Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H341 H312 H302 H317 H411 | GHS08 GHS07 GHS09 Wng | H341 H312 H302 H317 H411 | | | |
| 612-112-00-2 | <i>p</i> -anisidine; 4-méthoxyaniline | 203-254-2 | 104-94-9 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 | H330 H310 H300 H373 (**) H400 | GHS06 GHS08 GHS09 Dgr | H330 H310 H300 H373 (**) H400 | | | |
| 612-113-00-8 | 6-méthyl-2,4-bis(méthylthio)phénylène-1,3-diamine | 403-240-8 | 106264-79-3 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-114-00-3 | R,R-2-hydroxy-5-(1-hydroxy-2-(4-phenylbut-2-ylamino)ethyl)benzamide hydrogen 2,3-bis(benzoyloxy)succinate | 404-390-7 | — | Flam. Sol. 1 Skin Sens. 1 Aquatic Chronic 3 | H228 H317 H412 | GHS02 GHS07 Wng | H228 H317 H412 | | | |
| 612-115-00-9 | dimethyldioctadecylammonium hydrogen sulfate | 404-050-8 | 123312-54-9 | Eye Irrit. 2 Aquatic Chronic 4 | H319 H413 | GHS07 Wng | H319 H413 | | | |
| 612-116-00-4 | C ₈₋₁₈ alkylbis(2-hydroxyethyl)ammonium bis (2-ethylhexyl)phosphate | 404-690-8 | 68132-19-4 | Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H314 H317 H400 H410 | GHS06 GHS05 GHS09 Dgr | H331 H314 H317 H410 | | | |
| 612-117-00-X | C _{12,14} - <i>tert</i> -alkylamine, methylphosphonic acid salt | 404-750-3 | 119415-07-5 | Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 2 | H302 H314 H411 | GHS05 GHS07 GHS09 Dgr | H302 H314 H411 | | | |
| 612-118-00-5 | A reaction mass of: (1,3-dioxo-2H-benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium 4-toluenesulfonate; (1,3-dioxo-2H-benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium bromide | 405-080-4 | — | Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H400 H410 | GHS05 GHS09 Dgr | H318 H410 | | | |
| 612-119-00-0 | benzyltrimethyloctadecylammonium 3-nitrobenzenesulfonate | 405-330-2 | — | Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H318 H400 H410 | GHS05 GHS09 Dgr | H315 H318 H410 | | | |
| 612-120-00-6 | acлонifen (ISO); 2-chloro-6-nitro-3-phenoxyaniline | 277-704-1 | 74070-46-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--|---|---|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-121-00-1 | amines, polyéthylène poly-; HEPA | 268-626-9 | 68131-73-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H314 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H312 H302 H314 H317 H410 | | | |
| 612-122-00-7 | hydroxylamine | 232-259-2 | 7803-49-8 | Unst. Expl. Met. Corr. 1 Acute Tox. 4 (*) STOT RE 2 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 | H200 H290 H302 H373 (**) H335 H315 H318 H317 H400 | GHS01 GHS08 GHS05 GHS07 GHS09 Dgr | H200 H290 H302 H373 (**) H335 H315 H318 H317 H400 | | T | |
| 612-123-00-2 | hydroxylammonium chloride; hydroxylamine hydrochloride; [1] bis(hydroxylammonium) sulphate; hydroxylamine sulphate (2:1); [2] hydroxylammonium hydrogensulphate; hydroxylamine sulphate (1:1) [3] | 226-798-2 [1] 233-118-8 [2] 233-154-4 [3] | 5470-11-1 [1] 10039-54-0 [2] 10046-00-1 [3] | Met. Corr. 1 Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 | H290 H302 H373 (**) H319 H315 H317 H400 | GHS08 GHS05 GHS07 GHS09 Wng | H290 H302 H373 (**) H319 H315 H317 H400 | | G T | |
| 612-124-00-8 | N,N,N-trimethylanilinium chloride | 205-319-0 | 138-24-9 | Acute Tox. 3 (*) Acute Tox. 3 (*) | H311 H301 | GHS06 Dgr | H311 H301 | | | |
| 612-125-00-3 | 2-méthyl-p-phénylènediamine; 2,5-toluènediamine | 202-442-1 | 95-70-5 | Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H301 H332 H312 H317 H411 | GHS06 GHS09 Dgr | H301 H332 H312 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--|--|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-126-00-9 | toluene-2,4-diammonium sulphate; 4-methyl-m-phenylenediamine sulfate | 265-697-8 | 65321-67-7 | Carc. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H350 H301 H312 H319 H317 H411 | GHS06 GHS08 GHS09 Dgr | H350 H301 H312 H319 H317 H411 | | | |
| 612-127-00-4 | 3-aminophenol | 209-711-2 | 591-27-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H332 H302 H411 | GHS07 GHS09 Wng | H332 H302 H411 | | | |
| 612-128-00-X | 4-aminophenol | 204-616-2 | 123-30-8 | Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H341 H332 H302 H400 H410 | GHS08 GHS07 GHS09 Wng | H341 H332 H302 H410 | | | |
| 612-129-00-5 | diisopropylamine | 203-558-5 | 108-18-9 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H225 H332 H302 H314 | GHS02 GHS05 GHS07 Dgr | H225 H332 H302 H314 | | STOT SE 3; H335: C ≥ 5 % | |
| 612-130-00-0 | 2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediamine; [1] 2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediamine; [2] diethylmethylbenzenediamine [3] | 218-255-3 [1] 218-256-9 [2] 270-877-4 [3] | 2095-01-4 [1] 2095-02-5 [2] 68479-98-1 [3] | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H373 (**) H319 H400 H410 | GHS08 GHS07 GHS09 Wng | H312 H302 H373 (**) H319 H410 | | | C |
| 612-131-00-6 | didecyldimethylammonium chloride | 230-525-2 | 7173-51-5 | Acute Tox. 4 (*) Skin Corr. 1B | H302 H314 | GHS05 GHS07 Dgr | H302 H314 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-132-00-1 | N,N'-diphenyl- <i>p</i> -phenylenediamine; N,N'-diphenyl-1,4-benzenediamine | 200-806-4 | 74-31-7 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 612-133-00-7 | (4-ammonio- <i>m</i> -tolyl)ethyl(2-hydroxyethyl) ammonium sulphate; 4-(<i>N</i> -ethyl- <i>N</i> -2-hydroxyethyl)-2-methylphenylenediamine sulphate | 247-162-0 | 25646-77-9 | Acute Tox. 3 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H301 H373 (**) H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H301 H373 (**) H317 H410 | | | |
| 612-134-00-2 | <i>N</i> -(2-(4-amino- <i>N</i> -ethyl- <i>m</i> -toluidino)ethyl) methanesulphonamide sesquisulphate; 4-(<i>N</i> -ethyl- <i>N</i> -2-methanesulphonylaminoethyl)-2-methylphenylenediamine sesquisulphate monohydrate | 247-161-5 | 25646-71-3 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 612-135-00-8 | <i>N</i> -2-naphthylaniline; <i>N</i> -phenyl-2-naphthylamine | 205-223-9 | 135-88-6 | Carc. 2 Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H351 H319 H315 H317 H411 | GHS08 GHS07 GHS09 Wng | H351 H319 H315 H317 H411 | | | |
| 612-136-00-3 | <i>N</i> -isopropyl- <i>N'</i> -phenyl- <i>p</i> -phenylenediamine | 202-969-7 | 101-72-4 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | Skin Sens. 1; H317: C ≥ 0,1 % | |
| 612-137-00-9 | 4-chloroaniline | 203-401-0 | 106-47-8 | Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H331 H311 H301 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H331 H311 H301 H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-138-00-4 | furalaxyl (ISO); methyl N-(2,6-dimethylphenyl)-N-(2-furyl-carbonyl)-DL-alaninate | 260-875-1 | 57646-30-7 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 612-139-00-X | mefenacet (ISO); 2-(benzothiazol-2-yloxy)-N-methyl-N-phenylacetamide | 277-328-8 | 73250-68-7 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 612-140-00-5 | quaternary ammonium compounds, benzyl-C ₈₋₁₈ -alkyldimethyl, chlorides | 264-151-6 | 63449-41-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 | H312 H302 H314 H400 | GHS05 GHS07 GHS09 Dgr | H312 H302 H314 H400 | | | |
| 612-141-00-0 | 4,4'-methylenebis(2-ethylaniline); 4,4'-methylenebis(2-ethylbenzeneamine) | 243-420-1 | 19900-65-3 | Carc. 2 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H302 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H302 H410 | | | |
| 612-142-00-6 | biphenyl-2-ylamine | 201-990-9 | 90-41-5 | Carc. 2 Acute Tox. 4 (*) Aquatic Chronic 3 | H351 H302 H412 | GHS08 GHS07 Wng | H351 H302 H412 | | | |
| 612-143-00-1 | N ⁵ ,N ⁵ -diethyltoluene-2,5-diamine monohydrochloride; 4-diethylamino-2-methylaniline monohydrochloride | 218-130-3 | 2051-79-8 | Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H301 H319 H317 H400 H410 | GHS06 GHS09 Dgr | H301 H319 H317 H410 | | | |
| 612-144-00-7 | flumetralin (ISO); N-(2-chloro-6-fluorobenzyl)-N-ethyl- α,α,α -trifluoro-2,6-dinitro- <i>p</i> -toluidine | — | 62924-70-3 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H319 H315 H317 H400 H410 | GHS07 GHS09 Wng | H319 H315 H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-145-00-2 | <i>o</i> -phenylenediamine | 202-430-6 | 95-54-5 | Carc. 2 Muta. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H341 H301 H332 H312 H319 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H341 H301 H332 H312 H319 H317 H410 | | | |
| 612-146-00-8 | <i>o</i> -phenylenediamine dihydrochloride | 210-418-7 | 615-28-1 | Carc. 2 Muta. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H341 H301 H332 H312 H319 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H341 H301 H332 H312 H319 H317 H410 | | | |
| 612-147-00-3 | <i>m</i> -phenylenediamine | 203-584-7 | 108-45-2 | Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H341 H331 H311 H301 H319 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H341 H331 H311 H301 H319 H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|---|---|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-148-00-9 | <i>m</i> -phenylenediamine dihydrochloride | 208-790-0 | 541-69-5 | Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H341 H331 H311 H301 H319 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H341 H331 H311 H301 H319 H317 H410 | | | |
| 612-149-00-4 | 1,3-diphenylguanidine | 203-002-1 | 102-06-7 | Repr. 2 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2 | H361f (***) H302 H319 H335 H315 H411 | GHS08 GHS07 GHS09 Wng | H361f (***) H302 H319 H335 H315 H411 | | | |
| 612-150-00-X | spiroxamine (ISO); 8- <i>tert</i> -butyl-1,4-dioxaspiro[4.5]decan-2-ylmethyl(ethyl)(propyl)amine | — | 118134-30-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H315 H317 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H315 H317 H410 | | | |
| 612-151-00-5 | diaminotoluene, technical product - reaction mass of [2] and [3]; methyl-phenylenediamine; [1] 4-methyl- <i>m</i> -phenylene diamine; [2] 2-methyl- <i>m</i> -phenylene diamine [3] | 246-910-3 [1] 202-453-1 [2] 212-513-9 [3] | 25376-45-8 [1] 95-80-7 [2] 823-40-5 [3] | Carc. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H350 H301 H332 H312 H319 H317 H411 | GHS06 GHS08 GHS09 Dgr | H350 H301 H332 H312 H319 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-152-00-0 | N,N-diethyl-N',N'-dimethylpropan-1,3-diyl-diamine | 406-610-7 | 62478-82-4 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1A Aquatic Chronic 3 | H226 H332 H302 H373 (**) H314 H412 | GHS02 GHS08 GHS05 GHS07 Dgr | H226 H332 H302 H373 (**) H314 H412 | | | |
| 612-153-00-6 | 4-[N-ethyl-N-(2-hydroxyethyl)amino]-1-(2-hydroxyethyl)amino-2-nitrobenzene, monohydrochloride | 407-020-2 | 132885-85-9 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 3 | H302 H317 H412 | GHS07 Wng | H302 H317 H412 | | | |
| 612-154-00-1 | 6'-(isobutylethylamino)-3'-methyl-2'-phenylamino-spiro[isobenzofuran-7,9'-[9H]-xanthene] | 410-890-6 | 95235-29-3 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 612-155-00-7 | 2'-anilino-6'-((3-ethoxypropyl)ethylamino)-3'-methylspiro(isobenzofuran-3-oxofuran)-1-(1H)-9'-xanthene | 411-730-8 | 93071-94-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 612-156-00-2 | reaction mass of: trihexadecylmethylammonium chloride; dihexadecyldimethylammonium chloride | 405-620-9 | — | Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H400 H410 | GHS05 GHS09 Dgr | H318 H410 | | | |
| 612-157-00-8 | (Z)-1-benzo[b]thien-2-ylethanone oxime hydrochloride | 410-780-8 | — | Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H302 H373 (**) H318 H317 H411 | GHS08 GHS05 GHS07 GHS09 Dgr | H302 H373 (**) H318 H317 H411 | | | |
| 612-158-00-3 | reaction mass of: bis(5-dodecyl-2-hydroxybenzald-oximate) copper (II) C ₁₂ -alkyl group is branched; 4-dodecylsalicylaldoxime | 410-820-4 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|--|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-159-00-9 | Reaction products of: trimethylhexamethylene diamine (a mixture of 2,2,4-trimethyl-1,6-hexanediamine and 2,4,4-trimethyl-1,6-hexanediamine, EINECS listed), Epoxide 8 (mono[(C ₁₀ -C ₁₆ -alkyloxy)methyl]oxirane derivatives) and <i>p</i> -toluene-sulfonic acid | 410-880-1 | — | Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H302 H314 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H314 H410 | | | |
| 612-160-00-4 | <i>p</i> -toluidine; 4-aminotoluene; [1] toluidinium chloride; [2] toluidine sulphate (1:1) [3] | 203-403-1 [1] 208-740-8 [2] 208-741-3 [3] | 106-49-0 [1] 540-23-8 [2] 540-25-0 [3] | Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 | H351 H331 H311 H301 H319 H317 H400 | GHS06 GHS08 GHS09 Dgr | H351 H331 H311 H301 H319 H317 H400 | | | |
| 612-161-00-X | 2,6-xylylidine; 2,6-dimethylaniline | 201-758-7 | 87-62-7 | Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2 | H351 H332 H312 H302 H335 H315 H411 | GHS08 GHS07 GHS09 Wng | H351 H332 H312 H302 H335 H315 H411 | | | |
| 612-162-00-5 | dimethyldioctadecylammonium chloride; DODMAC | 203-508-2 | 107-64-2 | Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H400 H410 | GHS05 GHS09 Dgr | H318 H410 | | | |
| 612-163-00-0 | metalaxyl-M (ISO); mefenoxam; (R)-2-[(2,6-dimethylphenyl)-methoxyacetyl-amino]propionic acid methyl ester | — | 70630-17-0 | Acute Tox. 4 (*) Eye Dam. 1 | H302 H318 | GHS05 GHS07 Dgr | H302 H318 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-164-00-6 | 2-butyl-2-ethyl-1,5-diaminopentane | 412-700-7 | 137605-95-9 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3 | H312 H302 H373 (**) H314 H317 H412 | GHS08 GHS05 GHS07 Dgr | H312 H302 H373 (**) H314 H317 H412 | | | |
| 612-165-00-1 | N,N'-diphenyl-N,N'-bis(3-methylphenyl)-(1,1'-diphenyl)-4,4'-diamine | 413-810-8 | 65181-78-4 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 612-166-00-7 | reaction mass of: <i>cis</i> -(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1); <i>trans</i> -(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1) | 411-830-1 | 114765-88-7 | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H318 H317 H412 | GHS05 GHS07 Dgr | H318 H317 H412 | | | |
| 612-167-00-2 | 5-acetyl-3-amino-10,11-dihydro-5H-dibenz[b,f]azepine-hydrochloride | 410-490-1 | — | Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H302 H373 (**) H318 H317 H411 | GHS08 GHS05 GHS07 GHS09 Dgr | H302 H373 (**) H318 H317 H411 | | | |
| 612-168-00-8 | 3,5-dichloro-2,6-difluoropyridine-4-amine | 220-630-1 | 2840-00-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H312 H302 H411 | GHS07 GHS09 Wng | H312 H302 H411 | | | |
| 612-170-00-9 | 4-chlorophenyl cyclopropyl ketone O-(4-aminobenzyl)oxime | 405-260-2 | — | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 612-171-00-4 | N,N,N',N'-tetraglycidyl-4,4'-diamino-3,3'-diethyldiphenylmethane | 410-060-3 | 130728-76-6 | Muta. 2 Skin Sens. 1 Aquatic Chronic 2 | H341 H317 H411 | GHS08 GHS09 Wng | H341 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|-----------------------------------|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-172-00-X | 4,4'-methylenebis(N,N'-dimethylcyclohexanamine) | 412-840-9 | 13474-64-1 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1A Aquatic Chronic 3 | H302 H373 (**) H314 H412 | GHS08 GHS05 GHS07 Dgr | H302 H373 (**) H314 H412 | | | |
| 612-173-00-5 | lithium 1-amino-4-(4-tert-butylanilino)anthraquinone-2-sulfonate | 411-140-0 | 125328-86-1 | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H318 H317 H411 | | | |
| 612-174-00-0 | 4,4-dimethoxybutylamine | 407-690-6 | 19060-15-2 | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3 | H302 H314 H317 H412 | GHS05 GHS07 Dgr | H302 H314 H317 H412 | | | |
| 612-175-00-6 | 2-(O-aminooxy)ethylamine dihydrochloride | 412-310-7 | 37866-45-8 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 612-176-00-1 | polymer of 1,3-dibromopropane and N,N-diethyl-N',N'-dimethyl-1,3-propanediamine | 410-570-6 | 143747-73-3 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 612-177-00-7 | 2-naphthylamino-6-sulfomethylamide | 412-120-4 | 104295-55-8 | STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 2 | H373 (**) H317 H411 | GHS08 GHS09 Wng | H373 (**) H317 H411 | | | |
| 612-178-00-2 | 1,4,7,10-tetraazacyclododecane disulfate | 412-080-8 | 112193-77-8 | Acute Tox. 4 (*) STOT SE 3 Eye Dam. 1 Aquatic Chronic 3 | H302 H335 H318 H412 | GHS05 GHS07 Dgr | H302 H335 H318 H412 | | | |
| 612-179-00-8 | 1-(2-propenyl)pyridinium chloride | 412-740-5 | 25965-81-5 | Acute Tox. 4 (*) Skin Sens. 1 | H302 H317 | GHS07 Wng | H302 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-180-00-3 | 3-aminobenzylamine | 412-230-2 | 4403-70-7 | Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 2 | H302 H314 H411 | GHS05 GHS07 GHS09 Dgr | H302 H314 H411 | | | |
| 612-181-00-9 | 2-phenylthioaniline | 413-030-8 | 1134-94-7 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 612-182-00-4 | 1-ethyl-1-methylmorpholinium bromide | 418-210-1 | 65756-41-4 | Muta. 2 | H341 | GHS08 Wng | H341 | | | |
| 612-183-00-X | 1-ethyl-1-methylpyrrolidinium bromide | 418-200-5 | 69227-51-6 | Muta. 2 | H341 | GHS08 Wng | H341 | | | |
| 612-184-00-5 | 6'-(dibutylamino)-3'-methyl-2'-(phenylamino)spiro[isobenzofuran-1(3H),9-(9H)-xanthen]-3-one | 403-830-5 | 89331-94-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 612-185-00-0 | 1-[3-[4-((heptadecafluorononyl)oxy)-benzamido]propyl]-N,N,N-trimethylammonium iodide | 407-400-8 | 59493-72-0 | Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H400 H410 | GHS05 GHS09 Dgr | H318 H410 | | | |
| 612-186-00-6 | bis(N-(7-hydroxy-8-methyl-5-phenylphenazin-3-ylidene)dimethylammonium) sulfate | 406-770-8 | 149057-64-7 | STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H318 H317 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H373 (**) H318 H317 H410 | | | |
| 612-187-00-1 | 2,3,4-trifluoroaniline | 407-170-9 | 3862-73-5 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2 | H312 H302 H373 (**) H315 H318 H411 | GHS08 GHS05 GHS07 GHS09 Dgr | H312 H302 H373 (**) H315 H318 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-188-00-7 | 4,4'-(9H-fluoren-9-ylidene)bis(2-chloroaniline) | 407-560-9 | 107934-68-9 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 612-189-00-2 | 4-amino-2-(aminométhyl)phénol dihydrochloride | 412-510-4 | 135043-64-0 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 612-190-00-8 | 4,4'-méthylènebis(2-isopropyl-6-méthylaniline) | 415-150-6 | 16298-38-7 | STOT RE 2 (*) Aquatic Chronic 2 | H373 (**) H411 | GHS08 GHS09 Wng | H373 (**) H411 | | | |
| 612-191-00-3 | polymer of allylamine hydrochloride | 415-050-2 | 71550-12-4 | Acute Tox. 4 (*) Skin Sens. 1 | H302 H317 | GHS07 Wng | H302 H317 | | | |
| 612-192-00-9 | 2-isopropyl-4-(N-méthyl)aminométhylthiazole | 414-800-6 | 154212-60-9 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2 | H312 H302 H315 H318 H411 | GHS05 GHS07 GHS09 Dgr | H312 H302 H315 H318 H411 | | | |
| 612-193-00-4 | 3-méthylaminométhylphénylamine | 414-570-7 | 18759-96-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H314 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H312 H302 H314 H317 H410 | | | |
| 612-194-00-X | 2-hydroxy-3-[(2-hydroxyéthyl)-[2-(1-oxotétracycl)amino]éthyl]amino]-N,N,N-triméthyl-1-propanammonium chloride | 414-670-0 | 141890-30-4 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H318 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H318 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|--------------------------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-195-00-5 | bis[tributyl 4-(methylbenzyl)ammonium] 1,5-naphthalenedisulfonate | 415-210-1 | 160236-81-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H332 H302 H318 H400 H410 | GHS05 GHS07 GHS09 Dgr | H332 H302 H318 H410 | | | |
| 612-196-00-0 | 4-chloro- <i>o</i> -toluidine; [1] 4-chloro- <i>o</i> -toluidine hydrochloride [2] | 202-441-6 [1] 221-627-8 [2] | 95-69-2 [1] 3165-93-3 [2] | Carc. 1B Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H350 H341 H331 H311 H301 H400 H410 | GHS06 GHS08 GHS09 Dgr | H350 H341 H331 H311 H301 H410 | | | |
| 612-197-00-6 | 2,4,5-trimethylaniline; [1] 2,4,5-trimethylaniline hydrochloride [2] | 205-282-0 [1] - [2] | 137-17-7 [1] 21436-97-5 [2] | Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2 | H350 H331 H311 H301 H411 | GHS06 GHS08 GHS09 Dgr | H350 H331 H311 H301 H411 | | | |
| 612-198-00-1 | 4,4'-thiodianiline and its salts | 205-370-9 | 139-65-1 | Carc. 1B Acute Tox. 4 (*) Aquatic Chronic 2 | H350 H302 H411 | GHS08 GHS07 GHS09 Dgr | H350 H302 H411 | | | |
| 612-199-00-7 | 4,4'-oxydianiline and its salts; <i>p</i> -aminophenyl ether | 202-977-0 | 101-80-4 | Carc. 1B Muta. 1B Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2 | H350 H340 H361f (***) H331 H311 H301 H411 | GHS06 GHS08 GHS09 Dgr | H350 H340 H361f (***) H331 H311 H301 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|--------------------------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-200-00-0 | 2,4-diaminoanisole; 4-methoxy- <i>m</i> -phenylenediamine; [1] 2,4-diaminoanisole sulphate [2] | 210-406-1 [1] 254-323-9 [2] | 615-05-4 [1] 39156-41-7 [2] | Carc. 1B Muta. 2 Acute Tox. 4 (*) Aquatic Chronic 2 | H350 H341 H302 H411 | GHS08 GHS07 GHS09 Dgr | H350 H341 H302 H411 | | | |
| 612-201-00-6 | <i>N,N,N',N'</i> -tetramethyl-4,4'-methylenedianiline | 202-959-2 | 101-61-1 | Carc. 1B Aquatic Acute 1 Aquatic Chronic 1 | H350 H400 H410 | GHS08 GHS09 Dgr | H350 H410 | | | |
| 612-202-00-1 | 3,4-dichloroaniline | 202-448-4 | 95-76-1 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H318 H317 H400 H410 | GHS06 GHS05 GHS09 Dgr | H331 H311 H301 H318 H317 H410 | | | |
| 612-204-00-2 | C.I. Basic Violet 3; 4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride | 208-953-6 | 548-62-9 | Carc. 2 Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H302 H318 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H351 H302 H318 H410 | | | |
| 612-205-00-8 | C.I. Basic Violet 3 with $\geq 0,1$ % of Michler's ketone (EC no. 202-027-5) | 208-953-6 | 548-62-9 | Carc. 1B Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H302 H318 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H350 H302 H318 H410 | | | |
| 612-206-00-3 | famoxadone (ISO); 3-anilino-5-methyl-5-(4-phenoxyphenyl)-1,3-oxazolidine-2,4-dione | — | 131807-57-3 | STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H400 H410 | GHS08 GHS09 Wng | H373 (**) H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|-------------------------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-207-00-9 | 4-ethoxyaniline; <i>p</i> -phenetidine | 205-855-5 | 156-43-4 | Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 | H341 H332 H312 H302 H319 H317 | GHS08 GHS07 Wng | H341 H332 H312 H302 H319 H317 | | | |
| 612-209-00-X | 6-methoxy- <i>m</i> -toluidine; <i>p</i> -cresidine | 204-419-1 | 120-71-8 | Carc. 1B Acute Tox. 4 (*) | H350 H302 | GHS08 GHS07 Dgr | H350 H302 | | | |
| 612-210-00-5 | 5-nitro- <i>o</i> -toluidine; [1] 5-nitro- <i>o</i> -toluidine hydrochloride [2] | 202-765-8 [1] 256-960-8 [2] | 99-55-8 [1] 51085-52-0 [2] | Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 3 | H351 H331 H311 H301 H412 | GHS06 GHS08 Dgr | H351 H331 H311 H301 H412 | | | |
| 612-211-00-0 | <i>N</i> -[(benzotriazole-1-yl)methyl]-4-carboxybenzenesulfonamide | 416-470-9 | 170292-97-4 | Eye Irrit. 2 Aquatic Chronic 2 | H319 H411 | GHS07 GHS09 Wng | H319 H411 | | | |
| 612-212-00-6 | 2,6-dichloro-4-trifluoromethylaniline | 416-430-0 | 24279-39-8 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H332 H302 H315 H317 H400 H410 | GHS07 GHS09 Wng | H332 H302 H315 H317 H410 | | | |
| 612-213-00-1 | isobutylidene-(2-(2-isopropyl-4,4-dimethylloxazolidine-3-yl)-1,1-dimethylethyl)amine | 419-850-2 | 148348-13-4 | Skin Corr. 1B Aquatic Chronic 3 | H314 H412 | GHS05 Dgr | H314 H412 | | | |
| 612-214-00-7 | 4-(2,2-diphenylethenyl)- <i>N,N</i> -di-phenylbenzenamine | 421-390-2 | 89114-90-9 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 612-215-00-2 | 3-chloro-2-(isopropylthio)aniline | 421-700-6 | 179104-32-6 | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 612-217-00-3 | 1-methoxy-2-propylamine | 422-550-4 | 37143-54-7 | Flam. Liq. 2 Skin Corr. 1B Acute Tox. 4 (*) Aquatic Chronic 3 | H225 H314 H302 H412 | GHS02 GHS05 GHS07 Dgr | H225 H314 H302 H412 | | | |
| 613-001-00-1 | ethyleneimine; aziridine | 205-793-9 | 151-56-4 | Flam. Liq. 2 Carc. 1B Muta. 1B Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Skin Corr. 1B Aquatic Chronic 2 | H225 H350 H340 H330 H310 H300 H314 H411 | GHS02 GHS06 GHS08 GHS05 GHS09 Dgr | H225 H350 H340 H330 H310 H300 H314 H411 | | | D |
| 613-002-00-7 | pyridine | 203-809-9 | 110-86-1 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H225 H332 H312 H302 | GHS02 GHS07 Dgr | H225 H332 H312 H302 | * | | |
| 613-003-00-2 | 1,2,3,4-tetranitrocarbazole | — | 6202-15-9 | Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) | H201 H332 H312 H302 | GHS01 GHS07 Wng | H201 H332 H312 H302 | | | |
| 613-004-00-8 | crimidine (ISO); 2-chloro-6-methylpyrimidin-4-yl dimethylamine | 208-622-6 | 535-89-7 | Acute Tox. 2 (*) | H300 | GHS06 Dgr | H300 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|----------------------------------|--|----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-007-00-4 | desmetryne (ISO); 6-isopropylamino-2-méthylamino-4-méthylthio-1,3,5-triazine | 213-800-1 | 1014-69-3 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | | |
| 613-008-00-X | dazomet (ISO); tetrahydro-3,5-diméthyl-1,3,5-thiadiazine-2-thione | 208-576-7 | 533-74-4 | Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H400 H410 | GHS07 GHS09 Wng | H302 H319 H410 | | | |
| 613-009-00-5 | 2,4,6-trichloro-1,3,5-triazine; cyanuric chloride | 203-614-9 | 108-77-0 | Acute Tox. 2 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 | H330 H302 H314 H317 | GHS06 GHS05 Dgr | H330 H302 H314 H317 | EUH014 | STOT SE 3; H335: C ≥ 5 % | |
| 613-010-00-0 | ametryn (ISO); 2-éthylamino-4-isopropylamino-6-méthylthio-1,3,5-triazine | 212-634-7 | 834-12-8 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 613-011-00-6 | amitrole (ISO); 1,2,4-triazol-3-ylamine | 200-521-5 | 61-82-5 | Repr. 2 STOT RE 2 (*) Aquatic Chronic 2 | H361d (***) H373 (**) H411 | GHS08 GHS09 Wng | H361d (***) H373 (**) H411 | | | |
| 613-012-00-1 | bentazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxyde | 246-585-8 | 25057-89-0 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H302 H319 H317 H412 | GHS07 Wng | H302 H319 H317 H412 | | | |
| 613-013-00-7 | cyanazine (ISO); 2-(4-chloro-6-éthylamino-1,3,5-triazine-2-ylamino)-2-méthylpropionitrile | 244-544-9 | 21725-46-2 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-014-00-2 | ethoxyquin(ISO); 6-ethoxy-1,2-dihydro-2,2,4-triméthylquinoline | 202-075-7 | 91-53-2 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 613-015-00-8 | fenazaflor (ISO); phenyl 5,6-dichloro-2-trifluorométhylbenzimidazole-1-carboxylate | 238-134-9 | 14255-88-0 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | | |
| 613-016-00-3 | fuberidazole(ISO); 2-(2-furyl)benzimidazole | 223-404-0 | 3878-19-1 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 613-017-00-9 | bis (8-hydroxyquinolinium) sulphate | 205-137-1 | 134-31-6 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 613-018-00-4 | morfamquat (ISO); 1,1'-bis(3,5-diméthylmorpholinocarbonylméthyl)-4,4'-bipyridilium ion | — | 7411-47-4 | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 3 | H302 H319 H335 H315 H412 | GHS07 Wng | H302 H319 H335 H315 H412 | | | |
| 613-019-00-X | thioquinox(ISO); 2-thio-1,3-dithiolo(4,5,b)quinoxaline | 202-272-8 | 93-75-4 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 613-020-00-5 | tridemorph (ISO); 2,6-diméthyl-4-tridécylmorpholine | 246-347-3 | 24602-86-6 | Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H360D (***) H332 H302 H315 H400 H410 | GHS08 GHS07 GHS09 Dgr | H360D (***) H332 H302 H315 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-021-00-0 | dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b) (1,4)dithiazine-2,3-dicarbonitrile | 222-098-6 | 3347-22-6 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 613-022-00-6 | pyrethrins including cinerins, with the exception of those specified elsewhere in this Annex | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | | | A |
| 613-023-00-1 | 2-méthyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl [1R-[1 α [S*(Z)],3 β]]-chrysanthémate; pyrethrin I | 204-455-8 | 121-21-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | | | |
| 613-024-00-7 | 2-méthyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl[[1R-[1 α [S*(Z)](3 β)]]-3-(3-méthoxy-2-méthyl-3-oxoprop-1-enyl)-2,2-diméthylcyclopropanecarboxylate; pyrethrin II | 204-462-6 | 121-29-9 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | | | |
| 613-025-00-2 | cinerin I; 3-(but-2-enyl)-2-méthyl-4-oxocyclopent-2-enyl 2,2-diméthyl-3-(2-méthylprop-1-enyl)cyclopropanecarboxylate | 246-948-0 | 25402-06-6 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 613-026-00-8 | cinerin II; 3-(but-2-enyl)-2-méthyl-4-oxocyclopent-2-enyl 2,2-diméthyl-3-(3-méthoxy-2-méthyl-3-oxoprop-1-enyl)cyclopropanecarboxylate | 204-454-2 | 121-20-0 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--------------------------------|--------------------------------|---|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-027-00-3 | pipéridine | 203-813-0 | 110-89-4 | Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B | H225 H331 H311 H314 | GHS02 GHS06 GHS05 Dgr | H225 H331 H311 H314 | | * | |
| 613-028-00-9 | morpholine | 203-815-1 | 110-91-8 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H226 H332 H312 H302 H314 | GHS02 GHS05 GHS07 Dg | H226 H332 H312 H302 H314 | | | |
| 613-029-00-4 | dichloro-1,3,5-triazinetrione; dichloroisocyanuric acid | 220-487-5 | 2782-57-2 | Ox. Sol. 2 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 | H272 H302 H319 H335 H400 H410 | GHS03 GHS07 GHS09 Dgr | H272 H302 H319 H335 H410 | EUH031 | | T |
| 613-030-00-X | troclosène potassium; [1] troclosène sodium [2] | 218-828-8 [1] 220-767-7 [2] | 2244-21-5 [1] 2893-78-9 [2] | Ox. Sol. 2 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 | H272 H302 H319 H335 H400 H410 | GHS03 GHS07 GHS09 Dgr | H272 H302 H319 H335 H410 | EUH031 | * STOT SE 3; H335: C ≥ 10 % EUH031: C ≥ 10 % | |
| 613-030-01-7 | troclosène sodium, dihydrate | 220-767-7 | 51580-86-0 | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H335 H400 H410 | GHS07 GHS09 Wng | H302 H319 H335 H410 | EUH031 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-031-00-5 | symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetriion | 201-782-8 | 87-90-1 | Ox. Sol. 2 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1 | H272 H302 H319 H335 H400 H410 | GHS03 GHS07 GHS09 Dgr | H272 H302 H319 H335 H410 | EUH031 | | |
| 613-032-00-0 | methyl-2,3,5,6-tetrachloro-4-pyridylsulphone; 2,3,5,6-tetrachloro-4-(methylsulphonyl)pyridine | 236-035-5 | 13108-52-6 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 | H312 H302 H319 H317 | GHS07 Wng | H312 H302 H319 H317 | | | |
| 613-033-00-6 | 2-methylaziridine; propyleneimine | 200-878-7 | 75-55-8 | Flam. Liq. 2 Carc. 1B Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Eye Dam. 1 Aquatic Chronic 2 | H225 H350 H330 H310 H300 H318 H411 | GHS02 GHS06 GHS08 GHS05 GHS09 Dgr | H225 H350 H330 H310 H300 H318 H411 | Carc. 1B; H350: C ≥ 0,01 % | | |
| 613-034-00-1 | 1,2-dimethylimidazole | 217-101-2 | 1739-84-0 | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 | H302 H315 H318 | GHS05 GHS07 Dgr | H302 H315 H318 | | | |
| 613-035-00-7 | 1-methylimidazole | 210-484-7 | 616-47-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B | H312 H302 H314 | GHS05 GHS07 Dgr | H312 H302 H314 | | | |
| 613-036-00-2 | 2-methylpyridine; 2-picoline | 203-643-7 | 109-06-8 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 | H226 H332 H312 H302 H319 H335 | GHS02 GHS07 Wng | H226 H332 H312 H302 H319 H335 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|----------------------------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-037-00-8 | 4-méthylpyridine; 4-picoline | 203-626-4 | 108-89-4 | Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H226 H311 H332 H302 H319 H335 H315 | GHS02 GHS06 Dgr | H226 H311 H332 H302 H319 H335 H315 | | | |
| 613-038-00-3 | 6-phenyl-1,3,5-triazine-2,4-diyl diamine; 6-phenyl-1,3,5-triazine-2,4-diamine; benzoguanamine | 202-095-6 | 91-76-9 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 613-039-00-9 | ethylene thiourea; imidazolidine-2-thione; 2-imidazoline-2-thiol | 202-506-9 | 96-45-7 | Repr. 1B Acute Tox. 4 (*) | H360D (***) H302 | GHS08 GHS07 Dgr | H360D (***) H302 | | | |
| 613-040-00-4 | azaconazole (ISO); 1-[[2-(2,4-dichlorophenyl)-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole | 262-102-3 | 60207-31-0 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 613-041-00-X | morpholine-4-carbonyl chloride | 239-213-0 | 15159-40-7 | Carc. 2 Eye Irrit. 2 Skin Irrit. 2 | H351 H319 H315 | GHS08 Wng | H351 H319 H315 | EUH014 | | |
| 613-042-00-5 | imazalil (ISO); 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole | 252-615-0 | 35554-44-0 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H332 H302 H318 H400 H410 | GHS05 GHS07 GHS09 Dgr | H332 H302 H318 H410 | | | |
| 613-043-00-0 | imazalil sulphate (ISO) powder; 1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate; [1] (±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate [2] | 261-351-5 [1] 281-291-3 [2] | 58594-72-2 [1] 83918-57-4 [2] | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|----------------------------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-043-01-8 | imazalil sulphate (ISO), aqueous solution; 1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate; [1] (±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate [2] | 261-351-5 [1] 281-291-3 [2] | 58594-72-2 [1] 83918-57-4 [2] | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H314 H317 H400 H410 | GHS05 GHS07 GHS09 Wng | H302 H314 H317 H410 | | Skin Corr. 1B; H314: C ≥ 50 % Skin Irrit. 2; H315: 30 % ≤ C < 50 % Eye Dam. 1; H318: 15 % ≤ C < 50 % Eye Irrit. 2; H319: 5 % ≤ C < 15 % | |
| 613-044-00-6 | captan (ISO); 1,2,3,6-tetrahydro-N-(trichloromethylthio)phthalimide | 205-087-0 | 133-06-2 | Carc. 2 Acute Tox. 3 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 | H351 H331 H318 H317 H400 | GHS06 GHS08 GHS05 GHS09 Dgr | H351 H331 H318 H317 H400 | | | |
| 613-045-00-1 | folpet (ISO); N-(trichloromethylthio)phthalimide | 205-088-6 | 133-07-3 | Carc. 2 Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 | H351 H332 H319 H317 H400 | GHS08 GHS07 GHS09 Wng | H351 H332 H319 H317 H400 | | | |
| 613-046-00-7 | captafol (ISO); 1,2,3,6-tetrahydro-N-(1,1,2,2-tetrachloroethylthio)phthalimide | 219-363-3 | 2425-06-1 | Carc. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H350 H317 H400 H410 | GHS08 GHS09 Dgr | H350 H317 H410 | | | |
| 613-047-00-2 | 1-dimethylcarbamoyl-5-methylpyrazol-3-yl dimethylcarbamate; dimetilan (ISO) | 211-420-0 | 644-64-4 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H312 H400 H410 | GHS06 GHS09 Dgr | H301 H312 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-048-00-8 | carbendazim (ISO); methyl benzimidazol-2-ylcarbamate | 234-232-0 | 10605-21-7 | Muta. 1B Repr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H340 H360FD H400 H410 | GHS08 GHS09 Dgr | H340 H360FD H410 | | | |
| 613-049-00-3 | benomyl (ISO); methyl 1-(butylcarbamoyl)benzimidazol-2-ylcarbamate | 241-775-7 | 17804-35-2 | Muta. 1B Repr. 1B STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H340 H360FD H335 H315 H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H340 H360FD H335 H315 H317 H410 | | M=10 | |
| 613-050-00-9 | carbadox (INN); methyl 3-(quinoxalin-2-ylmethylene)carbamate 1,4-dioxide; 2-(methoxycarbonylhydrazonomethyl)quinoxaline 1,4-dioxide | 229-879-0 | 6804-07-5 | Flam. Sol. 1 Carc. 1B Acute Tox. 4 (*) | H228 H350 H302 | GHS02 GHS08 GHS07 Dgr | H228 H350 H302 | | | T |
| 613-051-00-4 | molinate (ISO); S-ethyl 1-perhydroazepinecarbothioate; S-ethyl perhydroazepine-1-carbothioate | 218-661-0 | 2212-67-1 | Carc. 2 Repr. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H361f (***) H332 H302 H373 (**) H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H361f (***) H332 H302 H373 (**) H317 H410 | | M=100 | |
| 613-052-00-X | trifenmorph (ISO); 4-tritylmorpholine | 215-812-2 | 1420-06-0 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-053-00-5 | anilazine (ISO); 2-chloro-N-(4,6-dichloro-1,3,5-triazin-2-yl)aniline | 202-910-5 | 101-05-3 | Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H315 H400 H410 | GHS07 GHS09 Wng | H319 H315 H410 | | | |
| 613-054-00-0 | thiabendazol (ISO); 2-(thiazole-4-yl)benzimidazole | 205-725-8 | 148-79-8 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 613-056-00-1 | 1,2-diméthyl-3,5-diphénylpyrazolium méthylsulphate; difenzoquat méthyl sulfate | 256-152-5 | 43222-48-6 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS09 Wng | H302 H410 | | | |
| 613-057-00-7 | dodemorph (ISO); 4-cyclododécyl-2,6-diméthylmorpholine | 216-474-9 | 1593-77-7 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2 | H319 H335 H315 H411 | GHS07 GHS09 Wng | H319 H335 H315 H411 | | | |
| 613-058-00-2 | perméthrin (ISO); <i>m</i> -phénoxybenzyl 3-(2,2-dichlorovinyl)-2,2-diméthylcyclopropanecarboxylate | 258-067-9 | 52645-53-1 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H332 H302 H317 H400 H410 | GHS07 GHS09 Wng | H332 H302 H317 H410 | | M=1000 | |
| 613-059-00-8 | profluralin (ISO); N-(cyclopropylméthyl)- α,α,α -trifluoro-2,6-dinitro-N-propyl- <i>p</i> -toluidine | 247-656-6 | 26399-36-0 | Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H400 H410 | GHS07 GHS09 Wng | H319 H410 | | | |
| 613-060-00-3 | resmethrin (ISO); 5-benzyl-3-furylméthyl (\pm)- <i>cis-trans</i> -chrysanthémate | 233-940-7 | 10453-86-8 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-061-00-9 | 6-(1 α ,5 α β ,8 α β ,9-pentahydroxy-7 β -isopropyl-2 β ,5 β ,8 β -triméthylperhydro-8ba,9-époxy-5,8-éthanocyclopenta[1,2-b]indényle) pyrrole-2-carboxylate; ryania | 239-732-2 | 15662-33-6 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | | |
| 613-062-00-4 | sabadilla (ISO); veratrine | — | 8051-02-3 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H319 H335 H315 | GHS07 Wng | H319 H335 H315 | | | |
| 613-063-00-X | secbumeton (ISO); 2-sec-butylamino-4-éthylamino-6-méthoxy-1,3,5-triazine | 247-554-1 | 26259-45-0 | Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H400 H410 | GHS07 GHS09 Wng | H302 H319 H410 | | | |
| 613-064-00-5 | 5-(3,6,9-trioxa-2-undécyloxy)benzo(d)-1,3-dioxolane; sesamex | — | 51-14-9 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 613-065-00-0 | simetryn (ISO); 2,4-bis(éthylamino)-6-méthylthio-1,3,5-triazine | 213-801-7 | 1014-70-6 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 613-066-00-6 | terbumeton (ISO); 2-tert-butylamino-4-éthylamino-6-méthoxy-1,3,5-triazine | 251-637-8 | 33693-04-8 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 613-067-00-1 | propazine(ISO); 2-chloro-4,6-bis(isopropylamino)-1,3,5-triazine | 205-359-9 | 139-40-2 | Carc. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H400 H410 | GHS08 GHS09 Wng | H351 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-068-00-7 | atrazine (ISO); 2-chloro-4-ethylamine-6-isopropylamine-1,3,5-triazine | 217-617-8 | 1912-24-9 | STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H317 H400 H410 | GHS08 GHS09 Wng | H373 (**) H317 H410 | | | |
| 613-069-00-2 | ε-caprolactam | 203-313-2 | 105-60-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 | H332 H302 H319 H335 H315 | GHS07 Wng | H332 H302 H319 H335 H315 | | | |
| 613-070-00-8 | propylenethiourea | — | 2122-19-2 | Repr. 2 Acute Tox. 4 (*) Aquatic Chronic 3 | H361d (***) H302 H412 | GHS08 GHS07 Wng | H361d (***) H302 H412 | | | |
| 613-071-00-3 | 2-fluoro-5-trifluoromethylpyridine | 400-290-2 | 69045-82-5 | Flam. Liq. 3 Skin Sens. 1 Aquatic Chronic 3 | H226 H317 H412 | GHS02 GHS07 Wng | H226 H317 H412 | | | |
| 613-072-00-9 | N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine | 401-280-0 | 91273-04-0 | Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2 | H314 H317 H411 | GHS05 GHS07 GHS09 Dgr | H314 H317 H411 | | | |
| 613-073-00-4 | N,N-dimethyl-2-(3-(4-chlorophenyl)-4,5-dihydropyrazol-1-ylphenylsulphonyl)ethylamine | 401-410-6 | 10357-99-0 | STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 2 | H373 (**) H317 H411 | GHS08 GHS09 Wng | H373 (**) H317 H411 | | | |
| 613-074-00-X | 3-(3-methylpent-3-yl)isoxazol-5-ylamine | 401-460-9 | 82560-06-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Dam. 1 Aquatic Chronic 3 | H331 H301 H318 H412 | GHS06 GHS05 Dgr | H331 H301 H318 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-075-00-5 | 1,3-dichloro-5-ethyl-5-methylimidazolidine-2,4-dione | 401-570-7 | 89415-87-2 | Ox. Sol. 1 (****) Acute Tox. 3 (*) Skin Corr. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 | H271 H331 H314 H302 H317 H400 | GHS03 GHS06 GHS05 GHS09 Dgr | H271 H331 H314 H302 H317 H400 | | | |
| 613-076-00-0 | 3-chloro-5-trifluoromethyl-2-pyridylamine | 401-670-0 | 79456-26-1 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 613-077-00-6 | reaction mass of 5-heptyl-1,2,4-triazol-3-ylamine and 5-nonyl-1,2,4-triazol-3-ylamine | 401-940-8 | — | Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 2 | H302 H319 H411 | GHS07 GHS09 Wng | H302 H319 H411 | | | |
| 613-078-00-1 | N,N,N,N-tetrakis(4,6-bis(butyl-(N-methyl-2,2,6,6-tetramethylpiperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine | 401-990-0 | 106990-43-6 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 613-079-00-7 | 4-(1(or 4 or 5 or 6)-methyl-8,9,10-trinorborn-5-en-2-yl)pyridine, reaction mass of isomers | 402-520-7 | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H315 H317 H400 H410 | GHS07 GHS09 Wng | H312 H302 H315 H317 H410 | | | |
| 613-080-00-2 | 3-(bis(2-ethylhexyl)aminomethyl)benzothiazole-2(3H)-thione | 402-540-6 | 105254-85-1 | Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H314 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H314 H317 H410 | | | |
| 613-081-00-8 | 1-butyl-2-methylpyridinium bromide | 402-680-8 | 26576-84-1 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-082-00-3 | 2-methyl-1-pentylpyridinium bromide | 402-690-2 | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3 | H312 H302 H412 | GHS07 Wng | H312 H302 H412 | | | |
| 613-083-00-9 | 2-(4-(3-(4-chlorophenyl)-2-pyrazolin-1-yl)phenylsulfonyl)ethyl dimethylammonium formate | 402-120-2 | — | Skin Corr. 1B STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H314 H373 (**) H317 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H314 H373 (**) H317 H410 | | | |
| 613-084-00-4 | 2-(4-(3-(4-chlorophenyl)-4,5-dihydropyrazolyl)phenylsulphonyl)ethyl dimethylammonium hydrogen phosphonate | 402-490-5 | 106359-93-7 | Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H400 H410 | GHS07 GHS09 Wng | H319 H410 | | | |
| 613-085-00-X | reaction mass of 1,1'-(methylenebis(4,1-phenylene)dipyrrole-2,5-dione and N-(4-(4-(2,5-dioxopyrrol-1-yl)benzyl)phenyl)acetamide and 1-(4-(4-(5-oxo-2H-2-furylidena-mino)benzyl)phenyl)pyrrole-2,5-dione | 401-970-1 | — | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 613-086-00-5 | caffeine | 200-362-1 | 58-08-2 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 613-087-00-0 | tetrahydrothiophene | 203-728-9 | 110-01-0 | Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3 | H225 H332 H312 H302 H319 H315 H412 | GHS02 GHS07 Dgr | H225 H332 H312 H302 H319 H315 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|---|--|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-088-00-6 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | 220-120-9 | 2634-33-5 | Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 | H302 H315 H318 H317 H400 | GHS05 GHS07 GHS09 Dgr | H302 H315 H318 H317 H400 | | Skin Sens. 1; H317: C ≥ 0,05 % | |
| 613-089-00-1 | diquat dibromide; [1] diquat dichloride; [2] 6,7-dihydrodipyrido[1,2- α :2',1'-c]pyrazine- diylum dihydroxide [3] | 201-579-4 [1] 223-714-6 [2] 301-467-6 [3] | 85-00-7 [1] 4032-26-2 [2] 94021-76-8 [3] | Acute Tox. 2 (*) STOT RE 1 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H372 (**) H302 H319 H335 H315 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H330 H372 (**) H302 H319 H335 H315 H317 H410 | | | |
| 613-090-00-7 | paraquat dichloride; 1,1-dimethyl-4,4'-bipyridinium dichloride; [1] paraquat dimethylsulfate; 1,1-dimethyl-4,4'-bipyridinium dimethyl sulphate [2] | 217-615-7 [1] 218-196-3 [2] | 1910-42-5 [1] 2074-50-2 [2] | Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H330 H311 H301 H372 (**) H319 H335 H315 H400 H410 | GHS06 GHS08 GHS09 Dgr | H330 H311 H301 H372 (**) H319 H335 H315 H410 | | | |
| 613-091-00-2 | morfamquat dichloride; [1] morfamquat sulfate [2] | 225-062-8 [1] - [2] | 4636-83-3 [1] 29873-36-7 [2] | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 3 | H302 H319 H335 H315 H412 | GHS07 Wng | H302 H319 H335 H315 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-092-00-8 | 1,10-phenanthroline | 200-629-2 | 66-71-7 | Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H400 H410 | GHS06 GHS09 Dgr | H301 H410 | | | |
| 613-093-00-3 | hexasodium 6,13-dichloro-3,10-bis((4-(2,5-disulfonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)prop-3-ylamino)-5,12-dioxa-7,14-diazapentacene-4,11-disulfonate | 400-050-7 | 85153-92-0 | Resp. Sens. 1 Skin Sens. 1 | H334 H317 | GHS08 Dgr | H334 H317 | | | |
| 613-094-00-9 | 4-methoxy-N,6-dimethyl-1,3,5-triazin-2-ylamine | 401-360-5 | 5248-39-5 | Acute Tox. 4 (*) STOT RE 2 (*) | H302 H373 (**) | GHS08 GHS07 Wng | H302 H373 (**) | | | |
| 613-095-00-4 | sodium 3-(2H-benzotriazol-2-yl)-5-sec-butyl-4-hydroxybenzenesulfonate | 403-080-9 | 92484-48-5 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 613-096-00-X | 2-amino-6-ethoxy-4-methylamino-1,3,5-triazine | 403-580-7 | 62096-63-3 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 613-097-00-5 | 7-amino-3-((5-carboxymethyl-4-methyl-1,3-thiazol-2-ylthio)methyl)-8-oxo-5-thia-1-azabicyclo(4.2.0)oct-2-ene-2-carboxylic acid | 403-690-5 | 111298-82-9 | Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3 | H334 H317 H412 | GHS08 Dgr | H334 H317 H412 | | | |
| 613-098-00-0 | N-(n-octyl)-2-pyrrolidone | 403-700-8 | 2687-94-7 | Skin Corr. 1B Aquatic Chronic 2 | H314 H411 | GHS05 GHS09 Dgr | H314 H411 | | | |
| 613-099-00-6 | 1-dodecyl-2-pyrrolidone | 403-730-1 | 2687-96-9 | Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H314 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H314 H317 H410 | | | |
| 613-100-00-X | 2,9-bis(3-(diethylamino)propylsulfamoyl)quino(2,3-b)acridine-7,14-dione | 404-230-6 | — | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|-----------------------------------|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-101-00-5 | <i>N</i> - <i>tert</i> -pentyl-2-benzothiazolesulfenamide | 404-380-2 | 110799-28-5 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 613-102-00-0 | dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine | 404-200-2 | 110488-70-5 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 613-103-00-6 | sodium 5- <i>n</i> -butylbenzotriazole | 404-450-2 | 118685-34-0 | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2 | H302 H314 H317 H411 | GHS05 GHS07 GHS09 Dgr | H302 H314 H317 H411 | | | |
| 613-104-00-1 | 5- <i>tert</i> -butyl-3-isoxazolylamine hydrochloride | 404-840-2 | — | Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Aquatic Chronic 3 | H302 H373 (**) H318 H412 | GHS08 GHS05 GHS07 Dgr | H302 H373 (**) H318 H412 | | | |
| 613-105-00-7 | hexakis(tetramethylammonium) 4,4'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-morpholino-1,3,5-triazine-4,2-diyl)imino)bis(5-hydroxy-6-phenylazonaphthalene-2,7-disulfonate) | 405-160-9 | 124537-30-0 | Acute Tox. 3 (*) Skin Sens. 1 Aquatic Chronic 3 | H301 H317 H412 | GHS06 Dgr | H301 H317 H412 | | | |
| 613-106-00-2 | tetrapotassium 2-(4-(5-(1-(2,5-disulfonato-phenyl)-3-ethoxycarbonyl-5-hydroxypyrazol-4-yl)penta-2,4-dienylidene)-3-ethoxycarbonyl-5-oxo-2-pyrazolin-1-yl)benzene-1,4-disulfonate | 405-240-3 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 613-107-00-8 | hexasodium 2,2'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-(<i>N</i> -cyanoethyl- <i>N</i> -(2-hydroxypropyl)amino)-1,3,5-triazine-4,2-diyl)imino)dibenzene-1,4-disulfonate | 405-280-1 | 76508-02-6 | Eye Irrit. 2 | H319 | GHS07 Wng | H319 | | | |
| 613-108-00-3 | benzothiazole-2-thiol | 205-736-8 | 149-30-4 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-109-00-9 | bis(piperidinothiocarbonyl) disulphide | 202-328-1 | 94-37-1 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 | H319 H335 H315 H317 | GHS07 Wng | H319 H335 H315 H317 | | | |
| 613-110-00-4 | dimepiperate (ISO); S-(1-méthyl-1-phényléthyl) piperidine-1-carbothioate | 262-784-2 | 61432-55-1 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 613-111-00-X | 1,2,4-triazole | 206-022-9 | 288-88-0 | Repr. 2 Acute Tox. 4 (*) Eye Irrit. 2 | H361d (***) H302 H319 | GHS08 GHS07 Wng | H361d (***) H302 H319 | | | |
| 613-112-00-5 | octhilinone (ISO); 2-octyl-2H-isothiazol-3-one | 247-761-7 | 26530-20-1 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H302 H314 H317 H400 H410 | GHS06 GHS05 GHS09 Dgr | H331 H311 H302 H314 H317 H410 | | Skin Sens. 1; H317: C ≥ 0,05 % | |
| 613-113-00-0 | 2-(morpholinothio)benzothiazole | 203-052-4 | 102-77-2 | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H319 H315 H317 H411 | GHS07 GHS09 Wng | H319 H315 H317 H411 | | | |
| 613-114-00-6 | 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl) triethanol; 1,3,5-tris(2-hydroxyéthyl)hexahydro-1,3,5-triazine | 225-208-0 | 4719-04-4 | Acute Tox. 4 (*) Skin Sens. 1 | H302 H317 | GHS07 Wng | H302 H317 | | Skin Sens. 1; H317: C ≥ 0,1 % | |
| 613-115-00-1 | hymexazol (ISO); 3-hydroxy-5-méthylisoxazole | 233-000-6 | 10004-44-1 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3 | H302 H318 H412 | GHS05 GHS07 Dgr | H302 H318 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-116-00-7 | tolylfluamid (ISO); dichloro-N-[(diméthylamino)sulphonyl] fluoro-N-(p-tolyl)methanesulphenamide | 211-986-9 | 731-27-1 | Acute Tox. 3 (*) STOT RE 2 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H373 (**) H319 H335 H315 H317 H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H373 (**) H319 H335 H315 H317 H410 | | | |
| 613-117-00-2 | diniconazole (ISO); (E)-β-[(2,4-dichlorophenyl)methylene]-α-(1,1-diméthylethyl)-1H-1,2,4-triazol-1-ethanol; (E)-(RS)-1-(2,4-dichlorophenyl)-4,4-diméthyl-2-(1H-1,2,4-triazol-1-yl)pent-1-en-3-ol | — | 76714-88-0 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 613-118-00-8 | flubenzimine (ISO); N-[3-phenyl-4,5-bis[(trifluorométhyl)imino]thiazolidin-2-ylidene]aniline | 253-703-1 | 37893-02-0 | Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H319 H400 H410 | GHS07 GHS09 Wng | H319 H410 | | | |
| 613-119-00-3 | (benzothiazol-2-ylthio)méthyl thiocyanate; TCMTB | 244-445-0 | 21564-17-0 | Acute Tox. 2 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H330 H302 H319 H315 H317 H400 H410 | GHS06 GHS09 Dgr | H330 H302 H319 H315 H317 H410 | | | |
| 613-120-00-9 | bioresmethrin; (5-bezylfur-3-yl)méthyl(1R)-trans-2,2-diméthyl-3-(2-méthylpropenyl)cyclopropanecarboylate | 249-014-0 | 28434-01-7 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|-------------------------------------|--|-------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-121-00-4 | chlorsulfuron (ISO); 2-chloro-N-[[[(4-methoxy-6-méthyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide | 265-268-5 | 64902-72-3 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 613-122-00-X | diclobutrazole (ISO); (R*, R*)-(±)-β-[[2,4-dichlorophenyl)méthyl]-α-(1,1-diméthylethyl)-1H-1,2,4-triazole-1-ethanol; (2RS, 3RS)-1-(2,4-dichlorophenyl)-4,4-diméthyl-2-(1H-1,2,4-triazol-1-yl)pentan-3-ol | — | 75736-33-3 | Eye Irrit. 2 Aquatic Chronic 2 | H319 H411 | GHS07 GHS09 Wng | H319 H411 | | | |
| 613-123-00-5 | 5,6-dihydro-3H-imidazo[2,1-c]-1,2,4-dithiazole-3-thione; etem | 251-684-4 | 33813-20-6 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 613-124-00-0 | fenpropimorph (ISO); cis-4-[3-(p-tert-butylphényl)-2-méthylpropyl]-2,6-diméthylmorpholine | 266-719-9 | 67564-91-4 | Repr. 2 Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Chronic 2 | H361d (***) H302 H315 H411 | GHS08 GHS07 GHS09 Wng | H361d (***) H302 H315 H411 | | | |
| 613-125-00-6 | hexythiazox(ISO); trans-5-(4-chlorophényl)-N-cyclohexyl-4-méthyl-2-oxo-3-thiazolidine-carboxamide | — | 78587-05-0 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 613-126-00-1 | imazapyr (ISO); 2-[4,5-dihydro-4-méthyl-4-(1-méthylethyl)-5-oxo-1H-imidazol-2-yl]-3-pyridine carboxylate | — | 81334-34-1 | Eye Irrit. 2 Aquatic Chronic 3 | H319 H412 | GHS07 Wng | H319 H412 | | | |
| 613-127-00-7 | 1,1-diméthylpiperidinium chloride; mepiquat chloride | 246-147-6 | 24307-26-4 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-128-00-2 | prochloraz (ISO); N-propyl-N-[2-(2,4,6-trichlorophenoxy)ethyl]-1H-imidazole-1-carboxamide | 266-994-5 | 67747-09-5 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 613-129-00-8 | metamitron (ISO); 4-amino-3-methyl-6-phenyl-1,2,4-triazin-5-one | 255-349-3 | 41394-05-2 | Acute Tox. 4 (*) Aquatic Acute 1 | H302 H400 | GHS07 GHS09 Wng | H302 H400 | | | |
| 613-131-00-9 | pyroquilon (ISO); 1,2,5,6-tetrahydropyrrolo[3,2,1-ij]quinolin-4-one | — | 57369-32-1 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 613-132-00-4 | hexazinone (ISO); 3-cyclohexyl-6-dimethylamino-1-methyl-1,2,3,4-tetrahydro-1,3,5-triazine-2,4-dione | 257-074-4 | 51235-04-2 | Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H400 H410 | GHS07 GHS09 Wng | H302 H319 H410 | | | |
| 613-133-00-X | etridiazole (ISO); 5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole | 219-991-8 | 2593-15-9 | Carc. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H331 H312 H302 H400 H410 | GHS06 GHS08 GHS09 Dgr | H351 H331 H312 H302 H410 | | | |
| 613-134-00-5 | myclobutanil(ISO); 2-(4-chlorophenyl)-2-(1H-1,2,4-triazol-1-ylmethyl)hexanenitrile | — | 88671-89-0 | Repr. 2 Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 2 | H361d (***) H302 H319 H411 | GHS08 GHS07 GHS09 Wng | H361d (***) H302 H319 H411 | | | |
| 613-135-00-0 | di(benzothiazol-2-yl) disulphide | 204-424-9 | 120-78-5 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | EUH031 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|-------------------------------------|--|-------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-136-00-6 | N-cyclohexylbenzothiazole-2-sulphenamide | 202-411-2 | 95-33-0 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 613-137-00-1 | methabenzthiazuron (ISO); 1-(1,3-benzothiazol-2-yl)1,3-dimethylurea | 242-505-0 | 18691-97-9 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 613-138-00-7 | quinoxyfen (ISO); 5,7-dichloro-4-(4-fluorophenoxy)quinoline | — | 124495-18-7 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 613-139-00-2 | metsulfuron-methyl; 2-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulfamoyl) benzoic acid | — | 74223-64-6 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 613-140-00-8 | cycloheximide (ISO); 4-{{(2R)-2-[(1S,3S,5S)-3,5-dimethyl-2-oxocyclohexyl]-2-hydroxyethyl}piperidine-2,6-dione | 200-636-0 | 66-81-9 | Muta. 2 Repr. 1B Acute Tox. 2 (*) Aquatic Chronic 2 | H341 H360D (***) H300 H411 | GHS06 GHS08 GHS09 Dgr | H341 H360D (***) H300 H411 | | | |
| 613-141-00-3 | 1,4-diamino-2-(2-butyltetrazol-5-yl)-3-cyanoanthraquinone | 401-470-3 | 93686-63-6 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-142-00-9 | <i>trans</i> —N-methyl-2-styryl-[4'-aminomethine-(1-acetyl-1-(2-methoxyphenyl)acetamido)]pyridinium acetate | 405-860-4 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 613-143-00-4 | 1-(3-phenylpropyl)-2-methylpyridinium bromide | 405-930-4 | 10551-42-5 | Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 3 | H302 H319 H412 | GHS07 Wng | H302 H319 H412 | | | |
| 613-144-00-X | reaction products of: poly(vinyl acetate), partially hydrolyzed, with (E)-2-(4-formylstyryl)-3,4-dimethylthiazoliummethyl sulfate | 406-460-2 | 125139-08-4 | Aquatic Chronic 3 | H412 | — | H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-145-00-5 | (S)-3-benzyloxycarbonyl-1,2,3,4-tetrahydroisoquinolinium 4-methylbenzenesulfonate | 406-960-0 | 77497-97-3 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 613-146-00-0 | N-ethyl-N-methylpiperidinium iodide | 407-780-5 | 4186-71-4 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 613-147-00-6 | 4-[2-(1-methyl-2-(4-morpholinyl)ethoxy)ethyl]morpholine | 407-940-4 | 111681-72-2 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 613-148-00-1 | tetrasodium 1,2-bis(4-fluoro-6-[5-(1-amino-2-sulfonatoanthrachinon-4-ylamino)-2,4,6-trimethyl-3-sulfonatophenylamino]-1,3,5-triazin-2-ylamino)ethane | 411-240-4 | 143683-23-2 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 613-149-00-7 | pyridaben (ISO); 2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one | 405-700-3 | 96489-71-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H400 H410 | GHS06 GHS09 Dgr | H331 H301 H410 | | | |
| 613-150-00-2 | 2,2'-[3,3'-(piperazine-1,4-diyl)dipropyl]bis(1H-benzimidazo[2,1-b]benzo[<i>l,m,n</i>][3,8]phenanthroline-1,3,6-trione | 406-295-6 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-151-00-8 | 1-(3-mesyloxy-5-trityloxymethyl-2-D-threofuryl)thymine | 406-360-9 | 104218-44-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-152-00-3 | phenyl N-(4,6-dimethoxypyrimidin-2-yl)carbamate | 406-600-2 | 89392-03-0 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 613-153-00-9 | 2,3,5-trichloropyridine | 407-270-2 | 16063-70-0 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 613-154-00-4 | 2-amino-4-chloro-6-methoxypyrimidine | 410-050-9 | 5734-64-5 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-155-00-X | 5-chloro-2,3-difluoropyridine | 410-090-7 | 89402-43-7 | Flam. Liq. 3 Acute Tox. 4 (*) Aquatic Chronic 3 | H226 H302 H412 | GHS02 GHS07 Wng | H226 H302 H412 | | | |
| 613-156-00-5 | 2-butyl-4-chloro-5-formylimidazole | 410-260-0 | 83857-96-9 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 613-157-00-0 | 2,4-diamino-5-methoxymethylpyrimidine | 410-330-0 | 54236-98-5 | Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 | H302 H373 (**) H319 | GHS08 GHS07 Wng | H302 H373 (**) H319 | | | |
| 613-158-00-6 | 2,3-dichloro-5-trifluoromethyl-pyridine | 410-340-5 | 69045-84-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H332 H302 H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H332 H302 H318 H317 H411 | | | |
| 613-159-00-1 | fenazaquin (ISO); 4-[2-[4-(1,1-dimethylethyl)phenyl]-ethoxy] quinazoline | 410-580-0 | 120928-09-8 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H332 H400 H410 | GHS06 GHS09 Dgr | H301 H332 H410 | | | |
| 613-160-00-7 | (1S)-2-methyl-2,5-diazobicyclo[2.2.1]heptane dihydrobromide | 411-000-9 | 125224-62-6 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 613-163-00-3 | azimsulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-[1-methyl-4-(2-methyl-2H-tetrazol-5-yl)pyrazol-5-ylsulfonyl]urea | — | 120162-55-2 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|--|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-164-00-9 | flufenacet (ISO); N-(4-fluorophenyl)-N-isopropyl-2-(5-trifluorométhyl-[1,3,4]thiadiazol-2-yloxy)acetamide | — | 142459-58-3 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H373 (**) H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H302 H373 (**) H317 H410 | | | |
| 613-165-00-4 | flupyr sulfuron-méthyl-sodium (ISO); méthyl 2-[[[4,6-diméthoxy-pyrimidin-2-yl-carbamoyl]sulfamoyl]-6-trifluorométhyl]nicotinate, monosodium salt | — | 144740-54-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 613-166-00-X | flumioxazin (ISO); N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ène-1,2-dicarboxamide | — | 103361-09-7 | Repr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H360D (***) H400 H410 | GHS08 GHS09 Dgr | H360D (***) H410 | | | |
| 613-167-00-5 | reaction mass of: 5-chloro-2-méthyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-méthyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-méthyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-méthyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) | — | 55965-84-9 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H311 H301 H314 H317 H400 H410 | GHS06 GHS05 GHS09 Dgr | H331 H311 H301 H314 H317 H410 | | Skin Corr. 1B; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1; H317: C ≥ 0,0015 % | |
| 613-168-00-0 | 1-vinyl-2-pyrrolidone | 201-800-4 | 88-12-0 | Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) STOT SE 3 Eye Dam. 1 | H351 H332 H312 H302 H373 (**) H335 H318 | GHS06 GHS05 GHS09 Dgr | H351 H332 H312 H302 H373 (**) H335 H318 | | | D |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-169-00-6 | 9-vinylcarbazole | 216-055-0 | 1484-13-5 | Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H341 H312 H302 H315 H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H341 H312 H302 H315 H317 H410 | | | |
| 613-170-00-1 | 2,2-ethylmethylthiazolidine | 404-500-3 | 694-64-4 | Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H302 H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H317 H411 | | | |
| 613-171-00-7 | hexaconazole (ISO); (RS)-2-(2,4-dichlorophenyl)-1-(1H-1,2,4-triazol-1-yl)hexan-2-ol | 413-050-7 | 79983-71-4 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H302 H317 H411 | GHS07 GHS09 Wng | H302 H317 H411 | | | |
| 613-172-00-2 | 5-chloro-1,3-dihydro-2H-indol-2-one | 412-200-9 | 17630-75-0 | Repr. 2 Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 3 | H361f (***) H302 H317 H412 | GHS08 GHS07 Wng | H361f (***) H302 H317 H412 | | | |
| 613-173-00-8 | fluquinconazole (ISO); 3-(2,4-dichlorophenyl)-6-fluoro-2-(1H-1,2,4-triazol-1-yl)quinazolin-4-(3H)-one | 411-960-9 | 136426-54-5 | Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H372 (**) H312 H315 H400 H410 | GHS06 GHS08 GHS09 Dgr | H331 H301 H372 (**) H312 H315 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-174-00-3 | (±) 2-(2,4-dichlorophenyl)-3-(1H-1,2,4-triazol-1-yl)propyl-1,1,2,2-tetrafluoroéthylether | 407-760-6 | 112281-77-3 | Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H351 H332 H302 H411 | GHS08 GHS07 GHS09 Wng | H351 H332 H302 H411 | | | |
| 613-175-00-9 | epoxiconazole(ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)méthyl]oxirane | 406-850-2 | 133855-98-8 | Carc. 2 Repr. 2 Aquatic Chronic 2 | H351 H361fd H411 | GHS08 GHS09 Wng | H351 H361fd H411 | | | |
| 613-176-00-4 | 2-méthyl-2-azabicyclo[2.2.1]heptane | 404-810-9 | 4524-95-2 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B | H226 H312 H302 H373 (**) H314 | GHS02 GHS08 GHS05 GHS07 Dgr | H226 H312 H302 H373 (**) H314 | | | |
| 613-177-00-X | 8-amino-7-méthylquinoline | 412-760-4 | 5470-82-6 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2 | H312 H302 H317 H411 | GHS07 GHS09 Wng | H312 H302 H317 H411 | | | |
| 613-178-00-5 | 4-éthyl-2-méthyl-2-isopentyl-1,3-oxazolidine | 410-470-2 | 137796-06-6 | Skin Corr. 1B Skin Sens. 1 | H314 H317 | GHS05 GHS07 Dgr | H314 H317 | | STOT SE 3; H335: C ≥ 5 % | |
| 613-179-00-0 | lithium 3-oxo-1,2(2H)-benzothiazol-2-ide | 411-690-1 | 111337-53-2 | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2 | H302 H314 H317 H411 | GHS05 GHS07 Dgr | H302 H314 H317 H411 | | | |
| 613-180-00-6 | N-(1,1-diméthylethyl)bis(2-benzothiazole-sulfen)amide | 407-430-1 | 3741-80-8 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-181-00-1 | 5,5-dimethyl-perhydro-pyrimidin-2-one α -(4-trifluorométhylstyryl)- α -(4-trifluorométhyl)cinnamylidènehydrazone | 405-090-9 | 67485-29-4 | STOT RE 1 Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H372 (**) H302 H319 H400 H410 | GHS08 GHS07 GHS09 Dgr | H372 (**) H302 H319 H410 | | | |
| 613-182-00-7 | 1-(1-naphthylmethyl)quinolinium chloride | 406-220-7 | 65322-65-8 | Carc. 2 Muta. 2 Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3 | H351 H341 H302 H315 H318 H412 | GHS08 GHS05 GHS07 Dgr | H351 H341 H302 H315 H318 H412 | | | |
| 613-183-00-2 | reaction mass of: 5-(N-méthylperfluorooctylsulfonamido)méthyl-3-octadécyl-1,3-oxazolidin-2-one; 5-(N-méthylperfluoroheptylsulfonamido)méthyl-3-octadécyl-1,3-oxazolidin-2-one | 413-640-4 | — | STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H400 H410 | GHS08 GHS09 Wng | H373 (**) H410 | | | |
| 613-184-00-8 | nitrilotriéthylèneammonio propane-2-ol 2-éthylhexanoate | 413-670-8 | — | Eye Irrit. 2 Skin Sens. 1 | H319 H317 | GHS07 Wng | H319 H317 | | | |
| 613-185-00-3 | 2,3,5,6-tétrahydro-2-méthyl-2H-cyclopentad[e]-1,2-thiazol-3-one | 407-630-9 | 82633-79-2 | Acute Tox. 3 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H301 H318 H317 H400 H410 | GHS06 GHS05 GHS09 Dgr | H301 H318 H317 H410 | | | |
| 613-186-00-9 | (2R,3R)-3-((R)-1-(tert-butyl diméthylsiloxylethyl)-4-oxazétidin-2-yl)acétate | 408-050-9 | 76855-69-1 | Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H319 H317 H411 | GHS07 GHS09 Wng | H319 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|-------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-188-00-X | 1-(3-(4-fluorophenoxy)propyl)-3-methoxy-4-piperidinone | 411-500-7 | 116256-11-2 | Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H302 H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H317 H411 | | | |
| 613-189-00-5 | 1,4,7,10-tetrakis(p-toluensulfonyl)-1,4,7,10-tetraazacyclododecane | 414-030-0 | 52667-88-6 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 613-190-00-0 | disodium 1-amino-4-(2-(5-chloro-6-fluoropyrimidin-4-ylamino-methyl)-4-methyl-6-sulfo-phenylamino)-9,10-dioxo-9,10-dihydro-anthracene-2-sulfonate | 414-040-5 | 149530-93-8 | Acute Tox. 4 (*) Skin Sens. 1 | H302 H317 | GHS07 Wng | H302 H317 | | | |
| 613-191-00-6 | 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine | 421-150-7 | 143860-04-2 | Repr. 1B Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H360F (***) H314 H400 H410 | GHS08 GHS05 GHS09 Dgr | H360F (***) H314 H410 | | | |
| 613-193-00-7 | pentakis[3-(diméthylammonio)propylsulfamoyl]-[(6-hydroxy-4,4,8,8-tetraméthyl-4,8-diazoniaundécane-1,11-diyl)disulfamoyl]di[phthalocyaninecopper(II)] heptalactate | 414-930-3 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 613-194-00-2 | 6,13-dichloro-3,10-bis[2-[4-fluoro-6-(2-sulfophenylamino)-1,3,5-triazin-2-ylamino]propylamino]benzo[5,6][1,4]oxazino[2,3-b.]phenoxazine-4,11-disulphonic acid, lithium-, sodium salt | 418-000-8 | 163062-28-0 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 613-195-00-8 | 2,2-(1,4-phenylene)bis((4H—3,1-benzoxazine-4-one) | 418-280-1 | 18600-59-4 | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-196-00-3 | 5-[[4-chloro-6-[[2-[[4-fluoro-6-[[5-hydroxy-6-[[4-methoxy-2-sulphophenyl]azo]-7-sulfo-2-naphthalenyl]amino]-1,3,5-triazin-2-yl]amino]-1-methylethyl]amino]-1,3,5-triazin-2-yl]amino]-3-[[4-(ethenylsulfonyl)phenyl]azo]-4-hydroxy-naphtalene-2,7-disulfonic acid, sodium salt | 418-380-5 | 168113-78-8 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 613-197-00-9 | reaction mass of: 2,4,6-tri(butylcarbamoyl)-1,3,5-triazine; 2,4,6-tri(methylcarbamoyl)-1,3,5-triazine; [(2-butyl-4,6-dimethyl)tricarbamoyl]-1,3,5-triazine; [(2,4-dibutyl-6-methyl)tricarbamoyl]-1,3,5-triazine | 420-390-1 | 187547-46-2 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 613-199-00-X | reaction mass of: 1,3,5-tris(3-aminomethylphenyl)-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazine-2,4,6-trione; reaction mass of oligomers of 3,5-bis(3-aminomethylphenyl)-1-poly[3,5-bis(3-aminomethylphenyl)-2,4,6-trioxo-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazin-1-yl]-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazine-2,4,6-trione | 421-550-1 | — | Carc. 1B Repr. 1B Skin Sens. 1 Aquatic Chronic 3 | H350 H360D (***) H317 H412 | GHS08 Dgr | H350 H360D (***) H317 H412 | | | |
| 613-200-00-3 | Reaction product of: copper, (2 <i>H</i> ,3 <i>H</i> -phthalocyaninato(2-)- <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32)-, chlorosulfuric acid and 3-(2-sulfooxyethylsulfonyl)aniline, sodium salts | 420-980-7 | — | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 613-201-00-9 | (<i>R</i>)-5-bromo-3-(1-methyl-2-pyrrolidinylmethyl)-1 <i>H</i> -indole | 422-390-5 | 143322-57-0 | Repr. 2 STOT RE 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H361f (***) H372 (**) H332 H302 H317 H400 H410 | GHS08 GHS07 GHS09 Dgr | H361f (***) H372 (**) H332 H302 H317 H410 | EUH070 | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|----------------|--|---|--|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-202-00-4 | pymetrozine (ISO); (E)-4,5-dihydro-6-méthyl-4-(3-pyridylméthylèneamino)-1,2,4-triazin-3(2H)-one | — | 123312-89-0 | Carc. 2 Aquatic Chron-ic 3 | H351 H412 | GHS08 Wng | H351 H412 | | | |
| 613-203-00-X | pyraflufen-ethyl; [1] pyraflufen [2] | - [1] - [2] | 129630-19-9 [1] 129630-17-7 [2] | Aquatic Acute 1 Aquatic Chron-ic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 613-204-00-5 | oxadiargyl (ISO); 3-[2,4-dichloro-5-(2-propynyloxy)phényl]-5-(1,1-diméthylethyl)-1,3,4-oxadiazol-2(3H)-one; 5-tert-butyl-3-[2,4-dichloro-5-(prop-2-ynyloxy)phényl]-1,3,4-oxadiazol-2(3H)-one | 254-637-6 | 39807-15-3 | Repr. 2 STOT RE 2 (*) Aquatic Acute 1 Aquatic Chron-ic 1 | H361d (***) H373 (**) H400 H410 | GHS08 GHS09 Wng | H361d (***) H373 (**) H410 | | | |
| 613-205-00-0 | propiconazole(ISO); (±) 1-[2-(2,4-dichlorophényl)-4-propyl-1,3-dioxolan-2-ylméthyl]-1H-1,2,4-triazole | 262-104-4 | 60207-90-1 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chron-ic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 613-206-00-6 | fenamidone (ISO); (S)-5-méthyl-2-méthylthio-5-phényl-3-phénylamino-3,5-dihydroimidazol-4-one | — | 161326-34-7 | Aquatic Acute 1 Aquatic Chron-ic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 613-208-00-7 | imazamox (ISO); (RS)-2-(4-isopropyl-4-méthyl-5-oxo-2-imidazol-2-yl)-5-méthoxyméthylnicotinic acid | — | 114311-32-9 | Aquatic Acute 1 Aquatic Chron-ic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 613-209-00-2 | cis-1-(3-chloropropyl)-2,6-diméthyl-piperidin hydrochloride | 417-430-3 | 63645-17-0 | Acute Tox. 3 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Chron-ic 2 | H301 H373 (**) H317 H411 | GHS06 GHS08 GHS09 Dgr | H301 H373 (**) H317 H411 | | | |
| 613-210-00-8 | 2-(3-chloropropyl)-2,5,5-triméthyl-1,3-dioxane | 417-650-1 | 88128-57-8 | STOT RE 2 (*) Aquatic Chron-ic 3 | H373 (**) H412 | GHS08 Wng | H373 (**) H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-211-00-3 | N-méthyl-4-(p-formylstyryl)pyridinium méthylsulfate | 418-240-3 | 74401-04-0 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 613-212-00-9 | 4-[4-(2-ethylhexyloxy)phényl](1,4-thiaziane-1,1-dioxyde) | 418-320-8 | 133467-41-1 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 613-213-00-4 | cis-1-benzoyl-4-[(4-méthylsulfonyl)oxy]-L-proline | 416-040-0 | 120807-02-5 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 613-214-00-X | N,N-di-n-butyl-2-(1,2-dihydro-3-hydroxy-6-isopropyl-2-quinolyldène)-1,3-dioxindan-5-carboxamide | 416-260-7 | 147613-95-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-215-00-5 | 2-chlorométhyl-3,4-diméthoxypyridinium chlorure | 416-440-5 | 72830-09-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H312 H302 H373 (**) H315 H318 H317 H411 | GHS08 GHS05 GHS07 GHS09 Dgr | H312 H302 H373 (**) H315 H318 H317 H411 | | | |
| 613-216-00-0 | 6-tert-butyl-7-(6-diéthylamino-2-méthyl-3-pyridylimino)-3-(3-méthylphényl)pyrazolo [3,2-c][1,2,4]triazole | 416-490-8 | 162208-01-7 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 613-217-00-6 | 4-[3-(3,5-di-tert-butyl-4-hydroxyphényl)propionyloxy]-1-[2-[3-(3,5-di-tert-butyl-4-hydroxyphényl)propionyloxy]éthyl]-2,2,6,6-tétraméthylpiperidine | 416-770-1 | 73754-27-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-218-00-1 | 6-hydroxyindole | 417-020-4 | 2380-86-1 | Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H302 H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H302 H318 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------------|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-219-00-7 | 7a-ethyl-3,5-bis(1-methylethyl)-2,3,4,5-tetrahydrooxazolo[3,4-c]-2,3,4,5-tetrahydrooxazole | 417-140-7 | 79185-77-6 | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 613-220-00-2 | trans-(4S,6S)-5,6-dihydro-6-methyl-4H-thieno[2,3-b]thiopyran-4-ol, 7,7-dioxide | 417-290-3 | 147086-81-5 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 613-221-00-8 | 2-chloro-5-methyl-pyridine | 418-050-0 | 18368-64-4 | Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Chronic 3 | H312 H302 H315 H412 | GHS07 Wng | H312 H302 H315 H412 | | | |
| 613-222-00-3 | 4-(1-oxo-2-propenyl)-morpholine | 418-140-1 | 5117-12-4 | Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 | H302 H373 (**) H318 H317 | GHS08 GHS05 GHS07 Dgr | H302 H373 (**) H318 H317 | | | |
| 613-223-00-9 | N-isopropyl-3-(4-fluorophenyl)-1H-indole | 418-790-4 | 93957-49-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 613-224-00-4 | 2,5-dimercaptomethyl-1,4-dithiane | 419-770-8 | 136122-15-1 | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H314 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H314 H317 H410 | | | |
| 613-225-00-X | reaction mass of:[2-(anthraquinon-1-ylamino)-6-[(5-benzoylamino)-anthraquinone-1-ylamino]-4-phenyl]-1,3,5-triazine; 2,6-bis-[(5-benzoylamino)-anthraquinon-1-ylamino]-4-phenyl-1,3,5-triazine. | 421-290-9 | — | STOT RE 2 (*) Aquatic Chronic 4 | H373 (**) H413 | GHS08 Wng | H373 (**) H413 | | | |
| 613-226-00-5 | 1-(2-(ethyl(4-(4-(4-(4-(ethyl(2-pyridinoethyl)amino)-2-methylphenylazo)benzoylamino)-phenylazo)-3-methylphenyl)amino)ethyl)-pyridinium dichloride | 420-950-3 | 163831-67-2 | Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H318 H400 H410 | GHS05 GHS09 Dgr | H318 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 613-227-00-0 | (±)-[(R*,R*) and (R*,S*)]-6-fluoro-3,4-dihydro-2-oxiranyl-2H-1-benzopyran | 419-600-2 | 99199-90-3 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 613-228-00-6 | (±)-(R*,S*)-6-fluoro-3,4-dihydro-2-oxiranyl-2H-1-benzopyran | 419-630-6 | 793669-26-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 613-230-00-7 | florasulam (ISO); 2',6',8-trifluoro-5-methoxy-5-triazolo[1,5-c]; pyrimidine-2-sulfonilide | — | 145701-23-1 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 613-233-00-3 | 4,4'-(oxy-(bismethylene))-bis-1,3-dioxolane | 423-230-7 | 56552-15-9 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 614-001-00-4 | nicotine (ISO); 3-(N-methyl-2-pyrrolidinyl)pyridine | 200-193-3 | 54-11-5 | Acute Tox. 1 Acute Tox. 3 (*) Aquatic Chronic 2 | H310 H301 H411 | GHS06 GHS09 Dgr | H310 H301 H411 | | | |
| 614-002-00-X | salts of nicotine | — | — | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Chronic 2 | H330 H310 H300 H411 | GHS06 GHS09 Dgr | H330 H310 H300 H411 | | | A |
| 614-003-00-5 | strychnine | 200-319-7 | 57-24-9 | Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H310 H300 H400 H410 | GHS06 GHS09 Dgr | H310 H300 H410 | | | |
| 614-004-00-0 | salts of strychnine | — | — | Acute Tox. 2 (*) Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H330 H300 H400 H410 | GHS06 GHS09 Dgr | H330 H300 H410 | | | A |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--|--|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 614-005-00-6 | colchicine | 200-598-5 | 64-86-8 | Acute Tox. 2 (*) Acute Tox. 2 (*) | H330 H300 | GHS06 Dgr | H330 H300 | | | |
| 614-006-00-1 | brucine; 2,3-diméthoxystrychnine | 206-614-7 | 357-57-3 | Acute Tox. 2 (*) Acute Tox. 2 (*) Aquatic Chronic 3 | H330 H300 H412 | GHS06 Dgr | H330 H300 H412 | | | |
| 614-007-00-7 | brucine sulphate; [1] brucine nitrate; [2] strychnidin-10-one, 2,3-diméthoxy-, mono [(R)-1-méthylheptyl 1,2-benzenedicarboxylate]; [3] strychnidin-10-one, 2,3-diméthoxy-, compd. with (S)mono(1-méthylheptyl)-1,2-benzenedicarboxylate (1:1) [4] | 225-432-9 [1] 227-317-9 [2] 269-439-5 [3] 269-710-8 [4] | 4845-99-2 [1] 5786-97-0 [2] 68239-26-9 [3] 68310-42-9 [4] | Acute Tox. 2 (*) Acute Tox. 2 (*) Aquatic Chronic 3 | H330 H300 H412 | GHS06 Dgr | H330 H300 H412 | | | A |
| 614-008-00-2 | aconitine | 206-121-7 | 302-27-2 | Acute Tox. 2 (*) Acute Tox. 2 (*) | H330 H300 | GHS06 Dgr | H330 H300 | | | |
| 614-009-00-8 | salts of aconitine | — | — | Acute Tox. 2 (*) Acute Tox. 2 (*) | H330 H300 | GHS06 Dgr | H330 H300 | | | A |
| 614-010-00-3 | atropine | 200-104-8 | 51-55-8 | Acute Tox. 2 (*) Acute Tox. 2 (*) | H330 H300 | GHS06 Dgr | H330 H300 | | | |
| 614-011-00-9 | salts of atropine | — | — | Acute Tox. 2 (*) Acute Tox. 2 (*) | H330 H300 | GHS06 Dgr | H330 H300 | | | A |
| 614-012-00-4 | hyoscyamine | 202-933-0 | 101-31-5 | Acute Tox. 2 (*) Acute Tox. 2 (*) | H330 H300 | GHS06 Dgr | H330 H300 | | | |
| 614-013-00-X | salts of hyoscyamine | — | — | Acute Tox. 2 (*) Acute Tox. 2 (*) | H330 H300 | GHS06 Dgr | H330 H300 | | | A |
| 614-014-00-5 | hyoscine | 200-090-3 | 51-34-3 | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) | H330 H310 H300 | GHS06 Dgr | H330 H310 H300 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 614-015-00-0 | salts of hyoscyne | — | — | Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) | H330 H310 H300 | GHS06 Dgr | H330 H310 H300 | | | A |
| 614-016-00-6 | pilocarpine | 202-128-4 | 92-13-7 | Acute Tox. 2 (*) Acute Tox. 2 (*) | H330 H300 | GHS06 Dgr | H330 H300 | | | |
| 614-017-00-1 | salts of pilocarpine | — | — | Acute Tox. 2 (*) Acute Tox. 2 (*) | H330 H300 | GHS06 Dgr | H330 H300 | | | A |
| 614-018-00-7 | papaverine | 200-397-2 | 58-74-2 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 614-019-00-2 | salts of papaverine | — | — | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | A |
| 614-020-00-8 | physostigmine | 200-332-8 | 57-47-6 | Acute Tox. 2 (*) Acute Tox. 2 (*) | H330 H300 | GHS06 Dgr | H330 H300 | | | |
| 614-021-00-3 | salts of physostigmine | — | — | Acute Tox. 2 (*) Acute Tox. 2 (*) | H330 H300 | GHS06 Dgr | H330 H300 | | | A |
| 614-022-00-9 | digitoxin | 200-760-5 | 71-63-6 | Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) | H331 H301 H373 (**) | GHS06 GHS08 Dgr | H331 H301 H373 (**) | | | |
| 614-023-00-4 | ephedrine | 206-080-5 | 299-42-3 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 614-024-00-X | salts of ephedrine | — | — | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | A |
| 614-025-00-5 | ouabain | 211-139-3 | 630-60-4 | Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) | H331 H301 H373 (**) | GHS06 GHS08 Dgr | H331 H301 H373 (**) | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 614-026-00-0 | strophantin-K | 234-239-9 | 11005-63-3 | Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) | H331 H301 H373 (**) | GHS06 GHS08 Dgr | H331 H301 H373 (**) | | | |
| 614-027-00-6 | bufa-4,20,22-trienolide, 6-(acetyloxy)-3-(β-D-glucopyranosyloxy)-8,14-dihydroxy-, (3β, 6β)-; red squill; scilliroside | 208-077-4 | 507-60-8 | Acute Tox. 2 (*) | H300 | GHS06 Dgr | H300 | | | |
| 614-028-00-1 | reaction mass of: 2-ethylhexyl mono-D-glucopyranoside; 2-ethylhexyl di-D-glucopyranoside | 414-420-0 | — | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 614-029-00-7 | constitutional isomers of penta-O-allyl-β-D-fructofuranosyl-α-D-glucopyranoside; constitutional isomers of hexa-O-allyl-β-D-fructofuranosyl-α-D-glucopyranoside; constitutional isomers of hepta-O-allyl-β-D-fructofuranosyl-α-D-glucopyranoside | 419-640-0 | 68784-14-5 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 615-001-00-7 | methyl isocyanate | 210-866-3 | 624-83-9 | Flam. Liq. 2 Repr. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H225 H361d (***) H330 H311 H301 H335 H315 H318 H334 H317 | GHS02 GHS06 GHS06 GHS08 GHS05 Dgr | H225 H361d (***) H330 H311 H301 H335 H315 H318 H334 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--|--|---|--|--|--|---|--|--------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 615-002-00-2 | methyl isothiocyanate | 209-132-5 | 556-61-6 | Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H314 H317 H400 H410 | GHS06 GHS05 GHS09 Dgr | H331 H301 H314 H317 H410 | | | |
| 615-003-00-8 | thiocyanic acid | 207-337-4 | 463-56-9 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3 | H332 H312 H302 H412 | GHS07 Wng | H332 H312 H302 H412 | EUH032 | | |
| 615-004-00-3 | salts of thiocyanic acid | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3 | H332 H312 H302 H412 | GHS07 Wng | H332 H312 H302 H412 | EUH032 | | A |
| 615-005-00-9 | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate; [2] o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate [4] | 202-966-0 [1] 219-799-4 [2] 227-534-9 [3] 247-714-0 [4] | 101-68-8 [1] 2536-05-2 [2] 5873-54-1 [3] 26447-40-5 [4] | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1 | H332 H319 H335 H315 H334 H317 | GHS08 GHS07 Dgr | H332 H319 H335 H315 H334 H317 | | Eye Irrit.; H319: C ≥ 5 % STOT SE 3; H335: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0,1 % | C 2 |
| 615-006-00-4 | 2-methyl- <i>m</i> -phenylene diisocyanate; toluene-2,4-di-isocyanate; [1] 4-methyl- <i>m</i> -phenylene diisocyanate; toluene-2,6-di-isocyanate; [2] <i>m</i> -tolylidene diisocyanate; toluene-diisocyanate [3] | 202-039-0 [1] 209-544-5 [2] 247-722-4 [3] | 91-08-7 [1] 584-84-9 [2] 26471-62-5 [3] | Carc. 2 Acute Tox. 2 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3 | H351 H330 H319 H335 H315 H334 H317 H412 | GHS06 GHS08 Dgr | H351 H330 H319 H335 H315 H334 H317 H412 | | Resp. Sens. 1; H334: C ≥ 0,1 % | C |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|--------------------------------|----------------------------------|--|--|--|--|--|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 615-007-00-X | 1,5-naphthylene diisocyanate | 221-641-4 | 3173-72-6 | Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Aquatic Chronic 3 | H332 H319 H335 H315 H334 H412 | GHS08 GHS07 Dgr | H332 H319 H335 H315 H334 H412 | | | |
| 615-008-00-5 | 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate; isophorone di-isocyanate | 223-861-6 | 4098-71-9 | Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 2 | H331 H319 H335 H315 H334 H317 H411 | GHS06 GHS08 GHS09 Dgr | H331 H319 H335 H315 H334 H317 H411 | (*) Resp. Sens. 1; H334: C ≥ 0,5 % Skin Sens.1; H317: C ≥ 0,5 % | 2 | |
| 615-009-00-0 | 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate | 225-863-2 | 5124-30-1 | Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1 | H331 H319 H335 H315 H334 H317 | GHS06 GHS08 Dgr | H331 H319 H335 H315 H334 H317 | (*) Resp. Sens. 1; H334: C ≥ 0,5 % Skin Sens. 1; H317: C ≥ 0,5 % | 2 | |
| 615-010-00-6 | 2,2,4-trimethylhexamethylene-1,6-di-isocyanate; [1] 2,4,4-trimethylhexamethylene-1,6-di-isocyanate [2] | 241-001-8 [1] 239-714-4 [2] | 16938-22-0 [1] 15646-96-5 [2] | Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H331 H319 H335 H315 H334 | GHS06 GHS08 Dgr | H331 H319 H335 H315 H334 | (*) Resp. Sens. 1; H334: C ≥ 0,5 % Skin Sens. 1; H317: C ≥ 0,5 % | C 2 | |
| 615-011-00-1 | hexamethylene-di-isocyanate | 212-485-8 | 822-06-0 | Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1 | H331 H319 H335 H315 H334 H317 | GHS06 GHS08 Dgr | H331 H319 H335 H315 H334 H317 | (*) Resp. Sens. 1; H334: C ≥ 0,5 % Skin Sens. 1; H317: C ≥ 0,5 % | 2 | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 615-012-00-7 | 4-isocyanatosulphonyltoluene; tosyl isocyanate | 223-810-8 | 4083-64-1 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H319 H335 H315 H334 | GHS08 GHS07 Dgr | H319 H335 H315 H334 | EUH014 | Eye Irrit.; H319: C ≥ 5 % STOT SE 3; H335: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % | |
| 615-013-00-2 | cyanamide; carbanonitril | 206-992-3 | 420-04-2 | Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H301 H312 H319 H315 H317 | GHS06 Dgr | H301 H312 H319 H315 H317 | | | |
| 615-014-00-8 | tris(1-dodecyl-3-methyl-2-phenylbenzimidazolium)hexacyanoferrate | — | 7276-58-6 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 615-015-00-3 | 1,7,7-trimethylbicyclo(2,2,1)hept-2-yl thiocyanatoacetate; isobornyl thiocyanacetate | 204-081-5 | 115-31-1 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 615-016-00-9 | potassium cyanate | 209-676-3 | 590-28-3 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |
| 615-017-00-4 | calcium cyanamide | 205-861-8 | 156-62-7 | Acute Tox. 4 (*) STOT SE 3 Eye Dam. 1 | H302 H335 H318 | GHS05 GHS07 Dgr | H302 H335 H318 | | | |
| 615-018-00-X | 2-(2-butoxyethoxy)ethyl thiocyanate | 203-985-7 | 112-56-1 | Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 3 (*) | H226 H311 H301 | GHS02 GHS06 Dgr | H226 H311 H301 | | | |
| 615-019-00-5 | dicyclohexylcarbodiimide | 208-704-1 | 538-75-0 | Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 | H311 H302 H318 H317 | GHS06 GHS05 Dgr | H311 H302 H318 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 615-020-00-0 | methylene dithiocyanate | 228-652-3 | 6317-18-6 | Acute Tox. 2 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 | H330 H301 H314 H317 H400 | GHS06 GHS05 GHS09 Dgr | H330 H301 H314 H317 H400 | | | |
| 615-021-00-6 | 1,3,5-tris(oxiranylméthyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione; TGIC | 219-514-3 | 2451-62-9 | Muta. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H340 H331 H301 H373 (**) H318 H317 H412 | GHS06 GHS08 GHS05 Dgr | H340 H331 H301 H373 (**) H318 H317 H412 | | | |
| 615-022-00-1 | methyl 3-isocyanatosulfonyl-2-thiophene-carboxylate | 410-550-7 | 79277-18-2 | STOT RE 2 (*) Resp. Sens. 1 Skin Sens. 1 | H373 (**) H334 H317 | GHS08 Dgr | E; R2 H373 (**) H334 H317 | EUH014 | | |
| 615-023-00-7 | 2-(isocyanatosulfonylméthyl)benzoic acid methyl ester; (alt.):methyl 2-(isocyanatosulfonylméthyl)benzoate | 410-900-9 | 83056-32-0 | Flam. Liq. 3 Muta. 2 Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Resp. Sens. 1 | H226 H341 H332 H373 (**) H318 H334 | GHS02 GHS08 GHS05 GHS07 Dgr | H226 H341 H332 H373 (**) H318 H334 | EUH014 | | |
| 615-024-00-2 | 2-phenylethylisocyanate | 413-080-0 | 1943-82-4 | Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1A Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 2 | H331 H302 H314 H334 H317 H411 | GHS06 GHS08 GHS05 GHS09 Dgr | H331 H302 H314 H334 H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 615-025-00-8 | 4,4'-ethylidenediphenyl dicyanate | 405-740-1 | 47073-92-7 | Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H332 H302 H373 (**) H318 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H332 H302 H373 (**) H318 H410 | | | |
| 615-026-00-3 | 4,4'-methylenebis(2,6-dimethylphenyl cyanate) | 405-790-4 | 101657-77-6 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 615-028-00-4 | ethyl 2-(isocyanatosulfonyl)benzoate | 410-220-2 | 77375-79-2 | (****) Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 | H302 H373 (**) H318 H334 H317 | GHS08 GHS05 GHS07 Dgr | E; R2 H302 H373 (**) H318 H334 H317 | EUH014 | | |
| 615-029-00-X | 2,5-bis-isocyanatomethyl-bicyclo[2.2.1]heptane | 411-280-2 | — | Acute Tox. 2 (*) Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3 | H330 H302 H314 H334 H317 H412 | GHS06 GHS08 GHS05 Dgr | H330 H302 H314 H334 H317 H412 | | | |
| 615-030-00-5 | alkali salts, alkali earth salts and other salts of thiocyanic acid not mentioned elsewhere in this Annex | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3 | H332 H312 H302 H412 | GHS07 Wng | H332 H312 H302 H412 | EUH032 | | A |
| 615-031-00-0 | thallium salt of thiocyanic acid | 222-571-7 | 3535-84-0 | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2 | H332 H312 H302 H411 | GHS07 GHS09 Wng | H332 H312 H302 H411 | EUH032 | | A |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 615-032-00-6 | metal salts of thiocyanic acid not mentioned elsewhere in this Annex | — | — | Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H332 H312 H302 H400 H410 | GHS07 GHS09 Wng | H332 H312 H302 H410 | EUH032 | | A |
| 616-001-00-X | N,N-dimethylformamide; dimethyl formamide | 200-679-5 | 68-12-2 | Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 | H360D (***) H332 H312 H319 | GHS08 GHS07 Dgr | H360D (***) H332 H312 H319 | | | |
| 616-002-00-5 | 2-fluoroacetamide | 211-363-1 | 640-19-7 | Acute Tox. 2 (*) Acute Tox. 3 (*) | H300 H311 | GHS06 Dgr | H300 H311 | | | |
| 616-003-00-0 | acrylamide; prop-2-enamide | 201-173-7 | 79-06-1 | Carc. 1B Muta. 1B Repr. 2 Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 | H350 H340 H361f (***) H301 H372 (**) H332 H312 H319 H315 H317 | GHS06 GHS08 Dgr | H350 H340 H361f (***) H301 H372 (**) H332 H312 H319 H315 H317 | | | D |
| 616-004-00-6 | allidochlor (ISO); N,N-diallylchloroacetamide | 202-270-7 | 93-71-0 | Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2 | H312 H302 H319 H315 H411 | GHS07 GHS09 Wng | H312 H302 H319 H315 H411 | | | |
| 616-005-00-1 | chlorthiamid (ISO); 2,6-dichloro (thiobenzamide) | 217-637-7 | 1918-13-4 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-006-00-7 | dichlofluanid (ISO); N-dichlorofluoromethylthio-N',N'-dimethyl-N-phenylsulphamide | 214-118-7 | 1085-98-9 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H332 H319 H317 H400 H410 | GHS07 GHS09 Wng | H332 H319 H317 H410 | | | |
| 616-007-00-2 | diphenamid (ISO); N,N-dimethyl-2,2-diphenylacetamide | 213-482-4 | 957-51-7 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 616-008-00-8 | propachlor (ISO); 2-chloro-N-isopropylacetanilide; α-chloro-N-isopropylacetanilide | 217-638-2 | 1918-16-7 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H319 H317 H400 H410 | GHS07 GHS09 Wng | H302 H319 H317 H410 | | | |
| 616-009-00-3 | propanil (ISO); 3',4'-dichloropropionanilide | 211-914-6 | 709-98-8 | Acute Tox. 4 (*) Aquatic Acute 1 | H302 H400 | GHS07 GHS09 Wng | H302 H400 | | | |
| 616-010-00-9 | tosylchloramide sodium | 204-854-7 | 127-65-1 | Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 | H302 H314 H334 | GHS08 GHS05 GHS07 Dg | H302 H314 H334 | EUH031 | | |
| 616-011-00-4 | N,N-dimethylacetamide | 204-826-4 | 127-19-5 | Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) | H360D (***) H332 H312 | GHS08 GHS07 Dgr | H360D (***) H332 H312 | | Repr. 1B; H360D: C ≥ 5 % | |
| 616-012-00-X | N-(dichlorofluoromethylthio)phthalimide; N-(fluorodichloromethylthio)phthalimide | 211-952-3 | 719-96-0 | Skin Irrit. 2 | H315 | GHS07 Wng | H315 | | | |
| 616-013-00-5 | butyraldehyde oxime | 203-792-8 | 110-69-0 | Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 | H311 H302 H319 | GHS06 Dgr | H311 H302 H319 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-014-00-0 | 2-butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime | 202-496-6 | 96-29-7 | Carc. 2 Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 | H351 H312 H318 H317 | GHS08 GHS05 GHS07 Dgr | H351 H312 H318 H317 | | | |
| 616-015-00-6 | alachlor (ISO); 2-chloro-2',6'-diethyl-N-(methoxymethyl) acetanilide | 240-110-8 | 15972-60-8 | Carc. 2 Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H351 H302 H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H302 H317 H410 | M=10 | | |
| 616-016-00-1 | 1-(3,4-dichlorophenylimino) thiosemicarbazide | — | 5836-73-7 | Acute Tox. 2 (*) | H300 | GHS06 Dgr | H300 | | | |
| 616-017-00-7 | cartap hydrochloride | 239-309-2 | 15263-52-2 | Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H312 H302 H400 H410 | GHS07 GHS09 Wng | H312 H302 H410 | | | |
| 616-018-00-2 | N,N-diethyl-m-toluamide; deet | 205-149-7 | 134-62-3 | Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3 | H302 H319 H315 H412 | GHS07 Wng | H302 H319 H315 H412 | | | |
| 616-019-00-8 | perfluidone (ISO); 1,1,1-trifluoro-N-(4-phenylsulphonyl- <i>o</i> - tolyl)methanesulphonamide; | 253-718-3 | 37924-13-3 | Acute Tox. 4 (*) Eye Irrit. 2 | H302 H319 | GHS07 Wng | H302 H319 | | | |
| 616-020-00-3 | tebuthiuron (ISO); 1-(5- <i>tert</i> -butyl-1,3,4-thiadiazol-2-yl)-1,3- dimethylurea | 251-793-7 | 34014-18-1 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-021-00-9 | thiazafluron (ISO); 1,3-diméthyl-1-(5-trifluorométhyl-1,3,4-thiadiazol-2-yl)urée | 246-901-4 | 25366-23-8 | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chron-ic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 616-022-00-4 | acetamide | 200-473-5 | 60-35-5 | Carc. 2 | H351 | GHS08 Wng | H351 | | | |
| 616-023-00-X | N-hexadécyl(or octadécyl)-N-hexadécyl(or octadécyl)benzamide | 401-980-6 | — | Skin Irrit. 2 Skin Sens. 1 | H315 H317 | GHS07 Wng | H315 H317 | | | |
| 616-024-00-5 | 2-(4,4-diméthyl-2,5-dioxooxazolidin-1-yl)-2-chloro-5-(2-(2,4-di- <i>tert</i> -pentylphénoxy)butyramido)-4,4-diméthyl-3-oxovaléranilide | 402-260-4 | 54942-74-4 | Aquatic Chron-ic 4 | H413 | — | H413 | | | |
| 616-025-00-0 | valinamide | 402-840-7 | 20108-78-5 | Repr. 2 Eye Irrit. 2 Skin Sens. 1 | H361f (***) H319 H317 | GHS08 Wng | H361f (***) H319 H317 | | | |
| 616-026-00-6 | thioacetamide | 200-541-4 | 62-55-5 | Carc. 1B Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chron-ic 3 | H350 H302 H319 H315 H412 | GHS08 GHS07 Dgr | H350 H302 H319 H315 H412 | | | |
| 616-027-00-1 | tris(2-(2-hydroxyéthoxy)éthyl)ammonium 3-acétoacétamido-4-méthoxybenzènesulfonate | 403-760-5 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 616-028-00-7 | N-(4-(3-(4-cyanophényl)uréido)-3-hydroxyphényl)-2-(2,4-di- <i>tert</i> -pentylphénoxy)octanamide | 403-790-9 | 108673-51-4 | Skin Sens. 1 Aquatic Chron-ic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 616-029-00-2 | N,N'-éthylènebis(vinylsulfonylecétamide) | 404-790-1 | 66710-66-5 | Eye Dam. 1 Skin Sens. 1 | H318 H317 | GHS05 GHS07 Dgr | H318 H317 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-030-00-8 | ethidimuron (ISO); 1-(5-ethylsulphonyl-1,3,4-thiadiazol-2-yl)-1,3-dimethylurea | 250-010-6 | 30043-49-3 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 616-031-00-3 | dimethachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(2-methoxyethyl)acetamide; | 256-625-6 | 50563-36-5 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 616-032-00-9 | diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide | — | 83164-33-4 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 616-033-00-4 | cyprofuram (ISO); N-(3-chlorophenyl)-N-(tetrahydro-2-oxo-3-furyl)cyclopropanecarboxamide | 274-050-9 | 69581-33-5 | Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H312 H400 H410 | GHS06 GHS09 Dgr | H301 H312 H410 | | | |
| 616-034-00-X | pyracarbolid; (ISO); 3,4-dihydro-6-methyl-2H-pyran-5-carboxanilide | 246-419-4 | 24691-76-7 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 616-035-00-5 | cymoxanil (ISO); 2-cyano-N-[(ethylamino)carbonyl]-2-(methoxyimino)acetamide | 261-043-0 | 57966-95-7 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 616-036-00-0 | 2-chloracetamide | 201-174-2 | 79-07-2 | Repr. 2 Acute Tox. 3 (*) Skin Sens. 1 | H361f (***) H301 H317 | GHS06 GHS08 Dgr | H361f (***) H301 H317 | | Skin Sens. 1; H317: C ≥ 0,1 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-037-00-6 | acetochlor (ISO); 2-chloro-N-(ethoxymethyl)-N-(2-ethyl-6-methylphenyl)acetamide | 251-899-3 | 34256-82-1 | Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H332 H335 H315 H317 H400 H410 | GHS07 GHS09 Wng | H332 H335 H315 H317 H410 | | | |
| 616-038-00-1 | (4-aminophenyl)-N-methylmethylensulfonamide hydrochloride | 406-010-5 | 88918-84-7 | Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H318 H317 H411 | GHS05 GHS07 GHS09 Dgr | H318 H317 H411 | | | |
| 616-039-00-7 | 3',5'-dichloro-4'-ethyl-2'-hydroxypalmitanilide | 406-200-8 | 117827-06-2 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 616-040-00-2 | potassium N-(4-toluenesulfonyl)-4-toluenesulfonamide | 406-650-5 | 97888-41-0 | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 616-041-00-8 | 3',5'-dichloro-2-(2,4-di- <i>tert</i> -pentylphenoxy)-4'-ethyl-2'-hydroxyhexananilide | 406-840-8 | 101664-25-9 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-042-00-3 | N-(2-(6-ethyl-7-(4-methylphenoxy)-1H-pyrazolo[1,5-b][1,2,4]triazol-2-yl)propyl)-2-octadecyloxybenzamide | 407-070-5 | 142859-67-4 | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 616-043-00-9 | isoxaben (ISO); N-[3-(1-ethyl-1-methylpropyl)-1,2-oxazol-5-yl]-2,6-dimethoxybenzamide | 407-190-8 | 82558-50-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-044-00-4 | N-(3,5-dichloro-4-ethyl-2-hydroxyphenyl)-2-(3-pentadecylphenoxy)-butanamide | 402-510-2 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 616-045-00-X | 2'-(4-chloro-3-cyano-5-formyl-2-thienylazo)-5'-diethylamino-2-methoxyacetanilide | 405-190-2 | 122371-93-1 | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-046-00-5 | N-(2-(6-chloro-7-methylpyrazolo(1,5-b)-1,2,4-triazol-4-yl)propyl)-2-(2,4-tert-pentylphenoxy)octanamide | 406-390-2 | — | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 616-047-00-0 | reaction mass of: 2,2',2'',2'''-(ethylenedinitrilotetrakis-N,N-di(C ₁₆)alkylacetamide; 2,2',2'',2'''-(ethylenedinitrilotetrakis-N,N-di(C ₁₈)alkylacetamide | 406-640-0 | — | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 616-048-00-6 | 3'-trifluoromethylisobutyranilide | 406-740-4 | 1939-27-1 | STOT RE 2 (*) Aquatic Chronic 2 | H373 (**) H411 | GHS08 GHS09 Wng | H373 (**) H411 | | | |
| 616-049-00-1 | 2-(2,4-bis(1,1-dimethylethyl)phenoxy)-N-(3,5-dichloro-4-ethyl-2-hydroxyphenyl)-hexanamide | 408-150-2 | 99141-89-6 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-050-00-7 | lufenuron (ISO); N-[2,5-dichloro-4-(1,1,2,3,3,3-hexafluoropropoxy)-phenyl-aminocarbonyl]-2,6-difluorobenzamide | 410-690-9 | 103055-07-8 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 616-051-00-2 | reaction mass of: 2,4 -bis(N'-(4-methylphenyl)-ureido)-toluene; 2,6 -bis(N'-(4-methylphenyl)-ureido)-toluene | 411-070-0 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-052-00-8 | formamide | 200-842-0 | 75-12-7 | Repr. 1B | H360-D (***) | GHS08 Dgr | H360D (***) | | | |
| 616-053-00-3 | N-methylacetamide | 201-182-6 | 79-16-3 | Repr. 1B | H360-D (***) | GHS08 Dgr | H360D (***) | | | |
| 616-054-00-9 | iprodione (ISO); 3-(3,5-dichlorophenyl)-2,4-dioxo-N-isopropylimidazolidine-1-carboxamide | 253-178-9 | 36734-19-7 | Carc. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H400 H410 | GHS08 GHS09 Wng | H351 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|---|--|-----------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-055-00-4 | propyzamide (ISO); 3,5-dichloro-N-(1,1-diméthylprop-2-ynyl)benzamide | 245-951-4 | 23950-58-5 | Carc. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H400 H410 | GHS08 GHS09 Wng | H351 H410 | | | |
| 616-056-00-X | N-méthylformamide | 204-624-6 | 123-39-7 | Repr. 1B Acute Tox. 4 (*) | H360D (***) H312 | GHS08 GHS07 Dg | H360D (***) H312 | | | |
| 616-057-00-5 | reaction mass of: N-[3-hydroxy-2-(2-méthylacryloylaminométhoxy)propoxyméthyl]-2-méthylacrylamide; N-[2,3-bis-(2-méthylacryloylaminométhoxy)propoxyméthyl]-2-méthylacrylamide; methacrylamide; 2-méthyl-N-(2-méthylacryloylaminométhoxyméthyl)-acrylamide; N-(2,3-dihydroxypropoxyméthyl)-2-méthylacrylamide | 412-790-8 | — | Carc. 1B Muta. 2 STOT RE 2 (*) | H350 H341 H373 (**) | GHS08 Dgr | H350 H341 H373 (**) | | | |
| 616-058-00-0 | 1,3-bis(3-méthyl-2,5-dioxo-1H-pyrrolinyl-méthyl)benzène | 412-570-1 | 119462-56-5 | STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H318 H317 H400 H410 | GHS08 GHS05 GHS07 GHS09 Dgr | H373 (**) H318 H317 H410 | | | |
| 616-059-00-6 | 4-((4-(diéthylamino)-2-éthoxyphényl)imino)-1,4-dihydro-1-oxo-N-propyl-2-naphthalénecarboxamide | 412-650-6 | 121487-83-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-060-00-1 | Condensation product of: 3-(7-carboxyhept-1-yl)-6-héxyl-4-cyclohexène-1,2-dicarboxylic acid with polyamines (primarily aminoethyl-piperazine and triéthylentétramine) | 413-770-1 | — | Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H314 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H314 H317 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-061-00-7 | N,N'-1,6-hexanediylobis(N-(2,2,6,6-tetraméthyl-piperidin-4-yl)-formamide | 413-610-0 | 124172-53-8 | Eye Irrit. 2 Aquatic Chronic 3 | H319 H412 | GHS07 Wng | H319 H412 | | | |
| 616-062-00-2 | N-[3-[(2-acétyloxyéthyl)(phényl-méthyl)amino]-4-méthoxyphényl]acétamide | 411-590-8 | 70693-57-1 | Skin Corr. 1B Aquatic Chronic 3 | H314 H412 | GHS05 Dgr | H314 H412 | | | |
| 616-063-00-8 | 3-dodécyl-(1-(1,2,2,6,6-pentaméthyl-4-piperidin-yl)-2,5-pyrrolidindione | 411-920-0 | 106917-30-0 | Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1A Aquatic Acute 1 Aquatic Chronic 1 | H331 H302 H373 (**) H314 H400 H410 | GHS06 GHS08 GHS05 GHS09 Dgr | H331 H302 H373 (**) H314 H410 | | | |
| 616-064-00-3 | N-tert-butyl-3-méthylpicolinamide | 406-720-5 | 32998-95-1 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 616-065-00-9 | 3'-(3-acétyl-4-hydroxyphényl)-1,1-diéthylurea | 411-970-3 | 79881-89-3 | Acute Tox. 4 (*) STOT RE 2 (*) | H302 H373 (**) | GHS08 GHS07 Wng | H302 H373 (**) | | | |
| 616-066-00-4 | 5,6,12,13-tétrachloroanthra(2,1,9-def:6,5,10-d'ef)diisoquinoline-1,3,8,10 (2H,9H)-tétrone | 405-100-1 | 115662-06-1 | Repr. 2 | H361f (***) | GHS08 Wng | H361f (***) | | | |
| 616-067-00-X | dodécyl 3-(2-(3-benzyl-4-éthoxy-2,5-dioximidazolidin-1-yl)-4,4-diméthyl-3-oxovaleramido)-4-chlorobenzoate | 407-300-4 | 92683-20-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-068-00-5 | potassium 4-(11-méthacrylamidoundecanamido)benzenesulfonate | 406-500-9 | 174393-75-0 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 616-069-00-0 | 1-hydroxy-5-(2-méthylpropyloxy)carbonylamino)-N-(3-dodécylpropyl)-2-naphthoamide | 406-210-2 | 110560-22-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-070-00-6 | reaction mass of: 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea; 3-cyclohexyl-1-(4-(4-(3-octadecylureido)benzyl)phenyl)urea; 3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea | 406-530-2 | — | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-071-00-1 | reaction mass of: bis(N-cyclohexyl-N'-phenyleneureido)methylene; bis(N-octadecyl-N'-phenyleneureido)methylene; bis(N-dicyclohexyl-N'-phenyleneureido)methylene (1:2:1) | 406-550-1 | — | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 616-072-00-7 | 1-(2-deoxy-5-O-trityl-β-D-threopentofuranosyl)thymine | 407-120-6 | 55612-11-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-073-00-2 | 4'-ethoxy-2-benzimidazoleanilide | 407-600-5 | 120187-29-3 | Muta. 2 Aquatic Chronic 4 | H341 H413 | GHS08 Wng | H341 H413 | | | |
| 616-074-00-8 | N-butyl-2-(4-morpholinylcarbonyl)benzamide | 407-730-2 | 104958-67-0 | Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H319 H317 H412 | GHS07 Wng | H319 H317 H412 | | | |
| 616-075-00-3 | D, L-(N,N-diethyl-2-hydroxy-2-phenylacetamide) | 408-120-9 | 65197-96-8 | Acute Tox. 4 (*) Eye Dam. 1 | H302 H318 | GHS05 GHS07 Dgr | H302 H318 | | | |
| 616-076-00-9 | tebufenozide (ISO); N-tert-butyl-N'-(4-ethylbenzoyl)-3,5-dimethylbenzohydrazide | 412-850-3 | 112410-23-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-077-00-4 | reaction mass of: 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10-tetrahydro-(1H,8H)-anthra[2,1,9-def: 6,5,10-d'ef']diisoquinolin-2-ylethansulfonic acid; potassium 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10-tetrahydro-(1H,8H)-anthra[2,1,9-def: 6,5,10-d'ef']diisoquinolin-2-ylethansulfate | 411-310-4 | — | Eye Dam. 1 | H318 | GHS05 Dgr | H318 | | | |
| 616-078-00-X | 2-[2,4-bis(1,1-dimethyl-ethyl)phenoxy]-N-(2-hydroxy-5-methyl-phenyl)hexanamide | 411-330-3 | 104541-33-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-079-00-5 | 1,6-hexanediyil-bis(2-(2-(1-ethylpentyl)-3-oxazolidinyl)ethyl)carbamate | 411-700-4 | 140921-24-0 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 616-080-00-0 | 4-(2-((3-ethyl-4-methyl-2-oxo-pyrrolin-1-yl)carboxamido)ethyl)benzenesulfonamide | 411-850-0 | 119018-29-0 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 616-081-00-6 | 5-bromo-8-naphtholactam | 413-480-5 | 24856-00-6 | Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H317 H400 H410 | GHS07 GHS09 Wng | H302 H317 H410 | | | |
| 616-082-00-1 | N-(5-chloro-3-((4-(diethylamino)-2-methylphenyl)imino-4-methyl-6-oxo-1,4-cyclohexadien-1-yl)benzamide | 413-200-1 | 129604-78-0 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 616-083-00-7 | [2-[(4-nitrophenyl)amino]ethyl]urea | 410-700-1 | 27080-42-8 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 616-084-00-2 | 2,4-bis[N'-(4-methylphenyl)ureido]toluene | 411-790-5 | — | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 616-085-00-8 | 3-(2,4-dichlorophenyl)-6-fluoro-quinazolin-2,4(1H,3H)-dione | 412-190-6 | 168900-02-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-086-00-3 | 2-acetyl-amino-6-chloro-4-[(4-diéthylamino)2-méthylphényl-imino]-5-méthyl-1-oxo-2,5-cyclohexadiène | 412-250-1 | 102387-48-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-087-00-9 | reaction mass of: 7,9,9-triméthyl-3,14-dioxo-4,13-dioxo-5,12-diazahexadécane-1,16-diyl-prop-2-énoate; 7,7,9-triméthyl-3,14-dioxo-4,13-dioxo-5,12-diazahexadécane-1,16-diyl-prop-2-énoate | 412-260-6 | 52658-19-2 | Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H319 H317 H411 | GHS07 GHS09 Wng | H319 H317 H411 | | | |
| 616-088-00-4 | 2-aminosulfonyl-N,N-diméthylnicotinamide | 413-440-7 | 112006-75-4 | Skin Sens. 1 Aquatic Chronic 3 | H317 H412 | GHS07 Wng | H317 H412 | | | |
| 616-089-00-X | 5-(2,4-dioxo-1,2,3,4-tetrahydropyrimidine)-3-fluoro-2-hydroxyméthyltetrahydrofuran | 415-360-8 | 41107-56-6 | Muta. 2 | H341 | GHS08 Wng | H341 | | | |
| 616-090-00-5 | 1-(1,4-benzodioxan-2-ylcarbonyl)piperazine hydrochloride | 415-660-9 | 70918-74-0 | Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2 | H331 H311 H301 H373 (**) H411 | GHS06 GHS08 GHS09 Dgr | H331 H311 H301 H373 (**) H411 | | | |
| 616-091-00-0 | 1,3,5-tris-[(2S and 2R)-2,3-époxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione | 423-400-0 | 59653-74-6 | Muta. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 | H340 H331 H302 H373 (**) H318 H317 | GHS06 GHS08 GHS05 Dgr | H340 H331 H302 H373 (**) H318 H317 | | | |
| 616-092-00-6 | Polymeric reaction product of bicyclo[2.2.1]hepta-2,5-diene, éthène, 1,4-hexadiène, 1-propène with N,N-di-2-propénylformamide | 404-035-6 | — | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 616-093-00-1 | Reaction products of: aniline-terephthalaldehyde-o-toluidine condensate with maléic anhydride | 406-620-1 | 129217-90-9 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-094-00-7 | 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea | 406-370-3 | 58890-25-8 | Skin Sens. 1 Aquatic Chronic 4 | H317 H413 | GHS07 Wng | H317 H413 | | | |
| 616-095-00-2 | 3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea | 406-690-3 | 43136-14-7 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-096-00-8 | N-(3-hexadecyloxy-2-hydroxyprop-1-yl)-N-(2-hydroxyethyl)palmitamide | 408-110-4 | 110483-07-3 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-097-00-3 | N,N'-1,4-phenylenebis(2-((2-methoxy-4-nitrophenyl)azo)-3-oxobutanamide | 411-840-6 | 83372-55-8 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-098-00-9 | 1-[4-chloro-3-((2,2,3,3,3-pentafluoropropoxy)methyl)phenyl]-5-phenyl-1H-1,2,4-triazole-3-carboxamide | 411-750-7 | 119126-15-7 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 616-099-00-4 | 2-[4-[(4-hydroxyphenyl)sulfonyl]phenoxy]-4,4-dimethyl-N-[5-[(methylsulfonyl)amino]-2-[4-(1,1,3,3-tetramethylbutyl)phenoxy]phenyl]-3-oxopentanamide | 414-170-2 | 135937-20-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-100-00-8 | 1,3-dimethyl-1,3-bis(trimethylsilyl)urea | 414-180-7 | 10218-17-4 | Acute Tox. 4 (*) Skin Irrit. 2 | H302 H315 | GHS07 Wng | H302 H315 | | | |
| 616-101-00-3 | (S)-N-tert-butyl-1,2,3,4-tetrahydro-3-isoquinolinecarboxamide | 414-600-9 | 149182-72-9 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 616-102-00-9 | reaction mass of: α-[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]-ω-[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyloxy]-poly-(oxyethylene-co-oxypropylene); 1,2-(or 1,3-)bis[α-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]-ω-oxy-poly(oxyethylene-co-oxypropylene)]-3-(or 2-)propanol; 1,2,3-tris[α-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]-ω-oxy-poly-(oxyethylene-co-oxypropylene)]propane] | 415-870-0 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|-------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-103-00-4 | (S,S)-trans-4-(acetylamo)-5,6-dihydro-6-méthyl-7,7-dioxo-4H-thieno[2,3-b]thiopyran-2-sulfonamide | 415-030-3 | 120298-38-6 | Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H317 H400 H410 | GHS07 GHS09 Wng | H317 H410 | | | |
| 616-104-00-X | benalaxyl (ISO); méthyl N-(2,6-diméthylphényl)-N-(phénylacétyl)-DL-alaninate | 275-728-7 | 71626-11-4 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 616-105-00-5 | chlorotoluron (ISO); 3-(3-chloro-p-tolyl)-1,1-diméthylurea | 239-592-2 | 15545-48-9 | Carc. 2 Repr. 2 Aquatic Acute 1 Aquatic Chronic 1 | H351 H361d (***) H400 H410 | GHS08 GHS09 Wng | H351 H361d (***) H410 | | | |
| 616-106-00-0 | phenmedipham (ISO); méthyl 3-(3-méthylcarbaniloxy)carbanilate | 237-199-0 | 13684-63-4 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 616-108-00-1 | iodosulfuron-méthyl-sodium; sodium ([5-iodo-2-(méthoxycarbonyl)phényl]sulfonyl)carbamoyl(4-méthoxy-6-méthyl-1,3,5-triazin-2-yl)azanide | — | 144550-36-7 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 616-109-00-7 | sulfosulfuron (ISO); 1-(4,6-diméthoxypyrimidin-2-yl)-3-(2-éthylsulfonylimidazo[1,2-a]pyridin-3-yl)sulfonylurea | — | 141776-32-1 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 616-110-00-2 | cyclanilide (ISO); 1-(2,4-dichloroanilino-carbonyl)cyclopropanecarboxylique acid | 419-150-7 | 113136-77-9 | Acute Tox. 4 (*) Aquatic Chronic 2 | H302 H411 | GHS07 GHS09 Wng | H302 H411 | | | |
| 616-111-00-8 | fenhexamid (ISO); N-(2,3-dichlor-4-hydroxyphényl)-1-méthylcyclohexancarboxamid | 422-530-5 | 126833-17-8 | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|-------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-112-00-3 | oxasulfuron (ISO); oxetan-3-yl 2-[(4,6-diméthylpyrimidin-2-yl)- carbamoylsulfamoyl]benzoate | — | 144651-06-9 | STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1 | H373 (**) H400 H410 | GHS08 GHS09 Wng | H373 (**) H410 | | | |
| 616-113-00-9 | desmedipham (ISO); ethyl 3-phenylcarbamoyloxyphenylcarbamate | 237-198-5 | 13684-56-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | M=10 | |
| 616-114-00-4 | dodecanamide, N,N'-(9,9',10,10'-tetrahydro- 9,9',10,10'-tetraoxo(1,1'-bianthracene)-4,4'- diyl)bis- | 418-010-2 | 136897-58-0 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-115-00-X | N-(3-acetyl-2-hydroxyphenyl)-4-(4-phenyl- butoxy)benzamide | 416-150-9 | 136450-06-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-116-00-5 | N-(4-diméthylaminopyridinium)-3- méthoxy-4-(1-méthyl-5-nitroindol-3-ylmé- thyl)-N-(o-tolylsulfonyl)benzamidate | 416-790-9 | 143052-96-4 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-117-00-0 | N-[2-(3-acetyl-5-nitrothiophen-2-ylazo)-5- diéthylaminophenyl]acetamide | 416-860-9 | 777891-21-1 | Repr. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H361f (***) H317 H400 H410 | GHS08 GHS09 Wng | H361f (***) H317 H410 | | | |
| 616-118-00-6 | N-(2',6'-diméthylphényl)-2-piperidinecarbo- xamide hydrochloride | 417-950-0 | 65797-42-4 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 616-119-00-1 | 2-(1-butyl-3,5-dioxo-2-phényl-(1,2,4)-triazol- olidin-4-yl)-4,4-diméthyl-3-oxo-N-(2- méthoxy-5-(2-(dodécyl-1-sulfonyl))propio- nylamino)-phényl)-pentanamide | 418-060-5 | 118020-93-2 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-120-00-7 | reaction mass of: N-(3-diméthylamino-4- méthyl-phényl)-benzamide; N-(3-diméthylamino-2-méthyl-phényl)-ben- zamide; N-(3-diméthylamino-3-méthyl-phényl)-ben- zamide | 420-600-1 | — | STOT RE 2 (*) Aquatic Chronic 2 | H373 (**) H411 | GHS08 GHS09 Wng | H373 (**) H411 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-121-00-2 | 2,4-dihydroxy-N-(2-methoxyphenyl)benzamide | 419-090-1 | 129205-19-2 | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 616-123-00-3 | N-[3-[[4-(diethylamino)-2-methylphenyl]imino]-6-oxo-1,4-cyclohexadienyl]acetamide | 414-740-0 | 96141-86-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 616-124-00-9 | lithium bis(trifluoromethylsulfonyl)imide | 415-300-0 | 90076-65-6 | Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Aquatic Chronic 3 | H311 H301 H314 H412 | GHS06 GHS05 Dgr | H311 H301 H314 H412 | | | |
| 616-125-00-4 | 3-cyano-N-(1,1-dimethylethyl)androsta-3,5-diene-17-β-carboxamide | 415-730-9 | 151338-11-3 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | 410 | | | |
| 616-127-00-5 | reaction mass of: N,N'-Ethane-1,2-diylbis (decanamide); 12-Hydroxy-N-[2-[1-oxodecyl]amino]ethyl octadecanamide; N,N'-Ethane-1,2-diylbis(12-hydroxyoctadecanamide) | 430-050-2 | — | Skin Sens. 1 Aquatic Chronic 2 | H317 H411 | GHS07 GHS09 Wng | H317 H411 | | | |
| 616-128-00-0 | N-(2-(1-allyl-4,5-dicyanoimidazol-2-ylazo)-5-(dipropylamino)phenyl)-acetamide | 417-530-7 | 123590-00-1 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-129-00-6 | N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl) isophthalamide | 419-710-0 | 42774-15-2 | Acute Tox. 4 (*) Eye Irrit. 2 | H302 H319 | GHS07 Wng | H302 H319 | | | |
| 616-130-00-1 | N-(3-(2-(4,4-dimethyl-2,5-dioxoimidazolin-1-yl)-4,4-dimethyl-3-oxo-pentanoylamino)-4-methoxy-phenyl)-octadecanamide | 421-780-2 | 150919-56-5 | Aquatic Chronic 4 | H413 | — | H413 | | | |
| 616-132-00-2 | N-[4-(4-cyano-2-furfurylidene-2,5-dihydro-5-oxo-3-furyl)phenyl]butane-1-sulfonamide | 423-250-6 | 130016-98-7 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|---|--|---|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 616-133-00-8 | N-cyclohexyl-S,S-dioxobenzob[b]tiophene-2-carboxamide | 423-990-1 | 149118-66-1 | Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H318 H400 H410 | GHS05 GHS07 GHS09 Dgr | H302 H318 H410 | | | |
| 616-134-00-3 | 3,3'-bis(dioctyloxyphosphinothiolythio)-N,N'-oxybis(methylene)dipropionamide | 401-820-5 | 793710-14-2 | Aquatic Chronic 3 | H412 | — | H412 | | | |
| 616-135-00-9 | (3S,4aS,8aS)-2-[(2R,3S)-3-amino-2-hydroxy-4-phenylbutyl]-N-tert-butyldecahydroisoquinoline-3-carboxamide | 430-230-0 | 136522-17-3 | Acute Tox. 4 (*) Aquatic Chronic 3 | H302 H412 | GHS07 Wng | H302 H412 | | | |
| 616-142-00-7 | 1,3-Bis(vinylsulfonylacétamido)propane | 428-350-3 | 93629-90-4 | Muta. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3 | H341 H318 H317 H412 | GHS08 GHS05 GHS07 Dgr | H341 H318 H317 H412 | | | |
| 616-143-00-2 | N,N'-dihexadécyl-N,N'-bis(2-hydroxyéthyl)propanediamide | 422-560-9 | 149591-38-8 | Repr. 2 Eye Irrit. 2 Aquatic Chronic 4 | H361f (***) H319 H413 | GHS08 Wng | H361f (***) H319 H413 | | | |
| 617-001-00-2 | di-tert-butyl peroxide | 203-733-6 | 110-05-4 | Org. Perox. E Flam. Liq. 2 | H242 H225 | GHS02 Dgr | H242 H225 | | | |
| 617-002-00-8 | α , α -diméthylbenzyl hydroperoxide; cumène hydroperoxide | 201-254-7 | 80-15-9 | Org. Perox. E Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Aquatic Chronic 2 | H242 H331 H312 H302 H373 (**) H314 H411 | GHS02 GHS06 GHS08 GHS05 GHS09 Dgr | H242 H331 H312 H302 H373 (**) H314 H411 | | Skin Corr. 1B; H314: C \geq 10 % Skin Irrit. 2; H315: 3 % \leq C < 10 % Eye Dam. 1; H318: 3 % \leq C < 10 % Eye Irrit. 2; H319: 1 % \leq C < 3 % STOT SE 3; H335: C < 10 % | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--|---|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 617-003-00-3 | dilauroyl peroxide | 203-326-3 | 105-74-8 | Org. Perox. D | H242 | GHS02 Dgr | H242 | | | |
| 617-004-00-9 | 1,2,3,4-tetrahydro-1-naphthyl hydroperoxide | 212-230-0 | 771-29-9 | Org. Perox. D Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1 | H242 H302 H314 H400 H410 | GHS02 GHS05 GHS07 GHS09 Dgr | H242 H302 H314 H410 | | STOT SE 3; H335: C ≥ 5 % | |
| 617-006-00-X | bis(α, α-dimethylbenzyl) peroxide | 201-279-3 | 80-43-3 | Org. Perox. F Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2 | H242 H319 H315 H411 | GHS02 GHS07 GHS09 Wng | H242 H319 H315 H411 | | | |
| 617-007-00-5 | tert-butyl α, α-dimethylbenzyl peroxide | 222-389-8 | 3457-61-2 | Org. Perox. E Skin Irrit. 2 Aquatic Chronic 2 | H242 H315 H411 | GHS02 GHS07 GHS09 Wng | H242 H315 H411 | | | |
| 617-008-00-0 | dibenzoyl peroxide; benzoyl peroxide | 202-327-6 | 94-36-0 | Org. Perox. B Eye Irrit. 2 Skin Sens. 1 | H241 H319 H317 | GHS01 GHS02 GHS07 Wng | H241 H319 H317 | | | T |
| 617-010-00-1 | 1-hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide; [1] 1,1'-dioxybiscyclohexan-1-ol; [2] cyclohexylidene hydroperoxide; [3] cyclohexanone, peroxide [4] [> 91 % solution] | 201-091-1 [1] 219-306-2 [2] 220-279-4 [3] 235-527-7 [4] | 78-18-2 [1] 2407-94-5 [2] 2699-11-8 [3] 12262-58-7 [4] | Org. Perox. A Acute Tox. 4 (*) Skin Corr. 1B | H240 H302 H314 | GHS01 GHS05 GHS07 Dgr | H240 H302 H314 | | STOT SE 3; H335: C ≥ 5 % | C T |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|--|---|--|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 617-010-01-9 | 1-hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide; [1] 1,1'-dioxybiscyclohexan-1-ol; [2] cyclohexylidene hydroperoxide; [3] cyclohexanone, peroxide [4] [≤ 91 % solution] | 201-091-1 [1] 219-306-2 [2] 220-279-4 [3] 235-527-7 [4] | 78-18-2 [1] 2407-94-5 [2] 2699-11-8 [3] 12262-58-7 [4] | Org. Perox. C Acute Tox. 4 (*) Skin Corr. 1B | H242 H302 H314 | GHS02 GHS05 GHS07 Dgr | H242 H302 H314 | | STOT SE 3; H335: C ≥ 5 % | C T |
| 617-012-00-2 | 8- <i>p</i> -menthyl hydroperoxide; <i>p</i> -menthane hydroperoxide | 201-281-4 | 80-47-7 | Org. Perox. D Skin Corr. 1B Acute Tox. 4 (*) | H242 H314 H332 | GHS02 GHS05 GHS07 Dgr | H242 H314 H332 | | STOT SE 3; H335: C ≥ 5 % | |
| 617-013-00-8 | O,O— <i>tert</i> -butyl O-docosyl monoperoxyoxalate | 404-300-6 | 116753-76-5 | Org. Perox. C (****) Aquatic Acute 1 Aquatic Chronic 1 | H242 H400 H410 | GHS02 GHS09 Dgr | H242 H410 | | | |
| 617-014-00-3 | 6-(nonylamino)-6-oxo-peroxyhexanoic acid | 406-680-9 | 104788-63-8 | Org. Perox. C (****) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 | H242 H318 H317 H400 | GHS02 GHS05 GHS07 GHS09 Dgr | H242 H318 H317 H400 | | | |
| 617-015-00-9 | bis(4-methylbenzoyl)peroxide | 407-950-9 | 895-85-2 | Org. Perox. B (****) Aquatic Acute 1 Aquatic Chronic 1 | H241 H400 H410 | GHS01 GHS02 GHS09 Dgr | H241 H410 | | | |
| 617-016-00-4 | 3-hydroxy-1,1-dimethylbutyl 2-ethyl-2-methylheptaneperoxoate | 413-910-1 | — | Org. Perox. C (****) Flam. Liq. 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H242 H226 H315 H400 H410 | GHS02 GHS07 GHS09 Dgr | H242 H226 H315 H410 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|--|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 617-017-00-X | reaction mass of: 2,2'-bis(<i>tert</i> -peroxy)- <i>p</i> -diisopropylbenzene; 2,2'-bis(<i>tert</i> -peroxy)- <i>m</i> -diisopropylbenzene | 412-140-3 | 32144-25-5 | Org. Perox. D (****) Aquatic Chronic 4 | H242 H413 | GHS02 Dgr | H242 H413 | | | T |
| 617-018-00-5 | reaction mass of: 1-methyl-1-(3-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 63 % by weight; 1-methyl-1-(4-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 31 % by weight | 410-840-3 | 71566-50-2 | Org. Perox. C (****) Aquatic Chronic 2 | H242 H411 | GHS02 GHS09 Dgr | H242 H411 | | | T |
| 617-019-00-0 | 6-(phthalimido)peroxyhexanoic acid | 410-850-8 | 128275-31-0 | Org. Perox. D Eye Dam. 1 Aquatic Acute 1 | H242 H318 H400 | GHS02 GHS05 GHS09 DgDgr | H242 H318 H400 | | | T |
| 617-020-00-6 | 1,3-di(prop-2,2-diy)benzene bis(neodecanoylperoxide) | 420-060-5 | 117663-11-3 | Flam. Liq. 3 Org. Perox. D (****) Aquatic Chronic 2 | H226 H242 H411 | GHS02 GHS09 Dgr | H226 H242 H411 | | | |
| 647-001-00-8 | glucosidase, β - | 232-589-7 | 9001-22-3 | Resp. Sens. 1 | H334 | GHS08 Dgr | H334 | | | |
| 647-002-00-3 | cellulase | 232-734-4 | 9012-54-8 | Resp. Sens. 1 | H334 | GHS08 Dgr | H334 | | | |
| 647-003-00-9 | cellobiohydrolase, exo- | 253-465-9 | 37329-65-0 | Resp. Sens. 1 | H334 | GHS08 Dgr | H334 | | | |
| 647-004-00-4 | cellulases with the exception of those specified elsewhere in this Annex | — | — | Resp. Sens. 1 | H334 | GHS08 Dgr | H334 | | | A |
| 647-005-00-X | bromelain, juice | 232-572-4 | 9001-00-7 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H319 H335 H315 H334 | GHS08 GHS07 Dgr | H319 H335 H315 H334 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 647-006-00-5 | ficin | 232-599-1 | 9001-33-6 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H319 H335 H315 H334 | GHS08 GHS07 Dgr | H319 H335 H315 H334 | | | |
| 647-007-00-0 | papain | 232-627-2 | 9001-73-4 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H319 H335 H315 H334 | GHS08 GHS07 Dgr | H319 H335 H315 H334 | | | |
| 647-008-00-6 | pepsin A | 232-629-3 | 9001-75-6 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H319 H335 H315 H334 | GHS08 GHS07 Dgr | H319 H335 H315 H334 | | | |
| 647-009-00-1 | rennin | 232-645-0 | 9001-98-3 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H319 H335 H315 H334 | GHS08 GHS07 Dgr | H319 H335 H315 H334 | | | |
| 647-010-00-7 | trypsin | 232-650-8 | 9002-07-7 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H319 H335 H315 H334 | GHS08 GHS07 Dgr | H319 H335 H315 H334 | | | |
| 647-011-00-2 | chymotrypsin | 232-671-2 | 9004-07-3 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H319 H335 H315 H334 | GHS08 GHS07 Dgr | H319 H335 H315 H334 | | | |
| 647-012-00-8 | subtilisin | 232-752-2 | 9014-01-1 | STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 | H335 H315 H318 H334 | GHS08 GHS05 GHS07 Dgr | H335 H315 H318 H334 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 647-013-00-3 | proteinase, microbial neutral | 232-966-6 | 9068-59-1 | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H319 H335 H315 H334 | GHS08 GHS07 Dgr | H319 H335 H315 H334 | | | |
| 647-014-00-9 | proteases with the exception of those specified elsewhere in this Annex | — | — | Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 | H319 H335 H315 H334 | GHS08 GHS07 Dgr | H319 H335 H315 H334 | | | |
| 647-015-00-4 | amylase, α- | 232-565-6 | 9000-90-2 | Resp. Sens. 1 | H334 | GHS08 Dgr | H334 | | | |
| 647-016-00-X | amylases with the exception of those specified elsewhere in this Annex | — | — | Resp. Sens. 1 | H334 | GHS08 Dgr | H334 | | | |
| 648-001-00-0 | Distillates (coal tar), benzole fraction; Light Oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists of hydrocarbons having carbon numbers primarily in the range of C ₄ to C ₁₀ and distilling in the approximate range of 80 °C to 160 °C (175°F to 320°F).] | 283-482-7 | 84650-02-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 648-002-00-6 | Tar oils, brown-coal; Light Oil; [The distillate from lignite tar boiling in the range of approximately 80 °C to 250 °C (176°F to 482°F). Composed primarily of aliphatic and aromatic hydrocarbons and monobasic phenols.] | 302-674-4 | 94114-40-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-003-00-1 | Benzol forerunnings (coal); Light Oil Redistillate, low boiling; [The distillate from coke oven light oil having an approximate distillation range below 100 °C (212°F). Composed primarily of C ₄ to C ₆ aliphatic hydrocarbons.] | 266-023-5 | 65996-88-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-004-00-7 | Distillates (coal tar), benzole fraction, BTX-rich; Light Oil Redistillate, low boiling; [A residue from the distillation of crude benzole to remove benzole fronts. Composed primarily of benzene, toluene and xylenes boiling in the range of approximately 75 °C to 200 °C (167°F to 392°F).] | 309-984-9 | 101896-26-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-005-00-2 | Aromatic hydrocarbons, C ₆₋₁₀ , C ₈ -rich; Light Oil Redistillate, low boiling | 292-697-5 | 90989-41-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-006-00-8 | Solvent naphtha (coal), light; Light Oil Redistillate, low boiling | 287-498-5 | 85536-17-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-007-00-3 | Solvent naphtha (coal), xylene-styrene cut; Light Oil Redistillate, intermediate boiling | 287-502-5 | 85536-20-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-008-00-9 | Solvent naphtha (coal), coumarone-styrene contg.; Light Oil Redistillate, intermediate boiling | 287-500-4 | 85536-19-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-009-00-4 | Naphtha (coal), distn. residues; Light Oil Redistillate, high boiling; [The residue remaining from the distillation of recovered naphtha. Composed primarily of naphthalene and condensation products of indene and styrene.] | 292-636-2 | 90641-12-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-010-00-X | Aromatic hydrocarbons, C ₈ ; Light Oil Redistillate, high boiling | 292-694-9 | 90989-38-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-012-00-0 | Aromatic hydrocarbons, C ₈₋₉ , hydrocarbon resin polymn. by-product; Light Oil Redistillate, high boiling; [A complex combination of hydrocarbons obtained from the evaporation of solvent under vacuum from polymerized hydrocarbon resin. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₉ and boiling in the range of approximately 120 °C to 215 °C (248°F to 419°F).] | 295-281-1 | 91995-20-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-013-00-6 | Aromatic hydrocarbons, C ₉₋₁₂ , benzene distn.; Light Oil Redistillate, high boiling | 295-551-9 | 92062-36-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-014-00-1 | Extract residues (coal), benzole fraction alk., acid ext.; Light Oil Extract Residues, low boiling; [The redistillate from the distillate, freed of tar acids and tar bases, from bituminous coal high temperature tar boiling in the approximate range of 90 °C to 160 °C (194°F to 320°F). It consists predominantly of benzene, toluene and xylenes.] | 295-323-9 | 91995-61-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-015-00-7 | Extract residues (coal tar), benzole fraction alk., acid ext.; Light Oil Extract Residues, low boiling; [A complex combination of hydrocarbons obtained by the redistillation of the distillate of high temperature coal tar (tar acid and tar base free). It consists predominantly of unsubstituted and substituted mononuclear aromatic hydrocarbons boiling in the range of 85 °C-195 °C (185°F-383°F).] | 309-868-8 | 101316-63-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-016-00-2 | Extract residues (coal), benzole fraction acid; Light Oil Extract Residues, low boiling; [An acid sludge by-product of the sulphuric acid refining of crude high temperature coal. Composed primarily of sulfuric acid and organic compounds.] | 298-725-2 | 93821-38-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-017-00-8 | Extract residues (coal), light oil alk., distn. overheads; Light Oil Extract Residues, low boiling; [The first fraction from the distillation of aromatic hydrocarbons, coumarone, naphthalene and indene rich prefractionator bottoms or washed carbolic oil boiling substantially below 145 °C (293°F). Composed primarily of C ₇ and C ₈ aliphatic and aromatic hydrocarbons.] | 292-625-2 | 90641-02-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-018-00-3 | Extract residues (coal), light oil alk., acid ext., indene fraction; Light Oil Extract Residues, intermediate boiling | 309-867-2 | 101316-62-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-019-00-9 | Extract residues (coal), light oil alk., indene naphtha fraction; Light Oil Extract Residues, high boiling; [The distillate from aromatic hydrocarbons, coumarone, naphthalene and indene rich prefractionator bottoms or washed carbolic oils, having an approximate boiling range of 155 °C to 180 °C (311°F to 356°F). Composed primarily of indene, indan and trimethylbenzenes.] | 292-626-8 | 90641-03-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-020-00-4 | Solvent naphtha (coal); Light Oil Extract Residues, high boiling; [The distillate from either high temperature coal tar, coke oven light oil, or coal tar oil alkaline extract residue having an approximate distillation range of 130 °C to 210 °C (266°F to 410°F) Composed primarily of indene and other polycyclic ring systems containing a single aromatic ring. May contain phenolic compounds and aromatic nitrogen bases.] | 266-013-0 | 65996-79-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-021-00-X | Distillates (coal tar), light oils, neutral fraction; Light Oil Extract Residues, high boiling; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of alkyl-substituted one ring aromatic hydrocarbons boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F). May also include unsaturated hydrocarbons such as indene and coumarone.] | 309-971-8 | 101794-90-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-022-00-5 | Distillates (coal tar), light oils, acid exts.; Light Oil Extract Residues, high boiling; [This oil is a complex mixture of aromatic hydrocarbons, primarily indene, naphthalene, coumarone, phenol, and <i>o</i> -, <i>m</i> - and <i>p</i> -cresol and boiling in the range of 140 °C to 215 °C (284°F to 419°F).] | 292-609-5 | 90640-87-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-023-00-0 | Distillates (coal tar), light oils; Carbolic Oil; [A complex combination of hydrocarbons obtained by distillation of coal tar. It consists of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills at the approximate range of 150 °C to 210 °C (302°F to 410°F).] | 283-483-2 | 84650-03-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-024-00-6 | Tar oils, coal; Carbolic Oil; [The distillate from high temperature coal tar having an approximate distillation range of 130 °C to 250 °C (266°F to 410°F). Composed primarily of naphthalene, alkyl-naphthalenes, phenolic compounds, and aromatic nitrogen bases.] | 266-016-7 | 65996-82-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-026-00-7 | Extract residues (coal), light oil alk., acid ext.; Carbolic Oil Extract Residue; [The oil resulting from the acid washing of alkali-washed carbolic oil to remove the minor amounts of basic compounds (tar bases). Composed primarily of indene, indan and alkylbenzenes.] | 292-624-7 | 90641-01-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-027-00-2 | Extract residues (coal), tar oil alk.; Carbolic Oil Extract Residue; [The residue obtained from coal tar oil by an alkaline wash such as aqueous sodium hydroxide after the removal of crude coal tar acids. Composed primarily of naphthalenes and aromatic nitrogen bases.] | 266-021-4 | 65996-87-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-028-00-8 | Extract oils (coal), light oil; Acid Extract; [The aqueous extract produced by an acidic wash of alkali-washed carbolic oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.] | 292-622-6 | 90640-99-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-029-00-3 | Pyridine, alkyl derivs.; Crude Tar Bases; [The complex combination of polyalkylated pyridines derived from coal tar distillation or as high-boiling distillates approximately above 150 °C (302°F) from the reaction of ammonia with acetaldehyde, formaldehyde or paraformaldehyde.] | 269-929-9 | 68391-11-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-030-00-9 | Tar bases, coal, picoline fraction; Distillate Bases; [Pyridine bases boiling in the range of approximately 125 °C to 160 °C (257°F to 320°F) obtained by distillation of neutralized acid extract of the base-containing tar fraction obtained by the distillation of bituminous coal tars. Composed chiefly of lutidines and picolines.] | 295-548-2 | 92062-33-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-031-00-4 | Tar bases, coal, lutidine fraction; Distillate Bases | 293-766-2 | 91082-52-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-032-00-X | Extract oils (coal), tar base, collidine fraction; Distillate Bases; [The extract produced by the acidic extraction of bases from crude coal tar aromatic oils, neutralization, and distillation of the bases. Composed primarily of collidines, aniline, toluidines, lutidines, xylidines.] | 273-077-3 | 68937-63-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-033-00-5 | Tar bases, coal, collidine fraction; Distillate Bases; [The distillation fraction boiling in the range of approximately 181 °C to 186 °C (356°F to 367°F) from the crude bases obtained from the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of bituminous coal tar. It contains chiefly aniline and collidines.] | 295-543-5 | 92062-28-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-034-00-0 | Tar bases, coal, aniline fraction; Distillate Bases; [The distillation fraction boiling in the range of approximately 180 °C to 200 °C (356°F to 392°F) from the crude bases obtained by dephenolating and debasing the carbolated oil from the distillation of coal tar. It contains chiefly aniline, collidines, lutidines and toluidines.] | 295-541-4 | 92062-27-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-035-00-6 | Tar bases, coal, toluidine fraction; Distillate Bases | 293-767-8 | 91082-53-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-036-00-1 | Distillates (petroleum), alkene-alkyne manuf. pyrolysis oil, mixed with high-temp. coal tar, indene fraction; Redistillates; [A complex combination of hydrocarbons obtained as a redistillate from the fractional distillation of bituminous coal high temperature tar and residual oils that are obtained by the pyrolytic production of alkenes and alkynes from petroleum products or natural gas. It consists predominantly of indene and boils in a range of approximately 160 °C to 190 °C (320°F to 374°F).] | 295-292-1 | 91995-31-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-037-00-7 | Distillates (coal), coal tar-residual pyrolysis oils, naphthalene oils; Redistillates; [The redistillate obtained from the fractional distillation of bituminous coal high temperature tar and pyrolysis residual oils and boiling in the range of approximately 190 °C to 270 °C (374°F to 518°F). Composed primarily of substituted dinuclear aromatics.] | 295-295-8 | 91995-35-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-038-00-2 | Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oil, redistillate; Redistillates; [The redistillate from the fractional distillation of dephenolated and debased methyl-naphthalene oil obtained from bituminous coal high temperature tar and pyrolysis residual oils boiling in the approximate range of 220 °C to 230 °C (428°F to 446°F). It consists predominantly of unsubstituted and substituted dinuclear aromatic hydrocarbons.] | 295-329-1 | 91995-66-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-039-00-8 | Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oils; Redistillates; [A neutral oil obtained by debasing and dephenolating the oil obtained from the distillation of high temperature tar and pyrolysis residual oils which has a boiling range of 225 °C to 255 °C (437°F to 491°F). Composed primarily of substituted dinuclear aromatic hydrocarbons.] | 310-170-0 | 122070-79-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-040-00-3 | Extract oils (coal), coal tar residual pyrolysis oils, naphthalene oil, distn. residues; Redistillates; [Residue from the distillation of dephenolated and debased methylnaphthalene oil (from bituminous coal tar and pyrolysis residual oils) with a boiling range of 240 °C to 260 °C (464°F to 500°F). Composed primarily of substituted dinuclear aromatic and heterocyclic hydrocarbons.] | 310-171-6 | 122070-80-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-041-00-9 | Absorption oils, bicyclo arom. and heterocyclic hydrocarbon fraction; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained as a redistillate from the distillation of wash oil. It consists predominantly of 2-ringed aromatic and heterocyclic hydrocarbons boiling in the range of approximately 260 °C to 290 °C (500°F to 554°F).] | 309-851-5 | 101316-45-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-042-00-4 | Distillates (coal tar), upper, fluorene-rich; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists of aromatic and polycyclic hydrocarbons primarily fluorene and some acenaphthene.] | 284-900-0 | 84989-11-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-043-00-X | Creosote oil, acenaphthene fraction, acenaphthene-free; Wash Oil Redistillate; [The oil remaining after removal by a crystallization process of acenaphthene from acenaphthene oil from coal tar. Composed primarily of naphthalene and alkylnaphthalenes.] | 292-606-9 | 90640-85-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 648-044-00-5 | Distillates (coal tar), heavy oils; Heavy Anthracene Oil; [Distillate from the fractional distillation of coal tar of bituminous coal, with boiling range of 240 °C to 400 °C (464°F to 752°F). Composed primarily of tri- and polynuclear hydrocarbons and heterocyclic compounds.] | 292-607-4 | 90640-86-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 648-045-00-0 | Distillates (coal tar), upper; Heavy Anthracene Oil; [The distillate from coal tar having an approximate distillation range of 220 °C to 450 °C (428°F to 842°F). Composed primarily of three to four membered condensed ring aromatic hydrocarbons and other hydrocarbons.] | 266-026-1 | 65996-91-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-046-00-6 | Anthracene oil, acid ext.; Anthracene Oil Extract Residue; [A complex combination of hydrocarbons from the base-freed fraction obtained from the distillation of coal tar and boiling in the range of approximately 325 °C to 365 °C (617°F to 689°F). It contains predominantly anthracene and phenanthrene and their alkyl derivatives.] | 295-274-3 | 91995-14-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-047-00-1 | Distillates (coal tar); Heavy Anthracene Oil; [The distillate from coal tar having an approximate distillation range of 100 °C to 450 °C (212°F to 842°F). Composed primarily of two to four membered condensed ring aromatic hydrocarbons, phenolic compounds, and aromatic nitrogen bases.] | 266-027-7 | 65996-92-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-048-00-7 | Distillates (coal tar), pitch, heavy oils; Heavy Anthracene Oil; [The distillate from the distillation of the pitch obtained from bituminous high temperature tar. Composed primarily of tri- and polynuclear aromatic hydrocarbons and boiling in the range of approximately 300 °C to 470 °C (572°F to 878°F). The product may also contain heteroatoms.] | 295-312-9 | 91995-51-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-049-00-2 | Distillates (coal tar), pitch; Heavy Anthracene Oil; [The oil obtained from condensation of the vapors from the heat treatment of pitch. Composed primarily of two- to four-ring aromatic compounds boiling in the range of 200 °C to greater than 400 °C (392°F to greater than 752°F).] | 309-855-7 | 101316-49-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-050-00-8 | Distillates (coal tar), heavy oils, pyrene fraction; Heavy Anthracene Oil Redistillate; [The redistillate obtained from the fractional distillation of pitch distillate boiling in the range of approximately 350 °C to 400 °C (662°F to 752°F). Consists predominantly of tri- and polynuclear aromatics and heterocyclic hydrocarbons.] | 295-304-5 | 91995-42-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-051-00-3 | Distillates (coal tar), pitch, pyrene fraction; Heavy Anthracene Oil Redistillate; [The redistillate obtained from the fractional distillation of pitch distillate and boiling in the range of approximately 380 °C to 410 °C (7160 to 770°F). Composed primarily of tri- and polynuclear aromatic hydrocarbons and heterocyclic compounds.] | 295-313-4 | 91995-52-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-052-00-9 | Paraffin waxes (coal), brown-coal high-temp. tar, carbon-treated; Coal Tar Extract; [A complet combination of hydrocarbons obtained by the treatment of lignite carbonization tar with activated carbon for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-296-6 | 97926-76-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-053-00-4 | Paraffin waxes (coal), brown-coal high-temp tar, clay-treated; Coal Tar Extract; [A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with bentonite for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-297-1 | 97926-77-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-054-00-X | Pitch; Pitch | 263-072-4 | 61789-60-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-055-00-5 | Pitch, coal tar, high-temp.; Pitch; [The residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 30 °C to 180 °C (86°F to 356°F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.] | 266-028-2 | 65996-93-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 648-056-00-0 | Pitch, coal tar, high-temp., heat-treated; Pitch; [The heat treated residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 80 °C to 180 °C (176°F to 356°F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.] | 310-162-7 | 121575-60-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-057-00-6 | Pitch, coal tar, high-temp., secondary; Pitch Redistillate; [The residue obtained during the distillation of high boiling fractions from bituminous coal high temperature tar and/or pitch coke oil, with a softening point of 140 °C to 170 °C (284°F to 392°F) according to DIN 52025. Composed primarily of tri- and polynuclear aromatic compounds which also contain heteroatoms.] | 302-650-3 | 94114-13-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-058-00-1 | Residues (coal tar), pitch distn.; Pitch Redistillate; [Residue from the fractional distillation of pitch distillate boiling in the range of approximately 400 °C to 470 °C (752°F to 846°F). Composed primarily of polynuclear aromatic hydrocarbons, and heterocyclic compounds.] | 295-507-9 | 92061-94-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-059-00-7 | Tar, coal, high-temp., distn. and storage residues; Coal Tar Solids Residue; [Coke- and ash-containing solid residues that separate on distillation and thermal treatment of bituminous coal high temperature tar in distillation installations and storage vessels. Consists predominantly of carbon and contains a small quantity of hetero compounds as well as ash components.] | 295-535-1 | 92062-20-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-060-00-2 | Tar, coal, storage residues; Coal Tar Solids Residue; [The deposit removed from crude coal tar storages. Composed primarily of coal tar and carbonaceous particulate matter.] | 293-764-1 | 91082-50-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-061-00-8 | Tar, coal, high-temp., residues; Coal Tar Solids Residue; [Solids formed during the coking of bituminous coal to produce crude bituminous coal high temperature tar. Composed primarily of coke and coal particles, highly aromatized compounds and mineral substances.] | 309-726-5 | 100684-51-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-062-00-3 | Tar, coal, high-temp., high-solids; Coal Tar Solids Residue; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons with a high solid content of coal-type materials.] | 273-615-7 | 68990-61-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-063-00-9 | Waste solids, coal-tar pitch coking; Coal Tar Solids Residue; [The combination of wastes formed by the coking of bituminous coal tar pitch. It consists predominantly of carbon.] | 295-549-8 | 92062-34-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-064-00-4 | Extract residues (coal), brown; Coal Tar Extract; [The residue from extraction of dried coal.] | 294-285-0 | 91697-23-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-065-00-X | Paraffin waxes (coal), brown-coal-high-temp. tar; Coal Tar Extract; [A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 295-454-1 | 92045-71-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-066-00-5 | Paraffin waxes (coal), brown-coal-high-temp. tar, hydrotreated; Coal Tar Extract; [A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process treated with hydrogen in the presence of a catalyst. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 295-455-7 | 92045-72-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-067-00-0 | Paraffin waxes (coal), brown-coal high-temp tar, silicic acid-treated; Coal Tar Extract; [A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with silicic acid for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-298-7 | 97926-78-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-068-00-6 | Tar, coal, low-temp., distn. residues; Tar Oil, intermediate boiling; [Residues from fractional distillation of low temperature coal tar to remove oils that boil in a range up to approximately 300 °C (572°F). Composed primarily of aromatic compounds.] | 309-887-1 | 101316-85-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-069-00-1 | Pitch, coal tar, low-temp; Pitch Residue; [A complex black solid or semi-solid obtained from the distillation of a low temperature coal tar. It has a softening point within the approximate range of 40 °C to 180 °C (104°F to 356°F). Composed primarily of a complex mixture of hydrocarbons.] | 292-651-4 | 90669-57-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-070-00-7 | Pitch, coal tar, low-temp., oxidized; Pitch Residue, oxidised; [The product obtained by air-blowing, at elevated temperature, low-temperature coal tar pitch. It has a softening-point within the approximate range of 70 °C to 180 °C (158°F to 356°F). Composed primarily of a complex mixture of hydrocarbons.] | 292-654-0 | 90669-59-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-071-00-2 | Pitch, coal tar, low-temp., heat-treated; Pitch Residue, oxidised; Pitch Residue, heat-treated; [A complex black solid obtained by the heat treatment of low temperature coal tar pitch. It has a softening point within the approximate range of 50 °C to 140 °C (122°F to 284°F). Composed primarily of a complex mixture of aromatic compounds.] | 292-653-5 | 90669-58-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-072-00-8 | Distillates (coal-petroleum), condensed-ring arom; Distillates; [The distillate from a mixture of coal and tar and aromatic petroleum streams having an approximate distillation range of 220 °C to 450 °C (428°F to 842°F). Composed primarily of 3- to 4-membered condensed ring aromatic hydrocarbons.] | 269-159-3 | 68188-48-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-073-00-3 | Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.] | 309-956-6 | 101794-74-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-074-00-9 | Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polyethylene pyrolysis-derived; Pyrolysis Products; [A complex combination of hydrocarbons obtained from mixed coal tar pitch-polyethylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.] | 309-957-1 | 101794-75-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-075-00-4 | Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polystyrene pyrolysis-derived; Pyrolysis Products; [A complex combination of hydrocarbons obtained from mixed coal tar pitch-polystyrene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.] | 309-958-7 | 101794-76-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-076-00-X | Pitch, coal tar-petroleum; Pitch Residues; [The residue from the distillation of a mixture of coal tar and aromatic petroleum streams. A solid with a softening point from 40 °C to 180 °C (140°F to 356°F). Composed primarily of a complex combination of three or more membered condensed ring aromatic hydrocarbons.] | 269-109-0 | 68187-57-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-077-00-5 | Phenanthrene, distn. residues; Heavy Anthracene Oil Redistillate; [Residue from the distillation of crude phenanthrene boiling in the approximate range of 340 °C to 420 °C (644°F to 788°F). It consists predominantly of phenanthrene, anthracene and carbazole.] | 310-169-5 | 122070-78-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-078-00-0 | Distillates (coal tar), upper, fluorene-free; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists of aromatic polycyclic hydrocarbons, primarily diphenyl, dibenzofuran and acenaphthene.] | 284-899-7 | 84989-10-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-079-00-6 | Anthracene oil; Anthracene oil; [A complex combination of polycyclic aromatic hydrocarbons obtained from coal tar having an approximate distillation range of 300 °C to 400 °C (572°F to 752°F). Composed primarily of phenanthrene, anthracene and carbazole.] | 292-602-7 | 90640-80-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-080-00-1 | Residues (coal tar), creosote oil distn.; Wash Oil Redistillate; [The residue from the fractional distillation of wash oil boiling in the approximate range of 270 °C to 330 °C (518°F to 626°F). It consists predominantly of dinuclear aromatic and heterocyclic hydrocarbons.] | 295-506-3 | 92061-93-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 648-081-00-7 | Tar, coal; Coal tar; [The by-product from the destructive distillation of coal. Almost black semisolid. A complex combination of aromatic hydrocarbons, phenolic compounds, nitrogen bases and thiophene.] | 232-361-7 | 8007-45-2 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 648-082-00-2 | Tar, coal, high-temp.; Coal tar; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. A black viscous liquid denser than water. Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons. May contain minor amounts of phenolic compounds and aromatic nitrogen bases.] | 266-024-0 | 65996-89-6 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-083-00-8 | Tar, coal, low-temp.; Coal oil; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in low temperature (less than 700 °C (1292°F)) destructive distillation of coal. A black viscous liquid denser than water. Composed primarily of condensed ring aromatic hydrocarbons, phenolic compounds, aromatic nitrogen bases, and their alkyl derivatives.] | 266-025-6 | 65996-90-9 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 648-084-00-3 | Distillates (coal), coke-oven light oil, naphthalene cut; Naphthalene Oil; [The complex combination of hydrocarbons obtained from prefractionation (continuous distillation) of coke oven light oil. It consists predominantly of naphthalene, coumarone and indene and boils above 148 °C (298°F).] | 285-076-5 | 85029-51-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-085-00-9 | Distillates (coal tar), naphthalene oils; Naphthalene Oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills in the approximate range of 200 °C to 250 °C (392°F to 482°F).] | 283-484-8 | 84650-04-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-086-00-4 | Distillates (coal tar), naphthalene oils, naphthalene-low; Naphthalene Oil Redistillate; [A complex combination of hydrocarbons obtained by crystallization of naphthalene oil. Composed primarily of naphthalene, alkyl naphthalenes and phenolic compounds.] | 284-898-1 | 84989-09-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-087-00-X | Distillates (coal tar), naphthalene oil crystn. mother liquor; Naphthalene Oil Redistillate; [A complex combination of organic compounds obtained as a filtrate from the crystallization of the naphthalene fraction from coal tar and boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). Contains chiefly naphthalene, thionaphthene and alkyl naphthalenes.] | 295-310-8 | 91995-49-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-088-00-5 | Extract residues (coal), naphthalene oil, alk.; Naphthalene Oil Extract Residue; [A complex combination of hydrocarbons obtained from the alkali washing of naphthalene oil to remove phenolic compounds (tar acids). It is composed of naphthalene and alkyl naphthalenes.] | 310-166-9 | 121620-47-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-089-00-0 | Extract residues (coal), naphthalene oil, alk., naphthalene-low; Naphthalene Oil Extract Residue; [A complex combination of hydrocarbons remaining after the removal of naphthalene from alkali-washed naphthalene oil by a crystallization process. It is composed primarily of naphthalene and alkyl naphthalenes.] | 310-167-4 | 121620-48-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-090-00-6 | Distillates (coal tar), naphthalene oils, naphthalene-free, alk. exts.; Naphthalene Oil Extract Residue; [The oil remaining after the removal of phenolic compounds (tar acids) from drained naphthalene oil by an alkali wash. Composed primarily of naphthalene and alkyl naphthalenes.] | 292-612-1 | 90640-90-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-091-00-1 | Extract residues (coal), naphthalene oil alk., distn. overheads; Naphthalene Oil Extract Residue; [The distillation from alkali-washed naphthalene oil having an approximate distillation range of 180 °C to 220 °C (356°F to 428°F). Composed primarily of naphthalene, alkylbenzenes, indene and indan.] | 292-627-3 | 90641-04-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-092-00-7 | Distillates (coal tar), naphthalene oils, methylnaphthalene fraction; Methylnaphthalene Oil; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of substituted two ring aromatic hydrocarbons and aromatic nitrogen bases boiling in the range of approximately 225 °C to 255 °C (437°F to 491°F).] | 309-985-4 | 101896-27-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-093-00-2 | Distillates (coal tar), naphthalene oils, indole-methylnaphthalene fraction; Methylnaphthalene Oil; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of indole and methylnaphthalene boiling in the range of approximately 235 °C to 255 °C (455°F to 491°F).] | 309-972-3 | 101794-91-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-094-00-8 | Distillates (coal tar), naphthalene oils, acid exts.; Methylnaphthalene Oil Extract Residue; [A complex combination of hydrocarbons obtained by debasing the methylnaphthalene fraction obtained by the distillation of coal tar and boiling in the range of approximately 230 °C to 255 °C (446°F to 491°F). Contains chiefly 1(2)-methylnaphthalene, naphthalene, dimethylnaphthalene and biphenyl.] | 295-309-2 | 91995-48-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-095-00-3 | Extract residues (coal), naphthalene oil alk., distn. residues; Methylnaphthalene Oil Extract Residue; [The residue from the distillation of alkali-washed naphthalene oil having an approximate distillation range of 220 °C to 300 °C (428°F to 572°F). Composed primarily of naphthalene, alkylnaphthalenes and aromatic nitrogen bases.] | 292-628-9 | 90641-05-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-096-00-9 | Extract oils (coal), acidic, tar-base free; Methylnaphthalene Oil Extract Residue; [The extract oil boiling in the range of approximately 220 °C to 265 °C (428°F to 509°F) from coal tar alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillation to remove tar bases. Composed primarily of alkylnaphthalenes.] | 284-901-6 | 84989-12-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-097-00-4 | Distillates (coal tar), benzole fraction, distn. residues; Wash Oil; [A complex combination of hydrocarbons obtained from the distillation of crude benzole (high temperature coal tar). It may be a liquid with the approximate distillation range of 150 °C to 300 °C (302°F to 572°F) or a semi-solid or solid with a melting point up to 70 °C (158°F). It is composed primarily of naphthalene and alkyl naphthalenes.] | 310-165-3 | 121620-46-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-098-00-X | Creosote oil, acenaphthene fraction; Wash Oil; [A complex combination of hydrocarbons produced by the distillation of coal tar and boiling in the range of approximately 240 °C to 280 °C (464°F to 536°F). Composed primarily of acenaphthene, naphthalene and alkyl naphthalene.] | 292-605-3 | 90640-84-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-099-00-5 | Creosote oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic hydrocarbons and may contain appreciable quantities of tar acids and tar bases. It distills at the approximate range of 200 °C to 325 °C (392°F to 617°F).] | 263-047-8 | 61789-28-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 648-100-00-9 | Creosote oil, high-boiling distillate; Wash Oil; [The high-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillates, removed. It is crystal free at approximately 5 °C (41°F).] | 274-565-9 | 70321-79-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 648-101-00-4 | Creosote; [The distillate of coal tar produced by the high temperature carbonization of bituminous coal. It consists primarily of aromatic hydrocarbons, tar acids and tar bases.] | 232-287-5 | 8001-58-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 648-102-00-X | Extract residues (coal), creosote oil acid; Wash Oil Extract Residue; [A complex combination of hydrocarbons from the base-freed fraction from the distillation of coal tar, boiling in the range of approximately 250 °C to 280 °C (482°F to 536°F). It consists predominantly of biphenyl and isomeric diphenylnaphthalenes.] | 310-189-4 | 122384-77-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 648-103-00-5 | Anthracene oil, anthracene paste; Anthracene Oil Fraction; [The anthracene-rich solid obtained by the crystallization and centrifuging of anthracene oil. It is composed primarily of anthracene, carbazole and phenanthrene.] | 292-603-2 | 90640-81-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-104-00-0 | Anthracene oil, anthracene-low; Anthracene Oil Fraction; [The oil remaining after the removal, by a crystallization process, of an anthracene-rich solid (anthracene paste) from anthracene oil. It is composed primarily of two, three and four membered aromatic compounds.] | 292-604-8 | 90640-82-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-105-00-6 | Residues (coal tar), anthracene oil distn.; Anthracene Oil Fraction; [The residue from the fraction distillation of crude anthracene boiling in the approximate range of 340 °C to 400 °C (644°F to 752°F). It consists predominantly of tri- and polynuclear aromatic and heterocyclic hydrocarbons.] | 295-505-8 | 92061-92-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-106-00-1 | Anthracene oil, anthracene paste, anthracene fraction; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by the crystallization of anthracene oil from bituminous high temperature tar and boiling in the range of 330 °C to 350 °C (626°F to 662°F). It contains chiefly anthracene, carbazole and phenanthrene.] | 295-275-9 | 91995-15-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-107-00-7 | Anthracene oil, anthracene paste, carbazole fraction; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthracene oil from bituminous coal high temperature tar and boiling in the approximate range of 350 °C to 360 °C (662°F to 680°F). It contains chiefly anthracene, carbazole and phenanthrene.] | 295-276-4 | 91995-16-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-108-00-2 | Anthracene oil, anthracene paste, distn. lights; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthracene oil from bituminous light temperature tar and boiling in the range of approximately 290 °C to 340 °C (554°F to 644°F). It contains chiefly trinuclear aromatics and their dihydro derivatives.] | 295-278-5 | 91995-17-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-109-00-8 | Tar oils, coal, low-temp.; Tar Oil, high boiling; [A distillate from low-temperature coal tar. Composed primarily of hydrocarbons, phenolic compounds and aromatic nitrogen bases boiling in the range of approximately 160 °C to 340 °C (320°F to 644°F).] | 309-889-2 | 101316-87-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-110-00-3 | Extract residues (coal), low temp. coal atar alk.; [The residue from low temperature coal tar oils after an alkaline wash, such as aqueous sodium hydroxide, to remove crude coal tar acids. Composed primarily of hydrocarbons and aromatic nitrogen bases.] | 310-191-5 | 122384-78-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-111-00-9 | Phenols, ammonia liquor ext.; Alkaline Extract; [The combination of phenols extracted, using isobutyl acetate, from the ammonia liquor condensed from the gas evolved in low-temperature (less than 700 °C (1292°F)) destructive distillation of coal. It consists predominantly of a mixture of monohydric and dihydric phenols.] | 284-881-9 | 84988-93-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-112-00-4 | Distillates (coal tar), light oils, alk. exts.; Alkaline Extract; [The aqueous extract from carbolic oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.] | 292-610-0 | 90640-88-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-113-00-X | Extracts, coal tar oil alk.; Alkaline Extract; [The extract from coal tar oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.] | 266-017-2 | 65996-83-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-114-00-5 | Distillates (coal tar), naphthalene oils, alk. exts.; Alkaline Extract; [The aqueous extract from naphthalene oil produced by an alkaline wash such as aqueous sodium hydroxid. Composed primarily of the alkali salts of various phenolic compounds.] | 292-611-6 | 90640-89-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-115-00-0 | Extract residues (coal), tar oil alk., carbonated, limed; Crude Phenols; [The product obtained by treatment of coal tar oil alkaline extract with CO ₂ and CaO. Composed primarily of CaCO ₃ , Ca(OH) ₂ , Na ₂ CO ₃ and other organic and inorganic impurities.] | 292-629-4 | 90641-06-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-116-00-6 | Tar acids, coal, crude; Crude Phenols; [The reaction product obtained by neutralizing coal tar oil alkaline extract with an acidic solution, such as aqueous sulfuric acid, or gaseous carbon dioxide, to obtain the free acids. Composed primarily of tar acids such as phenol, cresols, and xylenols.] | 266-019-3 | 65996-85-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-117-00-1 | Tar acids, brown-coal, crude; Crude Phenols; [An acidified alkaline extract of brown coal tar distillate. Composed primarily of phenol and phenol homologs.] | 309-888-7 | 101316-86-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-118-00-7 | Tar acids, brown-coal gasification; Crude Phenols; [A complex combination of organic compounds obtained from brown coal gasification. Composed primarily of C ₆₋₁₀ hydroxy aromatic phenols and their homologs.] | 295-536-7 | 92062-22-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-119-00-2 | Tar acids, distn. residues; Distillate Phenols; [A residue from the distillation of crude phenol from coal. It consists predominantly of phenols having carbon numbers in the range of C ₈ through C ₁₀ with a softening point of 60 °C to 80 °C (140°F to 176°F).] | 306-251-5 | 96690-55-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-120-00-8 | Tar acids, methylphenol fraction; Distillate Phenols; [The fraction of tar acid rich in 3- and 4-methylphenol, recovered by distillation of low-temperature coal tar crude tar acids.] | 284-892-9 | 84989-04-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-121-00-3 | Tar acids, polyalkylphenol fraction; Distillate Phenols; [The fraction of tar acids, recovered by distillation of low-temperature coal tar crude tar acids, having an approximate boiling range of 225 °C to 320 °C (437°F to 608°F). Composed primarily of polyalkylphenols.] | 284-893-4 | 84989-05-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-122-00-9 | Tar acids, xylenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 2,4- and 2,5-dimethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.] | 284-895-5 | 84989-06-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-123-00-4 | Tar acids, ethylphenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 3- and 4-ethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.] | 284-891-3 | 84989-03-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-124-00-X | Tar acids, 3,5-xylénol fraction; Distillate Phenols; [The fraction of tar acids, rich in 3,5-dimethylphenol, recovered by distillation of low-temperature coal tar acids.] | 284-896-0 | 84989-07-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-125-00-5 | Tar acids, residues, distillates, first-cut; Distillate Phenols; [The residue from the distillation in the range of 235 °C to 355 °C (481°F to 697°F) of light carbolic oil.] | 270-713-1 | 68477-23-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-126-00-0 | Tar acids, cresylic, residues; Distillate Phenols; [The residue from crude coal tar acids after removal of phenol, cresols, xylenols and any higher boiling phenols. A black solid with a melting point approximately 80 °C (176°F). Composed primarily of polyalkylphenols, resin gums, and inorganic salts.] | 271-418-0 | 68555-24-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-127-00-6 | Phenols, C ₉₋₁₁ ; Distillate Phenols | 293-435-2 | 91079-47-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-128-00-1 | Tar acids, cresylic; Distillate Phenols; [A complex combination of organic compounds obtained from brown coal and boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). It contains chiefly phenols and pyridine bases.] | 295-540-9 | 92062-26-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-129-00-7 | Tar acids, brown-coal, C ₂ -alkylphenol fraction; Distillate Phenols; [The distillate from the acidification of alkaline washed lignite tar distillate boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). Composed primarily of <i>m</i> - and <i>p</i> -ethylphenol as well as cresols and xylenols.] | 302-662-9 | 94114-29-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-130-00-2 | Extract oils (coal), naphthalene oils; Acid Extract; [The aqueous extract produced by an acidic wash of alkali-washed naphthalene oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.] | 292-623-1 | 90641-00-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-131-00-8 | Tar bases, quinoline derivs.; Distillate Bases | 271-020-7 | 68513-87-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-132-00-3 | Tar bases, coal, quinoline derivs. fraction; Distillate Bases | 274-560-1 | 70321-67-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-133-00-9 | Tar bases, coal, distn. residues; Distillate Bases; [The distillation residue remaining after the distillation of the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of coal tars. It contains chiefly aniline, collidines, quinoline and quinoline derivatives and toluidines.] | 295-544-0 | 92062-29-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-134-00-4 | Hydrocarbon oils, arom., mixed with polyethylene and polypropylene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of a polyethylene/polypropylene mixture with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 120 °C (158°F to 248°F).] | 309-745-9 | 100801-63-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-135-00-X | Hydrocarbon oils, arom., mixed with polyethylene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of polyethylene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of 70 °C to 120 °C (158°F to 248°F).] | 309-748-5 | 100801-65-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-136-00-5 | Hydrocarbon oils, arom., mixed with polystyrene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of polystyrene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 210 °C (158°F to 410°F).] | 309-749-0 | 100801-66-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-137-00-0 | Extract residues (coal), tar oil alk., naphthalene distn. residues; Naphthalene Oil Extract Residue; [The residue obtained from chemical oil extracted after the removal of naphthalene by distillation composed primarily of two to four membered condensed ring aromatic hydrocarbons and aromatic nitrogen bases.] | 277-567-8 | 73665-18-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-138-00-6 | Creosote oil, low-boiling distillate; Wash Oil; [The low-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal, which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillate, removed. It is crystal free at approximately 38 °C (100°F).] | 274-566-4 | 70321-80-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 648-139-00-1 | Tar acids, cresylic, sodium salts, caustic solns.; Alkaline Extract | 272-361-4 | 68815-21-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-140-00-7 | Extract oils (coal), tar base; Acid Extract; [The extract from coal tar oil alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillation to remove naphthalene. Composed primarily of the acid salts of various aromatic nitrogen bases including pyridine, quinoline, and their alkyl derivatives.] | 266-020-9 | 65996-86-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-141-00-2 | Tar bases, coal, crude; Crude Tar Bases; [The reaction product obtained by neutralizing coal tar base extract oil with an alkaline solution, such as aqueous sodium hydroxide, to obtain the free bases. Composed primarily of such organic bases as acridine, phenanthridine, pyridine, quinoline and their alkyl derivatives.] | 266-018-8 | 65996-84-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | HJM |
| 648-142-00-8 | Residues (coal), liq. solvent extn.; [A cohesive powder composed of coal mineral matter and undissolved coal remaining after extraction of coal by a liquid solvent.] | 302-681-2 | 94114-46-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-143-00-3 | Coal liquids, liq. solvent extrn. soln.; [The product obtained by filtration of coal mineral matter and undissolved coal from coal extract solution produced by digesting coal in a liquid solvent. A black, viscous, highly complex liquid combination composed primarily of aromatic and partly hydrogenated aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic and other aromatic oxygen compounds and their alkyl derivatives.] | 302-682-8 | 94114-47-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-144-00-9 | Coal liquids, liq. solvent extrn.; [The substantially solvent-free product obtained by the distillation of the solvent from filtered coal extract solution produced by digesting coal in a liquid solvent. A black semi-solid, composed primarily of a complex combination of condensed-ring aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic compounds and other aromatic oxygen compounds, and their alkyl derivatives.] | 302-683-3 | 94114-48-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H M |
| 648-145-00-4 | Tar brown-coal; [An oil distilled from brown-coal tar. Composed primarily of aliphatic, naphthenic and one- to three-ring aromatic hydrocarbons, their alkyl derivatives, heteroaromatics and one- and two-ring phenols boiling in the range of approximately 150 °C to 360 °C (302°F to 680°F).] | 309-885-0 | 101316-83-0 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 648-146-00-X | Tar, brown-coal, low-temp.; [A tar obtained from low temperature carbonization and low temperature gasification of brown coal. Composed primarily of aliphatic, naphthenic and cyclic aromatic hydrocarbons, heteroaromatic hydrocarbons and cyclic phenols.] | 309-886-6 | 101316-84-1 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-147-00-5 | Light oil (coal), coke-oven; Crude benzole; [The volatile organic liquid extracted from the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. Composed primarily of benzene, toluene, and xylenes. May contain other minor hydrocarbon constituents.] | 266-012-5 | 65996-78-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-148-00-0 | Distillates (coal), liq. solvent extn., primary; [The liquid product of condensation of vapors emitted during the digestion of coal in a liquid solvent and boiling in the range of approximately 30 °C to 300 °C (86°F to 572°F). Composed primarily of partly hydrogenated condensed-ring aromatic hydrocarbons, aromatic compounds containing nitrogen, oxygen and sulfur, and their alkyl derivatives having carbon numbers predominantly in the range of C ₄ through C ₁₄ .] | 302-688-0 | 94114-52-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-149-00-6 | Distillates (coal), solvent extn., hydrocracked; [Distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction process and boiling in the range of approximately 30 °C to 300 °C (86°F to 572°F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of C ₄ through C ₁₄ . Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.] | 302-689-6 | 94114-53-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-150-00-1 | Naphtha (coal), solvent extn., hydrocracked; [Fraction of the distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 180 °C (86°F to 356°F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of C ₄ to C ₉ . Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.] | 302-690-1 | 94114-54-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-151-00-7 | Gasoline, coal solvent extn., hydrocracked naphtha; [Motor fuel produced by the reforming of the refined naphtha fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 180 °C (86°F to 356°F). Composed primarily of aromatic and naphthenic hydrocarbons, their alkyl derivatives and alkyl hydrocarbons having carbon numbers in the range of C ₄ through C ₉ .] | 302-691-7 | 94114-55-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 648-152-00-2 | Distillates (coal), solvent extn., hydrocracked middle; [Distillate obtained from the hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 300 °C (356°F to 572°F). Composed primarily of two-ring aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes having carbon numbers predominantly in the range of C ₉ through C ₁₄ . Nitrogen, sulfur and oxygen-containing compounds are also present.] | 302-692-2 | 94114-56-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-153-00-8 | Distillates (coal), solvent extn., hydrocracked hydrogenated middle; [Distillate from the hydrogenation of hydrocracked middle distillate from coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 280 °C (356°F to 536°F). Composed primarily of hydrogenated two- ring carbon compounds and their alkyl derivatives having carbon numbers predominantly in the range of C ₉ through C ₁₄ .] | 302-693-8 | 94114-57-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 648-154-00-3 | Fuels, jet aircraft, coal solvent extn., hydrocracked hydrogenated; [Jet engine fuel produced by hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 225 °C (356°F to 473°F). Composed primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of C ₁₀ through C ₁₂ .] | 302-694-3 | 94114-58-6 | Carc. 2 | H351 | GHS08 Wng | H350 | | | H |
| 648-155-00-9 | Fuels, diesel, coal solvent extn., hydrocracked hydrogenated; [Diesel engine fuel produced by the hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 200 °C to 280 °C (392°F to 536°F). Composed primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of C ₁₁ through C ₁₄ .] | 302-695-9 | 94114-59-7 | Carc. 2 | H351 | GHS08 Wng | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 648-156-00-4 | Light oil (coal), semi-coking process; Fresh oil; [The volatile organic liquid condensed from the gas evolved in the low temperature (less than 700 °C (1 292°F) destructive distillation of coal. Composed primarily of C ₆₋₁₀ hydrocarbons.] | 292-635-7 | 90641-11-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H J |
| 649-001-00-3 | Extracts (petroleum), light naphthenic distillate solvent | 265-102-1 | 64742-03-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-002-00-9 | Extracts (petroleum), heavy paraffinic distillate solvent | 265-103-7 | 64742-04-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-003-00-4 | Extracts (petroleum), light paraffinic distillate solvent | 265-104-2 | 64742-05-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-004-00-X | Extracts (petroleum), heavy naphthenic distillate solvent | 265-111-0 | 64742-11-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-005-00-5 | Extracts (petroleum), light vacuum gas oil solvent | 295-341-7 | 91995-78-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-006-00-0 | hydrocarbons C ₂₆₋₅₅ , arom-rich | 307-753-7 | 97722-04-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-007-00-6 | fatty acids, tall-oil, reaction products with iminodiethanol and boric acid | 400-160-5 | — | Skin Irrit. 2 Aquatic Chronic 2 | H315 H411 | GHS07 GHS09 Wng | H315 H411 | | | |
| 649-008-00-1 | Residues (petroleum), atm. tower; Heavy Fuel oil; [A complex residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-045-2 | 64741-45-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-009-00-7 | Gas oils (petroleum), heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and boiling in the range of approximately 350 °C to 600 °C (662°F to 1112°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.] | 265-058-3 | 64741-57-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-010-00-2 | Distillates (petroleum), heavy catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₅ and boiling in the range of approximately 260 °C to 500 °C (500°F to 932°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-063-0 | 64741-61-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-011-00-8 | Clarified oils (petroleum), catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-064-6 | 64741-62-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-012-00-3 | Residues (petroleum), hydrocracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the products of a hydrocracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F).] | 265-076-1 | 64741-75-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-013-00-9 | Residues (petroleum), thermal cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-081-9 | 64741-80-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-014-00-4 | Distillates (petroleum), heavy thermal cracked; Heavy Fuel oil; [A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₆ and boiling in the range of approximately 260 °C to 480 °C (500°F to 896°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-082-4 | 64741-81-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-015-00-X | Gas oils (petroleum), hydrotreated vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₅₀ and boiling in the range of approximately 230 °C to 600 °C (446°F to 1112°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-162-9 | 64742-59-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-016-00-5 | Residues (petroleum), hydrodesulfurized atmospheric tower; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating an atmospheric tower residuum with hydrogen in the presence of a catalyst under conditions primarily to remove organic sulfur compounds. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-181-2 | 64742-78-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-017-00-0 | Gas oils (petroleum), hydrodesulfurized heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and boiling in the range of approximately 350 °C to 600 °C (662°F to 1112 °C). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-189-6 | 64742-86-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-018-00-6 | Residues (petroleum), steam-cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained as the residual fraction from the distillation of the products of a steam cracking process (including steam cracking to produce ethylene). It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than C ₁₄ and boiling above approximately 260 °C (500°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-193-8 | 64742-90-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-019-00-1 | Residues (petroleum), atmospheric; Heavy Fuel oil; [A complex residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₁₁ and boiling above approximately 200 °C (392°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.] | 269-777-3 | 68333-22-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-020-00-7 | Clarified oils (petroleum), hydrodesulfurized catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating catalytic cracked clarified oil with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.] | 269-782-0 | 68333-26-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-021-00-2 | Distillates (petroleum), hydrosulfurized intermediate catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating intermediate catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₀ and boiling in the range of approximately 205 °C to 450 °C (401°F to 842°F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.] | 269-783-6 | 68333-27-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-022-00-8 | Distillates (petroleum), hydrosulfurized heavy catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treatment of heavy catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₅ and boiling in the range of approximately 260 °C to 500 °C (500°F to 932°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 269-784-1 | 68333-28-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-023-00-3 | Fuel oil, residues-straight-run gas oils, high-sulfur; Heavy Fuel oil | 270-674-0 | 68476-32-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-024-00-9 | Fuel oil, residual; Heavy Fuel oil; [The liquid product from various refinery streams, usually residues. The composition is complex and varies with the source of the crude oil.] | 270-675-6 | 68476-33-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-025-00-4 | Residues (petroleum), catalytic reformer fractionator residue distn.; Heavy Fuel oil; [A complex residuum from the distillation of catalytic reformer fractionator residue. It boils approximately above 399 °C (750°F).] | 270-792-2 | 68478-13-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-026-00-X | Residues (petroleum), heavy coker gas oil and vacuum gas oil; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and vacuum gas oil. It predominantly consists of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).] | 270-796-4 | 68478-17-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-027-00-5 | Residues (petroleum), heavy coker and light vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and light vacuum gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).] | 270-983-0 | 68512-61-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-028-00-0 | Residues (petroleum), light vacuum; Heavy Fuel oil; [A complex residuum from the vacuum distillation of the residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).] | 270-984-6 | 68512-62-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-029-00-6 | Residues (petroleum), steam-cracked light; Heavy Fuel oil; [A complex residuum from the distillation of the products from a steam-cracking process. It consists predominantly of aromatic and unsaturated hydrocarbons having carbon numbers greater than C ₇ and boiling in the range of approximately 101 °C to 555 °C (214°F to 1030°F).] | 271-013-9 | 68513-69-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-030-00-1 | Fuel oil, No 6; Heavy Fuel oil; [A distillate oil having a minimum viscosity of 900 SUS at 37.7 °C (100°F) to a maximum of 9000 SUS at 37.7 °C (100°F).] | 271-384-7 | 68553-00-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-031-00-7 | Residues (petroleum), topping plant, low-sulfur; Heavy Fuel oil; [A low-sulfur complex combination of hydrocarbons produced as the residual fraction from the topping plant distillation of crude oil. It is the residuum after the straight-run gasoline cut, kerosene cut and gas oil cut have been removed.] | 271-763-7 | 68607-30-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-032-00-2 | Gas oils (petroleum), heavy atmospheric; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₃₅ and boiling in the range of approximately 121 °C to 510 °C (250°F to 950°F).] | 272-184-2 | 68783-08-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-033-00-8 | Residues (petroleum), coker scrubber, Condensed-ring-arom.-contg.; Heavy Fuel oil; [A very complex combination of hydrocarbons produced as the residual fraction from the distillation of vacuum residuum and the products from a thermal cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 272-187-9 | 68783-13-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-034-00-3 | Distillates (petroleum), petroleum residues vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from the atmospheric distillation of crude oil.] | 273-263-4 | 68955-27-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-035-00-9 | Residues (petroleum), steam-cracked, resinous; Heavy Fuel oil; [A complex residuum from the distillation of steam-cracked petroleum residues.] | 273-272-3 | 68955-36-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-036-00-4 | Distillates (petroleum), intermediate vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum, distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₄₂ and boiling in the range of approximately 250 °C to 545 °C (482°F to 1013°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 274-683-0 | 70592-76-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-037-00-X | Distillates (pétroleum), light vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₅ and boiling in the range of approximately 250 °C to 545 °C (482°F to 1013°F).] | 274-684-6 | 70592-77-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-038-00-5 | Distillates (pétroleum), vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having numbers predominantly in the range of C ₁₅ through C ₅₀ and boiling in the range of approximately 270 °C to 600 °C (518°F to 1112°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 274-685-1 | 70592-78-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-039-00-0 | Gas oils (pétroleum), hydrodesulfurized coker heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by hydrodesulfurization of heavy coker distillate stocks, It consists predominantly of hydrocarbons having carbon numbers predominantly in the range C ₁₈ to C ₄₄ and boiling in the range of approximately 304 °C to 548 °C (579°F to 1018°F). Likely to contain 5 % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 285-555-9 | 85117-03-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-040-00-6 | Residues (petroleum), steam-cracked, distillates; Heavy Fuel oil; [A complex combination of hydrocarbons obtained during the production of refined petroleum tar by the distillation of steam cracked tar. It consists predominantly of aromatic and other hydrocarbons and organic sulfur compounds.] | 292-657-7 | 90669-75-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-041-00-1 | Residues (petroleum), vacuum, light; Heavy Fuel oil; [A complex residuum from the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₄ and boiling above approximately 390 °C (734°F).] | 292-658-2 | 90669-76-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-042-00-7 | Fuel oil, heavy, high-sulfur; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the distillation of crude petroleum. It consists predominantly of aliphatic, aromatic and cycloaliphatic hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).] | 295-396-7 | 92045-14-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-043-00-2 | Residues (petroleum), catalytic cracking; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₁₁ and boiling above approximately 200 °C (392°F).] | 295-511-0 | 92061-97-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-044-00-8 | Distillates (petroleum), intermediate catalytic cracked, thermally degraded; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 220 °C to 450 °C (428°F to 842°F). This stream is likely to contain organic sulfur compounds.] | 295-990-6 | 92201-59-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-045-00-3 | Residual oils (petroleum); Heavy Fuel oil; [A complex combination of hydrocarbons, sulfur compounds and metal-containing organic compounds obtained as the residue from refinery fractionation cracking processes. It produces a finished oil with a viscosity above 2cSt. at 100 °C.] | 298-754-0 | 93821-66-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-046-00-9 | Residues, steam cracked, thermally treated; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the treatment and distillation of raw steam-cracked naphtha. It consists predominantly of unsaturated hydrocarbons boiling in the range above approximately 180 °C (356°F).] | 308-733-0 | 98219-64-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-047-00-4 | Distillates (petroleum), hydrodesulfurized full-range middle; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating a petroleum stock with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F).] | 309-863-0 | 101316-57-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-048-00-X | Residues (petroleum), catalytic reformer fractionator; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₅ and boiling in the range of approximately 160 °C to 400 °C (320°F to 725°F). This stream is likely to contain 5 wt. % or more of 4- or 6-membered condensed ring aromatic hydrocarbons.] | 265-069-3 | 64741-67-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-049-00-5 | Petroleum; Crude oil; [A complex combination of hydrocarbons, It consists predominantly of aliphatic, alicyclic and aromatic hydrocarbons. It may also contain small amounts of nitrogen, oxygen and sulfur compounds. This category encompasses light, medium, and heavy petroleums, as well as the oils extended from tar sands. Hydrocarbonaceous materials requiring major chemical changes for their recovery or conversion to petroleum refinery feedstocks such as crude shale oils; upgraded shale oils and liquid coal fuels are not included in this definition.] | 232-298-5 | 8002-05-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-050-00-0 | Distillates (petroleum), light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons normally present in this distillation range of crude oil.] | 265-051-5 | 64741-50-0 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-051-00-6 | Distillates (petroleum), heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons.] | 265-052-0 | 64741-51-1 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 649-052-00-1 | Distillates (petroleum), light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-053-6 | 64741-52-2 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 649-053-00-7 | Distillates (petroleum), heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-054-1 | 64741-53-3 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-054-00-2 | Distillates (petroleum), acid-treated heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-117-3 | 64742-18-3 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 649-055-00-8 | Distillates (petroleum), acid-treated light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-118-9 | 64742-19-4 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 649-056-00-3 | Distillates (petroleum), acid-treated heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of a least 100 SUS at 100°F (19cSt at 40 °C).] | 265-119-4 | 64742-20-7 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-057-00-9 | Distillates (petroleum), acid-treated light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-121-5 | 64742-21-8 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 649-058-00-4 | Distillates (petroleum), chemically neutralized heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained from a treating process to remove acidic materials. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of aliphatic hydrocarbons.] | 265-127-8 | 64742-27-4 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 649-059-00-X | Distillates (petroleum), chemically neutralized light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-128-3 | 64742-28-5 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-060-00-5 | Distillates (petroleum), chemically neutralized heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-135-1 | 64742-34-3 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 649-061-00-0 | Distillates (petroleum), chemically neutralized light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS a 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-136-7 | 64742-35-4 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | H |
| 649-062-00-6 | Gases (petroleum), catalytic cracked naphtha depropanizer overhead, C ₃ -rich acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked hydrocarbons and treated to remove acidic impurities. It consists of hydrocarbons having carbon numbers in the range of C ₂ through C ₄ , predominantly C ₃ .] | 270-755-0 | 68477-73-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-063-00-1 | Gases (petroleum), catalytic cracker; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-756-6 | 68477-74-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-064-00-7 | Gases (petroleum), catalytic cracker, C ₁₋₅ -rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₆ , predominantly C ₁ through C ₅ .] | 270-757-1 | 68477-75-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-065-00-2 | Gases (petroleum), catalytic polymd. naphtha stabilizer overhead, C ₂₋₄ -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic polymerized naphtha. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₂ through C ₆ , predominantly C ₂ through C ₄ .] | 270-758-7 | 68477-76-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-066-00-8 | Gases (petroleum), catalytic reformer, C ₁₋₄ -rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers in the range of C ₁ through C ₆ , predominantly C ₁ through C ₄ .] | 270-760-8 | 68477-79-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-067-00-3 | Gases (petroleum), C ₃₋₅ olefinic-paraffinic alkylation feed; Petroleum gas; [A complex combination of olefinic and paraffinic hydrocarbons having carbon numbers in the range of C ₃ through C ₅ which are used as alkylation feed. Ambient temperatures normally exceed the critical temperature of these combinations.] | 270-765-5 | 68477-83-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-068-00-9 | Gases (petroleum), C ₄ -rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic fractionation process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₄ .] | 270-767-6 | 68477-85-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-069-00-4 | Gases (petroleum), deethanizer overheads; Petroleum gas; [A complex combination of hydrocarbons produced from distillation of the gas and gasoline fractions from the catalytic cracking process. It contains predominantly ethane and ethylene.] | 270-768-1 | 68477-86-1 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-070-00-X | Gases (petroleum), deisobutanizer tower overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the atmospheric distillation of a butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .] | 270-769-7 | 68477-87-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-071-00-5 | Gases (petroleum), depropanizer dry, propene-rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists predominantly of propylene with some ethane and propane.] | 270-772-3 | 68477-90-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-072-00-0 | Gases (petroleum), depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .] | 270-773-9 | 68477-91-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-073-00-6 | Gases (petroleum), gas recovery plant depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons obtained by fractionation of miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ , predominantly propane.] | 270-777-0 | 68477-94-1 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-074-00-1 | Gases (petroleum), Girbatol unit feed; Petroleum gas; [A complex combination of hydrocarbons that is used as the feed into the Girbatol unit to remove hydrogen sulfide. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .] | 270-778-6 | 68477-95-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-075-00-7 | Gases (petroleum), isomerized naphtha fractionator, C ₄ -rich, hydrogen sulfide-free; Petroleum gas | 270-782-8 | 68477-99-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-076-00-2 | Tail gas (petroleum), catalytic cracked clarified oil and thermal cracked vacuum residue fractionation reflux drum; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked clarified oil and thermal cracked vacuum residue. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-802-5 | 68478-21-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-077-00-8 | Tail gas (petroleum), catalytic cracked naphtha stabilization absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-803-0 | 68478-22-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-078-00-3 | Tail gas (petroleum), catalytic cracker, catalytic reformer and hydrodesulfurizer combined fractionater; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of products from catalytic cracking, catalytic reforming and hydrodesulfurizing processes treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-804-6 | 68478-24-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-079-00-9 | Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic reformed naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 270-806-7 | 68478-26-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-080-00-4 | Tail gas (petroleum), saturate gas plant mixed stream, C ₄ -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of straight-run naphtha, distillation tail gas and catalytic reformed naphtha stabilizer tail gas. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly butane and isobutane.] | 270-813-5 | 68478-32-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-081-00-X | Tail gas (petroleum), saturate gas recovery plant, C _{1,2} -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of distillate tail gas, straight-run naphtha, catalytic reformed naphtha stabilizer tail gas. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₅ , predominantly methane and ethane.] | 270-814-0 | 68478-33-1 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-082-00-5 | Tail gas (petroleum), vacuum residues thermal cracker; Petroleum gas; [A complex combination of hydrocarbons obtained from the thermal cracking of vacuum residues. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-815-6 | 68478-34-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-083-00-0 | Hydrocarbons, C _{3,4} -rich, petroleum distillate; Petroleum gas; [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₃ through C ₄ .] | 270-990-9 | 68512-91-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-084-00-6 | Gases (petroleum), full-range straight-run naphtha dehexanizer off; petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of the full-range straight-run naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .] | 271-000-8 | 68513-15-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | H K U | |
| 649-085-00-1 | Gases (petroleum), hydrocracking depropanizer off, hydrocarbon-rich; Petroleum gas; [A complex combination of hydrocarbon produced by the distillation of products from a hydrocracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ . It may also contain small amounts of hydrogen and hydrogen sulfide.] | 271-001-3 | 68513-16-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | H K U | |
| 649-086-00-7 | Gases (petroleum), light straight-run naphtha stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the stabilization of light straight-run naphtha. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .] | 271-002-9 | 68513-17-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | H K U | |
| 649-087-00-2 | Residues (petroleum), alkylation splitter, C ₄ -rich; Petroleum gas; [A complex residuum from the distillation of streams various refinery operations. It consists of hydrocarbons having carbon numbers in the range of C ₄ through C ₅ , predominantly butane and boiling in the range of approximately - 11.7 °C to 27.8 °C (11°F to 82°F).] | 271-010-2 | 68513-66-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | H K U | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-088-00-8 | Hydrocarbons, C ₁₋₄ ; Petroleum gas; [A complex combination of hydrocarbons provided by thermal cracking and absorber operations and by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately minus 164 °C to minus 0.5 °C (-263°F to 31°F).] | 271-032-2 | 68514-31-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-089-00-3 | Hydrocarbons, C ₁₋₄ , sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting hydrocarbon gases to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately -164 °C to -0.5 °C (-263°F to 31°F).] | 271-038-5 | 68514-36-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-090-00-9 | Hydrocarbons, C ₁₋₃ ; Petroleum gas; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ and boiling in the range of approximately minus 164 °C to minus 42 °C (-263°F to -44°F).] | 271-259-7 | 68527-16-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-091-00-4 | Hydrocarbons, C ₁₋₄ , debutanizer fraction; Petroleum gas | 271-261-8 | 68527-19-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-092-00-X | Gases (petroleum), C ₁₋₅ , wet; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil and/or the cracking of tower gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 271-624-0 | 68602-83-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-093-00-5 | Hydrocarbons, C ₂₋₄ ; Petroleum gas | 271-734-9 | 68606-25-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-094-00-0 | Hydrocarbons, C ₃ ; Petroleum gas | 271-735-4 | 68606-26-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-095-00-6 | Gases (petroleum), alkylation feed; Petroleum gas; [A complex combination of hydrocarbons produced by the catalytic cracking of gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .] | 271-737-5 | 68606-27-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-096-00-1 | Gases (petroleum), depropanizer bottoms fractionation off; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists predominantly of butane, isobutane and butadiene.] | 271-742-2 | 68606-34-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-097-00-7 | Gases (petroleum), refinery blend; Petroleum gas; [A complex combination obtained from various processes. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-183-7 | 68783-07-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-098-00-2 | Gases (petroleum), catalytic cracking; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .] | 272-203-4 | 68783-64-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-099-00-8 | Gases (petroleum), C ₂₋₄ , sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ and boiling in the range of approximately - 51 °C to - 34 °C (-60°F to - 30°F).] | 272-205-5 | 68783-65-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-100-00-1 | Gases (petroleum), crude oil fractionation off; Petroleum gas; [A complex combination of hydrocarbons produced by the fractionation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-871-7 | 68918-99-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-101-00-7 | Gases (petroleum), dehexanizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of combined naphtha streams. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-872-2 | 68919-00-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-102-00-2 | Gases (petroleum), light straight run gasoline fractionation stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of light straight-run gasoline. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-878-5 | 68919-05-1 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-103-00-8 | Gases (petroleum), naphtha unifier desulfurization stripper off; Petroleum gas; [A complex combination of hydrocarbons produced by a naphtha unifier desulfurization process and stripped from the naphtha product. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 272-879-0 | 68919-06-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-104-00-3 | Gases (petroleum), straight-run naphtha catalytic reforming off; Petroleum gas; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and fractionation of the total effluent. It consists of methane, ethane, and propane.] | 272-882-7 | 68919-09-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-105-00-9 | Gases (petroleum), fluidized catalytic cracker splitter overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the fractionation of the charge to the C ₃ -C ₄ splitter. It consists predominantly of C ₃ hydrocarbons.] | 272-893-7 | 68919-20-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-106-00-4 | Gases (petroleum), straight-run stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of the liquid from the first tower used in the distillation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 272-883-2 | 68919-10-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-107-00-X | Gases (petroleum), catalytic cracked naphtha debutanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 273-169-3 | 68952-76-1 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-108-00-5 | Tail gas (petroleum), catalytic cracked distillate and naphtha stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of catalytic cracked naphtha and distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 273-170-9 | 68952-77-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-109-00-0 | Tail gas (petroleum), thermal-cracked distillate, gas oil and naphtha absorber; petroleum gas; [A complex combination of hydrocarbons obtained from the separation of thermal-cracked distillates, naphtha and gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 273-175-6 | 68952-81-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-110-00-6 | Tail gas (petroleum), thermal cracked hydrocarbon fractionation stabilizer, petroleum coking; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of thermal cracked hydrocarbons from petroleum coking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 273-176-1 | 68952-82-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-111-00-1 | Gases (petroleum, light steam-cracked, butadiene conc.); Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process, It consists of hydrocarbons having a carbon number predominantly of C ₄ .] | 273-265-5 | 68955-28-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-112-00-7 | Gases (petroleum), straight-run naphtha catalytic reformer stabilizer overhead; Petroleum gas; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .] | 273-270-2 | 68955-34-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-113-00-2 | Hydrocarbons, C ₄ ; Petroleum gas | 289-339-5 | 87741-01-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-114-00-8 | Alkanes, C ₁₋₄ , C ₃ -rich; Petroleum gas | 292-456-4 | 90622-55-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-115-00-3 | Gases (petroleum), steam-cracker C ₃ -rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a steam cracking process. It consists predominantly of propylene with some propane and boils in the range of approximately - 70 °C to 0 °C (-94°F to 32°F).] | 295-404-9 | 92045-22-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-116-00-9 | Hydrocarbons, C ₄ , steam-cracker distillate; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products of a steam cracking process. It consists predominantly of hydrocarbons having a carbon number of C ₄ , predominantly 1-butene and 2-butene, containing also butane and isobutene and boiling in the range of approximately minus 12 °C to 5 °C (10.4°F to 41°F).] | 295-405-4 | 92045-23-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-117-00-4 | Petroleum gases, liquefied, sweetened, C ₄ fraction; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting a liquified petroleum gas mix to a sweetening process to oxidize mercaptans or to remove acidic impurities. It consists predominantly of C ₄ saturated and unsaturated hydrocarbons.] | 295-463-0 | 92045-80-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | HKSU |
| 649-118-00-X | Hydrocarbons, C ₄ , 1,3-butadiene- and isobutene-free; Petroleum gas | 306-004-1 | 95465-89-7 | Flam. Gas 1 Press. Gas Carc. 1B | H220 H350 | GHS02 GHS04 GHS08 Dgr | H220 H350 | | | H K U |
| 649-119-00-5 | Raffinates (petroleum), steam-cracked C ₄ fraction cuprous ammonium acetate extn., C ₃₋₅ and C ₃₋₅ unsatd., butadiene-free; Petroleum gas | 307-769-4 | 97722-19-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-120-00-0 | Gases (petroleum), amine system feed; Refinery gas; [The feed gas to the amine system for removal of hydrogen sulfide. It consists of hydrogen. Carbon monoxide, carbon dioxide, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ may also be present.] | 270-746-1 | 68477-65-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-121-00-6 | Gases (petroleum), benzene unit hydrodesulfurizer off; Refinery gas; [Off gases produced by the benzene unit. It consists primarily of hydrogen. Carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ , including benzene, may also be present.] | 270-747-7 | 68477-66-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-122-00-1 | Gases (petroleum), benzene unit recycle, hydrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by recycling the gases of the benzene unit. It consists primarily of hydrogen with various small amounts of carbon monoxide and hydrocarbons having carbon numbers in the range of C ₁ through C ₆ .] | 270-748-2 | 68477-67-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-123-00-7 | Gases (petroleum), blend oil, hydrogen-nitrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by distillation of a blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide, and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-749-8 | 68477-68-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-124-00-2 | Gases (petroleum), catalytic reformed naphtha stripper overheads; Refinery gas; [A complex combination of hydrocarbons obtained from stabilization of catalytic reformed naphtha. Its consists of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 270-759-2 | 68477-77-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-125-00-8 | Gases (petroleum), C ₆₋₈ catalytic reformer recycle; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C ₆ -C ₈ feed and recycled to conserve hydrogen. It consists primarily of hydrogen. It may also contain various small amounts of carbon monoxide, carbon dioxide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-761-3 | 68477-80-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-126-00-3 | Gases (petroleum), C ₆₋₈ catalytic reformer; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C ₆ -C ₈ feed. It consists of hydrocarbons having carbon numbers in the range of C ₁ through C ₅ and hydrogen.] | 270-762-9 | 68477-81-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-127-00-9 | Gases (petroleum), C ₆₋₈ catalytic reformer recycle, hydrogen-rich; Refinery gas | 270-763-4 | 68477-82-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-128-00-4 | Gases (petroleum), C ₂ -return stream; Refinery gas; [A complex combination of hydrocarbons obtained by the extraction of hydrogen from a gas stream which consists primarily of hydrogen with small amounts of nitrogen, carbon monoxide, methane, ethane, and ethylene. It contains predominantly hydrocarbons such as methane, ethane, and ethylene with small amounts of hydrogen, nitrogen and carbon monoxide.] | 270-766-0 | 68477-84-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-129-00-X | Gases (petroleum), dry sour, gas-concn.-unit-off; Refinery gas; [The complex combination of dry gases from a gas concentration unit. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 270-774-4 | 68477-92-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-130-00-5 | Gases (petroleum), gas concn. reabsorber distn.; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from combined gas streams in a gas concentration reabsorber. It consists predominantly of hydrogen, carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide and hydrocarbons having carbon numbers in the range of C ₁ through C ₃ .] | 270-776-5 | 68477-93-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-131-00-0 | Gases (petroleum), hydrogen absorber off; Refinery gas; [A complex combination obtained by absorbing hydrogen from a hydrogen rich stream. It consists of hydrogen, carbon monoxide, nitrogen, and methane with small amounts of C ₂ hydrocarbons.] | 270-779-1 | 68477-96-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-132-00-6 | Gases (petroleum), hydrogen-rich; Refinery gas; [A complex combination separated as a gas from hydrocarbon gases by chilling. It consists primarily of hydrogen with various small amounts of carbon monoxide, nitrogen, methane, and C ₂ hydrocarbons.] | 270-780-7 | 68477-97-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-133-00-1 | Gases (petroleum), hydrotreater blend oil recycle, hydrogen-nitrogen-rich; Refinery gas; [A complex combination obtained from recycled hydrotreated blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-781-2 | 68477-98-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-134-00-7 | Gases (petroleum), recycle, hydrogen-rich; Refinery gas; [A complex combination obtained from recycled reactor gases. It consists primarily of hydrogen with various small amounts of carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₅ .] | 270-783-3 | 68478-00-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-135-00-2 | Gases (petroleum), reformer make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reformers. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-784-9 | 68478-01-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-136-00-8 | Gases (petroleum), reforming hydrotreater; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen, methane, and ethane with various small amounts of hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .] | 270-785-4 | 68478-02-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-137-00-3 | Gases (petroleum), reforming hydrotreater, hydrogen-methane-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen and methane with various small amounts of carbon monoxide, carbon dioxide, nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₅ .] | 270-787-5 | 68478-03-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-138-00-9 | Gases (petroleum), reforming hydrotreater make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-788-0 | 68478-04-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-139-00-4 | Gases (petroleum), thermal cracking distn.; Refinery gas; [A complex combination produced by distillation of products from a thermal cracking process. It consists of hydrogen, hydrogen sulfide, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-789-6 | 68478-05-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-140-00-X | Tail gas (petroleum), catalytic cracker refractionation absorber; Refinery gas; [A complex combination of hydrocarbons obtained from refractionation of products from a catalytic cracking process. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 270-805-1 | 68478-25-1 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-141-00-5 | Tail gas (petroleum), catalytic reformed naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the catalytic reforming of straight run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-807-2 | 68478-27-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-142-00-0 | Tail gas (petroleum), catalytic reformed naphtha stabilizer; Refinery gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic reformed naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-808-8 | 68478-28-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-143-00-6 | Tail gas (petroleum), cracked distillate hydrotreater separator; Refinery gas; [A complex combination of hydrocarbons obtained by treating cracked distillates with hydrogen in the presence of a catalyst. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-809-3 | 68478-29-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-144-00-1 | Tail gas (petroleum), hydrodesulfurized straight-run naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from hydrodesulfurization of straight-run naphtha. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-810-9 | 68478-30-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-145-00-7 | Gases (petroleum), catalytic reformed straight-run naphtha stabilizer overheads; Refinery gas; [A complex combination of hydrocarbons obtained from the catalytic reforming of straight-run naphtha followed by fractionation of the total effluent. It consists of hydrogen, methane, ethane and propane.] | 270-999-8 | 68513-14-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-146-00-2 | Gases (petroleum), reformer effluent high-pressure flash drum off; Refinery gas; [A complex combination produced by the high-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.] | 271-003-4 | 68513-18-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-147-00-8 | Gases (petroleum), reformer effluent low-pressure flash drum off; Refinery gas; [A complex combination produced by low-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.] | 271-005-5 | 68513-19-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-148-00-3 | Gases (petroleum), oil refinery gas distn. off; Refinery gas; [A complex combination separated by distillation of a gas stream containing hydrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers in the range of C ₁ through C ₆ or obtained by cracking ethane and propane. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₂ , hydrogen, nitrogen, and carbon monoxide.] | 271-258-1 | 68527-15-1 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-149-00-9 | Gases (petroleum), benzene unit hydrotreater depentanizer overheads; Refinery gas; [A complex combination produced by treating the feed from the benzene unit with hydrogen in the presence of a catalyst followed by depentanizing. It consists primarily of hydrogen, ethane and propane with various small amounts of nitrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ . It may contain trace amounts of benzene.] | 271-623-5 | 68602-82-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-150-00-4 | Gases (petroleum), secondary absorber off, fluidized catalytic cracker overheads fractionator; Refinery gas; [A complex combination produced by the fractionation of the overhead products from the catalytic cracking process in the fluidized catalytic cracker. It consists of hydrogen, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 271-625-6 | 68602-84-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-151-00-X | Petroleum products, refinery gases; Refinery gas; [A complex combination which consists primarily of hydrogen with various small amounts of methane, ethane, and propane.] | 271-750-6 | 68607-11-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-152-00-5 | Gases (petroleum), hydrocracking low-pressure separator; Refinery gas; [A complex combination obtained by the liquid-vapor separation of the hydrocracking process reactor effluent. It consists predominantly of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 272-182-1 | 68783-06-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-153-00-0 | Gases (petroleum), refinery; Refinery gas; [A complex combination obtained from various petroleum refining operations. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 272-338-9 | 68814-67-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-154-00-6 | Gases (petroleum), platformer products separator off; Refinery gas; [A complex combination obtained from the chemical reforming of naphthenes to aromatics. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .] | 272-343-6 | 68814-90-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-155-00-1 | Gases (petroleum), hydrotreated sour kerosine depentanizer stabilizer off; Refinery gas; [The complex combination obtained from the depentanizer stabilization of hydrotreated kerosine. It consists primarily of hydrogen, methane, ethane, and propane with various small amounts of nitrogen, hydrogen sulfide, carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₅ .] | 272-775-5 | 68911-58-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-156-00-7 | Gases (petroleum), hydrotreated sour kerosine flash drum; Refinery gas; [A complex combination obtained from the flash drum of the unit treating sour kerosine with hydrogen in the presence of a catalyst. It consists primarily of hydrogen and methane with various small amounts of nitrogen, carbon monoxide, and hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₅ .] | 272-776-0 | 68911-59-1 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-157-00-2 | Gases (petroleum), distillate unifiner desulfurization stripper off; Refinery gas; [A complex combination stripped from the liquid product of the unifiner desulfurization process. It consists of hydrogen sulfide, methane, ethane, and propane.] | 272-873-8 | 68919-01-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-158-00-8 | Gases (petroleum), fluidized catalytic cracker fractionation off; Refinery gas; [A complex combination produced by the fractionation of the overhead product of the fluidized catalytic cracking process. It consists of hydrogen, hydrogen sulfide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-874-3 | 68919-02-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-159-00-3 | Gases (petroleum), fluidized catalytic cracker scrubbing secondary absorber off; Refinery gas; [A complex combination produced by scrubbing the overhead gas from the fluidized catalytic cracker. It consists of hydrogen, nitrogen, methane, ethane and propane.] | 272-875-9 | 68919-03-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-160-00-9 | Gases (petroleum), heavy distillate hydro-treater desulfurization stripper off; Refinery gas; [A complex combination stripped from the liquid product of the heavy distillate hydro-treater desulfurization process. It consists of hydrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-876-4 | 68919-04-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-161-00-4 | Gases (petroleum), platformer stabilizer off, light ends fractionation; Refinery gas; [A complex combination obtained by the fractionation of the light ends of the platinum reactors of the platformer unit. It consists of hydrogen, methane, ethane and propane.] | 272-880-6 | 68919-07-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-162-00-X | Gases (petroleum), preflash tower off, crude distn.; Refinery gas; [A complex combination produced from the first tower used in the distillation of crude oil. It consists of nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-881-1 | 68919-08-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-163-00-5 | Gases (petroleum), tar stripper off; Refinery gas; [A complex combination obtained by the fractionation of reduced crude oil. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 272-884-8 | 68919-11-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-164-00-0 | Gases (petroleum), unifier stripper off; Refinery gas; [A combination of hydrogen and methane obtained by fractionation of the products from the unifier unit.] | 272-885-3 | 68919-12-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-165-00-6 | Tail gas (petroleum), catalytic hydrodesulfurized naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the hydrodesulfurization of naphtha. It consists of hydrogen, methane, ethane, and propane.] | 273-173-5 | 68952-79-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-166-00-1 | Tail gas (petroleum), straight-run naphtha hydrodesulfurizer; Refinery gas; [A complex combination obtained from the hydrodesulfurization of straight-run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 273-174-0 | 68952-80-7 | Press. Gas Flam. Gas 1 Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-167-00-7 | Gases (petroleum), sponge absorber off, fluidized catalytic cracker and gas oil desulfurizer overhead fractionation; Refinery gas; [A complex combination obtained by the fractionation of products from the fluidized catalytic cracker and gas oil desulfurizer. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 273-269-7 | 68955-33-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-168-00-2 | Gases (petroleum), crude distn. and catalytic cracking; Refinery gas; [A complex combination produced by crude distillation and catalytic cracking processes. It consists of hydrogen, hydrogen sulfide, nitrogen, carbon monoxide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 273-563-5 | 68989-88-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-169-00-8 | Gases (petroleum), gas oil diethanolamine scrubber off; Refinery gas; [A complex combination produced by desulfurization of gas oils with diethanolamine. It consists predominantly of hydrogen sulfide, hydrogen and aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₅ .] | 295-397-2 | 92045-15-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-170-00-3 | Gases (petroleum), gas oil hydrodesulfurization effluent; Refinery gas; [A complex combination obtained by separation of the liquid phase from the effluent from the hydrogenation reaction. It consists predominantly of hydrogen, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 295-398-8 | 92045-16-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-171-00-9 | Gases (petroleum), gas oil hydrodesulfurization purge; Refinery gas; [A complex combination of gases obtained from the reformer and from the purges from the hydrogenation reactor. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 295-399-3 | 92045-17-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-172-00-4 | Gases (petroleum), hydrogenator effluent flash drum off; Refinery gas; [A complex combination of gases obtained from flash of the effluents after the hydrogenation reaction. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 295-400-7 | 92045-18-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-173-00-X | Gases (petroleum), naphtha steam cracking high-pressure residual; Refinery gas; [A complex combination obtained as a mixture of the non-condensable portions from the product of a naphtha steam cracking process as well as residual gases obtained during the preparation of subsequent products. It consists predominantly of hydrogen and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ with which natural gas may also be mixed.] | 295-401-2 | 92045-19-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-174-00-5 | Gases (petroleum), residue visbaking off; Refinery gas; [A complex combination obtained from viscosity reduction of residues in a furnace. It consists predominantly of hydrogen sulfide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 295-402-8 | 92045-20-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-175-00-0 | Foot's oil (petroleum), acid-treated; Foot's oil; [A complex combination of hydrocarbons obtained by treatment of Foot's oil with sulfuric acid. It consists predominantly of branched-chain hydrocarbons with carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 300-225-7 | 93924-31-3 | Flam. Gas 1 Press. Gas Carc. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-176-00-6 | Foot's oil (petroleum), clay-treated; Foot's oil; [A complex combination of hydrocarbons obtained by treatment of Foot's oil with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of branched chain hydrocarbons with carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 300-226-2 | 93924-32-4 | Flam. Gas 1 Press. Gas Carc. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-177-00-1 | Gases (petroleum), C ₃₋₄ ; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from the cracking of crude oil. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₄ , predominantly of propane and propylene, and boiling in the range of approximately - 51 °C to - 1 °C (- 60°F to 30°F.)] | 268-629-5 | 68131-75-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-178-00-7 | Tail gas (petroleum), catalytic cracked distillate and catalytic cracked naphtha fractionation absorber; Petroleum gas; [The complex combination of hydrocarbons from the distillation of the products from catalytic cracked distillates and catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ .] | 269-617-2 | 68307-98-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-179-00-2 | Tail gas (petroleum), catalytic polymn. naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons from the fractionation stabilization products from polymerization of naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ .] | 269-618-8 | 68307-99-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-180-00-8 | Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation stabilization of catalytic reformed naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 269-619-3 | 68308-00-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-181-00-3 | Tail gas (petroleum), cracked distillate hydrotreater stripper; Petroleum gas; [A complex combination of hydrocarbons obtained by treating thermal cracked distillates with hydrogen in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 269-620-9 | 68308-01-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-182-00-9 | Tail gas (petroleum), straight-run distillate hydrodesulfurizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of straight run distillates and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 269-630-3 | 68308-10-1 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-183-00-4 | Tail gas (petroleum), gas oil catalytic cracking absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of products from the catalytic cracking of gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 269-623-5 | 68308-03-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-184-00-X | Tail gas (petroleum), gas recovery plant; Petroleum gas; [A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 269-624-0 | 68308-04-3 | Press. Gas Flam. Gas 1 Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-185-00-5 | Tail gas (petroleum), gas recovery plant deethanizer; Petroleum gas; [A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists of hydrocarbon having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 269-625-6 | 68308-05-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-186-00-0 | Tail gas (petroleum), hydrodesulfurized distillate and hydrodesulfurized naphtha fractionator, acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of hydrodesulfurized naphtha and distillate hydrocarbon streams and treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 269-626-1 | 68308-06-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-187-00-6 | Tail gas (petroleum), hydrodesulfurized vacuum gas oil stripper, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from stripping stabilization of catalytic hydrodesulfurized vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 269-627-7 | 68308-07-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-188-00-1 | Tail gas (petroleum), light straight-run naphtha stabilizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation stabilization of light straight run naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 269-629-8 | 68308-09-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-189-00-7 | Tail gas (petroleum), propane-propylene alkylation feed prep deethanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of the reaction products of propane with propylene. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 269-631-9 | 68308-11-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-190-00-2 | Tail gas (petroleum), vacuum gas oil hydrodesulfurizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 269-632-4 | 68308-12-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-191-00-8 | Gases (petroleum), catalytic cracked overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from the catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ and boiling in the range of approximately - 48 °C to 32 °C (-54°F to 90°F).] | 270-071-2 | 68409-99-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-193-00-9 | Alkanes, C ₁₋₂ ; Petroleum gas | 270-651-5 | 68475-57-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-194-00-4 | Alkanes, C ₂₋₃ ; Petroleum gas | 270-652-0 | 68475-58-1 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-195-00-X | Alkanes, C ₃₋₄ ; Petroleum gas | 270-653-6 | 68475-59-2 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-196-00-5 | Alkanes, C ₄₋₅ ; Petroleum gas | 270-654-1 | 68475-60-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-197-00-0 | Fuel gases; Petroleum gas; [A combination of light gases. It consists predominantly of hydrogen and/or low molecular weight hydrocarbons.] | 270-667-2 | 68476-26-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-198-00-6 | Fuel gases, crude oil of distillates; Petroleum gas; [A complex combination of light gases produced by distillation of crude oil and by catalytic reforming of naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately - 217 °C to - 12 °C (-423°F to 10°F).] | 270-670-9 | 68476-29-9 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-199-00-1 | Hydrocarbons, C _{3,4} ; Petroleum gas | 270-681-9 | 68476-40-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-200-00-5 | Hydrocarbons, C _{4,5} ; Petroleum gas | 270-682-4 | 68476-42-6 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-201-00-0 | Hydrocarbons, C _{2,4} , C ₃ -rich; Petroleum gas | 270-689-2 | 68476-49-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-202-00-6 | Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₇ and boiling in the range of approximately - 40 °C to 80 °C (-40 °F to 176 °F).] | 270-704-2 | 68476-85-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | HKSU |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-203-00-1 | Petroleum gases, liquefied, sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₇ and boiling in the range of approximately - 40 °C to 80 °C (-40 °F to 176 °F).] | 270-705-8 | 68476-86-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | HKSU |
| 649-204-00-7 | Gases (petroleum), C ₃₋₄ , isobutane-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated hydrocarbons usually ranging in carbon numbers from C ₃ through C ₆ , predominantly butane and isobutane. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₄ , predominantly isobutane.] | 270-724-1 | 68477-33-8 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-205-00-2 | Distillates (petroleum), C ₃₋₆ , piperylene-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated aliphatic hydrocarbons usually ranging in the carbon numbers C ₃ through C ₆ . It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly piperylenes.] | 270-726-2 | 68477-35-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-206-00-8 | Gases (petroleum), butane splitter overheads; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of the butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .] | 270-750-3 | 68477-69-0 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-207-00-3 | Gases (petroleum), C ₂ ; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic fractionation process. It contains predominantly ethane, ethylene, propane, and propylene.] | 270-751-9 | 68477-70-3 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-208-00-9 | Gases (petroleum), catalytic-cracked gas oil depropanizer bottoms, C ₄ -rich acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked gas oil hydrocarbon stream and treated to remove hydrogen sulfide and other acidic components. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₄ .] | 270-752-4 | 68477-71-4 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-209-00-4 | Gases (petroleum), catalytic-cracked naphtha debutanizer bottoms, C _{3,5} -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .] | 270-754-5 | 68477-72-5 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |
| 649-210-00-X | Tail gas (petroleum), isomerized naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization products from isomerized naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 269-628-2 | 68308-08-7 | Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B | H220 H350 H340 | GHS02 GHS04 GHS08 Dgr | H220 H350 H340 | | | H K U |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-211-00-5 | Foots oil (petroleum), carbon-treated; Foots oil; [A complex combination of hydrocarbons obtained by the treatment of Foots oil with activated carbon for the removal of trace constituents and impurities. It consists predominantly of saturated straight chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-126-0 | 97862-76-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-212-00-0 | Distillates (petroleum), sweetened middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).] | 265-088-7 | 64741-86-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-213-00-6 | Gas oils (petroleum), solvent-refined; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 265-092-9 | 64741-90-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-214-00-1 | Distillates (petroleum), solvent-refined middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).] | 265-093-4 | 64741-91-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-215-00-7 | Gas oils (petroleum), acid-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).] | 265-112-6 | 64742-12-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-216-00-2 | Distillates (petroleum), acid-treated middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₀ and boiling in the range of approximately 205 °C to 345 °C (401°F to 653°F).] | 265-113-1 | 64742-13-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-217-00-8 | Distillates (petroleum), acid-treated light; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-114-7 | 64742-14-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-218-00-3 | Gas oils (petroleum), chemically neutralized; Gasoil — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).] | 265-129-9 | 64742-29-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-219-00-9 | Distillates (petroleum), chemically neutralized middle; Gasoil — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₀ and boiling in the range of approximately 205 °C to 345 °C (401°F to 653°F).] | 265-130-4 | 64742-30-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-220-00-4 | Distillates (petroleum), clay-treated middle; Gasoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).] | 265-139-3 | 64742-38-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-221-00-X | Distillates (petroleum), hydrotreated middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 265-148-2 | 64742-46-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-222-00-5 | Gas oils (petroleum), hydrodesulfurized; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).] | 265-182-8 | 64742-79-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-223-00-0 | Distillates (petroleum), hydrodesulfurized middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 265-183-3 | 64742-80-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-224-00-6 | Fuels, diesel; Gasoil — unspecified; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 163 °C to 357 °C (325°F to 675°F).] | 269-822-7 | 68334-30-5 | Carc. 2 | H351 | GHS08 Wng | H351 | | | H N |
| 649-225-00-1 | Fuel oil, No 2; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100°F) to a maximum of 37,9 SUS at 37,7 °C (100°F).] | 270-671-4 | 68476-30-2 | Carc. 2 | H351 | GHS08 Wng | H351 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-226-00-7 | Fuel oil, No 4; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 45 SUS at 37,7 °C (100°F) to a maximum of 125 SUS at 37,7 °C (100°F).] | 270-673-5 | 68476-31-3 | Carc. 2 | H351 | GHS08 Wng | H351 | | | H |
| 649-227-00-2 | Fuels, diesel, No 2; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100°F).] | 270-676-1 | 68476-34-6 | Carc. 2 | H351 | GHS08 Wng | H351 | | | H |
| 649-228-00-8 | Distillates (petroleum), catalytic reformer fractionator residue, high-boiling; Gasoil — unspecified; [A complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils in the range of approximately 343 °C to 399 °C (650°F to 750°F).] | 270-719-4 | 68477-29-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-229-00-3 | Distillates (petroleum), catalytic reformer fractionator residue, intermediate-boiling; Gasoil — unspecified; [A complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils in the range of approximately 288 °C to 371 °C (550°F to 700°F).] | 270-721-5 | 68477-30-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-230-00-9 | Distillates (petroleum), catalytic reformer fractionator residue, low-boiling; Gasoil — unspecified; [The complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils approximately below 288 °C (550°F).] | 270-722-0 | 68477-31-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-231-00-4 | Distillates (petroleum), highly refined middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the subjection of a petroleum fraction to several of the following steps: filtration, centrifugation, atmospheric distillation, vacuum distillation, acidification, neutralization and clay treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₀ .] | 292-615-8 | 90640-93-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-232-00-X | Distillates (petroleum) catalytic reformer, heavy arom. conc.; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from the distillation of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₆ and boiling in the range of approximately 200 °C to 300 °C (392°F to 572°F).] | 295-294-2 | 91995-34-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-233-00-5 | Gas oils, paraffinic; Gasoil — unspecified; [A distillate obtained from the redistillation of a complex combination of hydrocarbons obtained by the distillation of the effluents from a severe catalytic hydrotreatment of paraffins. It boils in the range of approximately 190 °C to 330 °C (374°F to 594°F).] | 300-227-8 | 93924-33-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-234-00-0 | Naphtha (petroleum), solvent-refined hydrodesulfurized heavy; Gasoil — unspecified | 307-035-3 | 97488-96-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-235-00-6 | Hydrocarbons, C ₁₆₋₂₀ , hydrotreated middle distillate, distn. lights; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a middle distillate with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₂₀ and boiling in the range of approximately 290 °C to 350 °C (554°F to 662°F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212°F).] | 307-659-6 | 97675-85-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-236-00-1 | Hydrocarbons, C ₁₂₋₂₀ , hydrotreated paraffinic, distn. lights; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of heavy paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₀ and boiling in the range of approximately 230 °C to 350 °C (446°F to 662°F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212°F).] | 307-660-1 | 97675-86-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-237-00-7 | Hydrocarbons, C ₁₁₋₁₇ , solvent-extd. light naphthenic; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 2.2 cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₇ and boiling in the range of approximately 200 °C to 300 °C (392°F to 572°F).] | 307-757-9 | 97722-08-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-238-00-2 | Gas oils, hydrotreated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from the redistillation of the effluents from the treatment of paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₂₇ and boiling in the range of approximately 330 °C to 340 °C (626°F to 644°F).] | 308-128-1 | 97862-78-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-239-00-8 | Distillates (petroleum), carbon-treated light paraffinic; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of a petroleum oil fraction with activated charcoal for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₈ .] | 309-667-5 | 100683-97-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-240-00-3 | Distillates (petroleum), intermediate paraffinic, carbon-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of petroleum with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .] | 309-668-0 | 100683-98-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-241-00-9 | Distillates (petroleum), intermediate paraffinic, clay-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of petroleum with bleaching earth for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .] | 309-669-6 | 100683-99-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-242-00-4 | Alkanes, C ₁₂₋₂₆ -branched and linear | 292-454-3 | 90622-53-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-243-00-X | Lubricating greases; Grease; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₅₀ . May contain organic salts of alkali metals, alkaline earth metals, and/or aluminium compounds.] | 278-011-7 | 74869-21-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-244-00-5 | Slack wax (petroleum); Slack wax; [A complex combination of hydrocarbons obtained from a petroleum fraction by solvent crystallization (solvent dewaxing) or as a distillation fraction from a very waxy crude. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 265-165-5 | 64742-61-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-245-00-0 | Slack wax (petroleum), acid-treated; Slack wax; [A complex combination of hydrocarbons obtained as a raffinate by treatment of a petroleum slack wax fraction with sulfuric acid treating process. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 292-659-8 | 90669-77-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-246-00-6 | Slack wax (petroleum), clay-treated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of a petroleum slack wax fraction with natural or modified clay in either a contacting or percolation process. It consists predominantly of saturated straight and branched hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 292-660-3 | 90669-78-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-247-00-1 | Slack wax (petroleum), hydrotreated; Slack wax; [A complex combination of hydrocarbons obtained by treating slack wax with hydrogen in the presence of a catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 295-523-6 | 92062-09-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-248-00-7 | Slack wax (petroleum), low-melting; Slack wax; [A complex combination of hydrocarbons obtained from a petroleum fraction by solvent deparaffination. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 295-524-1 | 92062-10-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-249-00-2 | Slack wax (petroleum), low-melting, hydrotreated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of low-melting petroleum slack wax with hydrogen in the presence of a catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 295-525-7 | 92062-11-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-250-00-8 | Slack wax (petroleum), low-melting, carbon-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting slack wax with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-155-9 | 97863-04-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-251-00-3 | Slack wax (petroleum), low-melting, clay-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with bentonite for removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-156-4 | 97863-05-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-252-00-9 | Slack wax (petroleum), low-melting, silicic acid-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-158-5 | 97863-06-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-253-00-4 | Slack wax (petroleum), carbon-treated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of petroleum slack wax with activated charcoal for the removal of trace polar constituents and impurities.] | 309-723-9 | 100684-49-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-254-00-X | Petrolatum; Petrolatum; [A complex combination of hydrocarbons obtained as a semi-solid from dewaxing paraffinic residual oil. It consists predominantly of saturated crystalline and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₅ .] | 232-373-2 | 8009-03-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-255-00-5 | Petrolatum (petroleum), oxidized; Petrolatum; [A complex combination of organic compounds, predominantly high molecular weight carboxylic acids, obtained by the air oxidation of petrolatum.] | 265-206-7 | 64743-01-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-256-00-0 | Petrolatum (petroleum), alumina-treated; Petrolatum; [A complex combination of hydrocarbons obtained when petrolatum is treated with Al ₂ O ₃ to remove polar components and impurities. It consists predominantly of saturated, crystalline, and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₅ .] | 285-098-5 | 85029-74-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-257-00-6 | Petrolatum (petroleum), hydrotreated; Petrolatum; [A complex combination of hydrocarbons obtained as a semi-solid from dewaxed paraffinic residual oil treated with hydrogen in the presence of a catalyst. It consists predominantly of saturated microcrystalline and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 295-459-9 | 92045-77-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-258-00-1 | Petrolatum (petroleum), carbon-treated; Petrolatum; [A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 308-149-6 | 97862-97-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-259-00-7 | Petrolatum (petroleum), silicic acid-treated; Petrolatum; [A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 308-150-1 | 97862-98-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-260-00-2 | Petrolatum (petroleum), clay-treated; Petrolatum; [A complex combination of hydrocarbons obtained by treatment of petrolatum with bleaching earth for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of greater than C ₂₅ .] | 309-706-6 | 100684-33-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H N |
| 649-261-00-8 | Gasoline, natural; Low boiling point naphtha; [A complex combination of hydrocarbons separated from natural gas by processes such as refrigeration or absorption. It consists predominantly of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₈ and boiling in the range of approximately minus 20 °C to 120 °C (-4°F to 248°F).] | 232-349-1 | 8006-61-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-262-00-3 | Naphtha; Low boiling point naphtha; [Refined, partly refined, or unrefined petroleum products by the distillation of natural gas. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₆ and boiling in the range of approximately 100 °C to 200 °C (212°F to 392°F).] | 232-443-2 | 8030-30-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-263-00-9 | Ligroïne; Low boiling point naphtha; [A complex combination of hydrocarbons obtained by the fractional distillation of petroleum. This fraction boils in a range of approximately 20 °C to 135 °C (58°F to 275°F).] | 232-453-7 | 8032-32-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-264-00-4 | Naphtha (petroleum), heavy straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).] | 265-041-0 | 64741-41-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-265-00-X | Naphtha (petroleum), full-range straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 220 °C (-4°F to 428°F).] | 265-042-6 | 64741-42-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-266-00-5 | Naphtha (petroleum), light straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ and boiling in the range of approximately minus 20 °C to 180 °C (-4°F to 356°F).] | 265-046-8 | 64741-46-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-267-00-0 | Solvent naphtha (petroleum), light aliph.; Low boiling point naphtha; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₀ and boiling in the range of approximately 35 °C to 160 °C (95°F to 320°F).] | 265-192-2 | 64742-89-8 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-268-00-6 | Distillates (petroleum), straight-run light; Low boiling point naphtha; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₇ and boiling in the range of approximately - 88 °C to 99 °C (-127°F to 210°F).] | 270-077-5 | 68410-05-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-269-00-1 | Gasoline, vapor-recovery; Low boiling point naphtha; [A complex combination of hydrocarbons separated from the gases from vapor recovery systems by cooling. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately - 20 °C to 196 °C (-4°F to 384°F).] | 271-025-4 | 68514-15-8 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-270-00-7 | Gasoline, straight-run, topping-plant; Low boiling point naphtha; [A complex combination of hydrocarbons produced from the topping plant by the distillation of crude oil. It boils in the range of approximately 36,1 °C to 193,3 °C (97°F to 380°F).] | 271-727-0 | 68606-11-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-271-00-2 | Naphtha (petroleum), unsweetened; Low boiling point naphtha; [A complex combination of hydrocarbons produced from the distillation of naphtha streams from various refinery processes. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 0 °C to 230 °C (25°F to 446°F).] | 272-186-3 | 68783-12-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-272-00-8 | Distillates (petroleum), light straight-run gasoline fractionation stabilizer overheads; Low boiling point naphtha; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ .] | 272-931-2 | 68921-08-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-273-00-3 | Naphtha (petroleum), heavy straight run, arom.-contg.; Low boiling point naphtha; [A complex combination of hydrocarbons obtained from a distillation process of crude petroleum. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₈ through C ₁₂ and boiling in the range of approximately 130 °C to 210 °C (266°F to 410°F).] | 309-945-6 | 101631-20-3 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-274-00-9 | Naphtha (petroleum), full-range alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consist of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 220 °C (194°F to 428°F).] | 265-066-7 | 64741-64-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-275-00-4 | Naphtha (petroleum), heavy alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ to C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₂ and boiling in the range of approximately 150 °C to 220 °C (302°F to 428°F).] | 265-067-2 | 64741-65-7 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-276-00-X | Naphtha (petroleum), light alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₀ and boiling in the range of approximately 90 °C to 160 °C (194°F to 320°F).] | 265-068-8 | 64741-66-8 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-277-00-5 | Naphtha (petroleum), isomerization; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained from catalytic isomerization of straight chain paraffinic C ₄ through C ₆ hydrocarbons. It consists predominantly of saturated hydrocarbons such as isobutane, isopentane, 2,2-dimethylbutane, 2-methylpentane, and 3-methylpentane.] | 265-073-5 | 64741-70-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-278-00-0 | Naphtha (petroleum), solvent-refined light; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F).] | 265-086-6 | 64741-84-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-279-00-6 | Naphtha (petroleum), solvent-refined heavy; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-095-5 | 64741-92-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-280-00-1 | Raffinates (petroleum), catalytic reformer ethylene glycol-water countercurrent exts.; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from the UDEX extraction process on the catalytic reformer stream. It consists of saturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₉ .] | 270-088-5 | 68410-71-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-281-00-7 | Raffinates (petroleum), reformer, Lurgi unit-sepd.; Low boiling point modified naphtha; [The complex combination of hydrocarbons obtained as a raffinate from a Lurgi separation unit. It consists predominantly of non-aromatic hydrocarbons with various small amounts of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ .] | 270-349-3 | 68425-35-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-282-00-2 | Naphtha (petroleum), full-range alkylate, butane-contg.; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by the distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ with some butanes and boiling in the range of approximately 35 °C to 200 °C (95°F to 428°F).] | 271-267-0 | 68527-27-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-283-00-8 | Distillates (petroleum), naphtha steam cracking-derived, solvent-refined light hydro-treated; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinates from a solvent extraction process of hydrotreated light distillate from steam-cracked naphtha.] | 295-315-5 | 91995-53-8 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-284-00-3 | Naphtha (petroleum), C ₄₋₁₂ butane-alkylate, isooctane-rich; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by alkylation of butanes. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ , rich in isooctane, and boiling in the range of approximately 35 °C to 210 °C (95°F to 410°F).] | 295-430-0 | 92045-49-3 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-285-00-9 | Hydrocarbons, hydrotreated light naphtha distillates, solvent-refined; Low boiling point modified naphtha; [A combination of hydrocarbons obtained from the distillation of hydrotreated naphtha followed by a solvent extraction and distillation process. It consists predominantly of saturated hydrocarbons boiling in the range of approximately 94 °C to 99 °C (201°F to 210°F).] | 295-436-3 | 92045-55-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-286-00-4 | Naphtha (petroleum), isomerization, C ₆ -fraction; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by distillation of a gasoline which has been catalytically isomerized. It consists predominantly of hexane isomers boiling in the range of approximately 60 °C to 66 °C (140°F to 151°F).] | 295-440-5 | 92045-58-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-287-00-X | Hydrocarbons, C _{6,7} , naphtha-cracking, solvent-refined; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by the sorption of benzene from a catalytically fully hydrogenated benzene-rich hydrocarbon cut that was distillatively obtained from prehydrogenated cracked naphtha. It consists predominantly of paraffinic and naphthenic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₇ and boiling in the range of approximately 70 °C to 100 °C (158°F to 212°F).] | 295-446-8 | 92045-64-2 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-288-00-5 | Hydrocarbons, C ₆ -rich, hydrotreated light naphtha distillates, solvent-refined; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by distillation of hydrotreated naphtha followed by solvent extraction. It consists predominantly of saturated hydrocarbons and boiling in the range of approximately 65 °C to 70 °C (149°F to 158°F).] | 309-871-4 | 101316-67-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-289-00-0 | Naphtha (petroleum), heavy catalytic cracked; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by a distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (148°F to 446°F). It contains a relatively large proportion of unsaturated hydrocarbons.] | 265-055-7 | 64741-54-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-290-00-6 | Naphtha (petroleum), light catalytic cracked; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F). It contains a relatively large proportion of unsaturated hydrocarbons.] | 265-056-2 | 64741-55-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-291-00-1 | Hydrocarbons, C ₃₋₁₁ , catalytic cracker distillates; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillations of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₁₁ and boiling in a range approximately up to 204 °C (400°F).] | 270-686-6 | 68476-46-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-292-00-7 | Naphtha (petroleum), catalytic cracked light distd.; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-185-8 | 68783-09-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-293-00-2 | Distillates (petroleum), naphtha steam cracking-derived, hydrotreated light arom.; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by treating a light distillate from steam-cracked naphtha. It consists predominantly of aromatic hydrocarbons.] | 295-311-3 | 91995-50-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-294-00-8 | Naphtha (petroleum), heavy catalytic cracked, sweetened; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting a catalytic cracked petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 60 °C to 200 °C (140°F to 392°F).] | 295-431-6 | 92045-50-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-295-00-3 | Naphtha (petroleum), light catalytic cracked sweetened; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting naphtha from a catalytic cracking process to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons boiling in a range of approximately 35 °C to 210 °C (95°F to 410°F).] | 295-441-0 | 92045-59-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-296-00-9 | Hydrocarbons, C ₈₋₁₂ , catalytic-cracking, chem. neutralized; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of a cut from the catalytic cracking process, having undergone an alkaline washing. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₈ through C ₁₂ and boiling in the range of approximately 130 °C to 210 °C (266°F to 410°F).] | 295-794-0 | 92128-94-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-297-00-4 | Hydrocarbons, C ₈₋₁₂ , catalytic cracker distillates; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by distillation of products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ and boiling in the range of approximately 140 °C to 210 °C (284°F to 410°F).] | 309-974-4 | 101794-97-2 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-298-00-X | Hydrocarbons, C ₈₋₁₂ , catalytic cracking, chem. neutralized, sweetened; Low boiling point cat-cracked naphtha | 309-987-5 | 101896-28-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-299-00-5 | Naphtha (petroleum), light catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol. % or more benzene.] | 265-065-1 | 64741-63-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-300-00-9 | Naphtha (petroleum), heavy catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-070-9 | 64741-68-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-301-00-4 | Distillates (petroleum), catalytic reformed depentanizer; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons from the distillation of products from a catalytic reforming process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 49 °C to 63 °C - 57°F to 145°F.] | 270-660-4 | 68475-79-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-302-00-X | Hydrocarbons, C ₂₋₆ , C ₆₋₈ catalytic reformer; Low boiling point cat-reformed naphtha | 270-687-1 | 68476-47-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-303-00-5 | Residues (petroleum), C ₆₋₈ catalytic reformer; Low boiling point cat-reformed naphtha; [A complex residuum from the catalytic reforming of C ₆₋₈ feed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .] | 270-794-3 | 68478-15-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-304-00-0 | Naphtha (petroleum), light catalytic reformed, arom.-free; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained from distillation of products from a catalytic reforming process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₈ and boiling in the range of approximately 35 °C to 120 °C (95°F to 248°F). It contains a relatively large proportion of branched chain hydrocarbons with the aromatic components removed.] | 270-993-5 | 68513-03-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-305-00-6 | Distillates (petroleum), catalytic reformed straight-run naphtha overheads; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha followed by the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .] | 271-008-1 | 68513-63-3 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-306-00-1 | Petroleum products, hydrofiner-powerformer reformates; Low boiling point cat-reformed naphtha; [The complex combination of hydrocarbons obtained in a hydrofiner-powerformer process and boiling in a range of approximately 27 °C to 210 °C (80°F to 410°F).] | 271-058-4 | 68514-79-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-307-00-7 | Naphtha (petroleum, full-range reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 35 °C to 230 °C (95°F to 446°F).] | 272-895-8 | 68919-37-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-308-00-2 | Naphtha (petroleum), catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 30 °C to 220 °C (90°F to 430°F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol.% or more benzene.] | 273-271-8 | 68955-35-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-309-00-8 | Distillates (petroleum), catalytic reformed hydrotreated light, C ₈₋₁₂ arom. fraction; Low boiling point cat-reformed naphtha; [A complex combination of alkylbenzenes obtained by the catalytic reforming of petroleum naphtha. It consists predominantly of alkylbenzenes having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 160 °C to 180 °C (320°F to 356°F).] | 285-509-8 | 85116-58-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-310-00-3 | Aromatic hydrocarbons, C ₈ , catalytic reforming-derived; Low boiling point cat-reformed naphtha | 295-279-0 | 91995-18-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-311-00-9 | Aromatic hydrocarbons, C ₇₋₁₂ , C ₈ -rich; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ (primarily C ₈) and can contain nonaromatic hydrocarbons, both boiling in the range of approximately 130 °C to 200 °C (266°F to 392°F).] | 297-401-8 | 93571-75-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-312-00-4 | Gasoline, C ₅₋₁₁ , high-octane stabilized reformed; Low boiling point cat-reformed naphtha; [A complex high octane combination of hydrocarbons obtained by the catalytic dehydrogenation of a predominantly naphthenic naphtha. It consists predominantly of aromatics and non-aromatics having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 45 °C to 185 °C (113°F to 365°F).] | 297-458-9 | 93572-29-3 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-313-00-X | Hydrocarbons, C ₇₋₁₂ , C _{>9} -arom.-rich, reforming heavy fraction; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 120 °C to 210 °C (248°F to 380°F) and C ₉ and higher aromatic hydrocarbons.] | 297-465-7 | 93572-35-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-314-00-5 | Hydrocarbons, C ₅₋₁₁ , nonaroms.-rich, reforming light fraction; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 35 °C to 125 °C (94°F to 257°F), benzene and toluene.] | 297-466-2 | 93572-36-2 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-315-00-0 | Foots oil (petroleum), silicic acid-treated; Foots oil; [A complex combination of hydrocarbons obtained by the treatment of Foots oil with silicic acid for removal of trace constituents and impurities. It consists predominantly of straight chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-127-6 | 97862-77-6 | Carc. 1B | H350 H304 | GHS08 Dgr | H350 H304 | | | H L |
| 649-316-00-6 | Naphtha (petroleum), light thermal cracked; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons from distillation of products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₈ and boiling in the range of approximately minus 10 °C to 130 °C (14°F to 266°F).] | 265-075-6 | 64741-74-8 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-317-00-1 | Naphtha (petroleum), heavy thermal cracked; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons from distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 220 °C (148°F to 428°F).] | 265-085-0 | 64741-83-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-318-00-7 | Distillates (petroleum), heavy arom.; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This higher boiling fraction consists predominantly of C ₅ -C ₇ aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having carbon number predominantly of C ₅ . This stream may contain benzene.] | 267-563-4 | 67891-79-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-319-00-2 | Distillates (petroleum), light arom.; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This lower boiling fraction consists predominantly of C ₅ -C ₇ aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having a carbon number predominantly of C ₅ . This stream may contain benzene.] | 267-565-5 | 67891-80-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-320-00-8 | Distillates (petroleum), naphtha-raffinate pyrolyzate-derived, gasoline-blending; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons obtained by the pyrolysis fractionation at 816 °C (1500°F) of naphtha and raffinate. It consists predominantly of hydrocarbons having a carbon number of C ₉ and boiling at approximately 204 °C (400°F).] | 270-344-6 | 68425-29-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-321-00-3 | Aromatic hydrocarbons, C ₆₋₈ , naphtha-raffinate pyrolyzate-derived; Low boiling point thermally cracked naphtha; A complex combination of hydrocarbons obtained by the fractionation pyrolysis at 816 °C (1500°F) of naphtha and raffinate. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ , including benzene.] | 270-658-3 | 68475-70-7 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-322-00-9 | Distillates (petroleum), thermal cracked naphtha and gas oil; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by distillation of thermally cracked naphtha and/or gas oil. It consists predominantly of olefinic hydrocarbons having a carbon number of C ₅ and boiling in the range of approximately 33 °C to 60 °C (91°F to 140°F).] | 271-631-9 | 68603-00-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-323-00-4 | Distillates (petroleum), thermal cracked naphtha and gas oil, C ₅ -dimer-contg.; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists predominantly of hydrocarbons having a carbon number of C ₅ with some dimerized C ₅ olefins and boiling in the range of approximately 33 °C to 184 °C (91°F to 363°F).] | 271-632-4 | 68603-01-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-324-00-X | Distillates (petroleum), thermal cracked naphtha and gas oil, extractive; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists of paraffinic and olefinic hydrocarbons, predominantly isoamylenes such as 2-methyl-1-butene and 2-methyl-2-butene and boiling in the range of approximately 31 °C to 40 °C (88°F to 104°F).] | 271-634-5 | 68603-03-2 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-325-00-5 | Distillates (petroleum), light thermal cracked, debutanized arom.; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process. It consists predominantly of aromatic hydrocarbons, primarily benzene.] | 273-266-0 | 68955-29-3 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-326-00-0 | Naphtha (petroleum), light thermal cracked, sweetened; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate from the high temperature thermal cracking of heavy oil fractions to a sweetening process to convert mercaptans. It consists predominantly of aromatics, olefins and saturated hydrocarbons boiling in the range of approximately 20 °C to 100 °C (68°F to 212°F).] | 295-447-3 | 92045-65-3 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-327-00-6 | Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₃ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).] | 265-150-3 | 64742-48-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-328-00-1 | Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 265-151-9 | 64742-49-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-329-00-7 | Naphtha (petroleum), hydrodesulfurized light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 265-178-6 | 64742-73-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-330-00-2 | Naphtha (petroleum), hydrodesulfurized heavy; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-185-4 | 64742-82-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-331-00-8 | Distillates (petroleum), hydrotreated middle, intermediate boiling; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by the distillation of products from a middle distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₀ and boiling in the range of approximately 127 °C to 188 °C (262°F to 370°F).] | 270-092-7 | 68410-96-8 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-332-00-3 | Distillates (petroleum), light distillate hydrotreating process, low-boiling; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by the distillation of products from the light distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₉ and boiling in the range of approximately 3 °C to 194 °C (37°F to 382°F).] | 270-093-2 | 68410-97-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-333-00-9 | Distillates (petroleum), hydrotreated heavy naphtha, deisohexanizer overheads; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by distillation of the products from a heavy naphtha hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 49 °C to 68 °C (-57°F to 155°F).] | 270-094-8 | 68410-98-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-334-00-4 | Solvent naphtha (petroleum), light arom., hydrotreated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F).] | 270-988-8 | 68512-78-7 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-335-00-X | Naphtha (petroleum), hydrodesulfurized thermal cracked light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by fractionation of hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 23 °C to 195 °C (73°F to 383°F).] | 285-511-9 | 85116-60-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-336-00-5 | Naphtha (petroleum), hydrotreated light, cycloalkane-contg; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from the distillation of a petroleum fraction. It consists predominantly of alkanes and cycloalkanes boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 285-512-4 | 85116-61-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-337-00-0 | Naphtha (petroleum), heavy steam-cracked, hydrogenated; Low boiling point hydrogen treated naphtha | 295-432-1 | 92045-51-7 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-338-00-6 | Naphtha (petroleum), hydrodesulfurized full-range; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately 30 °C to 250 °C (86°F to 482°F).] | 295-433-7 | 92045-52-8 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-339-00-1 | Naphtha (petroleum), hydrotreated light steam-cracked; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction, derived from a pyrolysis process, with hydrogen in the presence of a catalyst. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F).] | 295-438-4 | 92045-57-3 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-340-00-7 | Hydrocarbons, C ₄₋₁₂ , naphtha-cracking, hydrotreated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by distillation from the product of a naphtha steam cracking process and subsequent catalytic selective hydrogenation of gum formers. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 30 °C to 230 °C (86°F to 446°F).] | 295-443-1 | 92045-61-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-341-00-2 | Solvent naphtha (petroleum), hydrotreated light naphthenic; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of cycloparaffinic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₇ and boiling in the range of approximately 73 °C to 85 °C (163°F to 185°F).] | 295-529-9 | 92062-15-2 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-342-00-8 | Naphtha (petroleum), light steam-cracked, hydrogenated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons produced from the separation and subsequent hydrogenation of the products of a steam-cracking process to produce ethylene. It consists predominantly of saturated and unsaturated paraffins, cyclic paraffins and cyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ and boiling in the range of approximately 50 °C to 200 °C (122°F to 392°F). The proportion of benzene hydrocarbons may vary up to 30 wt. % and the stream may also contain small amounts of sulphur and oxygenated compounds.] | 296-942-7 | 93165-55-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-343-00-3 | Hydrocarbons, C ₆₋₁₁ , hydrotreated, dearomatized; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.] | 297-852-0 | 93763-33-8 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-344-00-9 | Hydrocarbons, C ₉₋₁₂ , hydrotreated, dearomatized; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.] | 297-853-6 | 93763-34-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-345-00-4 | Stoddard solvent; Low boiling point naphtha — unspecified; [A colourless, refined petroleum distillate that is free from rancid or objectionable odors and that boils in a range of approximately 300°F to 400°F.] | 232-489-3 | 8052-41-3 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-346-00-X | Natural gas condensates (petroleum); Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated as a liquid from natural gas in a surface separator by retrograde condensation. It consists mainly of hydrocarbons having carbon numbers predominantly in the range of C ₂ to C ₂₀ . It is a liquid at atmospheric temperature and pressure.] | 265-047-3 | 64741-47-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-347-00-5 | Natural gas (petroleum), raw liq. mix; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated as a liquid from natural gas in a gas recycling plant by processes such as refrigeration or absorption. It consists mainly of saturated aliphatic hydrocarbons having carbon numbers in the range of C ₂ through C ₈ .] | 265-048-9 | 64741-48-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-348-00-0 | Naphtha (petroleum), light hydrocracked; Low boiling naphtha — unspecified; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ , and boiling in the range of approximately minus 20 °C to 180 °C (-4°F to 356°F).] | 265-071-4 | 64741-69-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-349-00-6 | Naphtha (petroleum), heavy hydrocracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ , and boiling in the range of approximately 65 °C to 230 °C (148°F to 446°F).] | 265-079-8 | 64741-78-2 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-350-00-1 | Naphtha (petroleum), sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately minus 10 °C to 230 °C (14°F to 446°F).] | 265-089-2 | 64741-87-3 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-351-00-7 | Naphtha (petroleum), acid-treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-115-2 | 64742-15-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-352-00-2 | Naphtha (petroleum), chemically neutralized heavy; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).] | 265-122-0 | 64742-22-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-353-00-8 | Naphtha (petroleum), chemically neutralized light; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 265-123-6 | 64742-23-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-354-00-3 | Naphtha (petroleum), catalytic dewaxed; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the catalytic dewaxing of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 35 °C to 230 °C (95°F to 446°F).] | 265-170-2 | 64742-66-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-355-00-9 | Naphtha (petroleum), light steam-cracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F). This stream is likely to contain 10 vol.% or more benzene.] | 265-187-5 | 64742-83-2 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-356-00-4 | Solvent naphtha (petroleum), light arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F).] | 265-199-0 | 64742-95-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-357-00-X | Aromatic hydrocarbons, C ₆₋₁₀ , acid-treated, neutralized; Low boiling point naphtha — unspecified | 268-618-5 | 68131-49-7 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-358-00-5 | Distillates (petroleum), C ₃₋₅ , 2-methyl-2-butene-rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons from the distillation of hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ , predominantly isopentane and 3-methyl-1-butene. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly 2-methyl-2-butene.] | 270-725-7 | 68477-34-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-359-00-0 | Distillates (petroleum), polymd. steam-cracked petroleum distillates, C ₅₋₁₂ fraction; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the distillation of polymerized steam-cracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ .] | 270-735-1 | 68477-50-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-360-00-6 | Distillates (petroleum), steam-cracked, C ₅₋₁₂ fraction; Low boiling point naphtha — unspecified; [A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ .] | 270-736-7 | 68477-53-2 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-361-00-1 | Distillates (petroleum), steam-cracked, C ₅₋₁₀ fraction, mixed with light steam-cracked petroleum naphtha C ₅ fraction; Low boiling point naphtha — unspecified | 270-738-8 | 68477-55-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-362-00-7 | Extracts (petroleum), cold-acid, C ₄₋₆ ; Low boiling point naphtha — unspecified; [A complex combination of organic compounds produced by cold acid unit extraction of saturated and unsaturated aliphatic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₆ , predominantly pentanes and amylenes. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₄ through C ₆ , predominantly C ₅ .] | 270-741-4 | 68477-61-2 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-363-00-2 | Distillates (petroleum), depentanizer overheads; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from a catalytic cracked gas stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .] | 270-771-8 | 68477-89-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-364-00-8 | Residues (petroleum), butane splitter bottoms; Low boiling point naphtha — unspecified; [A complex residuum from the distillation of butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .] | 270-791-7 | 68478-12-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-365-00-3 | Residual oils (petroleum), deisobutanizer tower; Low boiling point naphtha — unspecified; [A complex residuum from the atmospheric distillation of the butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .] | 270-795-9 | 68478-16-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-366-00-9 | Naphtha (petroleum), full-range coker; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₅ and boiling in the range of approximately 43 °C to 250 °C (110°F to 500°F).] | 270-991-4 | 68513-02-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-367-00-4 | Naphtha (petroleum), steam-cracked middle arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by the distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 130 °C to 220 °C (266°F to 428°F).] | 271-138-9 | 68516-20-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-368-00-X | Naphtha (petroleum), clay-treated full-range straight-run; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons resulting from treatment of full-range straight-run naphtha with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately -20 °C to 220 °C (-4°F to 429°F).] | 271-262-3 | 68527-21-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-369-00-5 | Naphtha (petroleum), clay-treated light straight-run; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons resulting from treatment of light straight-run naphtha with a natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities, present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₀ and boiling in the range of approximately 93 °C to 180 °C (200°F to 356°F).] | 271-263-9 | 68527-22-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-370-00-0 | Naphtha (petroleum), light steam-cracked arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₉ and boiling in the range of approximately 110 °C to 165 °C (230°F to 329°F).] | 271-264-4 | 68527-23-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-371-00-6 | Naphtha (petroleum), light steam-cracked, debenzenized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 80 °C to 218 °C (176°F to 424°F).] | 271-266-5 | 68527-26-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-372-00-1 | Naphtha (petroleum), arom.-contg.; Low boiling point naphtha — unspecified | 271-635-0 | 68603-08-7 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-373-00-7 | Gasoline, pyrolysis, debutanizer bottoms; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists of hydrocarbons having carbon numbers predominantly greater than C ₅ .] | 271-726-5 | 68606-10-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-374-00-2 | Naphtha (petroleum), light, sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 20 °C to 100 °C (-4°F to 212°F).] | 272-206-0 | 68783-66-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-375-00-8 | Natural gas condensates; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated and/or condensed from natural gas during transportation and collected at the wellhead and/or from the production, gathering, transmission, and distribution pipelines in deeps, scrubbers, etc. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₈ .] | 272-896-3 | 68919-39-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H J |
| 649-376-00-3 | Distillates (petroleum), naphtha unifier stripper; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by stripping the products from the naphtha unifier. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .] | 272-932-8 | 68921-09-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-377-00-9 | Naphtha (petroleum), catalytic reformed light, arom.-free fraction; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons remaining after removal of aromatic compounds from catalytic reformed light naphtha in a selective absorption process. It consists predominantly of paraffinic and cyclic compounds having carbon numbers predominantly in the range of C ₅ to C ₈ and boiling in the range of approximately 66 °C to 121 °C (151°F to 250°F).] | 285-510-3 | 85116-59-2 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-378-00-4 | Gasoline; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons consisting primarily of paraffins, cycloparaffins, aromatic and olefinic hydrocarbons having carbon numbers predominantly greater than C ₃ and boiling in the range of 30 °C to 260 °C (86°F to 500°F).] | 289-220-8 | 86290-81-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-379-00-X | Aromatic hydrocarbons, C ₇₋₈ , dealkylation products, distn. residues; Low boiling point naphtha — unspecified | 292-698-0 | 90989-42-7 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-380-00-5 | Hydrocarbons, C ₄₋₆ , depentanizer lights, arom. hydrotreater; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the depentanizer column before hydrotreatment of the aromatic charges. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ , predominantly pentanes and pentenes, and boiling in the range of approximately 25 °C to 40 °C (77°F to 104°F).] | 295-298-4 | 91995-38-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-381-00-0 | Distillates (petroleum), heat-soaked steam-cracked naphtha, C ₅ -rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of heat-soaked steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₄ through C ₆ , predominantly C ₅ .] | 295-302-4 | 91995-41-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-382-00-6 | Extracts (petroleum), catalytic reformed light naphtha solvent; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as the extract from the solvent extraction of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₈ and boiling in the range of approximately 100 °C to 200 °C (212°F to 392°F).] | 295-331-2 | 91995-68-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-383-00-1 | Naphtha (petroleum), hydrodesulfurized light, dearomatized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of hydrodesulfurized and dearomatized light petroleum fractions. It consists predominantly of C ₇ paraffins and cycloparaffins boiling in a range of approximately 90 °C to 100 °C (194°F to 212°F).] | 295-434-2 | 92045-53-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-384-00-7 | Naphtha (petroleum), light, C ₅ -rich, sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₅ , predominantly C ₅ , and boiling in the range of approximately minus 10 °C to 35 °C (14°F to 95°F).] | 295-442-6 | 92045-60-8 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-385-00-2 | Hydrocarbons, C ₈₋₁₁ , naphtha-cracking, toluene cut; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation from prehydrogenated cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₁ and boiling in the range of approximately 130 °C to 205 °C (266°F to 401°F).] | 295-444-7 | 92045-62-0 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-386-00-8 | Hydrocarbons, C ₄₋₁₁ , naphtha-cracking, arom.-free; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from prehydrogenated cracked naphtha after distillative separation of benzene- and toluene-containing hydrocarbon cuts and a higher boiling fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range C ₄ through C ₁₁ and boiling in the range of approximately 30 °C to 205 °C (86°F to 401°F).] | 295-445-2 | 92045-63-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-387-00-3 | Naphtha (petroleum), light heat-soaked, steam-cracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the fractionation of steam cracked naphtha after recovery from a heat soaking process. It consists predominantly of hydrocarbons having a carbon numbers predominantly in the range of C ₄ through C ₆ and boiling in the range of approximately 0 °C to 80 °C (32°F to 176°F).] | 296-028-8 | 92201-97-3 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-388-00-9 | Distillates (petroleum), C ₆ -rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the distillation of a petroleum feedstock. It consists predominantly of hydrocarbons having carbon numbers of C ₅ through C ₇ , rich in C ₆ , and boiling in the range of approximately 60 °C to 70 °C (140°F to 158°F).] | 296-903-4 | 93165-19-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-389-00-4 | Gasoline, pyrolysis, hydrogenated; Low boiling point naphtha-unspecified; [A distillation fraction from the hydrogenation of pyrolysis gasoline boiling in the range of approximately 20 °C to 200 °C (68°F to 392°F).] | 302-639-3 | 94114-03-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-390-00-X | Distillates (petroleum), steam-cracked, C ₈₋₁₂ fraction, polymd., distn. lights; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of the polymerized C ₈ through C ₁₂ fraction from steam-cracked petroleum distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ .] | 305-750-5 | 95009-23-7 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-391-00-5 | Extracts (petroleum) heavy naphtha solvent, clay-treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment of heavy naphthic solvent petroleum extract with bleaching earth. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₈ and boiling in the range of approximately 80 °C to 180 °C (175°F to 356°F).] | 308-261-5 | 97926-43-7 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-392-00-0 | Naphtha (petroleum), light steam-cracked, debenzenized, thermally treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment and distillation of debenzenized light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 95 °C to 200 °C (203°F to 392°F).] | 308-713-1 | 98219-46-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-393-00-6 | Naphtha (petroleum), light steam-cracked, thermally treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment and distillation of light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₆ and boiling in the range of approximately 35 °C to 80 °C (95°F to 176°F).] | 308-714-7 | 98219-47-7 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-394-00-1 | Distillates (petroleum), C ₇₋₉ , C ₈ -rich, hydrodesulfurized dearomatized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of petroleum light fraction, hydrodesulfurized and dearomatized. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₇ through C ₉ , predominantly C ₈ paraffins and cycloparaffins, boiling in the range of approximately 120 °C to 130 °C (248°F to 266°F).] | 309-862-5 | 101316-56-7 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-395-00-7 | Hydrocarbons, C ₆₋₈ , hydrogenated sorption-dearomatized, toluene raffination; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained during the sorptions of toluene from a hydrocarbon fraction from cracked gasoline treated with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ and boiling in the range of approximately 80 °C to 135 °C (176°F to 275°F).] | 309-870-9 | 101316-66-9 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-396-00-2 | Naphtha (petroleum), hydrodesulfurized full-range coker; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized coker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 23 °C to 196 °C (73°F to 385°F).] | 309-879-8 | 101316-76-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-397-00-8 | Naphtha (petroleum), sweetened light; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₈ and boiling in the range of approximately 20 °C to 130 °C (68°F to 266°F).] | 309-976-5 | 101795-01-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-398-00-3 | Hydrocarbons, C ₃₋₆ , C ₅ -rich, steam-cracked naphtha; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly C ₅ .] | 310-012-0 | 102110-14-5 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-399-00-9 | Hydrocarbons, C ₅ -rich, dicyclopentadiene-contg.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of the products from a steam-cracking process. It consists predominantly of hydrocarbons having carbon numbers of C ₅ and dicyclopentadiene and boiling in the range of approximately 30 °C to 170 °C (86°F to 338°F).] | 310-013-6 | 102110-15-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-400-00-2 | Residues (petroleum), steam-cracked light, arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of the products of steam cracking or similar processes after taking off the very light products resulting in a residue starting with hydrocarbons having carbon numbers greater than C ₅ . It consists predominantly of aromatic hydrocarbons having carbon numbers greater than C ₅ and boiling above approximately 40 °C (104°F).] | 310-057-6 | 102110-55-4 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-401-00-8 | Hydrocarbons, C \geq 5, C ₅₋₆ -rich; Low boiling point naphtha — unspecified | 270-690-8 | 68476-50-6 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-402-00-3 | Hydrocarbons, C ₅ -rich; Low boiling point naphtha — unspecified | 270-695-5 | 68476-55-1 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-403-00-9 | Aromatic hydrocarbons, C ₈₋₁₀ ; Low boiling point naphtha — unspecified | 292-695-4 | 90989-39-2 | Carc. 1B Asp. Tox. 1 | H350 H304 | GHS08 Dgr | H350 H304 | | | H P |
| 649-404-00-4 | Kerosine (petroleum); Straight run kerosine; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (320°F to 554°F).] | 232-366-4 | 8008-20-6 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-405-00-X | Solvent naphtha (petroleum), medium aliph.; Straight run kerosine; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₂ and boiling in the range of approximately 140 °C to 220 °C (284°F to 428°F).] | 265-191-7 | 64742-88-7 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-406-00-5 | Solvent naphtha (petroleum) heavy aliph.; Straight run kerosine; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₆ and boiling in the range of approximately 190 °C to 290 °C (374°F to 554°F).] | 265-200-4 | 64742-96-7 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-407-00-0 | Kerosine (petroleum), straight-run wide-cut; Straight run kerosine; [A complex combination of hydrocarbons obtained as a wide cut hydrocarbon fuel cut from atmospheric distillation and boiling in the range of approximately 70 °C to 220 °C (158°F to 428°F).] | 295-418-5 | 92045-37-9 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-408-00-6 | Distillates (petroleum), steam-cracked; Cracked kerosine; [A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₆ and boiling in the range of approximately 90 °C to 290 °C (190°F to 554°F).] | 265-194-3 | 64742-91-2 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-409-00-1 | Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, C ₈₋₁₀ fraction; Cracked kerosine; [A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists of hydro-carbons having carbon numbers in the range of C ₈ through C ₁₀ and boiling in the range of approximately 129 °C to 194 °C (264°F to 382°F).] | 270-728-3 | 68477-39-4 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-410-00-7 | Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, C ₁₀₋₁₂ fraction; Cracked kerosine; [A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of C ₁₀ through C ₁₂ .] | 270-729-9 | 68477-40-7 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-411-00-2 | Distillates (petroleum), steam-cracked, C ₈₋₁₂ fraction; Cracked kerosine; [A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ .] | 270-737-2 | 68477-54-3 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-412-00-8 | Kerosine (petroleum), hydrodesulfurized thermal cracked; Cracked kerosine; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons predominantly in the range of C ₈ to C ₁₆ and boiling in the range of approximately 120 °C to 283 °C (284°F to 541°F).] | 285-507-7 | 85116-55-8 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-413-00-3 | Aromatic hydrocarbons, C _{≥10} , steam-cracking, hydrotreated; Cracked kerosine; [A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly greater than C ₁₀ and boiling in the range of approximately 150 °C to 320 °C (302°F to 608°F).] | 292-621-0 | 90640-98-5 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-414-00-9 | Naphtha (petroleum), steam-cracked, hydrotreated, C ₉₋₁₀ -arom.-rich; Cracked kerosine; [A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process thereafter treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of C ₉ through C ₁₀ and boiling in the range of approximately 140 °C to 200 °C (284°F to 392°F).] | 292-637-8 | 90641-13-7 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-415-00-4 | Distillates (petroleum), thermal-cracked, alkylarom. hydrocarbon-rich; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of thermal-cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).] | 309-866-7 | 101316-61-4 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-416-00-X | Distillates (petroleum), catalytic cracked heavy tar light; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of catalytic cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).] | 309-938-8 | 101631-13-4 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-417-00-5 | Solvent naphtha (petroleum), hydrocracked heavy arom.; Cracked kerosine; [A complex combination of hydrocarbons obtained by the distillation of hydrocracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 235 °C to 290 °C (455°F to 554°F).] | 309-881-9 | 101316-80-7 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-418-00-0 | Distillates (petroleum), steam-cracked heavy tar light; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of steam cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).] | 309-940-9 | 101631-15-6 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-419-00-6 | Distillates (petroleum), alkylate; Kerosine — unspecified; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₇ and boiling in the range of approximately 205 °C to 320 °C (401°F to 608°F).] | 265-074-0 | 64741-73-7 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-420-00-1 | Extracts (petroleum), heavy naphtha solvent; Kerosine — unspecified; [A complex combination of hydrocarbons obtained as the extract from a solvent extraction process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 220 °C (194°F to 428°F).] | 265-099-7 | 64741-98-6 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-421-00-7 | Distillates (petroleum), chemically neutralized light; Kerosine — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-132-5 | 64742-31-0 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-422-00-2 | Distillates (petroleum), hydrotreated light; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-149-8 | 64742-47-8 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-423-00-8 | Kerosine (petroleum), hydrodesulfurized; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-184-9 | 64742-81-0 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-424-00-3 | Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 165 °C to 290 °C (330°F to 554°F).] | 265-198-5 | 64742-94-5 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-425-00-9 | Naphtha (petroleum), heavy coker; Kerosine — unspecified; [A complex combination of hydrocarbons from the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₅ and boiling in the range of approximately 157 °C to 288 °C (315°F to 550°F).] | 269-778-9 | 68333-23-3 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-426-00-4 | Naphtha (petroleum), catalytic reformed hydrodesulfurized heavy, arom. fraction; Kerosine — unspecified; [A complex combination of hydrocarbons produced by fractionation from catalytically reformed hydrodesulfurized naphtha. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ to C ₁₃ and boiling in the range of approximately 98 °C to 218 °C (208°F to 424°F).] | 285-508-2 | 85116-57-0 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-427-00-X | Kerosine (petroleum), sweetened; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of 130 °C to 290 °C (266°F to 554°F).] | 294-799-5 | 91770-15-9 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-428-00-5 | Kerosine (petroleum), solvent-refined sweetened; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by solvent refining and sweetening and boiling in the range of approximately 150 °C to 260 °C (302°F to 500°F).] | 295-416-4 | 92045-36-8 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-429-00-0 | Hydrocarbons, C ₉₋₁₆ , hydrotreated, dearomatized; Kerosine — unspecified; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.] | 297-854-1 | 93763-35-0 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-430-00-6 | Kerosine (petroleum), solvent-refined hydrodesulfurized; Kerosine — unspecified | 307-033-2 | 97488-94-3 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-431-00-1 | Distillates (petroleum), hydrodesulfurized full-range middle coker; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized coker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₆ and boiling in the range of approximately 120 °C to 283 °C (248°F to 541°F).] | 309-864-6 | 101316-58-9 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-432-00-7 | Solvent naphtha (petroleum), hydrodesulfurized heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₃ and boiling in the range of approximately 180 °C to 240 °C (356°F to 464°F).] | 309-882-4 | 101316-81-8 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-433-00-2 | Solvent naphtha (petroleum), hydrodesulfurized medium; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₃ and boiling in the range of approximately 175 °C to 220 °C (347°F to 428°F).] | 309-884-5 | 101316-82-9 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-434-00-8 | Kerosine (petroleum), hydrotreated; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from the distillation of petroleum and subsequent hydrotreatment. It consists predominantly of alkanes, cycloalkanes and alkylbenzenes having carbon numbers predominantly in the range of C ₁₂ through C ₁₆ and boiling in the range of approximately 230 °C to 270 °C (446°F to 518°F).] | 309-944-0 | 101631-19-0 | Asp. Tox. 1 | H304 | GHS08 Dgr | H304 | | | H |
| 649-435-00-3 | Distillates (petroleum), light catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.] | 265-060-4 | 64741-59-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-436-00-9 | Distillates (petroleum), intermediate catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₀ and boiling in the range of approximately 205 °C to 450 °C (401°F to 842°F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.] | 265-062-5 | 64741-60-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-437-00-4 | Distillates (petroleum), light hydrocracked; Cracked gasoil; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₈ and boiling in the range of approximately 160 °C to 320 °C (320°F to 608°F).] | 265-078-2 | 64741-77-1 | Carc. 2 | H351 | GHS08 Wng | H351 | | | H |
| 649-438-00-X | Distillates (petroleum), light thermal cracked; Cracked gasoil; [A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₂ and boiling in the range of approximately 160 °C to 370 °C (320°F to 698°F).] | 265-084-5 | 64741-82-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-439-00-5 | Distillates (petroleum), hydrosulfurized light catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons obtained by treating light catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.] | 269-781-5 | 68333-25-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-440-00-0 | Distillates (petroleum), light steam-cracked naphtha; Cracked gasoil; [A complex combination of hydrocarbons from the multiple distillation of products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₈ .] | 270-662-5 | 68475-80-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-441-00-6 | Distillates (petroleum), cracked steam-cracked petroleum distillates; Cracked gasoil; [A complex combination of hydrocarbons produced by distilling cracked steam cracked distillate and/or its fractionation products. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ to low molecular weight polymers.] | 270-727-8 | 68477-38-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-442-00-1 | Gas oils (petroleum), steam-cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by distillation of the products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₉ and boiling in the range of from approximately 205 °C to 400 °C (400°F to 752°F).] | 271-260-2 | 68527-18-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-443-00-7 | Distillates (petroleum), hydrodesulfurized thermal cracked middle; Cracked gasoil; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized thermal cracker distillate stocks. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ to C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 285-505-6 | 85116-53-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-444-00-2 | Gas oils (petroleum), thermal-cracked, hydrosulfurized; Cracked gasoil | 295-411-7 | 92045-29-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-445-00-8 | Residues (petroleum), hydrogenated steam-cracked naphtha; Cracked gasoil; [A complex combination of hydrocarbons obtained as a residual fraction from the distillation of hydrotreated steam-cracked naphtha. It consists predominantly of hydrocarbons boiling in the range of approximately 200 °C to 350 °C (32°F to 662°F).] | 295-514-7 | 92062-00-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-446-00-3 | Residues (petroleum), steam-cracked naphtha distn.; Cracked gasoil; [A complex combination of hydrocarbons obtained as a column bottom from the separation of effluents from steam cracking naphtha at a high temperature. It boils in the range of approximately 147 °C to 300 °C (297°F to 572°F) and produces a finished oil having a viscosity of 18cSt at 50 °C.] | 295-517-3 | 92062-04-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-447-00-9 | Distillates (petroleum), light catalytic cracked, thermally degraded; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 190 °C to 340 °C (374°F to 644°F). This stream is likely to contain organic sulfur compounds.] | 295-991-1 | 92201-60-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-448-00-4 | Residues (petroleum), steam-cracked heat-soaked naphtha; Cracked gasoil; [A complex combination of hydrocarbons obtained as residue from the distillation of steam cracked heat soaked naphtha and boiling in the range of approximately 150 °C to 350 °C (302°F to 662°F).] | 297-905-8 | 93763-85-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-449-00-X | Hydrocarbons, C ₁₆₋₂₀ , solvent-dewaxed hydrocracked paraffinic distn. residue; Cracked gasoil; [A complex combination of hydrocarbons obtained by solvent dewaxing of a distillation residue from a hydrocracked paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₂₀ and boiling in the range of approximately 360 °C to 500 °C (680 °F to 932 °F). It produces a finished oil having a viscosity of 4,5 cSt at approximately 100 °C (212 °F).] | 307-662-2 | 97675-88-2 | Carc. 2 | H351 | GHS08 Wng | H351 | | | H |
| 649-450-00-5 | Gas oils (petroleum), light vacuum, thermal-cracked hydrodesulfurized; Cracked gasoil; [A complex combination of hydrocarbons obtained by catalytic dehydrodesulfurization of thermal-cracked light vacuum petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₂₀ and boiling in the range of approximately 270 °C to 370 °C (518°F to 698°F).] | 308-278-8 | 97926-59-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-451-00-0 | Distillates (petroleum), hydrodesulfurized middle coker; Cracked gasoil; [A complex combination of hydrocarbons by fractionation from hydrodesulfurised coker distillate stocks. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₁ and boiling in the range of approximately 200 °C to 360 °C (392°F to 680°F).] | 309-865-1 | 101316-59-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-452-00-6 | Distillates (petroleum), heavy steam-cracked; Cracked gasoil; [A complex combination of hydrocarbons obtained by distillation of steam cracking heavy residues. It consists predominantly of highly alkylated heavy aromatic hydrocarbons boiling in the range of approximately 250 °C to 400 °C (482°F to 752°F).] | 309-939-3 | 101631-14-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H |
| 649-453-00-1 | Distillates (petroleum), heavy hydrocracked; Baseoil — unspecified; [A complex combination of hydrocarbons from the distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers in the range of C ₁₅ -C ₃₉ and boiling in the range of approximately 260 °C to 600 °C (500°F to 1112°F).] | 265-077-7 | 64741-76-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-454-00-7 | Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).] | 265-090-8 | 64741-88-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-455-00-2 | Distillates (petroleum), solvent-refined light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-091-3 | 64741-89-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-456-00-8 | Residual oils (petroleum), solvent deasphalted; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the solvent soluble fraction from C ₃ -C ₄ solvent deasphalting of a residuum. It consists of hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).] | 265-096-0 | 64741-95-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-457-00-3 | Distillates (petroleum), solvent-refined heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt a 40 °C). It contains relatively few normal paraffins.] | 265-097-6 | 64741-96-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-458-00-9 | Distillates (petroleum), solvent-refined light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-098-1 | 64741-97-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-459-00-4 | Residual oils (petroleum,) solvent-refined; Baseoil — unspecified; [A complex combination by hydrocarbons obtained as the solvent insoluble fraction from solvent refining of a residuum using a polar organic solvent such as phenol or furfural. It consists of hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).] | 265-101-6 | 64742-01-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-460-00-X | Distillates (petroleum), clay-treated paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-137-2 | 64742-36-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-461-00-5 | Distillates (petroleum), clay-treated light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-138-8 | 64742-37-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-462-00-0 | Residual oils (petroleum), clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treatment of a residual oil with a natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).] | 265-143-5 | 64742-41-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-463-00-6 | Distillates (petroleum), clay-treated heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-146-1 | 64742-44-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-464-00-1 | Distillates (petroleum), clay-treated light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-147-7 | 64742-45-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-465-00-7 | Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-155-0 | 64742-52-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-466-00-2 | Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-156-6 | 64742-53-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-467-00-8 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-157-1 | 64742-54-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-468-00-3 | Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-158-7 | 64742-55-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-469-00-9 | Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-159-2 | 64742-56-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-470-00-4 | Residual oils (petroleum), hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and boiling above approximately 400 °C (752°F).] | 265-160-8 | 64742-57-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-471-00-X | Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of long, branched chain hydrocarbons from a residual oil by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and boiling above approximately 400 °C (752°F).] | 265-166-0 | 64742-62-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-472-00-5 | Distillates (petroleum), solvent-dewaxed heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of not less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-167-6 | 64742-63-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-473-00-0 | Distillates (petroleum), solvent-dewaxed light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-168-1 | 64742-64-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-474-00-6 | Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity not less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-169-7 | 64742-65-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-475-00-1 | Naphthenic oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-172-3 | 64742-68-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-476-00-7 | Naphthenic oils (petroleum), catalytic dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-173-9 | 64742-69-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-477-00-2 | Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).] | 265-174-4 | 64742-70-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-478-00-8 | Paraffin oils (petroleum), catalytic dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-176-5 | 64742-71-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-479-00-3 | Naphthenic oils (petroleum), complex dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removing straight chain paraffin hydrocarbons as a solid by treatment with an agent such as urea. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-179-1 | 64742-75-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-480-00-9 | Naphthenic oils (petroleum), complex dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-180-7 | 64742-76-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-481-00-4 | Lubricating oils (petroleum), C ₂₀₋₅₀ , hydro-treated neutral oil-based, high-viscosity; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil, and solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of approximately 112cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.] | 276-736-3 | 72623-85-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-482-00-X | Lubricating oils (petroleum), C ₁₅₋₃₀ , hydro-treated neutral oil-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil and heavy vacuum gas oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity of approximately 15cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.] | 276-737-9 | 72623-86-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-483-00-5 | Lubricating oils (petroleum), C ₂₀₋₅₀ , hydro-treated neutral oil-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil and solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of approximately 32cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.] | 276-738-4 | 72623-87-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-484-00-0 | Lubricating oils; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C ₁₅ through C ₅₀ .] | 278-012-2 | 74869-22-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-485-00-6 | Distillates (petroleum), complex dewaxed heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by dewaxing heavy paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of equal to or greater than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 292-613-7 | 90640-91-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-486-00-1 | Distillates (petroleum), complex dewaxed light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by dewaxing light paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 292-614-2 | 90640-92-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-487-00-7 | Distillates (petroleum), solvent dewaxed heavy paraffinic, clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating dewaxed heavy paraffinic distillate with neutral or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 292-616-3 | 90640-94-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-488-00-2 | Hydrocarbons, C ₂₀₋₅₀ , solvent dewaxed heavy paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons produced by treating dewaxed heavy paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 292-617-9 | 90640-95-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-489-00-8 | Distillates (petroleum), solvent dewaxed light paraffinic, clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of dewaxed light paraffinic distillate with natural or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ .] | 292-618-4 | 90640-96-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-490-00-3 | Distillates (petroleum), solvent dewaxed light paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons produced by treating a dewaxed light paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ .] | 292-620-5 | 90640-97-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-491-00-9 | Residual oils (petroleum), hydrotreated solvent dewaxed; Baseoil — unspecified | 292-656-1 | 90669-74-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-492-00-4 | Residual oils (petroleum), catalytic dewaxed; Baseoil — unspecified | 294-843-3 | 91770-57-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-493-00-X | Distillates (petroleum), dewaxed heavy paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₅ through C ₃₉ and produces a finished oil with a viscosity of approximately 44 cSt at 50 °C.] | 295-300-3 | 91995-39-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-494-00-5 | Distillates (petroleum), dewaxed light paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₁ through C ₂₉ and produces a finished oil with a viscosity of approximately 13 cSt at 50 °C.] | 295-301-9 | 91995-40-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-495-00-0 | Distillates (petroleum), hydrocracked solvent-refined, dewaxed; Baseoil — unspecified; [A complex combination of liquid hydrocarbons obtained by recrystallization of dewaxed hydrocracked solvent-refined petroleum distillates.] | 295-306-6 | 91995-45-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-496-00-6 | Distillates (petroleum), solvent-refined light naphthenic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst and removing the aromatic hydrocarbons by solvent extraction. It consists predominantly of naphthenic hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of between 13-15cSt at 40 °C.] | 295-316-0 | 91995-54-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-497-00-1 | Lubricating oils (petroleum), C ₁₇₋₃₅ , solvent-extd., dewaxed, hydrotreated; Baseoil — unspecified | 295-423-2 | 92045-42-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-498-00-7 | Lubricating oils (petroleum), hydrocracked nonarom. solvent-deparaffined; Baseoil — unspecified | 295-424-8 | 92045-43-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-499-00-2 | Residual oils (petroleum), hydrocracked acid-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons produced by solvent removal of paraffins from the residue of the distillation of acid-treated, hydrocracked heavy paraffins and boiling approximately above 380 °C (716°F).] | 295-499-7 | 92061-86-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-500-00-6 | Paraffin oils (petroleum), solvent-refined dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from sulfur-containing paraffinic crude oil. It consists predominantly of a solvent refined deparaffinated lubricating oil with a viscosity of 65cSt at 50 °C.] | 295-810-6 | 92129-09-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-501-00-1 | Lubricating oils (petroleum), base oils, paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by refining of crude oil. It consists predominantly of aromatics, naphthenics and paraffinics and produces a finished oil with a viscosity of 120 SUS at 100°F (23cSt at 40 °C).] | 297-474-6 | 93572-43-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-502-00-7 | Hydrocarbons, hydrocracked paraffinic distn. residues, solvent-dewaxed; Baseoil — unspecified | 297-857-8 | 93763-38-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-503-00-2 | Hydrocarbons, C ₂₀₋₅₀ , residual oil hydrogenation vacuum distillate; Baseoil — unspecified | 300-257-1 | 93924-61-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-504-00-8 | Distillates (petroleum), solvent-refined hydrotreated heavy; hydrogenated; Baseoil — unspecified | 305-588-5 | 94733-08-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-505-00-3 | Distillates (petroleum), solvent-refined hydrocracked light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent dearomatization of the residue of hydrocracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₂₇ and boiling in the range of approximately 370 °C to 450 °C (698°F to 842°F).] | 305-589-0 | 94733-09-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-506-00-9 | Lubricating oils (petroleum), C ₁₈₋₄₀ , solvent-dewaxed hydrocracked distillate-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent deparaffination of the distillation residue from hydrocracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₄₀ and boiling in the range of approximately 370 °C to 550 °C (698°F to 1022°F).] | 305-594-8 | 94733-15-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-507-00-4 | Lubricating oils (petroleum), C ₁₈₋₄₀ , solvent-dewaxed hydrogenated raffinate-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent deparaffination of the hydrogenated raffinate obtained by solvent extraction of a hydrotreated petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₄₀ and boiling in the range of approximately 370 °C to 550 °C (698°F to 1022°F).] | 305-595-3 | 94733-16-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-508-00-X | Hydrocarbons, C ₁₃₋₃₀ , arom.-rich, solvent-extd. naphthenic distillate; Baseoil — unspecified | 305-971-7 | 95371-04-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-509-00-5 | Hydrocarbons, C ₁₆₋₃₂ , arom. rich, solvent-extd. naphthenic distillate; Baseoil — unspecified | 305-972-2 | 95371-05-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-510-00-0 | Hydrocarbons, C ₃₇₋₆₈ , dewaxed deasphalted hydrotreated vacuum distn. residues; Baseoil — unspecified | 305-974-3 | 95371-07-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-511-00-6 | Hydrocarbons, C ₃₇₋₆₅ , hydrotreated deasphalted vacuum distn. residues; Baseoil — unspecified | 305-975-9 | 95371-08-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-512-00-1 | Distillates (petroleum), hydrocracked solvent-refined light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by the solvent treatment of a distillate from hydrocracked petroleum distillates. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₂₇ and boiling in the range of approximately 370 °C to 450 °C (698°F to 842°F).] | 307-010-7 | 97488-73-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-513-00-7 | Distillates (petroleum), solvent-refined hydrogenated heavy; Baseoil — unspecified; [A complex combination of hydrocarbons, obtained by the treatment of a hydrogenated petroleum distillate with a solvent. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₉ through C ₄₀ and boiling in the range of approximately 390 °C to 550 °C (734°F to 1022°F).] | 307-011-2 | 97488-74-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-514-00-2 | Lubricating oils (petroleum), C ₁₈₋₂₇ , hydrocracked solvent-dewaxed; Baseoil — unspecified | 307-034-8 | 97488-95-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-515-00-8 | Hydrocarbons, C ₁₇₋₃₀ , hydrotreated solvent-deasphalted atm. distn. residue, distn. lights; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a solvent deasphalted short residue with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₃₀ and boiling in the range of approximately 300 °C to 400 °C (572°F to 752°F). It produces a finished oil having a viscosity of 4cSt at approximately 100 °C (212°F).] | 307-661-7 | 97675-87-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-516-00-3 | Hydrocarbons, C ₁₇₋₄₀ , hydrotreated solvent-deasphalted distn. residue, vacuum distn. lights; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the catalytic hydrotreatment of a solvent deasphalted short residue having a viscosity of 8cSt at approximately 100 °C (212°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₄₀ and boiling in the range of approximately 300 °C to 500 °C (592°F to 932°F).] | 307-755-8 | 97722-06-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-517-00-9 | Hydrocarbons, C ₁₃₋₂₇ , solvent-extd. light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 9.5cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₇ and boiling in the range of approximately 240 °C to 400 °C (464°F to 752°F).] | 307-758-4 | 97722-09-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-518-00-4 | Hydrocarbons, C ₁₄₋₂₉ , solvent-extd. light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 16cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₂₉ and boiling in the range of approximately 250 °C to 425 °C (482°F to 797°F).] | 307-760-5 | 97722-10-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-519-00-X | Hydrocarbons, C ₂₇₋₄₂ , dearomatized; Baseoil — unspecified | 308-131-8 | 97862-81-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-520-00-5 | Hydrocarbons, C ₁₇₋₃₀ , hydrotreated distillates, distn. lights; Baseoil — unspecified | 308-132-3 | 97862-82-3 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-521-00-0 | Hydrocarbons, C ₂₇₋₄₅ , naphthenic vacuum distn.; Baseoil — unspecified | 308-133-9 | 97862-83-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-522-00-6 | Hydrocarbons, C ₂₇₋₄₅ , dearomatized; Baseoil — unspecified | 308-287-7 | 97926-68-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-523-00-1 | Hydrocarbons, C ₂₀₋₅₈ , hydrotreated; Baseoil — unspecified | 308-289-8 | 97926-70-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-524-00-7 | Hydrocarbons, C ₂₇₋₄₂ , naphthenic; Baseoil — unspecified | 308-290-3 | 97926-71-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-525-00-2 | Residual oils (petroleum), carbon-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of solvent-dewaxed petroleum residual oils with activated charcoal for the removal of trace polar constituents and impurities.] | 309-710-8 | 100684-37-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-526-00-8 | Residual oils (petroleum), clay-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treatment of solvent-dewaxed petroleum residual oils with bleaching earth for the removal of trace polar constituents and impurities.] | 309-711-3 | 100684-38-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-527-00-3 | Lubricating oils (petroleum), C ₂₅ , solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of vacuum distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and produces a finished oil with a viscosity in the order of 32cSt to 37cSt at 100 °C (212°F).] | 309-874-0 | 101316-69-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-528-00-9 | Lubricating oils (petroleum), C ₁₇₋₃₂ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₃₂ and produced a finished oil with a viscosity in the order of 17cSt to 23cSt at 40 °C (104°F).] | 309-875-6 | 101316-70-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-529-00-4 | Lubricating oils (petroleum), C ₂₀₋₃₅ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₃₅ and produces a finished oil with a viscosity in the order of 37cSt to 44cSt at 40 °C (104°F).] | 309-876-1 | 101316-71-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-530-00-X | Lubricating oils (petroleum), C ₂₄₋₅₀ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₄ through C ₅₀ and produces a finished oil with a viscosity in the order of 16cSt to 75cSt at 40 °C (104°F).] | 309-877-7 | 101316-72-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-531-00-5 | Extracts (petroleum), heavy naphthenic distillate solvent, arom. conc.; Distillate aromatic extract (treated); [An aromatic concentrate produced by adding water to heavy naphthenic distillate solvent extract and extraction solvent.] | 272-175-3 | 68783-00-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-532-00-0 | Extracts (petroleum), solvent-refined heavy paraffinic distillate solvent; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from the re-extraction of solvent-refined heavy paraffinic distillate. It consists of saturated and aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 272-180-0 | 68783-04-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-533-00-6 | Extracts (petroleum), heavy paraffinic distillates, solvent-deasphalted; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from a solvent extraction of heavy paraffinic distillate.] | 272-342-0 | 68814-89-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-534-00-1 | Extracts (petroleum), heavy naphthenic distillate solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by treating a heavy naphthenic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 19cSt at 40 °C (100 SUS at 100°F).] | 292-631-5 | 90641-07-9 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-535-00-7 | Extracts (petroleum), heavy paraffinic distillate solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons produced by treating a heavy paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₁ through C ₃₃ and boiling in the range of approximately 350 °C to 480 °C (662°F to 896°F).] | 292-632-0 | 90641-08-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-536-00-2 | Extracts (petroleum), light paraffinic distillate solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons produced by treating a light paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₂₆ and boiling in the range of approximately 280 °C to 400 °C (536°F to 752°F).] | 292-633-6 | 90641-09-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-537-00-8 | Extracts (petroleum), hydrotreated light paraffinic distillate solvent; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from solvent extraction of intermediate paraffinic top solvent distillate that is treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .] | 295-335-4 | 91995-73-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-538-00-3 | Extracts (petroleum), light naphthenic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by treating the extract, obtained from a solvent extraction process, with hydrogen in the presence of a catalyst under conditions primarily to remove sulfur compounds. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ . This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 295-338-0 | 91995-75-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-539-00-9 | Extracts (petroleum), light paraffinic distillate solvent, acid-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction of the distillation of an extract from the solvent extraction of light paraffinic top petroleum distillates that is subjected to a sulfuric acid refining. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .] | 295-339-6 | 91995-76-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-540-00-4 | Extracts (petroleum), light paraffinic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of a light paraffin distillate and treated with hydrogen to convert the organic sulfur to hydrogen sulfide which is eliminated. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₄₀ and produces a finished oil with a viscosity of greater than 10cSt at 40 °C.] | 295-340-1 | 91995-77-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-541-00-X | Extracts (petroleum), light vacuum gas oil solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons, obtained by solvent extraction from light vacuum petroleum gas oils and treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .] | 295-342-2 | 91995-79-8 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-542-00-5 | Extracts (petroleum), heavy paraffinic distillate solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contact or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ . This stream is likely to contain 5 wt.% or more 4-6 membered ring aromatic hydrocarbons.] | 296-437-1 | 92704-08-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-543-00-0 | Extracts (petroleum), heavy naphthenic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₅₀ and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.] | 297-827-4 | 93763-10-1 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-544-00-6 | Extracts (petroleum), solvent-dewaxed heavy paraffinic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained from a solvent dewaxed petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₅₀ and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.] | 297-829-5 | 93763-11-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-545-00-1 | Extracts (petroleum), light paraffinic distillate solvent, carbon-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillate treated with activated charcoal to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .] | 309-672-2 | 100684-02-4 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-546-00-7 | Extracts (petroleum), light paraffinic distillate solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillates treated with bleaching earth to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .] | 309-673-8 | 100684-03-5 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-547-00-2 | Extracts (petroleum), light vacuum, gas oil solvent, carbon-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oil treated with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .] | 309-674-3 | 100684-04-6 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-548-00-8 | Extracts (petroleum), light vacuum gas oil solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oils treated with bleaching earth for removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .] | 309-675-9 | 100684-05-7 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 649-549-00-3 | Foots oil (petroleum); Foots oil; [A complex combination of hydrocarbons obtained as the oil fraction from a solvent deoiling or a wax sweating process. It consists predominantly of branched chain hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 265-171-8 | 64742-67-2 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 649-550-00-9 | Foots oil (petroleum), hydrotreated; Foots oil | 295-394-6 | 92045-12-0 | Carc. 1B | H350 | GHS08 Dgr | H350 | | | H L |
| 650-002-00-6 | turpentine, oil | 232-350-7 | 8006-64-2 | Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Asp. Tox. 1 Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2 | H226 H332 H312 H302 H304 H319 H315 H317 H411 | GHS02 GHS08 GHS07 GHS09 Dgr | H226 H332 H312 H302 H304 H319 H315 H317 H411 | | | |
| 650-003-00-1 | fenson (ISO); 4-chlorophenyl benzenesulphonate; | 201-274-6 | 80-38-6 | Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 2 | H302 H319 H411 | GHS07 GHS09 Wng | H302 H319 H411 | | | |
| 650-004-00-7 | norbormide (ISO); 5-(α -hydroxy- α -2-pyridylbenzyl)-7-(α -2-pyridylbenzylidene)bicyclo [2.2.1] hept-5-ene-2,3-dicarboximide | 213-589-6 | 991-42-4 | Acute Tox. 4 (*) | H302 | GHS07 Wng | H302 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--------------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 650-005-00-2 | (2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one, rotenone | 201-501-9 | 83-79-4 | Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1 | H301 H319 H335 H315 H400 H410 | GHS06 GHS09 Dgr | H301 H319 H335 H315 H410 | | | |
| 650-006-00-8 | benquinox (ISO); <i>p</i> -benzoquinone 1-benzoylhydrazone 4-oxime | 207-807-9 | 495-73-8 | Acute Tox. 3 (*) Acute Tox. 4 (*) | H301 H312 | GHS06 Dgr | H301 H312 | | | |
| 650-007-00-3 | chlordimeform (ISO); N ₂ -(4-chloro- <i>o</i> -tolyl)-N ₁ ,N ₁ -diméthylformamidine | 228-200-5 | 6164-98-3 | Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H312 H302 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H312 H302 H410 | | | |
| 650-008-00-9 | drazoxolon (ISO); 4-(2-chlorophenylhydrazone)-3-méthyl-5-isoxazolone | 227-197-8 | 5707-69-7 | Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1 | H301 H400 H410 | GHS06 GHS09 Dgr | H301 H410 | | | |
| 650-009-00-4 | chlordimeform hydrochloride; N'-(4-chloro- <i>o</i> -tolyl)-N,N-diméthylformamidine monohydrochloride; N ² -(4-chloro- <i>o</i> -tolyl)-N ¹ ,N ¹ -diméthylformamidine hydorchloride | 243-269-1 | 19750-95-9 | Carc. 2 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H351 H302 H400 H410 | GHS08 GHS07 GHS09 Wng | H351 H302 H410 | | | |
| 650-010-00-X | benzyl violet 4B; α-[4-(4-diméthylamino-α-[4-[éthyl(3-sodio-sulphonatobenzyl)amino] phenyl]benzylidene)cyclohexa-2,5-dienylidene(éthyl ammonio)toluene-3-sulphonate | 216-901-9 | 1694-09-3 | Carc. 2 | H351 | GHS08 Wng | H351 | | | |
| 650-012-00-0 | erionite | — | 12510-42-8 | Carc. 1A | H350 | GHS08 Dgr | H350 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|-------------------------------------|---|---|--------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 650-013-00-6 | asbestos | — — — — — — — | 12001-28-4 132207-32-0 12172-73-5 77536-66-4 77536-68-6 77536-67-5 12001-29-5 | Carc. 1A STOT RE 1 | H350 H372 (**) | GHS08 Dgr | H350 H372 (**) | | | |
| 650-014-00-1 | diethyl 2,4-dihydroxycyclodisiloxane-2,4-diylbis(trimethylene)diphosphonate, tetrasodium salt, reaction products with disodium metasilicate | 401-770-4 | — | Skin Corr. 1B Acute Tox. 4 (*) | H314 H302 | GHS05 GHS07 Dgr | H314 H302 | | | |
| 650-015-00-7 | rosin; colophony | 232-475-7 232-484-6 277-299-1 | 8050-09-7 8052-10-6 73138-82-6 | Skin Sens. 1 | H317 | GHS07 Wng | H317 | | | |
| 650-016-00-2 | Mineral wool, with the exception of those specified elsewhere in this Annex; [Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO +BaO) content greater than 18 % by weight] | — | — | Carc. 2 Skin Irrit. 2 | H351 H315 | GHS08 GHS07 Wng | H351 H315 | | | AQR |
| 650-017-00-8 | Refractory Ceramic Fibres; Special Purpose Fibres, with the exception of those specified elsewhere in this Annex; [Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+ MgO +BaO) content less or equal to 18 % by weight] | — | — | Carc. 1B Skin Irrit. 2 | H350i H315 | GHS08 GHS07 Dgr | H350i H315 | | | A R |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|--|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 650-018-00-3 | Reaction product of: acetophenone, formaldehyde, cyclohexylamine, methanol and acetic acid | 406-230-1 | — | Flam. Liq. 3 Carc. 2 Skin Corr. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H226 H351 H314 H332 H317 H400 H410 | GHS02 GHS08 GHS05 GHS07 GHS09 Dgr | H226 H351 H314 H332 H317 H410 | | | |
| 650-031-00-4 | bis(4-hydroxy-N-methylanilinium) sulphate | 200-237-1 | 55-55-0 | Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H302 H373 (**) H317 H400 H410 | GHS08 GHS07 GHS09 Wng | H302 H373 (**) H317 H410 | | | |
| 650-032-00-X | cyproconazole (ISO); (2RS,3RS;2RS,3SR)-2-(4-chlorophenyl)-3-cyclopropyl-1-(1H-1,2,4-triazol-1-yl)butan-2-ol | — | 94361-06-5 | Repr. 2 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H361d (***) H302 H400 H410 | GHS08 GHS07 GHS09 Wng | H361d (***) H302 H410 | | | |
| 650-033-00-5 | (S)- α -cyano-3-phenoxybenzyl-(S)-2-(4-chlorophenyl)-3-methylbutyrate; esfenvalerate | — | 66230-04-4 | Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H331 H301 H317 H400 H410 | GHS06 GHS09 Dgr | H331 H301 H317 H410 | | | |
| 650-041-00-9 | triasulfuron (ISO) ; 1-[2-(2-chloroethoxy)phenylsulfonyl]-3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)urea | — | 82097-50-5 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |
| 650-042-00-4 | reaction product of: polyethylene-polyamine-(C ₁₆ -C ₁₈)-alkylamides with monothio-(C ₂)-alkyl phosphonates | 417-450-2 | — | Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3 | H319 H315 H317 H412 | GHS07 Wng | H319 H315 H317 H412 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|---|------------|-------------|---|--|--|--|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 650-043-00-X | reaction product of: 3,5-bis- <i>tert</i> -butylsalicylic acid and aluminiumsulfate | 420-310-3 | — | Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1 | H302 H400 H410 | GHS07 GHS09 Wng | H302 H410 | | | |
| 650-044-00-5 | mixed linear and branched C ₁₄₋₁₅ alcohols ethoxylated, reaction product with epichlorohydrin | 420-480-9 | 158570-99-1 | Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H317 H400 H410 | GHS07 GHS09 Wng | H315 H317 H410 | | | |
| 650-045-00-0 | reaction product of: 1,2,3-propanetricarboxylic acid, 2-hydroxy, diethyl ester, 1-propanol and zirconium tetra- <i>n</i> -propanolate | 417-110-3 | — | Flam. Liq. 2 Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2 | H225 H315 H318 H411 | GHS02 GHS05 GHS09 Dgr | H225 H315 H318 H411 | | | |
| 650-046-00-6 | di(tetramethylammonium)(29 <i>H</i> ,31 <i>H</i> -phthalocyanin- <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32)disulfonamide disulfonate, cuprate(2-)-complex, derivatives | 416-180-2 | 12222-04-7 | Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Chronic 2 | H302 H373 (**) H411 | GHS08 GHS07 GHS09 Wng | H302 H373 (**) H411 | | | |
| 650-047-00-1 | dibenzylphenylsulfonium hexafluoroantimonate | 417-760-8 | 134164-24-2 | STOT RE 1 Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2 | H372 (**) H302 H318 H317 H411 | GHS08 GHS05 GHS07 GHS09 Dgr | H372 (**) H302 H318 H317 H411 | | | |
| 650-048-00-7 | reaction product of: borax, hydrogen peroxide, acetic acid anhydride and acetic acid | 420-070-1 | — | Org. Perox. D (****) Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A Aquatic Acute 1 | H242 H332 H312 H302 H314 H400 | GHS02 GHS05 GHS07 GHS09 Dgr | H242 H332 H312 H302 H314 H400 | | | |

| Numéro index | Identification chimique internationale | Numéros CE | Numéros CAS | Classification | | Étiquetage | | | Limites de concentrations spécifiques, facteurs M | Notes |
|--------------|--|------------|-------------|---|--------------------------------------|--|--------------------------------|---|---|-------|
| | | | | Code(s) des classes et catégories de danger | Code(s) des mentions de danger | Code(s) des pictogrammes, mentions d'avertissement | Code(s) des mentions de danger | Code(s) des mentions additionnelles de danger | | |
| 650-049-00-2 | 2-alkoxyloxyethyl hydrogen maleate, where alkoyl represents (by weight) 70 to 85 % unsaturated octadecoyl, 0.5 to 10 % saturated octadecoyl, and 2 to 18 % saturated hexadecoyl | 417-960-5 | — | Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 | H315 H318 H317 H400 H410 | GHS05 GHS07 GHS09 Dgr | H315 H318 H317 H410 | | | |
| 650-050-00-8 | reaction mass of: 1-methyl-3-hydroxypropyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydrocinnamate and/or 3-hydroxybutyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydrocinnamate; 1,3-butanediol bis[3-(3'-(1,1-dimethylethyl) 4'-hydroxy-phenyl)propionate] isomers; 1,3-butanediol bis[3-(3',5'-(1,1-dimethylethyl)-4'-hydroxyphenyl)propionate] isomers | 423-600-8 | — | Aquatic Chronic 2 | H411 | GHS09 | H411 | | | |
| 650-055-00-5 | silver sodium zirconium hydrogenphosphate | 422-570-3 | 155925-27-2 | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | GHS09 Wng | H410 | | | |

Tableau 3.2

Liste des classifications et des étiquetages harmonisés des substances dangereuses, provenant de l'annexe I de la directive 67/548/CEE

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 001-001-00-9 | hydrogen | 215-605-7 | 1333-74-0 | F+; R12 | F+ R: 12 S: (2-)9-16-33 | | |
| 001-002-00-4 | aluminium lithium hydride | 240-877-9 | 16853-85-3 | F; R15 | F R: 15 S: (2-)7/8-24/25-43 | | |
| 001-003-00-X | sodium hydride | 231-587-3 | 7646-69-7 | F; R15 | F R: 15 S: (2-)7/8-24/25-43 | | |
| 001-004-00-5 | calcium hydride | 232-189-2 | 7789-78-8 | F; R15 | F R: 15 S: (2-)7/8-24/25-43 | | |
| 003-001-00-4 | lithium | 231-102-5 | 7439-93-2 | F; R15 R14 C; R34 | F; C R: 14/15-34 S: (1/2-)8-43-45 | | |
| 003-002-00-X | n-hexyllithium | 404-950-0 | 21369-64-2 | F; R15-17 R14 C; R35 | F; C R: 14/15-17-35 S: (1/2-)6-16-26-30-36/37/39-43-45 | | |
| 004-001-00-7 | beryllium | 231-150-7 | 7440-41-7 | Carc. Cat. 2; R49 T+; R26 T; R25-48/23 Xi; R36/37/ 38 R43 | T+ R: 49-25-26-36/37/ 38-43-48/23 S: 53-45 | | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 004-002-00-2 | beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex | — | — | Carc. Cat. 2; R49 T+; R26 T; R25-48/23 Xi; R36/37/ 38 R43 N; R51-53 | T+; N R: 49-25-26-36/37/ 38-43-48/23-51/53 S: 53-45-61 | | AE |
| 004-003-00-8 | beryllium oxide | 215-133-1 | 1304-56-9 | Carc. Cat. 2; R49 T+; R26 T; R25-48/23 Xi; R36/37/ 38 R43 | T+ R: 49-25-26-36/37/ 38-43-48/23 S: 53-45 | | E |
| 005-001-00-X | boron trifluoride | 231-569-5 | 7637-07-2 | R14 T+; R26 C; R35 | T+; C R: 14-26-35 S: (1/2-)9-26-28-36/ 37/39-45 | | |
| 005-002-00-5 | boron trichloride | 233-658-4 | 10294-34-5 | R14 T+; R26/28 C; R34 | T+ R: 14-26/28-34 S: (1/2-)9-26-28-36/ 37/39-45 | | |
| 005-003-00-0 | boron tribromide | 233-657-9 | 10294-33-4 | R14 T+; R26/28 C; R35 | T+; C R: 14-26/28-35 S: (1/2-)9-26-28-36/ 37/39-45 | | |
| 005-004-00-6 | trialkylboranes | — | — | F; R17 C; R34 | F; C R: 17-34 S: (1/2-)7-23-26-36/ 37/39-43-45 | | A |
| 005-005-00-1 | trimethyl borate | 204-468-9 | 121-43-7 | R10 Xn; R21 | Xn R: 10-21 S: (2-)23-25 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---|-------|
| 005-006-00-7 | dibutyltin hydrogen borate | 401-040-5 | 75113-37-0 | T; R48/25 Xn; R21/22 Xi; R41 R43 N; R50-53 | T; N R: 21/22-41-43-48/ 25-50/53 S: (1/2-)22-26-36/37- 45-60-61 | | |
| 005-009-00-3 | tetrabutylammonium butyltriphenylborate | 418-080-4 | 120307-06-4 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-56-61 | | |
| 005-010-00-9 | N,N-dimethylanilinium tetrakis(pentafluorophenyl)borate | 422-050-6 | 118612-00-3 | Carc. Cat. 3; R40 Xn; R22 Xi; R38-41 | Xn R: 22-38-40-41 S: (2-)22-26-36/37/39 | | |
| 005-012-00-X | diethyl[4-[1,5,5-tris(4-diethylaminophenyl)penta-2,4-dienylidene]cyclohexa-2,5-dienylidene]ammonium butyltriphenylborate | 418-070-1 | 141714-54-7 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 006-001-00-2 | carbon monoxide | 211-128-3 | 630-08-0 | F+; R12 Repr. Cat. 1; R61 T; R23-48/23 | F+; T R: 61-12-23-48/23 S: 53-45 | | E |
| 006-002-00-8 | phosgene; carbonyl chloride | 200-870-3 | 75-44-5 | T+; R26 C; R34 | T+ R: 26-34 S: (1/2-)9-26-36/37/ 39-45 | | |
| 006-003-00-3 | carbon disulphide | 200-843-6 | 75-15-0 | F; R11 Repr. Cat. 3; R62-63 T; R48/23 Xi; R36/38 | F; T R: 11-36/38-48/23- 62-63 S: (1/2-)16-33-36/37- 45 | Repr. Cat. 3; R62-63: C ≥ 1 % T; R48/23: C ≥ 1 % Xn; R48/20: 0,2 % ≤ C < 1 % | |
| 006-004-00-9 | calcium carbide | 200-848-3 | 75-20-7 | F; R15 | F R: 15 S: (2-)8-43 | | |
| 006-005-00-4 | thiram (ISO); tetramethylthiuram disulphide | 205-286-2 | 137-26-8 | Xn; R20/22- 48/22 Xi; R36/38 R43 N; R50-53 | Xn; N R: 20/22-36/38-43- 48/22-50/53 S: (2-)26-36/37-60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|--|-------|
| 006-006-00-X | hydrogen cyanide; hydrocyanic acid | 200-821-6 | 74-90-8 | F+; R12 T+; R26 N; R50-53 | F+; T+; N R: 12-26-50/53 S: (1/2-)7/9-16-36/ 37-38-45-60-61 | | |
| 006-006-01-7 | hydrogen cyanide ...%; hydrocyanic acid ...% | 200-821-6 | 74-90-8 | T+; R26/27/ 28 N; R50-53 | T+; N R: 26/27/28-50/53 S: (1/2-)7/9-36/37- 38-45-60-61 | | B |
| 006-007-00-5 | salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide | — | — | T+; R26/27/ 28 R32 N; R50-53 | T+; N R: 26/27/28-32-50/ 53 S: (1/2-)7-28-29-45- 60-61 | | A |
| 006-008-00-0 | antu (ISO); 1-(1-naphthyl)-2-thiourea | 201-706-3 | 86-88-4 | T+; R28 Carc. Cat. 3; R40 | T+ R: 28-40 S: (1/2-)25-36/37-45 | | |
| 006-009-00-6 | 1-isopropyl-3-methylpyrazol-5-yl dimethylcarbamate; isolan | 204-318-2 | 119-38-0 | T+; R27/28 | T+ R: 27/28 S: (1/2-)28-36/37/39- 45 | | |
| 006-010-00-1 | 5,5-dimethyl-3-oxocyclohex-1-enyl dimethylcarbamate 5,5-dimethyldihydroresorcinol dimethylcarbamate; dimetan | 204-525-8 | 122-15-6 | T; R25 | T R: 25 S: (1/2-)36/37-45 | | |
| 006-011-00-7 | carbaryl (ISO); 1-naphthyl methylcarbamate | 200-555-0 | 63-25-2 | Carc. Cat. 3; R40 Xn; R22 N; R50 | Xn; N R: 22-40-50 S: (2-)22-24-36/37- 46-61 | | |
| 006-012-00-2 | ziram (ISO); zinc bis dimethyldithiocarbamate | 205-288-3 | 137-30-4 | T+; R26 Xn; R22-48/ 22 Xi; R37-41 R43 N; R50-53 | T+; N R: 22-26-37-41-43- 48/22-50/53 S: (1/2-)22-26-28-36/ 37/39-45-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 006-013-00-8 | metam-sodium (ISO); sodium methylthiocarbamate | 205-293-0 | 137-42-8 | Xn; R22 R31 C; R34 R43 N; R50-53 | C; N R: 22-31-34-43-50/ 53 S: (1/2-)26-36/37/39- 45-60-61 | | |
| 006-014-00-3 | nabam (ISO); disodium ethylenebis(N, N'-dithiocarbamate) | 205-547-0 | 142-59-6 | Xn; R22 Xi; R37 R43 N; R50-53 | Xn; N R: 22-37-43-50/53 S: (2-)8-24/25-46-60- 61 | | |
| 006-015-00-9 | diuron (ISO); 3-(3,4-dichlorophenyl)-1,1-dimethylurea | 206-354-4 | 330-54-1 | Carc. Cat. 3; R40 Xn; R22-48/ 22 N; R50-53 | Xn; N R: 22-40-48/22-50/ 53 S: (2-)13-22-23-37- 46-60-61 | | |
| 006-016-00-4 | propoxur (ISO); 2-isopropoxyphenyl N-methylcarbamate; 2-isopropoxyphenyl methylcarbamate | 204-043-8 | 114-26-1 | T; R25 N; R50-53 | T; N R: 25-50/53 S: (1/2-)37-45-60-61 | | |
| 006-017-00-X | aldicarb (ISO); 2-methyl-2-(methylthio)propanal-O-(N-methylcarbamoyl) oxime | 204-123-2 | 116-06-3 | T+; R26/28 T; R24 N; R50-53 | T+; N R: 24-26/28-50/53 S: (1/2-)22-36/37-45- 60-61 | | |
| 006-018-00-5 | aminocarb (ISO); 4-dimethylamino-3-tolyl methylcarbamate | 217-990-7 | 2032-59-9 | T; R24/25 N; R50-53 | T; N R: 24/25-50/53 S: (1/2-)28-36/37-45- 60-61 | | |
| 006-019-00-0 | di-allate (ISO); S-(2,3-dichloroallyl)-N,N-diisopropylthiocarbamate | 218-961-1 | 2303-16-4 | Carc. Cat. 3; R40 Xn; R22 N; R50-53 | Xn; N R: 22-40-50/53 S: (2-)25-36/37-60-61 | | |
| 006-020-00-6 | barban (ISO); 4-chlorbut-2-ynyl N-(3-chlorophenyl)carbamate | 202-930-4 | 101-27-9 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24-36/37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|---|--|--|--|---------------------------------------|-------|
| 006-021-00-1 | linuron (ISO); 3-(3,4-dichlorophenyl)-1-methoxy-1-methylurea | 206-356-5 | 330-55-2 | Repr. Cat. 2; R61 Repr. Cat. 3; R62 Carc. Cat. 3; R40 Xn; R22-48/ 22 N; R50-53 | T; N R: 61-22-40-48/22- 62-50/53 S: 53-45-60-61 | | E |
| 006-022-00-7 | decarbofuran (ISO); 2,3-dihydro-2-methylbenzofuran-7-yl methylcarbamate | — | 1563-67-3 | T; R23/24/25 | T R: 23/24/25 S: (1/2-)13-36/37-45 | | |
| 006-023-00-2 | mercaptodiméthur (ISO); methiocarb (ISO); 3,5-diméthyl-4-méthylthiophenyl N-méthylcarbamate | 217-991-2 | 2032-65-7 | T; R25 N; R50-53 | T; N R: 25-50/53 S: (1/2-)22-37-45-60- 61 | | |
| 006-024-00-8 | proxan-sodium (ISO); sodium O-isopropylthiocarbonate | 205-443-5 | 140-93-2 | Xn; R22 Xi; R38 N; R51-53 | Xn; N R: 22-38-51/53 S: (2-)13-61 | | |
| 006-025-00-3 | allethrin; (RS)-3-allyl-2-méthyl-4-oxocyclopent-2-enyl (1RS,3RS;1RS,3SR)-2,2-diméthyl-3-(2-méthylprop-1-enyl) cyclopropanecarboxylate; bioallethrin; (RS)-3-allyl-2-méthyl-4-oxocyclopent-2-enyl (1R,3R)-2,2- diméthyl-3-(2-méthylprop-1-enyl)cyclopropanecarboxylate; [1] S-bioallethrin; (S)-3-allyl-2-méthyl-4-oxocyclopent-2-enyl (1R,3R)-2,2-dime- thyl-3-(2-méthylprop-1-enyl)cyclopropanecarboxylate; [2] esbiothrin; (RS)-3-allyl-2-méthyl-4-oxocyclopent-2-enyl (1R,3R)-2,2- diméthyl-3-(2-méthylprop-1-enyl)cyclopropanecarboxylate [3] | 209-542-4 [1] 249-013-5 [2] - [3] | 584-79-2 [1] 28434-00-6 [2] 84030-86-4 [3] | Xn; R20/22 N; R50-53 | Xn; N R: 20/22-50/53 S: (2-)36-60-61 | | C |
| 006-026-00-9 | carbofuran (ISO); 2,3-dihydro-2,2-diméthylbenzofuran-7-yl N-méthylcarbamate | 216-353-0 | 1563-66-2 | T+; R26/28 N; R50-53 | T+; N R: 26/28-50/53 S: (1/2-)36/37-45-60- 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--------------------------------|---|---------------------------------------|-------|
| 006-028-00-X | dinobuton (ISO); 2-(1-méthylpropyl)-4,6-dinitrophenyl isopropyl carbonate | 213-546-1 | 973-21-7 | T; R25 N; R50-53 | T; N R: 25-50/53 S: (1/2-)37-45-60-61 | | |
| 006-029-00-5 | dioxacarb (ISO); 2-(1,3-dioxolan-2-yl)phenyl N-méthylcarbamate | 230-253-4 | 6988-21-2 | T; R25 N; R51-53 | T; N R: 25-51/53 S: (1/2-)37-45-61 | | |
| 006-030-00-0 | EPTC (ISO); S-ethyl dipropylthiocarbamate | 212-073-8 | 759-94-4 | Xn; R22 | Xn R: 22 S: (2-)23 | | |
| 006-031-00-6 | formetanate (ISO); 3-[(EZ)-diméthylaminométhylèneamino]phenyl méthylcarbamate | 244-879-0 | 22259-30-9 | T+; R26/28 R43 N; R50-53 | T+; N R: 26/28-43-50/53 S: (1/2-)24-28-37/39-45-60-61 | | |
| 006-032-00-1 | monolinuron (ISO); 3-(4-chlorophenyl)-1-méthoxy-1-méthylurea | 217-129-5 | 1746-81-2 | Xn; R22-48/ 22 N; R50-53 | Xn; N R: 22-48/22-50/53 S: (2-)22-60-61 | | |
| 006-033-00-7 | metoxuron (ISO); 3-(3-chloro-4-méthoxyphenyl)-1,1-diméthylurea | 243-433-2 | 19937-59-8 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 006-034-00-2 | pebulate (ISO); N-butyl-N-ethyl-S-propylthiocarbamate | 214-215-4 | 1114-71-2 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)23-61 | | |
| 006-035-00-8 | pirimicarb (ISO); 5,6-diméthyl-2-diméthylamino-pyrimidin-4-yl N,N-diméthylcarbamate | 245-430-1 | 23103-98-2 | T; R25 N; R50-53 | T; N R: 25-50/53 S: (1/2-)22-37-45-60-61 | | |
| 006-036-00-3 | benzthiazuron (ISO); 1-benzothiazol-2-yl-3-méthylurea | 217-685-9 | 1929-88-0 | Xn; R22 | Xn R: 22 S: (2-)24/25 | | |
| 006-037-00-9 | promecarb (ISO); 3-isopropyl-5-méthylphenyl N-méthylcarbamate | 220-113-0 | 2631-37-0 | T; R25 N; R50-53 | T; N R: 25-50/53 S: (1/2-)24-37-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---|-------|
| 006-038-00-4 | sulfallate (ISO); 2-chloroallyl N,N-dimethyldithiocarbamate | 202-388-9 | 95-06-7 | Carc. Cat. 2; R45 Xn; R22 N; R50-53 | T; N R: 45-22-50/53 S: 53-45-60-61 | | E |
| 006-039-00-X | tri-allate (ISO); S—2,3,3-trichloroallyl diisopropylthiocarbamate | 218-962-7 | 2303-17-5 | Xn; R22-48/ 22 R43 N; R50-53 | Xn; N R: 22-43-48/22-50/ 53 S: (2-)24-37-60-61 | | |
| 006-040-00-5 | 3-methylpyrazol-5-yl-dimethylcarbamate; monometilan | — | 2532-43-6 | T; R23/24/25 | T R: 23/24/25 S: (1/2-)13-45 | | |
| 006-041-00-0 | dimethylcarbamoyl chloride | 201-208-6 | 79-44-7 | Carc. Cat. 2; R45 T; R23 Xn; R22 Xi; R36/37/ 38 | T R: 45-22-23-36/37/ 38 S: 53-45 | Carc. Cat. 2; R45: C ≥ 0,001 % | E |
| 006-042-00-6 | monuron (ISO); 3-(4-chlorophenyl)-1,1-dimethylurea | 205-766-1 | 150-68-5 | Carc. Cat. 3; R40 Xn; R22 N; R50-53 | Xn; N R: 22-40-50/53 S: (2-)36/37-60-61 | | |
| 006-043-00-1 | 3-(4-chlorophenyl)-1,1-dimethyluronium trichloroacetate; monuron-TCA | — | 140-41-0 | Xi; R36/38 Carc. Cat. 3; R40 N; R50-53 | Xn; N R: 36/38-40-50/53 S: (2-)36/37-60-61 | | |
| 006-044-00-7 | isoproturon (ISO); 3-(4-isopropylphenyl)-1,1-dimethylurea | 251-835-4 | 34123-59-6 | Carc. Cat. 3; R40 N; R50-53 | Xn; N R: 40-50/53 S: (2-)36/37-60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 006-045-00-2 | methomyl (ISO); 1-(methylthio)ethylideneamino N-methylcarbamate | 240-815-0 | 16752-77-5 | T+;R28 N; R50-53 | T+; N R: 28-50/53 S: (1/2-)22-36/37-45- 60-61 | | |
| 006-046-00-8 | bendiocarb (ISO); 2,2-dimethyl-1,3-benzodioxol-4-yl N-methylcarbamate | 245-216-8 | 22781-23-3 | T; R23/25 Xn; R21 N; R50-53 | T; N R: 21-23/25-50/53 S: (1/2-)22-36/37-45- 60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---|---------------------------------------|-------|
| 006-047-00-3 | bufencarb (ISO); reaction mass of 3-(1-methylbutyl)phenyl N-methylcarbamate and 3-(1-ethylpropyl)phenyl N-methylcarbamate | — | 8065-36-9 | T; R24/25 N; R50-53 | T; N R: 24/25-50/53 S: (1/2-)28-36/37-45- 60-61 | | |
| 006-048-00-9 | ethiofencarb (ISO); 2-(ethylthiomethyl)phenyl N-methylcarbamate | 249-981-9 | 29973-13-5 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 006-049-00-4 | dixanthogen; O,O-diethyl dithiobis(thioformate) | 207-944-4 | 502-55-6 | Xn; R22 | Xn R: 22 S: (2-)24 | | |
| 006-050-00-X | 1,1-dimethyl-3-phenyluronium trichloroacetate; fenuron-TCA | — | 4482-55-7 | Xi; R38 N; R50-53 | Xi; N R: 38-50/53 S: (2-)60-61 | | |
| 006-051-00-5 | ferbam (ISO); iron tris(dimethyldithiocarbamate) | 238-484-2 | 14484-64-1 | Xi; R36/37/ 38 N; R50-53 | Xi; N R: 36/37/38-50/53 S: (2-)60-61 | | |
| 006-052-00-0 | formetanate hydrochloride; 3-(N,N-dimethylaminomethyleneamino)phenyl N-methylcarbamate | 245-656-0 | 23422-53-9 | T+; R26/28 R43 N; R50-53 | T+; N R: 26/28-43-50/53 S: (1/2-)24-28-37/39- 45-60-61 | | |
| 006-053-00-6 | isoprocarb (ISO); 2-isopropylphenyl N-methylcarbamate | 220-114-6 | 2631-40-5 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 006-054-00-1 | mexacarbate (ISO); 3,5-dimethyl-4-dimethylaminophenyl N-methylcarbamate | 206-249-3 | 315-18-4 | T+; R28 Xn; R21 N; R50-53 | T+; N R: 21-28-50/53 S: (1/2-)36/37-45-60- 61 | | |
| 006-055-00-7 | xylylcarb (ISO); 3,4-dimethylphenyl N-methylcarbamate; 3,4-xylyl methylcarbamate; MPMC | 219-364-9 | 2425-10-7 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 006-056-00-2 | metolcarb (ISO); m-tolyl methylcarbamate; MTMC | 214-446-0 | 1129-41-5 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|------------------------------------|---|---------------------------------------|-------|
| 006-057-00-8 | nitrapyrin (ISO); 2-chloro-6-trichlorométhylpyridine | 217-682-2 | 1929-82-4 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)24-61 | | |
| 006-058-00-3 | noruron (ISO); 1,1-diméthyl-3-(perhydro-4,7-méthanoinden-5-yl)urée | — | 2163-79-3 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 006-059-00-9 | oxamyl (ISO); N',N'-diméthylcarbamoyl(méthylthio)méthylénamine N-méthylcarbamate; | 245-445-3 | 23135-22-0 | T+; R26/28 Xn; R21 N; R51-53 | T+; N R: 21-26/28-51/53 S: (1/2-)36/37-45-61 | | |
| 006-060-00-4 | oxycarboxin (ISO); 2,3-dihydro-6-méthyl-5-(N-phénylcarbamoyl)-1,4-oxothiine 4,4-dioxyde | 226-066-2 | 5259-88-1 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)61 | | |
| 006-061-00-X | S-éthyl N-(diméthylaminopropyl)thiocarbamatehydrochloride; prothiocarb hydrochloride | 243-193-9 | 19622-19-6 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)61 | | |
| 006-062-00-5 | méthyl 3,4-dichlorophénylcarbanilate; SWEP. | — | 1918-18-9 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 006-063-00-0 | thiobencarb (ISO); S-4-chlorobenzyl diéthylthiocarbamate; | 248-924-5 | 28249-77-6 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 006-064-00-6 | thiofanox (ISO); 3,3-diméthyl-1-(méthylthio)butanone-O-(N-méthylcarbamoyl)oxime; | 254-346-4 | 39196-18-4 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)27-36/37-45-60-61 | | |
| 006-065-00-1 | 3-chloro-6-cyano-bicyclo(2,2,1)heptan-2-one-O-(N-méthylcarbamoyl)oxime; triamid | — | 15271-41-7 | T+; R28 T; R24 N; R51-53 | T+; N R: 24-28-51/53 S: (1/2-)28-36/37-45-61 | | |
| 006-066-00-7 | vernolate (ISO); S-propyl dipropylthiocarbamate; | 217-681-7 | 1929-77-7 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 006-067-00-2 | XMC; 3,5-xylyl methylcarbamate | — | 2655-14-3 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 006-068-00-8 | diazomethane | 206-382-7 | 334-88-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | |
| 006-069-00-3 | thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido)benzene | 245-740-7 | 23564-05-8 | Muta. Cat. 3; R68 Xn; R20 R43 N; R50-53 | Xn; N R: 20-43-50/53-68 S: (2-)36/37-46-60-61 | | |
| 006-070-00-9 | furmecycloxy (ISO); N-cyclohexyl-N-methoxy-2,5-dimethyl-3-furamide; | 262-302-0 | 60568-05-0 | Carc. Cat. 3; R40 N; R50-53 | Xn; N R: 40-50/53 S: (2-)36/37-60-61 | | |
| 006-071-00-4 | cyclooct-4-en-1-yl methyl carbonate | 401-620-8 | 87731-18-8 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 006-072-00-X | prosulfocarb(ISO); S-benzyl N,N-dipropylthiocarbamate; | 401-730-6 | 52888-80-9 | Xn; R22 R43 N; R51-53 | Xn; N R: 22-43-51/53 S: (2-)24-37-61 | | |
| 006-073-00-5 | 3-(dimethylamino)propylurea | 401-950-2 | 31506-43-1 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 006-074-00-0 | 2-(3-(prop-1-en-2-yl)phenyl)prop-2-yl isocyanate | 402-440-2 | 2094-99-7 | T+; R26 C; R34 Xn; R48/20 R42/43 N; R50-53 | T+; N R: 26-34-42/43-48/ 20-50/53 S: (1/2-)7-15-28-36/ 37/39-38-45-60-61 | | |
| 006-076-00-1 | mancozeb (ISO) | — | 8018-01-7 | Xi; R37 R43 | Xi R: 37-43 S: (2-)8-24/25-46 | | |
| 006-077-00-7 | maneb (ISO) | 235-654-8 | 12427-38-2 | Xi; R37 R43 | Xi R: 37-43 S: (2-)8-24/25-46 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 006-078-00-2 | zineb (ISO); zinc ethylenebis(dithiocarbamate) (polymeric) | 235-180-1 | 12122-67-7 | Xi; R37 R43 | Xi R: 37-43 S: (2-)8-24/25-46 | | |
| 006-079-00-8 | disulfiram; tetraethylthiuramdisulfide | 202-607-8 | 97-77-8 | Xn; R22-48/ 22 R43 N; R50-53 | Xn; N R: 22-43-48/22-50/ 53 S: (2-)24-37-60-61 | | |
| 006-080-00-3 | tetramethylthiuram monosulphide | 202-605-7 | 97-74-5 | Xn; R22 R43 N; R51-53 | Xn; N R: 22-43-51/53 S: (2-)24-26-37-61 | | |
| 006-081-00-9 | zinc bis(dibutyl)dithiocarbamate) | 205-232-8 | 136-23-2 | Xi; R36/37/ 38 R43 N; R50-53 | Xi; N R: 36/37/38-43-50/ 53 S: (2-)24-37-60-61 | | |
| 006-082-00-4 | zinc bis(diethyl)dithiocarbamate) | 238-270-9 | 14324-55-1 | Xn; R22 Xi; R36/37/ 38 R43 N; R50-53 | Xn; N R: 22-36/37/38-43- 50/53 S: (2-)24-37-60-61 | | |
| 006-083-00-X | butocarboxim (ISO); 3-(methylthio)-2-butanone O-[(methylamino)carbonyl]oxime | 252-139-3 | 34681-10-2 | R10 T; R23/24/25 Xi; R36 N; R50-53 | T; N R: 10-23/24/25-36- 50/53 S: (1/2-)36/37-45-60- 61 | | |
| 006-084-00-5 | carbosulfan (ISO); 2,3-dihydro-2,2-dimethyl-7-benzofuryl [(dibutylamino)thio] methylcarbamate; | 259-565-9 | 55285-14-8 | T; R23/25 R43 N; R50-53 | T; N R: 23/25-43-50/53 S: (1/2-)24-37-38-45- 60-61 | | |
| 006-085-00-0 | fenobucarb (ISO); 2-butyphenyl methylcarbamate; | 223-188-8 | 3766-81-2 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 006-086-00-6 | ethyl [2-(4-phenoxyphenoxy)ethyl]carbamate; fenoxycarb | 276-696-7 | 72490-01-8 | N; R50-53 | N R: 50/53 S: 60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------------|--|---|---|--|-------|
| 006-087-00-1 | 2,3-dihydro-2,2-diméthyl-7-benzofuryl 2,4-diméthyl-6-oxa-5-oxo-3-thia-2,4-diazadecanoate; furathiocarb | 265-974-3 | 65907-30-4 | T+; R26 T; R25 Xn; R48/22 Xi; R36/38 R43 N; R50-53 | T+; N R: 25-26-36/38-43-48/22-50/53 S: (1/2-)28-36/37-38-45-60-61 | | |
| 006-088-00-7 | benfuracarb; ethyl N-[2,3-dihydro-2,2-diméthylbenzofuran-7-yloxy-carbonyl(méthyl)aminothio]-N-isopropyl- β-alaninate | — | 82560-54-1 | T; R23/25 N; R50-53 | T; N R: 23/25-50/53 S: (1/2-)36/37-45-60-61 | | |
| 006-089-00-2 | chlorine dioxide | 233-162-8 | 10049-04-4 | O; R8 R6 T+; R26 C; R34 N; R50 | O; T+; N R: 6-8-26-34-50 S: (1/2-)23-26-28-36/37/39-38-45-61 | N; R50: C ≥ 0,02 % | 5 |
| 006-089-01-X | chlorine dioxide . . . % | 233-162-8 | 10049-04-4 | T; R25 C; R34 N; R50 | T; N R: 25-34-50 S: (1/2-)23-26-28-36/37/39-45-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 3 % ≤ C < 10 % Xi; R36: 0,3 % ≤ C < 3 % N; R50: C ≥ 3 % | B |
| 006-090-00-8 | 2-(3-iodoprop-2-yn-1-yloxy)ethyl phenylcarbamate | 408-010-0 | 88558-41-2 | Xn; R20 Xi; R41 R52-53 | Xn R: 20-41-52/53 S: (2-)22-26-39-61 | | |
| 007-001-00-5 | ammonia, anhydrous | 231-635-3 | 7664-41-7 | R10 ⊗ T; R23 C; R34 N; R50 | T; N R: 10-23-34-50 S: (1/2-)9-16-26-36/37/39-45-61 | | |
| 007-001-01-2 | ammonia% | 215-647-6 | 1336-21-6 | C; R34 N; R50 | C; N R: 34-50 S: (1/2-)26-36/37/39-45-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | B |
| 007-002-00-0 | nitrogen dioxide; [1] dinitrogen tetraoxide [2] | 233-272-6 [1] 234-126-4 [2] | 10102-44-0 [1] 10544-72-6 [2] | T+; R26 C; R34 | T+ R: 26-34 S: (1/2-)9-26-28-36/37/39-45 | T+; R26: C ≥ 10 % T; R23: 1 % ≤ C < 10 % Xn; R20: 0,1 % ≤ C < 1 % | 5 |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|--|-------|
| 007-003-00-6 | chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride | 213-666-4 | 999-81-5 | Xn; R21/22 | Xn R: 21/22 S: (2-)36/37 | | |
| 007-004-00-1 | nitric acid ... % | 231-714-2 | 7697-37-2 | O; R8 C; R35 | O; C R: 8-35 S: (1/2-)23-26-36-45 | C; R35: C ≥ 20 % C; R34: 5 % ≤ C < 20 % Footnote: O; R8: C ≥ 70 % | B |
| 007-006-00-2 | ethyl nitrite | 203-722-6 | 109-95-5 | E; R2 Xn; R20/21/ 22 | E; Xn R: 2-20/21/22 S: (2-) | | |
| 007-007-00-8 | ethyl nitrate | 210-903-3 | 625-58-1 | E; R2 ⊗ | E R: 2 S: (2-)23-24/25 | | |
| 007-008-00-3 | hydrazine | 206-114-9 | 302-01-2 | R10 Carc. Cat. 2; R45 T; R23/24/25 C; R34 R43 N; R50-53 | T; N R: 45-10-23/24/25- 34-43-50/53 S: 53-45-60-61 | C; R34: C ≥ 10 % Xi; R36/38: 3 % ≤ C < 10 % | E |
| 007-009-00-9 | dicyclohexylammonium nitrite | 221-515-9 | 3129-91-7 | Xn; R20/22 | Xn R: 20/22 S: (2-)15-41 | Xn; R20/22: C ≥ 10 % | |
| 007-010-00-4 | sodium nitrite | 231-555-9 | 7632-00-0 | O; R8 T; R25 N; R50 | O; T; N R: 8-25-50 S: (1/2-)45-61 | T; R25: C ≥ 5 % Xn; R22: 1 % ≤ C < 5 % | |
| 007-011-00-X | potassium nitrite | 231-832-4 | 7758-09-0 | O; R8 T; R25 N; R50 | O; T; N R: 8-25-50 S: (1/2-)45-61 | T; R25: C ≥ 5 % Xn; R22: 1 % ≤ C < 5 % | |
| 007-012-00-5 | N,N-dimethylhydrazine | 200-316-0 | 57-14-7 | F; R11 Carc. Cat. 2; R45 T; R23/25 C; R34 N; R51-53 | F; T; N R: 45-11-23/25-34- 51/53 S: 53-45-61 | | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|------------------------------|--|--|---------------------------------------|-------|
| 007-013-00-0 | 1,2-dimethylhydrazine | — | 540-73-8 | Carc. Cat. 2; R45 T; R23/24/25 N; R51-53 | T; N R: 45-23/24/25-51/ 53 S: 53-45-61 | Carc. Cat. 2; R45: C ≥ 0,01 % | E |
| 007-014-00-6 | salts of hydrazine | — | — | Carc. Cat. 2; R45 T; R23/24/25 R43 N; R50-53 | T; N R: 45-23/24/25-43- 50/53 S: 53-45-60-61 | | AE |
| 007-015-00-1 | O-ethylhydroxylamine | 402-030-3 | 624-86-2 | F; R11 T; R23/24/ 25-48/23 Xi; R36 R43 N; R50 | F; T; N R: 11-23/24/25-36- 43-48/23-50 S: (1/2-)16-26-36/37/ 39-45-60-61 | | |
| 007-016-00-7 | butyl nitrite | 208-862-1 | 544-16-1 | F; R11 T; R23/25 | F; T R: 11-23/25 S: (1/2-)16-24-45 | | |
| 007-017-00-2 | isobutyl nitrite | 208-819-7 | 542-56-3 | F; R11 Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R20/22 | F; T R: 11-20/22-45-68 S: 53-45 | | E |
| 007-018-00-8 | sec-butyl nitrite | 213-104-8 | 924-43-6 | F; R11 Xn; R20/22 | F; Xn R: 11-20/22 S: (2-)16-24-46 | | |
| 007-019-00-3 | tert-butyl nitrite | 208-757-0 | 540-80-7 | F; R11 Xn; R20/22 | F; Xn R: 11-20/22 S: (2-)16-24-46 | | |
| 007-020-00-9 | pentyl nitrite; [1] 'amyl nitrite', mixed isomers [2] | 207-332-7 [1] 203-770-8 [2] | 463-04-7 [1] 110-46-3 [2] | F; R11 Xn; R20/22 | F; Xn R: 11-20/22 S: (2-)16-24-46 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 007-021-00-4 | hydrazobenzene; 1,2-diphenylhydrazine | 204-563-5 | 122-66-7 | Carc. Cat. 2; R45 Xn; R22 N; R50-53 | T; N R: 45-22-50/53 S: 53-45-60-61 | | E |
| 007-022-00-X | hydrazine bis(3-carboxy-4-hydroxybenzensulfonate) | 405-030-1 | — | Carc. Cat. 2; R45 Xn; R22 C; R34 R43 R52-53 | T R: 45-22-34-43-52/ 53 S: 53-45-61 | | E |
| 007-023-00-5 | sodium 3,5-bis(3-(2,4-di-tert-pentylphenoxy)propylcarbamoyl)benzenesulfonate | 405-510-0 | — | Xi; R38 R43 | Xi R: 38-43 S: (2-)24-37 | | |
| 007-024-00-0 | 2-(decylthio)ethylammonium chloride | 405-640-8 | 36362-09-1 | Xn; R48/22 Xi; R38-41 N; R50-53 | Xn; N R: 38-41-48/22-50/ 53 S: (2-)26-36/37/39- 60-61 | | |
| 007-025-00-6 | (4-hydrazinophenyl)-N-methylmethanesulfonamide hydrochloride | 406-090-1 | 81880-96-8 | Muta. Cat. 3; R68 T; R25-48/25 R43 N; R50-53 | T; N R: 25-43-48/25-68- 50/53 S: (1/2-)22-36/37/39- 45-60-61 | | |
| 007-026-00-1 | oxo-((2,2,6,6-tetramethylpiperidin-4-yl)amino)carbonylacetylhydrazide | 413-230-5 | 122035-71-6 | Xi; R41 R43 | Xi R: 41-43 S: (2-)8-22-24-26-30- 37/39 | | |
| 007-027-00-7 | 1,6-bis(3,3-bis((1-methylpentylideneimino)propyl)ureido)hexane | 420-190-2 | 771478-66-1 | C; R34 Xn; R21/22- 48/21 R43 N; R50-53 | C; N R: 21/22-34-43-48/ 21-50/53 S: (1/2-)7-26-36/37/ 39-45-60-61 | | |
| 008-001-00-8 | oxygen | 231-956-9 | 7782-44-7 | O; R8 | O R: 8 S: (2-)17 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|-------------------------------------|--|--|-------|
| 008-003-00-9 | hydrogen peroxide solution ... % | 231-765-0 | 7722-84-1 | R5 O; R8 C; R35 Xn; R20/22 | O; C R: 5-8-20/22-35 S: (1/2-)17-26-28-36/ 37/39-45 | Xn; R20: C ≥ 50 % Xn; R22: C ≥ 8 % C; R35: C ≥ 70 % C; R34: 50 % ≤ C < 70 % Xi; R37/38: 35 % ≤ C < 50 % Xi; R41: 8 % ≤ C < 50 % Xi; R36: 5 % ≤ C < 8 % Footnote: O; R8: C ≥ 50 % R5: C ≥ 70 % | B |
| 009-001-00-0 | fluorine | 231-954-8 | 7782-41-4 | R7 ☉ T+; R26 C; R35 | T+; C R: 7-26-35 S: (1/2-)9-26-36/37/ 39-45 | | |
| 009-002-00-6 | hydrogen fluoride | 231-634-8 | 7664-39-3 | T+; R26/27/ 28 C; R35 | T+; C R: 26/27/28-35 S: (1/2-)7/9-26-36/37/ 39-45 | | |
| 009-003-00-1 | hydrofluoric acid ... % | 231-634-8 | 7664-39-3 | T+; R26/27/ 28 C; R35 | T+; C R: 26/27/28-35 S: (1/2-)7/9-26-36/ 37-45 | C; R35: C ≥ 7 % C; R34: 1 % ≤ C < 7 % Xi; R36: 0,1 % ≤ C < 1 % | B |
| 009-004-00-7 | sodium fluoride | 231-667-8 | 7681-49-4 | T; R25 Xi; R36/38 R32 | T R: 25-32-36/38 S: (1/2-)22-36-45 | | |
| 009-005-00-2 | potassium fluoride | 232-151-5 | 7789-23-3 | T; R23/24/25 | T R: 23/24/25 S: (1/2-)26-45 | | |
| 009-006-00-8 | ammonium fluoride | 235-185-9 | 12125-01-8 | T; R23/24/25 | T R: 23/24/25 S: (1/2-)26-45 | | |
| 009-007-00-3 | sodium bifluoride; sodium hydrogen difluoride | 215-608-3 | 1333-83-1 | T; R25 C; R34 | T; C R: 25-34 S: (1/2-)22-26-37-45 | T; R25: C ≥ 10 % Xn; R22: 1 % ≤ C < 10 % C; R34: C ≥ 1 % Xi; R36/38: 0,1 % ≤ C < 1 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--|---|--|---|---|--------|
| 009-008-00-9 | potassium bifluoride; potassium hydrogen difluoride | 232-156-2 | 7789-29-9 | T; R25 C; R34 | T; C R: 25-34 S: (1/2-)22-26-37-45 | T; R25: C ≥ 10 % Xn; R22: 1 % ≤ C < 10 % C; R34: C ≥ 1 % Xi; R36/38: 0,1 % ≤ C < 1 % | |
| 009-009-00-4 | ammonium bifluoride; ammonium hydrogen difluoride | 215-676-4 | 1341-49-7 | T; R25 C; R34 | T; C R: 25-34 S: (1/2-)22-26-37-45 | T; R25: C ≥ 10 % Xn; R22: 1 % ≤ C < 10 % C; R34: C ≥ 1 % Xi; R36/38: 0,1 % ≤ C < 1 % | |
| 009-010-00-X | fluoroboric acid ... % | 240-898-3 | 16872-11-0 | C; R34 | C R: 34 S: (1/2-)26-27-45 | C; R34: C ≥ 25 % Xi; R36/38: 10 % ≤ C < 25 % | B |
| 009-011-00-5 | fluorosilicic acid ... % | 241-034-8 | 16961-83-4 | C; R34 | C R: 34 S: (1/2-)26-27-45 | | B |
| 009-012-00-0 | alkali fluorosilicates(Na); [1] alkali fluorosilicates(K); [2] alkali fluorosilicates(NH4) [3] | 240-934-8 [1] 240-896-2 [2] 240-968-3 [3] | 16893-85-9 [1] 16871-90-2 [2] 16919-19-0 [3] | T; R23/24/25 | T R: 23/24/25 S: (1/2-)26-45 | T; R23/24/25: C ≥ 10 % Xn; R20/21/22: 1 % ≤ C < 10 % | A |
| 009-013-00-6 | fluorosilicates, with the exception of those specified elsewhere in this annex | — | — | Xn; R22 | Xn R: 22 S: (2-)13-24/25 | Xn; R22: C ≥ 10 % | A |
| 009-014-00-1 | lead hexafluorosilicate | 247-278-1 | 25808-74-6 | Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R20/22 R33 N; R50-53 | T; N R: 61-62-20/22-33- 50/53 S: 53-45-60-61 | | E 1 |
| 009-015-00-7 | sulphuryl difluoride | 220-281-5 | 2699-79-8 | T; R23 Xn; R48/20 N; R50 | T; N R: 23-48/20-50 S: (1/2-)45-63-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|------------------------|--------------------------|---|---|---|-------|
| 009-016-00-2 | trisodium hexafluoroaluminate; cryolite | 237-410-6 239-148-8 | 13775-53-6 15096-52-3 | T; R48/23/25 Xn; R20/22 N; R51-53 | T; N R: 20/22-48/23/25- 51/53 S: (1/2-)22-37-45-61 | | C |
| 009-017-00-8 | potassium mu-fluoro-bis(triethylaluminium) | 400-040-2 | 12091-08-6 | F; R11-14/15 C; R35 Xn; R20 | F; C R: 11-14/15-20-35 S: (1/2-)16-30-36/39- 43-45 | | |
| 009-018-00-3 | magnesium hexafluorosilicate | 241-022-2 | 16949-65-8 | T; R25 | T R: 25 S: (1/2-)24/25-45 | T; R25: C ≥ 10 % Xn; R22: 1 % ≤ C < 10 % | |
| 011-001-00-0 | sodium | 231-132-9 | 7440-23-5 | F; 15 R14 C; R34 | F; C R: 14/15-34 S: (1/2-)5-8-43-45 | | |
| 011-002-00-6 | sodium hydroxide; caustic soda | 215-185-5 | 1310-73-2 | C; R35 | C R: 35 S: (1/2-)26-37/39-45 | C; R35: C ≥ 5 % C; R34: 2 % ≤ C < 5 % Xi; R36/38: 0,5 % ≤ C < 2 % | |
| 011-003-00-1 | sodium peroxide | 215-209-4 | 1313-60-6 | O; R8 C; R35 | O; C R: 8-35 S: (1/2-)8-27-39-45 | | |
| 011-004-00-7 | sodium azide | 247-852-1 | 26628-22-8 | T+; R28 R32 N; R50-53 | T+; N R: 28-32-50/53 S: (1/2-)28-45-60-61 | | |
| 011-005-00-2 | sodium carbonate | 207-838-8 | 497-19-8 | Xi; R36 | Xi R: 36 S: (2-)22-26 | | |
| 011-006-00-8 | sodium cyanate | 213-030-6 | 917-61-3 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)24/25-61 | | |
| 011-007-00-3 | propoxycarbazone-sodium | — | 181274-15-7 | N; R50-53 | N R: 50/53 S: 60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|-----------------------------|--|---------------------------------------|-------|
| 012-001-00-3 | magnesium powder (pyrophoric) | 231-104-6 | 7439-95-4 | F; R15-17 | F R: 15-17 S: (2-)7/8-43 | | |
| 012-002-00-9 | magnesium, powder or turnings | 231-104-6 | — | F; R11-15 | F R: 11-15 S: (2-)7/8-43 | | |
| 012-003-00-4 | magnesium alkyls | — | — | R14 F; R17 C; R34 | F; C R: 14-17-34 S: (1/2-)16-43-45 | | A |
| 013-001-00-6 | aluminium powder (pyrophoric) | 231-072-3 | 7429-90-5 | F; R15-17 | F R: 15-17 S: (2-)7/8-43 | | |
| 013-002-00-1 | aluminium powder (stabilised) | 231-072-3 | — | F; R15 R10 ⊗ | F R: 10-15 S: (2-)7/8-43 | | |
| 013-003-00-7 | aluminium chloride, anhydrous | 231-208-1 | 7446-70-0 | C; R34 | C R: 34 S: (1/2-)7/8-28-45 | | |
| 013-004-00-2 | aluminium alkyls | — | — | R14 F; R17 C; R34 | F; C R: 14-17-34 S: (1/2-)16-43-45 | | A |
| 013-005-00-8 | diethyl(ethyl-dimethylsilanolato)aluminium | 401-160-8 | 55426-95-4 | F; R 15-17 R14 C; R35 | F; C R: 14/15-17-35 S: (1/2-)6-16-30-36/ 39-43-45 | | |
| 013-006-00-3 | (ethyl-3-oxobutanoato-O'1,O'3)(2-dimethylaminoethanolato)(1-methoxypropan-2-olato)aluminium(III), dimerised | 402-370-2 | — | R10 Xi; R41 | Xi R: 10-41 S: (2-)26-39 | | |
| 013-007-00-9 | poly(oxo(2-butoxyethyl-3-oxobutanoato-O'1,O'3)aluminium) | 403-430-0 | — | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|--|-------|
| 013-008-00-4 | di-n-octylaluminium iodide | 408-190-0 | 7585-14-0 | R14 F; R17 C; R34 N; R50-53 | F; C; N R: 14-17-34-50/53 S: (1/2-)6-16-26-36/ 37/39-43-45-60-61 | | |
| 013-009-00-X | sodium((n-butyl)x(ethyl)y-1,5-dihydro)aluminat) x = 0.5, y = 1.5 | 418-720-2 | — | F; R11-15-17 R14 Xn; R20 C; R35 | F; C R: 11-14/15-17-20- 35 S: (1/2-)6-16-26-30- 36/37/39-43-45 | | |
| 014-001-00-9 | trichlorosilane | 233-042-5 | 10025-78-2 | F+; R12 R14 F; R17 Xn; R20/22 R29 C; R35 | F+; C R: 12-14-17-20/22- 29-35 S: (2-)7/9-16-26-36/ 37/39-43-45 | Xn; R20/22: C ≥ 10 % C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | |
| 014-002-00-4 | silicon tetrachloride | 233-054-0 | 10026-04-7 | R14 Xi; R36/37/ 38 | Xi R: 14-36/37/38 S: (2-)7/8-26 | | |
| 014-003-00-X | dimethyldichlorosilane | 200-901-0 | 75-78-5 | F; R11 Xi; R36/37/ 38 | F; Xi R: 11-36/37/38 S: (2-) | | |
| 014-004-00-5 | trichloro(methyl)silane; methyltrichlorosilane | 200-902-6 | 75-79-6 | R14 F; R11 Xi; R36/37/ 38 | F; Xi R: 11-14-36/37/38 S: (2-)26-39 | Xi; R36/37/38: C ≥ 1 % | |
| 014-005-00-0 | tetraethyl silicate; ethyl silicate | 201-083-8 | 78-10-4 | R10 Xn; R20 Xi; R36/37 | Xn R: 10-20-36/37 S: (2-) | | |
| 014-006-00-6 | bis(4-fluorophenyl)-methyl-(1,2,4-triazol-4-ylmethyl)silane hydrochloride | 401-380-4 | — | Xi; R36 N; R51-53 | Xi; N R: 36-51/53 S: (2-)26-61 | | |
| 014-007-00-1 | triethoxyisobutylsilane | 402-810-3 | 17980-47-1 | Xi; R38 | Xi R: 38 S: (2-)24 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 014-008-00-7 | (chloromethyl)bis(4-fluorophenyl)methylsilane | 401-200-4 | 85491-26-5 | N; R51-53 | N R: 51/53 S: 61 | | |
| 014-009-00-2 | isobutylisopropyldimethoxysilane | 402-580-4 | 111439-76-0 | R10 Xn; R20 Xi; R38 | Xn R: 10-20-38 S: (2-)25-26-36/37 | | |
| 014-010-00-8 | disodium metasilicate | 229-912-9 | 6834-92-0 | C; R34 Xi; R37 | C R: 34-37 S: (1/2-)13-24/25-36/ 37/39-45 | | |
| 014-011-00-3 | cyclohexyldimethoxymethylsilane | 402-140-1 | 17865-32-6 | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)24-61 | | |
| 014-012-00-9 | bis(3-(trimethoxysilyl)propyl)amine | 403-480-3 | — | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)24-26-39-61 | | |
| 014-013-00-4 | α -hydroxypoly(methyl-(3-(2,2,6,6-tetramethylpiperidin-4-yloxy)propyl)siloxane) | 404-920-7 | — | Xn; R21/22 C; R34 N; R51-53 | C; N R: 21/22-34-51/53 S: (1/2-)26-36/37/39- 45-61 | | |
| 014-014-00-X | etacelasil (ISO); 6-(2-chloroethyl)-6-(2-methoxyethoxy)-2,5,7,10-tetraoxa-6-silaundecane; | 253-704-7 | 37894-46-5 | Repr. Cat. 2; R61 Xn; R22-48/ 22 | T R: 61-22-48/22 S: 53-45 | | E |
| 014-015-00-5 | α -trimethylsilanyl- ω -trimethylsiloxypoly[oxy(methyl-3-(2-(2-methoxypropoxy)propoxy)propylsilanediyl)-co-oxy(dimethylsilane)] | 406-420-4 | 69430-40-6 | R53 | R: 53 S: 61 | | |
| 014-016-00-0 | reaction mass of: 1,3-dihex-5-en-1-yl-1,1,3,3-tetramethyldisiloxane; 1,3-dihex-n-en-1-yl-1,1,3,3-tetramethyldisiloxane | 406-490-6 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 014-017-00-6 | flusilazole (ISO); bis(4-fluorophenyl)(methyl)(1H-1,2,4-triazol-1-ylmethyl)silane | — | 85509-19-9 | Carc. Cat. 3; R40 Repr. Cat. 2; R61 Xn; R22 N; R51-53 | T; N R: 61-22-40-51/53 S: 53-45-61 | | E |

| Numéro index | Classification chimique internationale | Numéros CEO | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 014-018-00-1 | octamethylcyclotetrasiloxane | 209-136-7 | 556-67-2 | Repr. Cat. 3; R62 R53 | Xn R: 53-62 S: (2-)36/37-46-51-61 | | |
| 014-019-00-7 | reaction mass of: 4-[[bis-(4-fluorophenyl)methylsilyl]methyl]-4H—1,2,4-triazole; 1-[[bis-(4-fluorophenyl)methylsilyl]methyl]-1H—1,2,4-triazole | 403-250-2 | — | Carc. Cat. 3; R40 Repr. Cat. 2; R61 Xn; R22 N; R51-53 | T; N R: 61-22-40-51/53 S: 53-45-61 | | E |
| 014-020-00-2 | bis(1,1-dimethyl-2-propynyloxy)dimethylsilane | 414-960-7 | 53863-99-3 | Xn; R20 | Xn R: 20 S: (2) | | |
| 014-021-00-8 | tris(isopropenyloxy)phenyl silane | 411-340-8 | 52301-18-5 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 014-022-00-3 | reaction product of: (2-hydroxy-4-(3-propenoxy)benzophenone and triethoxysilane) with (hydrolysis product of silica and methyltrimethoxysilane) | 401-530-9 | — | F; R11 T; R39/23/ 24/25 Xn; R20/21/ 22 | F; T R: 11-20/21/22-39/ 23/24/25 S: (1/2-)16-29-36/37- 45 | | |
| 014-023-00-9 | α , ω -dihydroxypoly(hex-5-en-1-ylmethylsiloxane)oxysilane with (hydrolysis product of silica and methyltrimethoxysilane)iazole | 408-160-7 | 125613-45-8 | N; R51-53 | N R: 51/53 S: 61 | | |
| 014-024-00-4 | 1-((3-(3-chloro-4-fluorophenyl)propyl)dimethylsilyl)-4-ethoxybenzene | 412-620-2 | 121626-74-2 | N; R51-53 | N R: 51/53 S: 61 | | |
| 014-025-00-X | 4-[3-(diethoxymethylsilyl)propoxy]-2,2,6,6-tetramethylpiperidine | 411-400-3 | 102089-33-8 | Xn; R22-48/ 21 Xi; R38-41 R52-53 | Xn R: 22-38-41-48/21- 52/53 S: (2-)26-36/37/39-61 | | |
| 014-026-00-5 | dichloro-(3-(3-chloro-4-fluorophenyl)propyl)methylsilane | 407-180-3 | 770722-36-6 | C; R35 | C R: 35 S: (1/2-)26-36/37/39- 45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 014-027-00-0 | chloro(3-(3-chloro-4-fluorophenyl)propyl)dimethylsilane | 410-270-5 | 770722-46-8 | C; R35 | C R: 35 S: (1/2-)8-26-28-36/ 37/39-45 | | |
| 014-028-00-6 | α -[3-(1-oxoprop-2-enyl)-1-oxypropyl]dimethoxysilyloxy- ω -[3-(1-oxoprop-2-enyl)-1-oxypropyl]dimethoxysilyl poly(dimethylsiloxane) | 415-290-8 | 193159-06-7 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 014-029-00-1 | O,O'-(ethenylmethylsilylene)di[(4-methylpentan-2-one)oxime] | 421-870-1 | 156145-66-3 | Repr. Cat. 3; R62 Xn; R22-48/ 22 | Xn R: 22-48/22-62 S: (2-)36/37 | | |
| 014-030-00-7 | [(dimethylsilylene)bis((1,2,3,3a,7a- η)-1H-inden-1-ylidene)dimethyl]hafnium | 422-060-0 | 137390-08-0 | T+; R28 | T+ R: 28 S: (1/2-)6-22-28-36/ 37-45 | | |
| 014-031-00-2 | bis(1-methylethyl)-dimethoxysilane | 421-540-7 | 18230-61-0 | R10 Xi; R38 R43 R52-53 | Xi R: 10-38-43-52/53 S: (2-)24-37-61 | | |
| 014-032-00-8 | dicyclopentyl dimethoxysilane | 404-370-8 | 126990-35-0 | Xi; R38-41 N; R50-53 | Xi; N R: 38-41-50/53 S: (2-)26-37/39-60-61 | | |
| 015-001-00-1 | white phosphorus | 231-768-7 | 12185-10-3 | F; R17 T+; R26/28 C; R35 N; R50 | F; T+; C; N R: 17-26/28-35-50 S: (1/2-)5-26-38-45- 61 | | |
| 015-002-00-7 | red phosphorus | 231-768-7 | 7723-14-0 | F; R11 R16 R52-53 | F R: 11-16-52/53 S: (2-)7-43-61 | | |
| 015-003-00-2 | calcium phosphide; tricalcium diphosphide | 215-142-0 | 1305-99-3 | F; R15/29 T+; R28 N; R50 | F; T+; N R: 15/29-28-50 S: (1/2-)22-43-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---|-------|
| 015-004-00-8 | aluminium phosphide | 244-088-0 | 20859-73-8 | F; R15/29 T+; R28 R32 N; R50 | F; T+; N R: 15/29-28-32-50 S: (1/2-)3/9/14-30-36/ 37-45-61 | | |
| 015-005-00-3 | magnesium phosphide; trimagnesium diphosphide | 235-023-7 | 12057-74-8 | F; R15/29 T+; R28 N; R50 | F; T+; N R: 15/29-28-50 S: (1/2-)22-43-45-61 | | |
| 015-006-00-9 | trizinc diphosphide; zinc phosphide | 215-244-5 | 1314-84-7 | F; R15/29 T+; R28 R32 N; R50-53 | F; T+; N R: 15/29-28-32-50/ 53 S: (1/2-)3/9/14-30-36/ 37-45-60-61 | | |
| 015-007-00-4 | phosphorus trichloride | 231-749-3 | 7719-12-2 | R14 T+; R26/28 Xn; R48/20 C; R35 R29 | T+; C R: 14-26/28-35-48/ 20 S: (1/2-)7/8-26-36/37/ 39-45 | | |
| 015-008-00-X | phosphorus pentachloride | 233-060-3 | 10026-13-8 | R14 T+; R26 Xn; R22-48/ 20 C; R34 R29 | T+ R: 14-22-26-34-48/ 20 S: (1/2-)7/8-26-36/37/ 39-45 | | |
| 015-009-00-5 | phosphoryl trichloride | 233-046-7 | 10025-87-3 | R14 T+; R26 T; R48/23 Xn; R22 C; R35 R29 | T+; C R: 14-22-26-35-48/ 23 S: (1/2-)7/8-26-36/37/ 39-45 | | |
| 015-010-00-0 | phosphorus pentoxide | 215-236-1 | 1314-56-3 | C; R35 | C R: 35 S: (1/2-)22-26-45 | | |
| 015-011-00-6 | phosphoric acid ... %, orthophosphoric acid ... % | 231-633-2 | 7664-38-2 | C; R34 | C R: 34 S: (1/2-)26-45 | C; R34: C ≥ 25 % Xi; R36/38: 10 % ≤ C < 25 % | B |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|--|-------|
| 015-012-00-1 | tetraphosphorus trisulphide; phosphorus sesquisulphid | 215-245-0 | 1314-85-8 | F; R11 Xn; R22 N; R50 | F; Xn; N R: 11-22-50 S: (2-)7-16-24/25-61 | | |
| 015-013-00-7 | triethyl phosphate | 201-114-5 | 78-40-0 | Xn; R22 | Xn R: 22 S: (2-)25 | | |
| 015-014-00-2 | tributyl phosphate | 204-800-2 | 126-73-8 | Carc. Cat. 3; R40 Xn; R22 Xi; R38 | Xn R: 22-38-40 S: (2-)36/37-46 | | |
| 015-015-00-8 | tricresyl phosphate (o—o—o-, o—o—m-, o—o—p-, o—m—m-, o—m—p-, o—p—p-); tritoyl phosphate (o—o—o-, o—o—m-, o—o—p-, o—m—m-, o—m—p-, o—p—p-); | 201-103-5 | 78-30-8 | T; R39/23/ 24/25 N; R51-53 | T; N R: 39/23/24/25-51/ 53 S: (1/2-)20/21-28-45- 61 | T; R39/23/24/25: C ≥ 1 % Xn; R68/20/21/22: 0,2 % ≤ C < 1 % | C |
| 015-016-00-3 | tricresyl phosphate (m—m—m-, m—m—p-, m—p—p-, p—p— p-); tritoyl phosphate (m—m—m-, m—m—p-, m—p—p-, p—p— p-); | 201-105-6 | 78-32-0 | Xn; R21/22 N; R51-53 | Xn; N R: 21/22-51/53 S: (2-)28-61 | Xn; R21/22: C ≥ 5 % | C |
| 015-019-00-X | dichlorvos (ISO); 2,2-dichlorovinyl dimethyl phosphate | 200-547-7 | 62-73-7 | T+; R26 T; R24/25 R43 N; R50 | T+; N R: 24/25-26-43-50 S: (1/2-)28-36/37-45- 61 | | |
| 015-020-00-5 | mevinphos (ISO); 2-methoxycarbonyl-1-methylvinyl dimethyl phosphate | 232-095-1 | 7786-34-7 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)23-28-36/37- 45-60-61 | N; R50-53: C ≥ 0,0025 % N; R51-53: 0,00025 % ≤ C < 0,0025 % R52-53: 0,000025 % ≤ C < 0,00025 % | |
| 015-021-00-0 | trichlorfon (ISO); dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate | 200-149-3 | 52-68-6 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24-37-60-61 | N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---|-------|
| 015-022-00-6 | phosphamidon (ISO); 2-chloro-2-diethylcarbamoyl-1-methylvinyl dimethyl phosphate | 236-116-5 | 13171-21-6 | T+; R28 T; R24 Muta. Cat. 3; R68 N; R50-53 | T+; N R: 24-28-50/53-68 S: (1/2-)23-36/37-45-60-61 | | |
| 015-023-00-1 | pyrazoxon; diethyl 3-methylpyrazol-5-yl phosphate | — | 108-34-9 | T+; R26/27/ 28 | T+ R: 26/27/28 S: (1/2-)13-28-45 | | |
| 015-024-00-7 | triamiphos (ISO); 5-amino-3-phenyl-1,2,4-triazol-1-yl-N,N,N',N'-tetramethylphosphonic diamide | — | 1031-47-6 | T+; R27/28 | T+ R: 27/28 S: (1/2-)22-28-36/37-45 | | |
| 015-025-00-2 | TEPP (ISO); tetraethyl pyrophosphate | 203-495-3 | 107-49-3 | T+; R27/28 N; R50 | T+; N R: 27/28-50 S: (1/2-)36/37/39-38-45-61 | | |
| 015-026-00-8 | schradan (ISO); octamethylpyrophosphoramidate | 205-801-0 | 152-16-9 | T+; R27/28 | T+ R: 27/28 S: (1/2-)36/37-38-45 | | |
| 015-027-00-3 | sulfotep (ISO); O,O,O,O-tetraethyl dithiopyrophosphate | 222-995-2 | 3689-24-5 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)23-28-36/37-45-60-61 | N; R50-53: $C \geq 0,025 \%$ N; R51-53: $0,0025 \% \leq C < 0,025 \%$ R52-53: $0,00025 \% \leq C < 0,0025 \%$ | |
| 015-028-00-9 | demeton-O (ISO); O,O-diethyl-O-2-ethylthioethyl phosphorothioate | 206-053-8 | 298-03-3 | T+; R27/28 N; R50 | T+; N R: 27/28-50 S: (1/2-)28-36/37-45-61 | | |
| 015-029-00-4 | demeton-S (ISO); diethyl-S-2-ethylthioethyl phosphorothioate | 204-801-8 | 126-75-0 | T+; R27/28 | T+ R: 27/28 S: (1/2-)28-36/37-45 | | |
| 015-030-00-X | demeton-O-methyl (ISO); O-2-ethylthioethyl O,O-dimethyl phosphorothioate | 212-758-1 | 867-27-6 | T; R25 | T R: 25 S: (1/2-)24-36/37-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---|-------|
| 015-031-00-5 | demeton-S-methyl (ISO); S-2-ethylthioethyl dimethyl phosphorothioate | 213-052-6 | 919-86-8 | T; R24/25 N; R51-53 | T; N R: 24/25-51/53 S: (1/2-)28-36/37-45-61 | | |
| 015-032-00-0 | prothoate (ISO); O,O-diethyl isopropylcarbamoylmethyl phosphorodithioate | 218-893-2 | 2275-18-5 | T+; R27/28 R52-53 | T+ R: 27/28-52/53 S: (1/2-)28-36/37-45-61 | | |
| 015-033-00-6 | phorate (ISO); O,O-diethyl ethylthiomethyl phosphorodithioate | 206-052-2 | 298-02-2 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)28-36/37-45-60-61 | N; R50-53: $C \geq 0,025 \%$ N; R51-53: $0,0025 \% \leq C < 0,025 \%$ R52-53: $0,00025 \% \leq C < 0,0025 \%$ | |
| 015-034-00-1 | parathion (ISO); O,O-diethyl O-4-nitrophenyl phosphorothioate | 200-271-7 | 56-38-2 | T+; R26/28 T; R24-48/25 N; R50-53 | T+; N R: 24-26/28-48/25-50/53 S: (1/2-)28-36/37-45-60-61 | N; R50-53: $C \geq 0,25 \%$ N; R51-53: $0,025 \% \leq C < 0,25 \%$ R52-53: $0,0025 \% \leq C < 0,025 \%$ | |
| 015-035-00-7 | parathion — methyl (ISO); O,O-dimethyl O-4-nitrophenyl phosphorothioate | 206-050-1 | 298-00-0 | R5 R10 T+; R26/28 T; R24 Xn; R48/22 N; R50-53 | T+; N R: 5-10-24-26/28-48/22-50/53 S: (1/2-)28-36/37-45-60-61 | N; R50-53: $C \geq 0,25 \%$ N; R51-53: $0,025 \% \leq C < 0,25 \%$ R52-53: $0,0025 \% \leq C < 0,025 \%$ | |
| 015-036-00-2 | O-ethyl O-4-nitrophenyl phenylphosphonothioate; EPN | 218-276-8 | 2104-64-5 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)22-36/37-45-60-61 | | |
| 015-037-00-8 | phenkapton (ISO); S-(2,5-dichlorophenylthiomethyl) O,O-diethyl phosphorodithioate | 218-892-7 | 2275-14-1 | T; R23/24/25 N; R50-53 | T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61 | | |
| 015-038-00-3 | coumaphos (ISO); O-3-chloro-4-methylcoumarin-7-yl O,O-diethyl phosphorothioate | 200-285-3 | 56-72-4 | T+; R28 Xn; R21 N; R50-53 | T+; N R: 21-28-50/53 S: (1/2-)28-36/37-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|--|-------|
| 015-039-00-9 | azinphos-methyl (ISO); O,O-dimethyl-4-oxobenzotriazin-3-ylmethyl phosphorodithioate | 201-676-1 | 86-50-0 | T+; R26/28 T; R24 R43 N; R50-53 | T+; N R: 24-26/28-43-50/ 53 S: (1/2-)28-36/37-45- 60-61 | | |
| 015-040-00-4 | diazinon (ISO); O,O-diethyl O-2-isopropyl-6-methylpyrimidin-4-yl phosphorothioate | 206-373-8 | 333-41-5 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)24/25-60-61 | | |
| 015-041-00-X | malathion (ISO); 1,2-bis (ethoxycarbonyl) ethyl O,O-dimethyl phosphorodithioate | 204-497-7 | 121-75-5 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)24-60-61 | N; R50-53: $C \geq 0,25 \%$ N; R51-53: $0,025 \% \leq C < 0,25 \%$ R52-53: $0,0025 \% \leq C < 0,025 \%$ | |
| 015-042-00-5 | chlorthion O-(3-chloro-4-nitrophenyl) O,O-dimethyl phosphorothioate | 207-902-5 | 500-28-7 | Xn; R20/21/ 22 N; R50-53 | Xn; N R: 20/21/22-50/53 S: (2-)13-60-61 | N; R50-53: $C \geq 0,25 \%$ N; R51-53: $0,025 \% \leq C < 0,25 \%$ R52-53: $0,0025 \% \leq C < 0,025 \%$ | |
| 015-043-00-0 | phosnichlor (ISO); O-4-chloro-3-nitrophenyl O,O-dimethyl phosphorothioate | — | 5826-76-6 | Xn; R20/21/ 22 | Xn R: 20/21/22 S: (2-)13 | | |
| 015-044-00-6 | carbophenothion (ISO); 4-chlorophenylthiomethyl O,O-diethyl phosphorodithioate | 212-324-1 | 786-19-6 | T; R24/25 N; R50-53 | T; N R: 24/25-50/53 S: (1/2-)28-36/37-45- 60-61 | | |
| 015-045-00-1 | mecarbam (ISO); N-ethoxycarbonyl-N-methylcarbamoylmethyl O,O-diethyl phosphorodithioate | 219-993-9 | 2595-54-2 | T; R24/25 N; R50-53 | T; N R: 24/25-50/53 S: (1/2-)36/37-45-60- 61 | | |
| 015-046-00-7 | oxydemeton-methyl; S-2-(ethylsulphinyl)ethyl O,O-dimethyl phosphorothioate | 206-110-7 | 301-12-2 | T; R24/25 N; R50 | T; N R: 24/25-50 S: (1/2-)23-36/37-45- 61 | | |
| 015-047-00-2 | ethion (ISO); O,O,O',O'-tetraethyl S,S'-methylenedi (phosphorodithioate); diethion | 209-242-3 | 563-12-2 | T; R25 Xn; R21 N; R50-53 | T; N R: 21-25-50/53 S: (1/2-)25-36/37-45- 60-61 | N; R50-53: $C \geq 0,0025 \%$ N; R51-53: $0,00025 \% \leq C < 0,0025 \%$ R52-53: $0,000025 \% \leq C < 0,00025 \%$ | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---------------------------------------|-------|
| 015-048-00-8 | fenthion (ISO); O,O-diméthyl-O-(4-méthylthion- <i>m</i> -tolyl) phosphorothioate | 200-231-9 | 55-38-9 | Muta. Cat. 3; R68 T; R23-48/25 Xn; R21/22 N; R50-53 | T; N R: 21/22-23-48/25-50/53-68 S: (1/2-)36/37-45-60-61 | | |
| 015-049-00-3 | endosulfon (ISO); S-5-méthoxy-4-oxopyran-2-ylméthyl diméthyl phosphorothioate | 220-472-3 | 2778-04-3 | T; R24/25 | T R: 24/25 S: (1/2-)36/37-45 | | |
| 015-050-00-9 | thiometon (ISO); S-2-éthylthioéthyl O,O-diméthyl phosphorodithioate | 211-362-6 | 640-15-3 | T; R25 Xn; R21 | T R: 21-25 S: (1/2-)36/37-45 | | |
| 015-051-00-4 | diméthoate (ISO); O,O-diméthyl méthylcarbamoylméthyl phosphorodithioate | 200-480-3 | 60-51-5 | Xn; R21/22 | Xn R: 21/22 S: (2-)36/37 | | |
| 015-052-00-X | fenchlorphos (ISO); O,O-diméthyl O—2,4,5-trichlorophenyl phosphorothioate | 206-082-6 | 299-84-3 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)25-36/37-60-61 | | |
| 015-053-00-5 | menazon (ISO); S-[(4,6-diamino-1,3,5-triazin-2-yl)méthyl] O,O-diméthyl phosphorodithioate | 201-123-4 | 78-57-9 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)61 | | |
| 015-054-00-0 | fenitrothion (ISO); O,O-diméthyl O-4-nitro- <i>m</i> -tolyl phosphorothioate | 204-524-2 | 122-14-5 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 015-055-00-6 | naled (ISO); 1,2-dibromo-2,2-dichloroéthyl diméthyl phosphate | 206-098-3 | 300-76-5 | Xn; R21/22 Xi; R36/38 N; R50 | Xn; N R: 21/22-36/38-50 S: (2-)36/37-61 | N; R50: C ≥ 0,025 % | |
| 015-056-00-1 | azinphos-éthyl (ISO); O,O-diéthyl 4-oxobenzotriazin-3-ylméthyl phosphorodithioate | 220-147-6 | 2642-71-9 | T+; R28 T; R24 N; R50-53 | T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 015-057-00-7 | formothion (ISO); N-formyl-N-méthylcarbamoylméthyl O,O-diméthyl phosphorodithioate | 219-818-6 | 2540-82-1 | Xn; R21/22 | Xn R: 21/22 S: (2-)36/37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|-----------------------------------|--|---|-------|
| 015-058-00-2 | morphothion (ISO); O,O-diméthyl-S-(morpholinocarbonylméthyl) phosphorodithioate | 205-628-0 | 144-41-2 | T; R23/24/25 N; R50-53 | T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61 | | |
| 015-059-00-8 | vamidothion (ISO); O,O-diméthyl S-2-(1-méthylcarbamoyléthylthio) éthyl phosphorothioate | 218-894-8 | 2275-23-2 | T; R25 Xn; R21 N; R50 | T; N R: 21-25-50 S: (1/2-)36/37-45-61 | | |
| 015-060-00-3 | disulfoton (ISO); O,O-diéthyl 2-éthylthioéthyl phosphorodithioate | 206-054-3 | 298-04-4 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 015-061-00-9 | dimefox (ISO); tétraméthylphosphorodiamidic fluorure | 204-076-8 | 115-26-4 | T+; R27/28 | T+ R: 27/28 S: (1/2-)23-28-36/37-38-45 | | |
| 015-062-00-4 | mipafox (ISO); N,N'- di-isopropylphosphorodiamidic fluorure | 206-742-3 | 371-86-8 | T+; R39/26/ 27/28 | T+ R: 39/26/27/28 S: (1/2-)13-45 | | |
| 015-063-00-X | dioxathion (ISO); 1,4-dioxan-2,3-diyl-O,O',O'-tétraéthyl di(phosphorodithioate) | 201-107-7 | 78-34-2 | T+; R26/28 T; R24 N; R50-53 | T+; N R: 24-26/28-50/53 S: (1/2-)28-36/37-45-60-61 | N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 % | |
| 015-064-00-5 | bromophos-éthyl (ISO); O-4-bromo-2,5-dichlorophényl O,O-diéthyl phosphorothioate | 225-399-0 | 4824-78-6 | T; R25 Xn; R21 N; R50-53 | T; N R: 21-25-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 015-065-00-0 | S-[2-(éthylsulphinyl)éthyl] O,O-diméthyl phosphorodithioate | — | 2703-37-9 | T+; R26/27/ 28 N; R51-53 | T+; N R: 26/27/28-51/53 S: (1/2-)13-28-45-61 | | |
| 015-066-00-6 | ométhoate (ISO); O,O-diméthyl S-méthylcarbamoylméthyl phosphorothioate | 214-197-8 | 1113-02-6 | T; R25 Xn; R21 N; R50 | T; N R: 21-25-50 S: (1/2-)23-36/37-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 015-067-00-1 | phosalone (ISO); S-(6-chloro-2-oxobenzoxazolin-3-ylmethyl) O,O-diethyl phosphorodithioate | 218-996-2 | 2310-17-0 | T; R25 Xn; R21 N; R50-53 | T; N R: 21-25-50/53 S: (1/2-)36/37-45-60-61 | | |
| 015-068-00-7 | dichlofenthion (ISO); O—2,4-dichlorophenyl O,O-diethyl phosphorothioate | 202-564-5 | 97-17-6 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 015-069-00-2 | methidathion (ISO); 2,3-dihydro-5-methoxy-2-oxo-1,3,4-thiadiazol-3-ylmethyl-O, O-dimethylphosphorodithioate | 213-449-4 | 950-37-8 | T+; R28 Xn; R21 N; R50-53 | T+; N R: 21-28-50/53 S: (1/2-)22-28-36/37-45-60-61 | | |
| 015-070-00-8 | cyanthoate (ISO); S-(N-(1-cyano-1-methylethyl)carbamoylmethyl) O,O-diethyl phosphorothioate | 223-099-4 | 3734-95-0 | T+; R28 T; R24 | T+ R: 24-28 S: (1/2-)36/37-45 | | |
| 015-071-00-3 | chlorfenvinphos (ISO); 2-chloro-1-(2,4 dichlorophenyl) vinyl diethyl phosphate | 207-432-0 | 470-90-6 | T+; R28 T; R24 N; R50-53 | T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 015-072-00-9 | monocrotophos (ISO); dimethyl-1-methyl-2-(methylcarbamoyl)vinyl phosphate | 230-042-7 | 6923-22-4 | Muta. Cat. 3; R68 T+; R26/28 T; R24 N; R50-53 | T+; N R: 24-26/28-50/53-68 S: (1/2-)36/37-45-60-61 | | |
| 015-073-00-4 | dicrotophos (ISO); (Z)-2-dimethylcarbamoyl-1-methylvinyl dimethyl phosphate | 205-494-3 | 141-66-2 | T+; R28 T; R24 N; R50-53 | T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 015-074-00-X | crufomate (ISO); 4-tert-butyl-2-chlorophenyl methyl methylphosphoramidate | 206-083-1 | 299-86-5 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)36/37-60-61 | | |
| 015-075-00-5 | S-[2-(isopropylsulphinyl)ethyl] O,O-dimethyl phosphorothioate | — | 2635-50-9 | T; R23/24/25 | T R: 23/24/25 S: (1/2-)13-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---|--|-------|
| 015-076-00-0 | potasan; O,O-diethyl O-(4-methylcoumarin-7-yl) phosphorothioate | — | 299-45-6 | T+; R26/27/28 N; R50-53 | T+; N R: 26/27/28-50/53 S: (1/2-)13-28-45-60-61 | N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 % | |
| 015-077-00-6 | 2,2-dichlorovinyl 2-ethylsulphinylethyl methyl phosphate | — | 7076-53-1 | T; R23/24/25 | T R: 23/24/25 S: (1/2-)13-45 | | |
| 015-078-00-1 | demeton-S-methylsulphon (ISO); S-2-ethylsulphonylethyl dimethyl phosphorothioate | 241-109-5 | 17040-19-6 | T; R25 Xn; R21 N; R51-53 | T; N R: 21-25-51/53 S: (1/2-)22-28-36/37-45-61 | | |
| 015-079-00-7 | acephate (ISO); O,S-dimethyl acetylphosphoramidothioate | 250-241-2 | 30560-19-1 | Xn; R22 | Xn R: 22 S: (2-)36 | | |
| 015-080-00-2 | amidithion (ISO); 2-methoxyethylcarbamoylmethyl O,O-dimethyl phosphorodithioate | — | 919-76-6 | Xn; R22 | Xn R: 22 S: (2-)24-36 | | |
| 015-081-00-8 | O,O,O',O'-tetrapropyl dithiopyrophosphate | 221-817-0 | 3244-90-4 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)36/37-60-61 | | |
| 015-082-00-3 | azothoate (ISO); O-4-(4-chlorophenylazo)phenyl O,O-dimethyl phosphorothioate | 227-419-3 | 5834-96-8 | Xn; R20/22 | Xn R: 20/22 S: (2-)13 | | |
| 015-083-00-9 | bensulide (ISO); O,O-diisopropyl 2-phenylsulphonylaminoethyl phosphorodithioate | 212-010-4 | 741-58-2 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)24-36-60-61 | | |
| 015-084-00-4 | chlorpyrifos (ISO); O,O-diethyl O—3,5,6-trichloro-2-pyridyl phosphorothioate | 220-864-4 | 2921-88-2 | T; R25 N; R50-53 | T; N R: 25-50/53 S: (1/2-)45-60-61 | N; R50-53: C ≥ 0,0025 % N; R51-53: 0,00025 % ≤ C < 0,0025 % R52-53: 0,000025 % ≤ C < 0,00025 % | |
| 015-085-00-X | chlorphonium chloride (ISO); tributyl (2,4-dichlorobenzyl) phosphonium chloride | 204-105-4 | 115-78-6 | T; R25 Xn; R21 Xi; R36/38 | T R: 21-25-36/38 S: (1/2-)36/37/39-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--------------------------------------|---|---------------------------------------|-------|
| 015-086-00-5 | coumithoate (ISO); O,O-diethyl O—7,8,9,10-tetrahydro-6-oxo-benzo(c)chromen-3-yl phosphorothioate | — | 572-48-5 | T; R25 | T R: 25 S: (1/2-)28-36/37-45 | | |
| 015-087-00-0 | cyanophos (ISO); O-4-cyanophenyl O,O-dimethyl phosphorothioate | 220-130-3 | 2636-26-2 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)36/37-60-61 | | |
| 015-088-00-6 | dialifos (ISO); 2-chloro-1-phthalimidoethyl O,O-diethyl phosphorodithioate | 233-689-3 | 10311-84-9 | T+; R28 T; R24 N; R50-53 | T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 015-089-00-1 | ethoate-methyl (ISO); ethylcarbamoylmethyl O,O-dimethyl phosphorodithioate | 204-121-1 | 116-01-8 | Xn; R21/22 | Xn R: 21/22 S: (2-)36/37 | | |
| 015-090-00-7 | fensulfotion (ISO); O,O-diethyl O-4-methylsulfinylphenyl phosphorothioate | 204-114-3 | 115-90-2 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)23-28-36/37-45-60-61 | | |
| 015-091-00-2 | fonofos (ISO); O-ethyl phenyl ethylphosphonodithioate | 213-408-0 | 944-22-9 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 015-092-00-8 | phosacetim (ISO); O,O-bis(4-chlorophenyl) N-acetimidoylphosphoramidothioate | 223-874-7 | 4104-14-7 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 015-093-00-3 | leptophos (ISO); O-4-bromo-2,5-dichlorophenyl O-methyl phenylphosphorothioate | 244-472-8 | 21609-90-5 | T; R25-39/25 Xn; R21 N; R50-53 | T; N R: 21-25-39/25-50/53 S: (1/2-)25-36/37/39-45-60-61 | | |
| 015-094-00-9 | mephosfolan (ISO); diethyl 4-methyl-1,3-dithiolan-2-ylidene phosphoramidate | 213-447-3 | 950-10-7 | T+; R27/28 N; R51-53 | T+; N R: 27/28-51/53 S: (1/2-)36/37/39-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---|-------|
| 015-095-00-4 | methamidophos (ISO); O,S-dimethyl phosphoramidothioate | 233-606-0 | 10265-92-6 | T+; R26/28 T; R24 N; R50 | T+; N R: 24-26/28-50 S: (1/2-)28-36/37-45-61 | | |
| 015-096-00-X | oxydisulfoton (ISO); O,O-diethyl S-2-ethylsulphinylethyl phosphorodithioate | 219-679-1 | 2497-07-6 | T+; R28 T; R24 N; R50-53 | T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 015-097-00-5 | phenthoate (ISO); ethyl 2-(dimethoxyphosphinothioylthio)-2-phenylacetate | 219-997-0 | 2597-03-7 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)22-36/37-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 015-098-00-0 | trichloronate (ISO); O-ethyl O—2,4,5-trichlorophenyl ethylphosphonothioate | 206-326-1 | 327-98-0 | T+; R28 T; R24 N; R50-53 | T+; N R: 24-28-50/53 S: (1/2-)23-28-36/37-45-60-61 | | |
| 015-099-00-6 | pirimiphos-ethyl (ISO); O,O-diethyl O-2-diethylamino-6-methylpyrimidin-4-yl phosphorothioate | 245-704-0 | 23505-41-1 | T; R25 Xn; R21 N; R50-53 | T; N R: 21-25-50/53 S: (1/2-)23-36/37-45-60-61 | | |
| 015-100-00-X | phoxim (ISO); α-(diethoxyphosphinothioylimino) phenylacetone nitrile | 238-887-3 | 14816-18-3 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)36-60-61 | N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 % | |
| 015-101-00-5 | phosmet (ISO); O,O-dimethyl phthalimidomethyl S-phosphorodithioate | 211-987-4 | 732-11-6 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)22-36/37-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 015-102-00-0 | tris(2-chloroethyl) phosphate | 204-118-5 | 115-96-8 | Carc. Cat. 3; R40 Xn; R22 N; R51-53 | Xn; N R: 22-40-51/53 S: (2-)36/37-61 | | |
| 015-103-00-6 | phosphorus tribromide | 232-178-2 | 7789-60-8 | R14 C; R34 Xi; R37 | C R: 14-34-37 S: (1/2-)26-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|--|-------|
| 015-104-00-1 | diphosphorus pentasulphide; phosphorus pentasulphide | 215-242-4 | 1314-80-3 | F; R11 R29 Xn; R20/22 N; R50 | F; Xn; N R: 11-20/22-29-50 S: (2-)61 | | |
| 015-105-00-7 | triphenyl phosphite | 202-908-4 | 101-02-0 | Xi; R36/38 N; R50-53 | Xi; N R: 36/38-50/53 S: (2-)28-60-61 | Xi; R36/38: C ≥ 5 % | |
| 015-106-00-2 | hexamethylphosphoric triamide; hexamethylphosphoramidate | 211-653-8 | 680-31-9 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | Carc. Cat. 2; R45: C ≥ 0,01 % | |
| 015-107-00-8 | ethoprophos (ISO); ethyl-S,S-dipropyl phosphorodithioate | 236-152-1 | 13194-48-4 | T+; R26/27 T; R25 R43 N; R50-53 | T+; N R: 25-26/27-43-50/ 53 S: (1/2-)27/28-36/37/ 39-45-60-61 | | |
| 015-108-00-3 | bromophos (ISO); O-4-bromo-2,5-dichlorophenyl O,O-dimethyl phosphorothioate | 218-277-3 | 2104-96-3 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-) 46-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 015-109-00-9 | crotoxyphos (ISO); 1-phenylethyl 3-(dimethoxyphosphinyloxy) isocrotonate | 231-720-5 | 7700-17-6 | T; R24/25 N; R50-53 | T; N R: 24/25-50/53 S: (1/2-)28-36/37-45- 60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 015-110-00-4 | cyanofenphos (ISO); O-4-cyanophenyl O-ethyl phenylphosphonothioate | — | 13067-93-1 | T; R25-39/25 Xn; R21 Xi; R36 N; R51-53 | T; N R: 21-25-36-39/25- 51/53 S: (1/2-)36/37-45-61 | | |
| 015-111-00-X | phosfolan (ISO); diethyl 1,3-dithiolan-2-ylidenephosphoramidate | 213-423-2 | 947-02-4 | T+; R27/28 | T+ R: 27/28 S: (1/2-)28-36/37-45 | | |
| 015-112-00-5 | thionazin (ISO); O,O-diethyl O-pyrazin-2-yl phosphorothioate; | 206-049-6 | 297-97-2 | T+; R27/28 | T+ R: 27/28 S: (1/2-)36/37/39-38- 45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---|-------|
| 015-114-00-6 | chlormephos (ISO); S-chloromethyl O,O-diethyl phosphorodithioate | 246-538-1 | 24934-91-6 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 015-115-00-1 | chlorthiophos (ISO) | 244-663-6 | 21923-23-9 | T+; R28 T; R24 N; R50-53 | T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 015-116-00-7 | demephion-O (ISO); O,O-dimethyl O-2-methylthioethyl phosphorothioate | 211-666-9 | 682-80-4 | T+; R28 T; R24 | T+ R: 24-28 S: (1/2-)28-36/37-45 | | |
| 015-117-00-2 | demephion-S (ISO); O,O-dimethyl S-2-methylthioethyl phosphorothioate | 219-971-9 | 2587-90-8 | T+; R28 T; R24 | T+ R: 24-28 S: (1/2-)28-36/37-45 | | |
| 015-118-00-8 | demeton | — | 8065-48-3 | T+; R27/28 N; R50 | T+; N R: 27/28-50 S: (1/2-)28-36/37-45-61 | | |
| 015-119-00-3 | dimethyl 4-(methylthio)phenyl phosphate | — | 3254-63-5 | T+; R27/28 | T+ R: 27/28 S: (1/2-)28-36/37-45 | | |
| 015-120-00-9 | ditalimfos (ISO); O,O-diethyl phthalimidophosphonothioate; | 225-875-8 | 5131-24-8 | Xi; R38 R43 | Xi R: 38-43 S: (2-)36/37 | | |
| 015-121-00-4 | edifenphos (ISO); O-ethyl S,S-diphenyl phosphorodithioate | 241-178-1 | 17109-49-8 | T; R23/25 Xn; R21 R43 N; R50-53 | T; N R: 21-23/25-43-50/ 53 S: (1/2-)36/37-45-60-61 | | |
| 015-122-00-X | etrimfos (ISO); O-6-ethoxy-2-ethylpyrimidin-4-yl O,O-dimethylphosphorothioate; | 253-855-9 | 38260-54-7 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--------------------------------|--|--|-------|
| 015-123-00-5 | fenamiphos (ISO); ethyl-4-methylthio- <i>m</i> -tolyl isopropyl phosphoramidate | 244-848-1 | 22224-92-6 | T+; R28 T; R24 N; R50-53 | T+; N R: 24-28-50/53 S: (1/2-)23-28-36/37-45-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 015-124-00-0 | fosthietan (ISO); diethyl 1,3-dithietan-2-ylidenephosphoramidate; | 244-437-7 | 21548-32-3 | T+; R27/28 | T+ R: 27/28 S: (1/2-)36/37-45 | | |
| 015-125-00-6 | glyphosine (ISO); N,N-bis(phosphonomethyl)glycine | 219-468-4 | 2439-99-8 | Xi; R41 | Xi R: 41 S: (2-)26 | | |
| 015-126-00-1 | heptenophos (ISO); 7-chlorobicyclo(3.2.0)hepta-2,6-dien-6-yl dimethyl phosphate | 245-737-0 | 23560-59-0 | T; R25 N; R50-53 | T; N R: 25-50/53 S: (1/2-)23-28-37-45-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 015-127-00-7 | iprobenfos (ISO); S-benzyl diisopropyl phosphorothioate | 247-449-0 | 26087-47-8 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)61 | | |
| 015-128-00-2 | IPSP; S-ethylsulphinylmethyl O,O-diisopropylphosphorodithioate | — | 5827-05-4 | T+; R27 T; R25 N; R50-53 | T+; N R: 25-27-50/53 S: (1/2-)28-36/37-45-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 015-129-00-8 | isofenphos (ISO); O-ethyl O-2-isopropoxycarbonylphenyl-isopropylphosphoramidothioate | 246-814-1 | 25311-71-1 | T; R24/25 N; R50-53 | T; N R: 24/25-50/53 S: (1/2-)36/37-45-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 015-130-00-3 | isothioate (ISO) S-2-isopropylthioethyl O,O-dimethyl phosphorodithioate; | — | 36614-38-7 | T; R24/25 | T R: 24/25 S: (1/2-)28-36/37-45 | | |
| 015-131-00-9 | isoxathion (ISO); O,O-diethyl O-5-phenylisoxazol-3-ylphosphorothioate | 242-624-8 | 18854-01-8 | T; R24/25 N; R50-53 | T; N R: 24/25-50/53 S: (1/2-)28-36/37-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|-----------------------------------|--|---|-------|
| 015-132-00-4 | S-(chlorophenylthiomethyl) O,O-dimethylphosphorodithioate; methylcarbophenothione | — | 953-17-3 | T; R24/25 N; R50-53 | T; N R: 24/25-50/53 S: (1/2-)28-36/37-45-60-61 | N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 % | |
| 015-133-00-X | piperophos (ISO); S-2-methylpiperidinocarbonylmethyl-O,O-dipropyl phosphorodithioate | — | 24151-93-7 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 015-134-00-5 | pirimiphos-methyl (ISO); O-(2-diethylamino-6-methylpyrimidin-4-yl) O,O-dimethyl phosphorothioate | 249-528-5 | 29232-93-7 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 015-135-00-0 | profenofos (ISO); O-(4-bromo-2-chlorophenyl) O-ethyl S-propyl phosphorothioate | 255-255-2 | 41198-08-7 | Xn; R20/21/22 N; R50-53 | Xn; N R: 20/21/22-50/53 S: (2-)36/37-60-61 | N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 % | |
| 015-136-00-6 | <i>trans</i> -isopropyl-3-[[[(ethylamino)methoxyfosfinothiyl]oxy]crotonate; isopropyl 3-[[[(ethylamino)methoxyphosphinothiyl]oxy]isocrotonate; propetamphos (ISO) | 250-517-2 | 31218-83-4 | T; R25 N; R50-53 | T; N R: 25-50/53 S: (1/2-)37-45-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 015-137-00-1 | pyrazophos (ISO); O,O-diethyl O-(6-ethoxycarbonyl-5-methylpyrazolo[2,3-a]pyrimidin-2-yl) phosphorothioate | 236-656-1 | 13457-18-6 | Xn; R20/22 N; R50-53 | Xn; N R: 20/22-50/53 S: (2-)36/37-46-60-61 | | |
| 015-138-00-7 | quinalphos (ISO); O,O-diethyl-O-quinoxalin-2-yl phosphorothioate | 237-031-6 | 13593-03-8 | T; R25 Xn; R21 N; R50-53 | T; N R: 21-25-50/53 S: (1/2-)22-36/37-45-60-61 | N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 % | |
| 015-139-00-2 | terbufos (ISO) S— <i>tert</i> -butylthiomethyl O,O-diethylphosphorodithioate; | 235-963-8 | 13071-79-9 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)36/37-45-60-61 | N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 % | |
| 015-140-00-8 | triazophos (ISO); O,O-diethyl-O-1-phenyl-1H,2,4-triazol-3-yl phosphorothioate | 245-986-5 | 24017-47-8 | T; R23/25 Xn; R21 N; R50-53 | T; N R: 21-23/25-50/53 S: (1/2-)36/37-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--------------------------------|--|---------------------------------------|-------|
| 015-141-00-3 | ethylenediammonium O,O-bis(octyl) phosphorodithioate, mixed isomers | 400-520-1 | — | C; R34 Xn; R22 N; R50-53 | C; N R: 22-34-50/53 S: (1/2-)24/25-26-28-39-45-60-61 | | |
| 015-142-00-9 | butyl (dialkyloxy(dibutoxyphosphoryloxy))titanium (trialkyl-oxo)titanium phosphate | 401-100-0 | — | F; R11 Xi; R36 N; R51-53 | F; Xi; N R: 11-36-51/53 S: (2-)7/9-16-26-43-61 | | |
| 015-143-00-4 | reaction mass of 2-chloroethyl chloropropyl 2-chloroethyl-phosphonate, mixture reaction mass of isomers and 2-chloroethyl chloropropyl 2-chloropropylphosphonate, reaction mass of isomers | 401-740-0 | — | Xn; R22 | Xn R: 22 S: (2-) | | |
| 015-144-00-X | reaction mass of pentyl methylphosphinate and 2-methylbutyl methylphosphinate | 402-090-0 | 87025-52-3 | C; R34 | C R: 34 S: (1/2-)26-36/37/39-45 | | |
| 015-145-00-5 | reaction mass of copper(I) O,O-diisopropyl phosphorodithioate and copper(I) O-isopropyl O-(4-methylpent-2-yl) phosphorodithioate and copper(I) O,O-bis(4-methylpent-2-yl) phosphorodithioate | 401-520-4 | — | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 015-146-00-0 | S-(tricyclo(5.2.1.0 ^{2,6})deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate | 401-850-9 | — | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 015-147-00-6 | reaction mass of C ₁₂₋₁₄ -tert-alkylammonium diphenyl phosphorothioate and dinonyl sulphide (or disulphide) | 400-930-0 | — | Xi; R38-41 N; R51-53 R43 | Xi; N R: 38-41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 015-148-00-1 | 2-(diphosphonomethyl)succinic acid | 403-070-4 | 51395-42-7 | C; R34 R43 | C R: 34-43 S: (1/2-)26-36/37/39-45 | | |
| 015-149-00-7 | reaction mass of: hexyldioctylphosphineoxide; dihexyloctylphosphineoxide; trioctylphosphineoxide | 403-470-9 | — | C; R34 N; R50-53 | C; N R: 34-50/53 S: (1/2-)26-36/37/39-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|--|--|--|---|-------|
| 015-150-00-2 | (2-(1,3-dioxolan-2-yl)ethyl)triphenylphosphonium bromide | 404-940-6 | 86608-70-0 | Xn; R22 Xi; R41 R33 R52-53 | Xn R: 22-33-41-52/53 S: (2-)22-26-39-61 | | |
| 015-151-00-8 | tris(isopropyl/ <i>tert</i> -butylphenyl) phosphate | 405-010-2 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 015-152-00-3 | dioxabenzofos (ISO); 2-methoxy-4 <i>H</i> -1,3,2-benzodioxaphosphorin 2-sulphide; | 223-292-3 | 3811-49-2 | T; R24/25-39/25 N; R51-53 | T; N R: 24/25-39/25-51/53 S: (1/2-)36/37-38-45-61 | | |
| 015-153-00-9 | isazofos (ISO); O-(5-chloro-1-isopropyl-1,2,4-triazol-3-yl) O,O-diethyl phosphorothioate; | 255-863-8 | 42509-80-8 | T+; R26 T; R24/25 Xn; R48/20 R43 N; R50-53 | T+; N R: 24/25-26-43-48/20-50/53 S: (1/2-)28-36/37-38-45-59-61 | | |
| 015-154-00-4 | 2-chloroethylphosphonic acid; ethephon | 240-718-3 | 16672-87-0 | Xn; R20/21 C; R34 R52-53 | C R: 20/21-34-52/53 S: (1/2-)26-28-36/37/39-45-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 015-155-00-X | ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate; glufosinate ammonium | 278-636-5 | 77182-82-2 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 015-156-00-5 | methyl 3-[(dimethoxyphosphinothioyl)oxy]methacrylate; [1] methacrifos (ISO); methyl (<i>E</i>)-3-[(dimethoxyphosphinothioyl)oxy]methacrylate [2] | 250-366-9 [1] - [2] | 30864-28-9 [1] 62610-77-9 [2] | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)36/37-60-61 | | |
| 015-157-00-0 | phosphonic acid; [1] phosphorous acid [2] | 237-066-7 [1] 233-663-1 [2] | 13598-36-2 [1] 10294-56-1 [2] | Xn; R22 C; R35 | C R: 22-35 S: (1/2-)26-36/37/39-45 | | |
| 015-158-00-6 | (η-cyclopentadienyl)(η-cumenyl)iron(1+)hexafluorophosphate (1-) | 402-340-9 | 32760-80-8 | R52-53 | R: 52/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 015-159-00-1 | hydroxyphosphonoacetic acid | 405-710-8 | 23783-26-8 | Xn; R22-48/ 22 C; R34 R43 | C R: 22-34-43-48/22 S: (1/2-)22-26-36/37/ 39-45 | | |
| 015-160-00-7 | vanadyl pyrophosphate | 406-260-5 | 58834-75-6 | Xi; R36 R43 R52-53 | Xi R: 36-43-52/53 S: (2-)24-26-37-61 | | |
| 015-161-00-2 | divanadyl pyrophosphate | 407-130-0 | 65232-89-5 | Xn; R22 Xi; R41 R43 N; R51-53 | Xn; N R: 22-41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 015-162-00-8 | vanadium(IV) oxide hydrogen phosphate hemihydrate, lithium, zinc, molybdenum, iron and chlorine-doped | 407-350-7 | — | Xn; R20-48/ 22 Xi; R41 N; R51-53 | Xn; N R: 20-41-48/22-51/ 53 S: (2-)22-26-36/39-61 | | |
| 015-163-00-3 | bis(2,6-dimethoxybenzoyl)-2,4,4-trimethylpentylphosphin-oxide | 412-010-6 | 145052-34-2 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 015-164-00-9 | calcium P,P'-(1-hydroxyethylene)bis(hydrogen phosphonate) dihydrate | 400-480-5 | 36669-85-9 | R52-53 | R: 52/53 S: 61 | | |
| 015-165-00-4 | reaction mass of: thiobis(4,1-phenylene)-S,S,S',S'-tetraphenyl-disulfonium bishexafluorophosphate; diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate | 404-986-7 | — | Xi; R41 N; R50-53 | Xi; N R: 41-50/53 S: (2-)15-26-39-60- 61 | | |
| 015-166-00-X | 3,9-bis(2,6-di- <i>tert</i> -butyl-4-methylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane | 410-290-4 | 80693-00-1 | R53 | R: 53 S: 61 | | |
| 015-167-00-5 | 3-(hydroxyphenylphosphinyl)propanoic acid | 411-200-6 | 14657-64-8 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 015-168-00-0 | fosthiazate (ISO); (RS)-S— <i>sec</i> -butyl-O-ethyl-2-oxo-1,3-thiazolidin-3-ylphosphonothioate | — | 98886-44-3 | T; R23/25-39 Xn; R21 Xi; R41 R43 N; R50-53 | T; N R: 21-23/25-39-41- 43-50/53 S: (1/2-)53-45-25-26- 39-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---------------------------------------|-------|
| 015-169-00-6 | tributyltetradecylphosphonium tetrafluoroborate | 413-520-1 | — | Xn; R22-48/22 C; R34 R43 N; R50-53 | C; N R: 22-34-43-48/22-50/53 S: (1/2-)26-28-36/37/39-45-60-61 | | |
| 015-170-00-1 | reaction mass of: di-(1-octane- <i>N,N,N</i> -trimethylammonium) octylphosphate; 1-octane- <i>N,N,N</i> -trimethylammonium di-octylphosphate; 1-octane- <i>N,N,N</i> -trimethylammonium octylphosphate | 407-490-9 | — | Xn; R21/22 C; R34 | C R: 21/22-34 S: (1/2-)26-36/37/39-45 | | |
| 015-171-00-7 | <i>O,O,O</i> -tris(2(or 4)- <i>C</i> _{9,10} -isoalkylphenyl) phosphorothioate | 406-940-1 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 015-172-00-2 | reaction mass of: bis(isotridecylammonium)mono(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl)phosphate; isotridecylammonium bis(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl)phosphate | 406-240-6 | — | R10 C; R34 N; R51-53 | C; N R: 10-34-51/53 S: (1/2-)23-26-28-36/37/39-45-61 | | |
| 015-173-00-8 | methyl [2-(1,1-dimethylethyl)-6-methoxypyrimidin-4-yl] ethylphosphonothioate | 414-080-3 | 117291-73-3 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)23-36-60-61 | | |
| 015-174-00-3 | 1-chloro- <i>N,N</i> -diethyl-1,1-diphenyl-1-(phenylmethyl)phosphoramine | 411-370-1 | 82857-68-9 | T; R25 Xi; R41 N; R51-53 | T; N R: 25-41-51/53 S: (1/2-)26-37/39-41-45-61 | | |
| 015-175-00-9 | <i>tert</i> -butyl (triphenylphosphoranylidene) acetate | 412-880-7 | 35000-38-5 | T; R25 Xn; R48/22 Xi; R36 R43 N; R51-53 | T; N R: 25-36-43-48/22-51/53 S: (1/2-)26-36/37/39-45-61 | | |
| 015-176-00-4 | <i>P,P,P,P</i> -tetrakis-(<i>o</i> -methoxyphenyl)propane-1,3-diphosphine | 413-430-2 | 116163-96-3 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 015-177-00-X | ((4-phenylbutyl)hydroxyphosphoryl)acetic acid | 412-170-7 | 83623-61-4 | Xn; R48/22 Xi; R41 R43 | Xn R: 41-43-48/22 S: (2-)22-26-36/37/39 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---|-------|
| 015-178-00-5 | (R)- α -phenylethylammonium (-)-(1R, 2S)-(1,2-epoxypropyl) phosphonate monohydrate | 418-570-8 | 25383-07-7 | Repr. Cat. 3; R62 N; R51-53 | Xn; N R: 62-51/53 S: (2-)22-36/37-61 | | |
| 015-179-00-0 | UVCB condensation product of: tetrakis-hydroxymethylphosphonium chloride, urea and distilled hydrogenated C ₁₆₋₁₈ tallow alkylamine | 422-720-8 | 166242-53-1 | Carc. Cat. 3; R40 Xn; R22-48/ 22 C; R34 R43 N; R50-53 | C; N R: 22-34-40-43-48/ 22-50/53 S: (1/2-)26-36/37/39- 45-60-61 | | |
| 015-180-00-6 | [R-(R*,S*)]-[[2-methyl-1-(1-oxopropoxy)propoxy]-(4-phenylbutyl)phosphinyl] acetic acid, (-)-cinchonidine (1:1) salt | 415-820-8 | 137590-32-0 | Xi; R41 R43 R52-53 | Xi R: 41-43-52/53 S: (2-)24-26-37/39-61 | | |
| 015-181-00-1 | phosphine | 232-260-8 | 7803-51-2 | F+; R12 R17 T+; R26 C; R34 N; R50 | F+; T+; N R: 12-17-26-34-50 S: (1/2-)28-36/37-45- 61-63 | | |
| 015-184-00-8 | Salts of glyphosate, with the exception of those specified elsewhere in this Annex | — | — | N; R51-53 | N R: 51/53 S: 61 | | A |
| 015-186-00-9 | chlorpyrifos-methyl (ISO), O,O-dimethyl O—3,5,6-trichloro-2-pyridyl phosphorothioate | 227-011-5 | 5598-13-0 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)36/37-60-61 | N; R50-53: C \geq 0,0025 % N; R51-53: 0,00025 % \leq C < 0,0025 % R52-53: 0,000025 % \leq C < 0,00025 % | |
| 015-187-00-4 | reaction mass of: tetrasodium(((2-hydroxyethyl)imino)bis(methylene))bisphosphonate, N-oxide; trisodium ((tetrahydro-2-hydroxy-4H—1,4,2-oxazaphosphorin-4-yl)-methyl)phosphonate, N-oxide, P-oxide | 417-540-1 | — | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 015-189-00-5 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | 423-340-5 | 162881-26-7 | R43 R53 | Xi R: 43-53 S: (2-)22-24-37-61 | | |
| 016-001-00-4 | hydrogen sulphide | 231-977-3 | 7783-06-4 | F+; R12 T+; R26 N; R50 | F+; T+; N R: 12-26-50 S: (1/2-)9-16-36-38- 45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|------------------------------------|--|--|-------|
| 016-002-00-X | barium sulphide | 244-214-4 | 21109-95-5 | R31 Xn; R20/22 N; R50 | Xn; N R: 20/22-31-50 S: (2-)28-61 | | |
| 016-003-00-5 | barium polysulphides | 256-814-3 | 50864-67-0 | R31 Xi; R36/37/ 38 N; R50 | Xi; N R: 31-36/37/38-50 S: (2-)28-61 | | |
| 016-004-00-0 | calcium sulphide | 243-873-5 | 20548-54-3 | R31 Xi; R36/37/ 38 N; R50 | Xi; N R: 31-36/37/38-50 S: (2-)28-61 | | |
| 016-005-00-6 | calcium polysulphides | 215-709-2 | 1344-81-6 | R31 Xi; R36/37/ 38 N; R50 | Xi; N R: 31-36/37/38-50 S: (2-)28-61 | | |
| 016-006-00-1 | dipotassium sulphide; potassium sulphide | 215-197-0 | 1312-73-8 | R31 C; R34 N; R50 | C; N R: 31-34-50 S: (1/2-)26-45-61 | | |
| 016-007-00-7 | potassium polysulphides | 253-390-1 | 37199-66-9 | R31 C; R34 N; R50 | C; N R: 31-34-50 S: (1/2-)26-45-61 | | |
| 016-008-00-2 | ammonium polysulphides | 232-989-1 | 9080-17-5 | R31 C; R34 N; R50 | C; N R: 31-34-50 S: (1/2-)26-45-61 | C; R34: C ≥ 5 % Xi; R36/38: 1 % ≤ C < 5 % R31: C ≥ 1 % | |
| 016-009-00-8 | disodium sulphide; sodium sulphide | 215-211-5 | 1313-82-2 | R31 C; R34 N; R50 | C; N R: 31-34-50 S: (1/2-)26-45-61 | | |
| 016-010-00-3 | sodium polysulphides | 215-686-9 | 1344-08-7 | T; R25 R31 C; R34 N; R50 | T; N R: 25-31-34-50 S: (1/2-)26-36/37/39- 45-61 | | |
| 016-011-00-9 | sulphur dioxide | 231-195-2 | 7446-09-5 | T; R23 C; R34 | T R: 23-34 S: (1/2-)9-26-36/37/ 39-45 | T; R23: C ≥ 20 % Xn; R20: 5 % ≤ C < 20 % | 5 |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|--|-------|
| 016-012-00-4 | disulphur dichloride; sulfur monochloride | 233-036-2 | 10025-67-9 | R14 T; R25 Xn; R20 R29 C; R35 N; R50 | T; C; N R: 14-20-25-29-35-50 S: (1/2-)26-36/37/39-45-61 | C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | |
| 016-013-00-X | sulphur dichloride | 234-129-0 | 10545-99-0 | R14 C; R34 Xi; R37 N; R50 | C; N R: 14-34-37-50 S: (1/2-)26-45-61 | | |
| 016-014-00-5 | sulphur tetrachloride | — | 13451-08-6 | R14 C; R34 N; R50 | C; N R: 14-34-50 S: (1/2-)26-45-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 016-015-00-0 | thionyl dichloride; thionyl chloride | 231-748-8 | 7719-09-7 | R14 Xn; R20/22 R29 C; R35 | C R: 14-20/22-29-35 S: (1/2-)26-36/37/39-45 | C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | |
| 016-016-00-6 | sulphuryl chloride | 232-245-6 | 7791-25-5 | R14 C; R34 Xi; R37 | C R: 14-34-37 S: (1/2-)26-45 | | |
| 016-017-00-1 | chlorosulphonic acid | 232-234-6 | 7790-94-5 | R14 C; R35 Xi; R37 | C R: 14-35-37 S: (1/2-)26-45 | | |
| 016-018-00-7 | fluorosulphonic acid | 232-149-4 | 7789-21-1 | Xn; R20 C; R35 | C R: 20-35 S: (1/2-)26-45 | | |
| 016-019-00-2 | oleum ... % SO ₃ | — | — | R14 C; R35 Xi; R37 | C R: 14-35-37 S: (1/2-)26-30-45 | | B |
| 016-020-00-8 | sulphuric acid ... % | 231-639-5 | 7664-93-9 | C; R35 | C R: 35 S: (1/2-)26-30-45 | C; R35: C ≥ 15 % Xi; R36/38: 5 % ≤ C < 15 % | B |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---|-------|
| 016-021-00-3 | methanethiol; methyl mercaptan | 200-822-1 | 74-93-1 | F+; R12 T; R23 N; R50-53 | F+; T; N R: 12-23-50/53 S: (2-)16-25-60-61 | | |
| 016-022-00-9 | ethanethiol; ethyl mercaptan | 200-837-3 | 75-08-1 | F; R11 Xn; R20 N; R50-53 | F; Xn; N R: 11-20-50/53 S: (2-)16-25-60-61 | | |
| 016-023-00-4 | dimethyl sulphate | 201-058-1 | 77-78-1 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 T+; R26 T; R25 C; R34 R43 | T+ R: 45-25-26-34-43- 68 S: 53-45 | Carc. Cat. 2; R45: C ≥ 0,01 % Muta. Cat. 3, R68: C ≥ 0,01 % C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | E |
| 016-024-00-X | dimexano (ISO); bis(methoxythiocarbonyl) disulphide | 215-993-8 | 1468-37-7 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 016-025-00-5 | disul (ISO); 2-(2,4-dichlorophenoxy)ethyl hydrogensulphate; 2,4-DES | 205-259-5 | 149-26-8 | Xn; R22 Xi; R38-41 | Xn R: 22-38-41 S: (2-)26 | | |
| 016-026-00-0 | sulphamidic acid; sulphamic acid; sulfamic acid | 226-218-8 | 5329-14-6 | Xi; R36/38 R52-53 | Xi R: 36/38-52/53 S: (2-)26-28-61 | | |
| 016-027-00-6 | diethyl sulphate | 200-589-6 | 64-67-5 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 Xn; R20/21/ 22 C; R34 | T R: 45-46-20/21/22- 34 S: 53-45 | | E |
| 016-028-00-1 | sodium dithionite; sodium hydrosulphite | 231-890-0 | 7775-14-6 | R7 R31 Xn; R22 | Xn R: 7-22-31 S: (2-)7/8-26-28-43 | | |
| 016-029-00-7 | p-toluenesulphonic acid, containing more than 5 % H ₂ SO ₄ | — | — | C; R34 | C R: 34 S: (1/2-)26-37/39-45 | C; R34: C ≥ 25 % Xi; R36/38: 10 % ≤ C < 25 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--------------------------------------|---------------------------------------|-------|
| 016-030-00-2 | p-toluenesulphonic acid (containing a maximum of 5 % H ₂ SO ₄) | 203-180-0 | 104-15-4 | Xi; R36/37/38 | Xi R: 36/37/38 S: (2-)26-37 | | |
| 016-031-00-8 | tetrahydrothiophene-1,1-dioxide; sulpholane | 204-783-1 | 126-33-0 | Xn; R22 | Xn R: 22 S: (2-)25 | | |
| 016-032-00-3 | 1,3-propanesultone; 1,2-oxathiolane 2,2-dioxide | 214-317-9 | 1120-71-4 | Carc. Cat. 2; R45 Xn; R21/22 | T R: 45-21/22 S: 53-45 | Carc. Cat. 2; R45: C ≥ 0,01 % | E |
| 016-033-00-9 | dimethylsulfamoylchloride | 236-412-4 | 13360-57-1 | Carc. Cat. 2; R45 T+; R26 Xn; R21/22 C; R34 | T+ R: 45-21/22-26-34 S: 53-45 | | E |
| 016-034-00-4 | tetrasodium 3,3'-(piperazine-1,4-diylbis((6-chloro-1,3,5-triazine-2,4-diyl)imino(2-acetamido)-4,1-phenyleneazo))bis (naphthalene-1,5-disulphonate) | 400-010-9 | 81898-60-4 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 016-035-00-X | pentasodium 5-anilino-3-(4-(4-(6-chloro-4-(3-sulphonatoanilino)-1,3,5-triazin-2-ylamino)-2,5-dimethylphenylazo)-2,5-disulphonatophenylazo)-4-hydroxynaphthalene-2,7-disulphonate | 400-120-7 | — | Xi; R36 | Xi R: 36 S: (2-)22-26 | | |
| 016-036-00-5 | tetrasodium 5-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-4-hydroxy-2,3-azodinaphthalene-1,2,5,7-disulphonate | 400-130-1 | — | R42 N; R51-53 | Xn; N R: 42-51/53 S: (2-)22-61 | | |
| 016-037-00-0 | disodium 1-amino-4-(4-benzenesulphonamido-3-sulphonatoanilino)anthraquinone-2-sulphonate | 400-350-8 | 85153-93-1 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)26-39-61 | | |
| 016-038-00-6 | disodium 6-((4-chloro-6-(N-methyl)-2-toluidino)-1,3,5-triazin-2-ylamino)-1-hydroxy-2-(4-methoxy-2-sulphonatophenylazo)naphthalene-3-sulphonate | 400-380-1 | 86393-35-3 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 016-039-00-1 | tetrasodium 2-(6-chloro-4-(4-(2,5-dimethyl-4-(2,5-disulphonatophenylazo)phenylazo)-3-ureidoanilino)-1,3,5-triazin-2-ylamino)benzene-1,4-disulphonate | 400-430-2 | — | R43 | Xi R: 43 S: (2-)22-24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|-------------------|---|---------------------------------------|-------|
| 016-040-00-7 | reaction mass of disodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(2,4-dihydroxyphenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and disodium 6-(2,4-diaminophenylazo)-3-(4-(4-(2,4-diaminophenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and trisodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(7-(2,4-dihydroxyphenylazo)-1-hydroxy-3-sulphonato-2-naphthylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate | 400-570-4 | — | Xi; R36 | Xi R: 36 S: (2-)26 | | |
| 016-041-00-2 | calcium 2,5-dichloro-4-(4-((5-chloro-4-methyl-2-sulphonatophenyl)azo)-5-hydroxy-3-methylpyrazol-1-yl)benzenesulphonate | 400-710-4 | — | Xn; R20 | Xn R: 20 S: (2-) | | |
| 016-042-00-8 | tetrasodium 5-benzamido-3-(5-(4-fluoro-6-(1-sulphonato-2-naphthylamino)-1,3,5-triazin-2-ylamino)-2-sulphonatophenylazo)-4-hydroxynaphthalene-2,7- disulphonate | 400-790-0 | 85665-97-0 | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)22-24/25-37 | | |
| 016-043-00-3 | dilithium 6-acetamido-4-hydroxy-3-(4-((2-sulphonatooxy)ethylsulphonyl)phenylazo)naphthalene-2-sulphonate | 401-010-1 | — | R43 | Xi R: 43 S: (2-)24-37 | | |
| 016-044-00-9 | disodium S,S-hexane-1,6-diyl di(thiosulphate) dihydrate | 401-320-7 | — | R43 R52-53 | Xi R: 43-52/53 S: (2-)22-24-37-61 | | |
| 016-045-00-4 | lithium sodium hydrogen 4-amino-6-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-sulphonatophenylazo)-5-hydroxy-3-(4-(2-(sulphonatooxy)ethylsulphonyl)phenylazo)naphthalene-2,7-disulphonate | 401-560-2 | 108624-00-6 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 016-046-00-X | sodium hydrogensulphate | 231-665-7 | 7681-38-1 | Xi; R41 | Xi R: 41 S: (2-)24-26 | | |
| 016-047-00-5 | hexasodium 7-(4-(4-(4-(2,5-disulphonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)-2-methylphenylazo)-7-sulphonatophenylazo)naphthalene-1,3,5- trisulphonate | 401-650-1 | 85665-96-9 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 016-048-00-0 | sodium 3,5-dichloro-2-(5-cyano-2,6-bis(3-hydroxypropylamino)-4-methylpyridin-3-ylazo)benzenesulphonate | 401-870-8 | — | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)26-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 016-049-00-6 | calcium octadecylxylenesulphonate | 402-040-8 | — | C; R34 N; R51-53 | C; N R: 34-51/53 S: (1/2-)26-28-36/37/ 39-45-61 | | |
| 016-050-00-1 | potassium sodium 5-(4-chloro-6-(N-(4-(4-chloro-6-(5-hydroxy-2,7-disulphonato-6-(2-sulphonatophenylazo)-4-naphthylamino)-1,3,5-triazin-2-ylamino) phenyl-N-methyl) amino)-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(2-sulphonato-phenylazo)naphthalene-2,7-disulphonat | 402-150-6 | — | Xi; R36 R43 | Xi R: 36-43 S: (2-)22-24-26-37 | | |
| 016-051-00-7 | trisodium 7-(4-(6-fluoro-4-(2-(2-vinylsulphonylethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-ureidophenylazo)naphthalene-1,3,6- trisulphonate | 402-170-5 | 106359-91-5 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 016-052-00-2 | benzyltributylammonium 4-hydroxynaphthalene-1-sulphonate | 402-240-5 | 102561-46-6 | Xn; R20 N; R51-53 | Xn; N R: 20-51/53 S: (2-)22-61 | | |
| 016-053-00-8 | (C ₁₆ or C ₁₈ -n-alkyl)(C ₁₆ or C ₁₈ -n-alkyl)ammonium 2-((C ₁₆ or C ₁₈ -n-alkyl)(C ₁₆ or C ₁₈ -n-alkyl)carbamoyl)benzenesulphonate | 402-460-1 | — | Xi; R38 R43 R53 | Xi R: 38-43-53 S: (2-)24-37-61 | | |
| 016-054-00-3 | sodium 4-(2,4,4-trimethylpentylcarbonyloxy)benzenesulfonate | 400-030-8 | — | T; R23-48/23 Xn; R22 Xi; R36/37 R43 | T R: 22-23-36/37-43- 48/23 S: (1/2-)22-24-36-45 | | |
| 016-055-00-9 | tetrasodium 4-amino-3,6-bis(5-(6-chloro-4-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino)-2-sulphonatophenylazo)-5-hydroxynaphthalene-2,7-sulfonate (containing > 35 % sodium chloride and sodium acetate) | 400-510-7 | — | Xi; R41 R43 | Xi R: 41-43 S: (2-)22-24-26-37/39 | | |
| 016-056-00-4 | potassium hydrogensulphate | 231-594-1 | 7646-93-7 | C; R34 Xi; R37 | C R: 34-37 S: (1/2-)26-36/37/39- 45 | | |
| 016-057-00-X | styrene-4-sulfonyl chloride | 404-770-2 | 2633-67-2 | Xi; R38-41 R43 | Xi R: 38-41-43 S: (2-)24-26-37/39 | | |
| 016-058-00-5 | thionyl chloride, reaction products with 1,3,4-thiadiazol-2,5-dithiol, <i>tert</i> -nonanethiol and C ₁₂₋₁₄ — <i>tert</i> -alkylamine | 404-820-3 | — | Xi; R38 R43 R52-53 | Xi R: 38-43-52/53 S: (2-)36/37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 016-059-00-0 | N,N,N',N'-tetramethyldithiobis(ethylene)diamine dihydrochloride | 405-300-9 | 17339-60-5 | Xn; R22 Xi; R36 R43 N; R50-53 | Xn; N R: 22-36-43-50/53 S: (2-)26-36/37-60-61 | | |
| 016-060-00-6 | diammonium peroxodisulphate; ammonium persulphate | 231-786-5 | 7727-54-0 | O; R8 Xn; R22 Xi; R36/37/ 38 R42/43 | O; Xn R: 8-22-36/37/38-42/ 43 S: (2-)22-24-26-37 | | |
| 016-061-00-1 | dipotassium peroxodisulphate; potassium persulphate | 231-781-8 | 7727-21-1 | O; R8 Xn; R22 Xi; R36/37/ 38 R42/43 | O; Xn R: 8-22-36/37/38-42/ 43 S: (2-)22-24-26-37 | | |
| 016-062-00-7 | bensultap (ISO); 1,3-bis(phenylsulfonylthio)-2-(N,N-dimethylamino)propane | — | 17606-31-4 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 016-063-00-2 | sodium metabisulphite | 231-673-0 | 7681-57-4 | Xn; R22 Xi; R41 R31 | Xn R: 22-31-41 S: (2-)26-39-46 | | |
| 016-064-00-8 | sodium hydrogensulphite . . . %; sodium bisulphite . . . % | 231-548-0 | 7631-90-5 | Xn; R22 R31 | Xn R: 22-31 S: (2-)25-46 | | B |
| 016-065-00-3 | sodium 1-amino-4-[2-methyl-5-(4-methylphenylsulfonylamino)phenylamino]anthraquinone-2-sulfonate | 400-100-8 | 84057-97-6 | N; R51-53 | N R: 51/53 S: 61 | | |
| 016-066-00-9 | tetrasodium [5-((4-amino-6-chloro-1,3,5-triazin-2-yl)amino)-2-((2-hydroxy-3,5-disulfonatophenylazo)-2-sulfonatobenzylidenehydrazino)benzoate]copper(II) | 404-070-7 | 116912-62-0 | R52-53 | R: 52/53 S: 61 | | |
| 016-067-00-4 | (4-methylphenyl)mesitylene sulfonate | 407-530-5 | 67811-06-7 | R53 | R: 53 S: 61 | | |
| 016-068-00-X | sodium 3,5-bis(tetradecyloxy-carbonyl)benzenesulfinate | 407-720-8 | 155160-86-4 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--------------------------------|--|---------------------------------------|-------|
| 016-069-00-5 | 3,5-bis-(tetradecyloxy-carbonyl)benzenesulfinic acid | 407-990-7 | 141915-64-2 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 016-070-00-0 | 4-benzyloxy-4'-(2,3-epoxy-2-methylprop-1-yloxy)diphenyl-sulfone | 408-220-2 | — | R53 | R: 53 S: 61 | | |
| 016-071-00-6 | trisodium 3-amino-6,13-dichloro-10-((3-((4-chloro-6-(2-sulfo-phenylamino)-1,3,5-triazin-2-yl)amino)propyl) amino)-4,11-triphenoxydioxazinedisulfonate | 410-130-3 | 136248-03-8 | R43 | Xi R: - 43 S: (2-)22-24-37 | | |
| 016-072-00-1 | 3-amino-4-hydroxy-N-(2-methoxyethyl)-benzenesulfonamide | 411-520-6 | 112195-27-4 | Xi; R41 R43 N; R51-53 | Xi; N R: 41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 016-073-00-7 | tetrakis(phenylmethyl)thioperoxydi(carbothioamide) | 404-310-0 | 10591-85-2 | R53 | R: 53 S: 61 | | |
| 016-074-00-2 | 6-fluoro-2-methyl-3-(4-methylthiobenzyl)indene | 405-410-7 | — | Xi; R38-41 R43 N; R51-53 | Xi; N R: 38-41-43-51/53 S: (2-)26-36/37/39-61 | | |
| 016-075-00-8 | 2,2'-diallyl-4,4'-sulfonyldiphenol | 411-570-9 | 41481-66-7 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 016-076-00-3 | 2,3-bis((2-mercaptoethyl)thio)-1-propanethiol | 411-290-7 | 131538-00-6 | Xn; R22-48/ 22 N; R50-53 | Xn; N R: 22-48/22-50/53 S: (2-)23-24/25-36-60-61 | | |
| 016-077-00-9 | 2-chloro-p-toluenesulfochloride | 412-890-1 | 42413-03-6 | C; R34 R43 R52-53 | C R: 34-43-52/53 S: (1/2-)23-26-36/37/ 39-45-61 | | |
| 016-078-00-4 | 4-methyl-N,N-bis(2-((4-methylphenyl)sulfonyl)amino)ethyl benzenesulfonamide | 413-300-5 | 56187-04-3 | R53 | R: 53 S: 61 | | |
| 016-079-00-X | N,N-bis(2-(p-toluenesulfonyloxy)ethyl)-p-toluenesulfonamide | 412-920-3 | 16695-22-0 | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 016-080-00-5 | sodium 2-anilino-5-(2-nitro-4-(N-phenylsulfamoyl))anilino-benzenesulfonate | 412-320-1 | 31 361-99-6 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)26-39-61 | | |
| 016-081-00-0 | hexahydrocyclopenta[c]pyrrole-1-(1H)-ammonium N-ethoxy-carbonyl-N-(p-tolylsulfonyl)azanide | 418-350-1 | — | Muta. Cat. 3; R68 Xn; R22 Xi; R36 R43 N; R51-53 | Xn; N R: 22-36-43-68-51/ 53 S: (2-)26-36/37-61 | | |
| 016-082-00-6 | ethoxysulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethoxyphenoxy-sulfonyl)urea | — | 126801-58-9 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 016-083-00-1 | acibenzolar-S-methyl; benzo[1,2,3]thiadiazole-7-carbothioic acid S-methyl ester | 420-050-0 | 135158-54-2 | Xi; R36/37/ 38 R43 N; R50-53 | Xi; N R: 36/37/38-43-50/ 53 S: (2-)24/25-37-46- 59-60-61 | | |
| 016-084-00-7 | prosulfuron; 1-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-3-[2-(3,3,3-trifluoropropyl)phenylsulfonyl]urea | — | 94125-34-5 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 016-085-00-2 | flazasulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulfonyl)urea | — | 104040-78-0 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 016-086-00-8 | tetrasodium 10-amino-6,13-dichloro-3-(3-(4-(2,5-disulfonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)prop-3-ylamino)-5,12-dioxa-7,14-diazapentacene-4,11-disulfonate | 402-590-9 | 109125-56-6 | Xi; R41 | Xi R: 41 S: (2-)22-26-39 | | |
| 016-087-00-3 | reaction mass of: thiobis(4,1-phenylene)-S,S,S',S'-tetraphenyl-disulfonium bishexafluorophosphate; diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate; propylene carbonate | 403-490-8 | 104558-95-4 | Xi; R36 R43 N; R50-53 | Xi; N R: 36-43-50/53 S: (2-)24-26-37-60- 61 | | |
| 016-088-00-9 | 4-(bis(4-(diethylamino)phenyl)methyl)benzene-1,2-dimethanesulfonic acid | 407-280-7 | 71297-11-5 | R52-53 | R: 52/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------------|---|---|-------|
| 016-089-00-4 | reaction mass of esters of 5,5',6,6',7,7'-hexahydroxy-3,3,3',3'-tetramethyl-1,1'-spirobiindan and 2-diazo-1,2-dihydro-1-oxo-5-sulfonaphthalene | 413-840-1 | — | E; R2 F; R11 R53 | E R: 2-11-53 S: (2-)33-35-40-61 | | |
| 016-090-00-X | 4-methyl-N-(methylsulfonyl)benzenesulfonamide | 415-040-8 | 14653-91-9 | Xn; R22 Xi; R37-41 | Xn R: 22-37-41 S: (2-)26-39 | | |
| 016-091-00-5 | C ₁₂₋₁₄ — <i>tert</i> -alkyl ammonium 1-amino-9,10-dihydro-9,10-dioxo-4-(2,4,6-trimethylanilino)-anthracen-2-sulfonate | 414-110-5 | — | Xi; R41 N; R50-53 | Xi; N R: 41-50/53 S: (2-)26-39-60-61 | | |
| 016-093-00-6 | reaction mass of: 4-(7-hydroxy-2,4,4-trimethyl-2-chromanil)resorcinol-4-yl-tris(6-diazo-5,6-dihydro-5-oxonaphthalen-1-sulfonate); 4-(7-hydroxy-2,4,4-trimethyl-2-chromanil)resorcinolbis(6-diazo-5,6-dihydro-5-oxonaphthalen-1-sulfonate) (2:1) | 414-770-4 | 140698-96-0 | F; R11 Carc. Cat. 3; R40 | F; Xn R: 11-40 S: (2-)7-36/37 | | |
| 016-095-00-7 | reaction mass of: reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalenesulfonate (1:2); Reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalenesulfonate (1:3) | 417-980-4 | — | F; R11 Carc. Cat. 3; R40 | F; Xn R: 11-40 S: (2-)7-36/37 | | |
| 016-096-00-2 | thifensulfuron-methyl (ISO); methyl 3-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoyl-sulfamoyl)thiophene-2-carboxylate | — | 79277-27-3 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 017-001-00-7 | chlorine | 231-959-5 | 7782-50-5 | T; R23 Xi; R36/37/ 38 N; R50 | T; N R: 23-36/37/38-50 S: (1/2-)9-45-61 | | |
| 017-002-00-2 | hydrogen chloride | 231-595-7 | 7647-01-0 | T; R23 C; R35 | T; C R: 23-35 S: (1/2-)9-26-36/37/ 39-45 | | 5 |
| 017-002-01-X | hydrochloric acid ... % | 231-595-7 | — | C; R34 Xi; R37 | C R: 34-37 S: (1/2-)26-45 | C; R34-37: C ≥ 25 % Xi; R36/37/38: 10 % ≤ C < 25 % | B |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|--|-------|
| 017-003-00-8 | barium chlorate | 236-760-7 | 13477-00-4 | O; R9 Xn; R20/22 N; R51-53 | O; Xn; N R: 9-20/22-51/53 S: (2-)13-27-61 | | |
| 017-004-00-3 | potassium chlorate | 223-289-7 | 3811-04-9 | O; R9 Xn; R20/22 N; R51-53 | O; Xn; N R: 9-20/22-51/53 S: (2-)13-16-27-61 | | |
| 017-005-00-9 | sodium chlorate | 231-887-4 | 7775-09-9 | O; R9 Xn; R22 N; R51-53 | O; Xn; N R: 9-22-51/53 S: (2-)13-17-46-61 | | |
| 017-006-00-4 | perchloric acid ... % | 231-512-4 | 7601-90-3 | R5 O; R8 C; R35 | O; C R: 5-8-35 S: (1/2-)23-26-36-45 | C; R35: C ≥ 50 % C; R34: 10 % ≤ C < 50 % Xi; R36/38: 1 % ≤ C < 10 % Footnote O; R5-8: C > 50 % | B |
| 017-007-00-X | barium perchlorate | 236-710-4 | 13465-95-7 | O; R9 Xn; R20/22 | O; Xn R: 9-20/22 S: (2-)27 | | |
| 017-008-00-5 | potassium perchlorate | 231-912-9 | 7778-74-7 | O; R9 Xn; R22 | O; Xn R: 9-22 S: (2-)13-22-27 | | |
| 017-009-00-0 | ammonium perchlorate | 232-235-1 | 7790-98-9 | O; R9 R44 ☉ | O R: 9-44 S: (2-)14-16-27-36/37 | | G |
| 017-010-00-6 | sodium perchlorate | 231-511-9 | 7601-89-0 | O; R9 Xn; R22 | O; Xn R: 9-22 S: (2-)13-22-27 | | |
| 017-011-00-1 | sodium hypochlorite, solution ... % Cl active | 231-668-3 | 7681-52-9 | C; R34 R31 N; R50 | C; N R: 31-34-50 S: (1/2-)28-45-50-61 | R31: C ≥ 5 % | B |
| 017-012-00-7 | calcium hypochlorite | 231-908-7 | 7778-54-3 | O; R8 ☉ Xn; R22 R31 C; R34 N; R50 | O; C; N R: 8-22-31-34-50 S: (1/2-)26-36/37/39-45-61 | C; R34: C ≥ 10 % Xi; R37/38-41: 3 % ≤ C < 10 % Xi; R36: 0,5 % ≤ C < 3 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------------|--|---------------------------------------|-------|
| 017-013-00-2 | calcium chloride | 233-140-8 | 10043-52-4 | Xi; R36 | Xi R: 36 S: (2-)22-24 | | |
| 017-014-00-8 | ammonium chloride | 235-186-4 | 12125-02-9 | Xn; R22 Xi; R36 | Xn R: 22-36 S: (2-)22 | | |
| 017-015-00-3 | (2-(aminométhyl)phényl)acétylchlorure hydrochlorure | 417-410-4 | 61807-67-8 | Xn; R22 C; R35 R43 | C R: 22-35-43 S: (1/2-)26-36/37/39-45 | | |
| 017-016-00-9 | méthyltriphenylphosphonium chloride | 418-400-2 | 1031-15-8 | Xn; R21/22 Xi; R38-41 N; R51-53 | Xn; N R: 21/22-38-41-51/53 S: (2-)22-26-36/37/39-61 | | |
| 017-017-00-4 | (Z)-13-docosényl-N,N-bis(2-hydroxyéthyl)-N-méthyl-ammonium-chlorure | 426-210-6 | 120086-58-0 | C; R34 N; R50-53 | C; N R: 34-50/53 S: (2-)26-36/37/39-45-60-61 | | |
| 017-018-00-X | N,N,N-triméthyl-2,3-bis(stéaroyloxy)propylammonium chloride | 405-660-7 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 017-019-00-5 | (R)-1,2,3,4-tetrahydro-6,7-diméthoxy-1-veratryloquinoline hydrochlorure | 415-110-8 | 54417-53-7 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)22-61 | | |
| 017-020-00-0 | éthyl propoxy aluminium chloride | 421-790-7 | 13014-29-4 | F; R15 R 14 C; R35 | F; C R: 14/15-35 S: (1/2-)16-23-26-30-36/37/39-43-45 | | |
| 017-021-00-6 | behenamidopropyl-diméthyl-(dihydroxypropyl) ammonium chloride | 423-420-1 | 136920-10-0 | Xi; R41 R43 N; R50-53 | Xi; N R: 41-43-50/53 S: (2-)26-36/37/39-60-61 | | |
| 019-001-00-2 | potassium | 231-119-8 | 7440-09-7 | F; R15 R14 C; R34 | F; C R: 14/15-34 S: (1/2-)5-8-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---|-------|
| 019-002-00-8 | potassium hydroxide; caustic potash | 215-181-3 | 1310-58-3 | Xn; R22 C; R35 | C R: 22-35 S: (1/2-)26-36/37/39-45 | C; R35: C ≥ 5 % C; R34: 2 % ≤ C < 5 % Xi; R36/38: 0.5 % ≤ C < 2 % | |
| 020-001-00-X | calcium | 231-179-5 | 7440-70-2 | F; R15 | F R: 15 S: (2-)8-24/25-43 | | |
| 020-002-00-5 | calcium cyanide | 209-740-0 | 592-01-8 | T+; R28 R32 N; R50-53 | T+; N R: 28-32-50/53 S: (1/2-)7/8-23-36/ 37-45-60-61 | | |
| 020-003-00-0 | reaction mass of: dicalcium (bis(2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)dihydroxide; tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide; poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide] | 420-470-4 | — | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)24-26-37 | | |
| 022-001-00-5 | titanium tetrachloride | 231-441-9 | 7550-45-0 | R14 C; R34 | C R: 14-34 S: (1/2-)7/8-26-36/37/ 39-45 | | |
| 022-002-00-0 | titanium(4+) oxalate | 403-260-7 | — | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 022-003-00-6 | bis(η ⁵ -cyclopentadienyl)-bis(2,6-difluoro-3-[pyrrol-1-yl]-phenyl)titanium | 412-000-1 | 125051-32-3 | F; R11 Repr. Cat. 3; R62 Xn; R48/22 N; R51-53 | F; Xn; N R: 11-48/22-62-51/ 53 S: (2-)7-22-33-36/37-61 | | |
| 023-001-00-8 | divanadium pentaoxide; vanadium pentoxide | 215-239-8 | 1314-62-1 | Muta. Cat. 3; R68 Repr. Cat. 3; R63 T; R48/23 Xn; R20/22 Xi; R37 N; R51-53 | T; N R: 20/22-37-48/23-51/53-63-68 S: (1/2-)36/37-38-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|--|--------|
| 024-001-00-0 | chromium (VI) trioxide | 215-607-8 | 1333-82-0 | O; R9 Carc. Cat. 1; R45 Muta. Cat. 2; R46 Repr. Cat. 3; R62 T+; R26 T; R24/25- 48/23 C; R35 R42/43 N; R50-53 | O; T+; N R: 45-46-9-24/25-26- 35-42/43-48/23-62- 50/53 S: 53-45-60-61 | C: R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | E |
| 024-002-00-6 | potassium dichromate | 231-906-6 | 7778-50-9 | O; R8 Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/23 Xn; R21 C; R34 R42/43 N; R50-53 | T+; N; O R: 45-46-60-61-8-21- 25-26-34-42/43-48/ 23-50/53 S: 53-45-60-61 | C; R34: C ≥ 10 %; Xi; R36/37/38: 5 % ≤ C < 10 % | E 3 |
| 024-003-00-1 | ammonium dichromate | 232-143-1 | 7789-09-5 | E; R2 O; R8 Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/23 Xn; R21 C; R34 R42/43 N; R50-53 | E; T+; N R: 45-46-60-61-2-8- 21-25-26-34-42/43- 48/23-50/53 S: 53-45-60-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % R42/43: C ≥ 0,2 % | E 3 |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|--|--------|
| 024-004-00-7 | sodium dichromate anhydrate | 234-190-3 | 10588-01-9 | O; R8 Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/23 Xn; R21 C; R34 R42/43 N; 50-53 | T+; N; O R: 45-46-60-61-8-21- 25-26-34-42/43-48/ 23-50/53 S: 53-45-60-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % R42/43: C ≥ 0,2 % | E 3 |
| 024-004-01-4 | sodium dichromate, dihydrate | 234-190-3 | 7789-12-0 | O; R8 Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/23 Xn; R21 C; R34 R42/43 N; R50-53 | T+; N; O R: 45-46-60-61-8-21- 25-26-34-42/43-48/ 23-50/53 S: 53-45-60-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % R42/43: C ≥ 0,2 % | E 3 |
| 024-005-00-2 | chromyl dichloride; chromic oxychloride | 239-056-8 | 14977-61-8 | O; R8 Carc. Cat. 2; R49 Muta. Cat. 2; R46 C; R35 R43 N; R50-53 | O; T; C; N R: 49-46-8-35-43-50/ 53 S: 53-45-60-61 | C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 0,5 % ≤ C < 5 % R43: C ≥ 0,5 % | 3 |
| 024-006-00-8 | potassium chromate | 232-140-5 | 7789-00-6 | Carc. Cat. 2; R49 Muta. Cat. 2; R46 Xi; R36/37/ 38 R43 N; R50-53 | T; N R: 49-46-36/37/38- 43-50/53 S: 53-45-60-61 | R43: C ≥ 0,5 % | 3 |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 024-007-00-3 | zinc chromates including zinc potassium chromate | — | — | Carc. Cat. 1; R45 Xn; R22 R43 N; R50-53 | T; N R: 45-22-43-50/53 S: 53-45-60-61 | | AE |
| 024-008-00-9 | calcium chromate | 237-366-8 | 13765-19-0 | Carc. Cat. 2; R45 Xn; R22 N; R50-53 | T; N R: 45-22-50/53 S: 53-45-60-61 | | E |
| 024-009-00-4 | strontium chromate | 232-142-6 | 7789-06-2 | Carc. Cat. 2; R45 Xn; R22 N; R50-53 | T; N R: 45-22-50/53 S: 53-45-60-61 | | E |
| 024-010-00-X | dichromium tris(chromate); chromium III chromate; chromic chromate | 246-356-2 | 24613-89-6 | O; R8 Carc. Cat. 2; R45 C; R35 R43 N; R50-53 | O; T; C; N R: 45-8-35-43-50/53 S: 53-45-60-61 | | |
| 024-011-00-5 | ammonium bis(1-(3,5-dinitro-2-oxidophenylazo)-3-(N-phenylcarbamoyl)-2-naphtholato)chromate(1-) | 400-110-2 | 109125-51-1 | F; R11 N; R50-53 | F; N R: 11-50/53 S: (2-)33-60-61 | | |
| 024-012-00-0 | trisodium bis(7-acetamido-2-(4-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato)chromate(1-) | 400-810-8 | — | Muta. Cat. 3; R68 | Xn R: 68 S: (2-)22-36/37 | | |
| 024-013-00-6 | trisodium (6-anilino-2-(5-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato)(4-sulphonato-1,1'-azodi-2,2'naphtholato)chromate(1-) | 402-500-8 | — | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 024-014-00-1 | trisodium bis(2-(5-chloro-4-nitro-2-oxidophenylazo)-5-sulphonato-1-naphtholato)chromate(1-) | 402-870-0 | 93952-24-0 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)26-39-61 | | |
| 024-015-00-7 | disodium (3-methyl-4-(5-nitro-2-oxidophenylazo)-1-phenylpyrazololato)(1-(3-nitro-2-oxido-5-sulfonatophenylazo)-2-naphtholato)chromate(1-) | 404-930-1 | — | Xn; R20 Xi; R41 N; R51-53 | Xn; N R: 20-41-51/53 S: (2-)26-39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|--------|
| 024-016-00-2 | tetradecylammonium bis(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-) | 405-110-6 | 88377-66-6 | Xn; R48/22 R53 | Xn R: 48/22-53 S: (2-)22-36-61 | | |
| 024-017-00-8 | Chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex | — | — | Carc. Cat. 2; R49 R43 N; R50-53 | T; N R: 49-43-50/53 S: 53-45-60-61 | | A |
| 024-018-00-3 | sodium chromate | 231-889-5 | 7775-11-3 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/23 Xn; R21 C; R34 R42/43 N; R50-53 | T+; N R: 45-46-60-61-21- 25-26-34-42/43-48/ 23-50/53 S: 53-45-60-61 | R42/43: C ≥ 0,2 % | E 3 |
| 024-019-00-9 | Main component: acetoacetic acid anilide/3-amino-1-hydroxybenzene (ATAN-MAP): trisodium {6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}-{6"-[1-(phenylcarbamoyl)ethylazo]-5"--(phenylsulfamoyl)-3"-sulfonatonaphthalene-2"-azobenzene-1",2"-diolato}chromate (III); by-product 1: acetoacetic acid anilide/acetoacetic acid anilide (ATAN-ATAN): trisodium bis{6-[1-(phenylcarbamoyl)ethylazo]-5'-(phenylsulfonyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}chromate (III); by-product 2: 3-amino-1-hydroxybenzene/3-amino-1-hydroxybenzene (MAP-MAP): trisodium bis{6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato} chromate (III) | 419-230-1 | — | R43 R52-53 | Xi R: 43-52/53 S: (2-)22-24-37-61 | | |
| 024-020-00-4 | trisodium bis[(3'-nitro-5'-sulfonato(6-amino-2-[4-(2-hydroxy-1-naphtylazo)phenylsulfonylamino]pyrimidin-5-azo)benzene-2',4'-diolato)]chromate(III) | 418-220-4 | — | R43 R52-53 | Xi R: 43-52/53 S: (2-)22-24-37-61 | | |
| 025-001-00-3 | manganese dioxide | 215-202-6 | 1313-13-9 | Xn; R20/22 | Xn R: 20/22 S: (2-)25 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---|--------|
| 025-002-00-9 | potassium permanganate | 231-760-3 | 7722-64-7 | O; R8 Xn; R22 N; R50-53 | O; Xn; N R: 8-22-50/53 S: (2-)60-61 | | |
| 025-003-00-4 | manganese sulphate | 232-089-9 | 7785-87-7 | Xn; R48/20/ 22 N; R51-53 | Xn; N R: 48/20/22-51/53 S: (2-)22-61 | | |
| 025-004-00-X | bis(N,N',N''-trimethyl-1,4,7-triazacyclononane)-trioxo-dimanganese (IV) di(hexafluorophosphate) monohydrate | 411-760-1 | 116633-53-5 | N; R51-53 | N R: 51/53 S: 61 | | |
| 025-005-00-5 | reaction mass of: tri-sodium [29H, 31H-phthalocyanine-C,C,C-trisulfonato (6-)-N29,N30,N31,N32] manganate (3-); tetrasodium [29H,31H-phthalocyanine-C,C,C,C-tetrasulfonato (6-)-N29,N30,N31,N32], manganate (3-); pentasodium [29H,31H-phthalocyanine-C,C,C,C,C-pentasulfonato (6-)-N29,N30,N31,N32] manganate (3-) | 417-660-4 | — | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 026-001-00-6 | (η-cumene)-(η-cyclopentadienyl)iron(II) hexafluoroantimonate | 407-840-0 | 100011-37-8 | Xn; R22 Xi; R41 R52-53 | Xn R: 22-41-52/53 S: (2-)22-26-39-61 | | |
| 026-002-00-1 | (η-cumene)-(η-cyclopentadienyl)iron(II) trifluoromethane-sulfonate | 407-880-9 | 117549-13-0 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)26-61 | | |
| 027-001-00-9 | cobalt | 231-158-0 | 7440-48-4 | R42/43 R53 | Xn R: 42/43-53 S: (2-)22-24-37-61 | | |
| 027-002-00-4 | cobalt oxide | 215-154-6 | 1307-96-6 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24-37-60-61 | | |
| 027-003-00-X | cobalt sulphide | 215-273-3 | 1317-42-6 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 027-004-00-5 | cobalt dichloride | 231-589-4 | 7646-79-9 | Carc. Cat. 2; R49 Xn; R22 R42/43 N; R50-53 | T; N R: 49-22-42/43-50/ 53 S: (2-)22-53-45-60- 61 | Carc. Cat. 2; R49: C ≥ 0,01 % Xn; R22: C ≥ 2,5 % | E 1 |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|--------|
| 027-005-00-0 | cobalt sulphate | 233-334-2 | 10124-43-3 | Carc. Cat. 2; R49 Xn; R22 R42/43 N; R50-53 | T; N R: 49-22-42/43-50/ 53 S: (2-)22-53-45-60- 61 | Carc. Cat. 2; R49: C ≥ 0,01 % | E 1 |
| 028-001-00-1 | tetracarbonylnickel; nickel tetracarbonyl | 236-669-2 | 13463-39-3 | F; R11 Carc. Cat. 3; R40 Repr. Cat. 2; R61 T+; R26 N; R50-53 | F; T+; N R: 61-11-26-40-50/ 53 S: 53-45-60-61 | | E |
| 028-002-00-7 | nickel | 231-111-4 | 7440-02-0 | Carc. Cat. 3; R40 R43 | Xn R: 40-43 S: (2-)22-36 | | |
| 028-003-00-2 | nickel monoxide | 215-215-7 | 1313-99-1 | Carc. Cat. 1; R49 R43 R53 | T R: 49-43-53 S: 53-45-61 | | |
| 028-004-00-8 | nickel dioxide | 234-823-3 | 12035-36-8 | Carc. Cat. 1; R49 R43 R53 | T R: 49-43-53 S: 53-45-61 | | |
| 028-005-00-3 | dinickel trioxide | 215-217-8 | 1314-06-3 | Carc. Cat. 1; R49 R43 R53 | T R: 49-43-53 S: 53-45-61 | | |
| 028-006-00-9 | nickel sulphide | 240-841-2 | 16812-54-7 | Carc. Cat. 1; R49 R43 N; R50-53 | T; N R: 49-43-50/53 S: 53-45-60-61 | | |
| 028-007-00-4 | nickel subsulphide; trinickel disulphide | 234-829-6 | 12035-72-2 | Carc. Cat. 1; R49 R43 N; R51-53 | T; N R: 49-43-51/53 S: 53-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 028-008-00-X | nickel dihydroxide | 235-008-5 | 12054-48-7 | Carc. Cat. 3; R40 Xn; R20/22 R43 N; R50-53 | Xn; N R: 20/22-40-43-50/ 53 S: (2-)22-36-60-61 | | |
| 028-009-00-5 | nickel sulphate | 232-104-9 | 7786-81-4 | Carc. Cat. 3; R40 Xn; R22 R42/43 N; R50-53 | Xn; N R: 22-40-42/43-50/ 53 S: (2-)22-36/37-60-61 | | |
| 028-010-00-0 | nickel carbonate | 222-068-2 | 3333-67-3 | Carc. Cat. 3; R40 Xn; R22 R43 N; R50-53 | Xn; N R: 22-40-43-50/53 S: (2-)22-36/37-60-61 | | |
| 029-001-00-4 | copper chloride; copper (I) chloride; cuprous chloride | 231-842-9 | 7758-89-6 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)22-60-61 | | |
| 029-002-00-X | dicopper oxide; copper (I) oxide | 215-270-7 | 1317-39-1 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)22-60-61 | | |
| 029-003-00-5 | Naphthenic acids, copper salts; copper naphthenate | 215-657-0 | 1338-02-9 | R10 Xn; R22 N; R50-53 | Xn; N R: 10-22-50/53 S: (2-)60-61 | | |
| 029-004-00-0 | copper sulphate | 231-847-6 | 7758-98-7 | Xn; R22 Xi; R36/38 N; R50-53 | Xn; N R: 22-36/38-50/53 S: (2-)22-60-61 | | |
| 029-005-00-6 | (tris(chloromethyl)phthalocyaninato)copper(II), reaction products with N-methylpiperazine and methoxyacetic acid | 401-260-1 | — | Xi; R36 | Xi R: 36 S: (2-)26 | | |
| 029-006-00-1 | tris(octadec-9-enylammonium) (trisulfonatophthalocyaninato) copper(II) | 403-210-4 | — | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)22-26-39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---|---|-------|
| 029-007-00-7 | (trisodium (2-((3-(6-(2-chloro-5-sulfonato)anilino)-4-(3-carboxypyridinio)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonato-phenylazo)phenylmethylazo)-4-sulfonatobenzoato)copper(3-)) hydroxide | 404-670-9 | 89797-01-3 | E; R2 R43 | E; Xi R: 2-43 S: (2-)22-24-35-37 | | |
| 029-008-00-2 | copper(II) methanesulfonate | 405-400-2 | 54253-62-2 | Xn; R22 Xi; R41 N; R50-53 | Xn; N R: 22-41-50/53 S: (2-)26-36/37/39-60-61 | | |
| 029-009-00-8 | phthalocyanine-N-[3-(diethylamino)propyl]sulfonamide copper complex | 413-650-9 | 93971-95-0 | R52-53 | R: 52/53 S: 61 | | |
| 029-010-00-3 | reaction mass of compounds from (dodecakis(p-tolylthio)phthalocyaninato)copper(II) to (hexadecakis(p-tolylthio)phthalocyaninato)copper(II) | 407-700-9 | 101408-30-4 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 029-011-00-9 | sodium [29H,31H-phthalocyaninato-(2-)-N29,N30,N31,N32]-((3-(N-methyl-N-(2-hydroxyethyl)amino)propyl)amino)sulfonyl-sulfonato, copper complex | 412-730-0 | 150522-10-4 | C; R34 | C R: 34 S: (1/2-)22-26-36/37/39-45 | | |
| 029-012-00-4 | sodium ((N-(3-trimethylammonio)propyl)sulfamoyl)methylsulfonatophthalocyaninato)copper(II) | 407-340-2 | 124719-24-0 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 029-013-00-X | trisodium(2-(α-(3-(4-chloro-6-(2-(2-(vinylsulfonyl)ethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonato-phenylazo)benzylidenehydrazino)-4-sulfonatobenzoato)copper(II) | 407-580-8 | 130201-51-3 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)24-37-61 | | |
| 030-001-00-1 | zinc powder — zinc dust (pyrophoric) | 231-175-3 | 7440-66-6 | F; R15-17 N; R50-53 | F; N R: 15-17-50/53 S: (2-)43-46-60-61 | | |
| 030-001-01-9 | zinc powder — zinc dust (stabilised) | 231-175-3 | 7440-66-6 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 030-003-00-2 | zinc chloride | 231-592-0 | 7646-85-7 | C; R34 Xn; R22 N; R50-53 | C; N R: 22-34-50/53 S: (1/2-)26-36/37/39-45-60-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|--------------------------------------|--|---|---|--------|
| 030-004-00-8 | dimethylzinc; [1] diethylzinc [2] | 208-884-1 [1] 209-161-3 [2] | 544-97-8 [1] 557-20-0 [2] | F; R17 R14 C; R34 N; R50-53 | F; C; N R: 14-17-34-50/53 S: (1/2-)16-43-45-60-61 | | |
| 030-005-00-3 | diamminediisocyanatozinc | 401-610-3 | — | Xn; R22 Xi; R41 R42/43 N; R50 | Xn; N R: 22-41-42/43-50 S: (2-)22-26-36/37/39-41-61 | | |
| 030-006-00-9 | zinc sulphate (hydrous) (mono-, hexa- and hepta hydrate); [1] zinc sulphate (anhydrous) [2] | 231-793-3 [1] 231-793-3 [2] | 7446-19-7 [1] 7733-02-0 [2] | Xn; R22 Xi; R41 N; R50-53 | Xn; N R: 22-41-50/53 S: (2-)22-26-39-46-60-61 | | |
| 030-007-00-4 | bis(3,5-di- <i>tert</i> -butylsalicylato-O ¹ ,O ²)zinc | 403-360-0 | 42405-40-3 | F; R11 Xn; R22 N; R50-53 | F; Xn; N R: 11-22-50/53 S: (2-)7-22-60-61 | | |
| 030-008-00-X | hydroxo(2-(benzenesulfonamido)benzoato)zinc(II) | 403-750-0 | 113036-91-2 | Xn; R20 N; R51-53 | Xn; N R: 20-51/53 S: (2-)22-57-61 | | |
| 030-011-00-6 | trizinc bis(orthophosphate) | 231-944-3 | 7779-90-0 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 030-013-00-7 | zinc oxide | 215-222-5 | 1314-13-2 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 033-001-00-X | arsenic | 231-148-6 | 7440-38-2 | T; R23/25 N; R50-53 | T; N R: 23/25-50/53 S: (1/2-)20/21-28-45-60-61 | | |
| 033-002-00-5 | arsenic compounds, with the exception of those specified elsewhere in this Annex | — | — | T; R23/25 N; R50-53 | T; N R: 23/25-50/53 S: (1/2-)20/21-28-45-60-61 | T; R23/25: C ≥ 0,2 % Xn; R20/22: 0,1 % ≤ C < 0,2 % | A 1 |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 033-003-00-0 | diarsenic trioxide; arsenic trioxide | 215-481-4 | 1327-53-3 | Carc. Cat. 1; R45 T+; R28 C; R34 N; R50-53 | T+; N R: 45-28-34-50/53 S: 53-45-60-61 | | E |
| 033-004-00-6 | diarsenic pentaoxide; arsenic pentoxide; arsenic oxide | 215-116-9 | 1303-28-2 | Carc. Cat. 1; R45 T; R23/25 N; R50-53 | T; N R: 45-23/25-50/53 S: 53-45-60-61 | | E |
| 033-005-00-1 | arsenic acid and its salts | — | — | Carc. Cat. 1; R45 T; R23/25 N; R50-53 | T; N R: 45-23/25-50/53 S: 53-45-60-61 | | AE |
| 033-006-00-7 | arsine | 232-066-3 | 7784-42-1 | F+; R12 T+; R26 Xn; R48/20 N; R50-53 | F+; T+; N R: 12-26-48/20-50/ 53 S: (1/2-)9-16-28-33- 36/37-45-60-61 | | |
| 033-007-00-2 | tert-butylarsine | 423-320-6 | 4262-43-5 | F; R17 T+; R26 | F; T+ R: 17-26 S: (1/2-)9-28-36/37- 43-45 | | |
| 034-001-00-2 | selenium | 231-957-4 | 7782-49-2 | T; R23/25 R33 R53 | T R: 23/25-33-53 S: (1/2-)20/21-28-45- 61 | | |
| 034-002-00-8 | selenium compounds except cadmium sulphoselenide | — | — | T; R23/25 R33 N; R50-53 | T; N R: 23/25-33-50/53 S: (1/2-)20/21-28-45- 60-61 | | A |
| 034-003-00-3 | sodium selenite | 233-267-9 | 10102-18-8 | T+; R28 T; R23 R31 R43 N; R51-53 | T+; N R: 23-28-31-43-51/ 53 S: (1/2-)28-36/37-45- 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|--|-------|
| 035-001-00-5 | bromine | 231-778-1 | 7726-95-6 | T+; R26 C; R35 N; R50 | T+; C; N R: 26-35-50 S: (1/2-)7/9-26-45-61 | | |
| 035-002-00-0 | hydrogen bromide | 233-113-0 | 10035-10-6 | C; R35 Xi; R37 | C R: 35-37 S: (1/2-)7/9-26-45 | | |
| 035-002-01-8 | hydrobromic acid ... % | — | — | C; R34 Xi; R37 | C R: 34-37 S: (1/2-)7/9-26-45 | C; R34: C ≥ 40 % Xi; R36/38: 10 % ≤ C < 40 % Xi; R37: C ≥ 10 % | B |
| 035-003-00-6 | potassium bromate | 231-829-8 | 7758-01-2 | O; R9 Carc. Cat. 2; R45 T; R25 | T; O R: 45-9-25 S: 53-45 | | E |
| 035-004-00-1 | 2-hydroxyethylammonium perbromide | 407-440-6 | — | O; R8 Xn; R22 C; R35 R43 N; R50 | O; C; N R: 8-22-35-43-50 S: (1/2-)3/7-14-26-36/37/39-45-60-61 | | |
| 040-001-00-3 | zirconium powder (pyrophoric) | 231-176-9 | 7440-67-7 | F; R15-17 | F R: 15-17 S: (2-)7/8-43 | | |
| 040-002-00-9 | zirconium powder (non pyrophoric) | — | — | F; R15 | F R: 15 S: (2-)7/8-43 | | |
| 042-001-00-9 | molybdenum trioxide | 215-204-7 | 1313-27-5 | Xn; R48/20/ 22 Xi; R36/37 | Xn R: 36/37-48/20/22 S: (2-)22-25 | | |
| 042-002-00-4 | tetrakis(dimethylditetradecylammonium) hexa-μ-oxotetra-μ3-oxodi-μ5-oxotetradecaooctamolybdate(4-) | 404-760-8 | 117342-25-3 | T; R23 Xi; R41 R53 | T R: 23-41-53 S: (1/2-)26-37/39-45-61 | | |
| 042-003-00-X | tetrakis(trimethylhexadecylammonium) hexa-μ-oxotetra-μ3-oxodi-μ5-oxotetradecaooctamolybdate(4-) | 404-860-1 | 116810-46-9 | F; R11 Xi; R41 N; R50-53 | F; Xi; N R: 11-41-50/53 S: (2-)26-39-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|--------------------------------------|---|--|---|--------|
| 042-004-00-5 | Reaction product of ammonium molybdate and C ₁₂ -C ₂₄ -diethoxylated alkylamine (1:5-1:3) | 412-780-3 | — | Xi; R38 R43 N; R51-53 | Xi; N R: 38-43-51/53 S: 24/25-37-61 | | |
| 047-001-00-2 | silver nitrate | 231-853-9 | 7761-88-8 | ⊗ C; R34 N; R50-53 | C; N R: 34-50/53 S: (1/2-)26-45-60-61 | | |
| 048-001-00-5 | cadmium compounds, with the exception of cadmium sulphoselenide (xCdS.yCdSe), reaction mass of cadmium sulphide with zinc sulphide (xCdS.yZnS), reaction mass of cadmium sulphide with mercury sulphide (xCdS.yHgS), and those specified elsewhere in this Annex | — | — | Xn; R20/21/ 22 N; R50-53 | Xn; N R: 20/21/22-50/53 S: (2-)60-61 | Xn; R20/21/22: C ≥ 0,1 % | A 1 |
| 048-002-00-0 | cadmium (non-pyrophoric); [1] cadmium oxide (non-pyrophoric) [2] | 231-152-8 [1] 215-146-2 [2] | 7440-43-9 [1] 1306-19-0 [2] | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62-63 T+; R26 T; R48/23/25 N; R50-53 | T+; N R: 45-26-48/23/25- 62-63-68-50/53 S: 53-45-60-61 | | E |
| 048-003-00-6 | cadmium diformate; cadmiumformate | 224-729-0 | 4464-23-7 | T; R23/25 R33 Xn; R68 N; R50-53 | T; N R: 23/25-33-68-50/ 53 S: (1/2-)22-45-60-61 | T; R23/25: C ≥ 10 % Xn; R20/22: 0,25 % ≤ C < 10 % R33: C ≥ 0,25 % | |
| 048-004-00-1 | cadmium cyanide | 208-829-1 | 542-83-6 | T+; R26/27/ 28 R32 R33 Xn; R68 N; R50-53 | T+; N R: 26/27/28-32-33- 68-50/53 S: (1/2-)7-28-29-45- 60-61 | R32: C ≥ 1 % R33: C ≥ 0,1 % | |
| 048-005-00-7 | cadmiumhexafluorosilicate(2-); cadmium fluorosilica | 241-084-0 | 17010-21-8 | T; R23/25 R33 Xn; R68 N; R50-53 | T; N R: 23/25-33-68-50/ 53 S: (1/2-)22-45-60-61 | T; R23/25: C ≥ 10 % Xn; R20/22: 0,1 % ≤ C < 10 % R33: C ≥ 0,1 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---|-------|
| 048-006-00-2 | cadmium fluoride | 232-222-0 | 7790-79-6 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/ 23/25 N; R50-53 | T+; N R: 45-46-60-61-25- 26-48/23/25-50/53 S: 53-45-60-61 | Carc. Cat. 2; R45: C ≥ 0,01 % T; R25: C ≥ 10 % Xn; R22: 0,1 % ≤ C < 10 % T; R48/23/25: C ≥ 7 % Xn; R48/20/22: 0,1 % ≤ C < 7 % | E |
| 048-007-00-8 | cadmium iodide | 232-223-6 | 7790-80-9 | T; R23/25 R33 Xn; R68 N; R50-53 | T; N R: 23/25-33-68-50/ 53 S: (1/2-)22-45-60-61 | T; R23/25: C ≥ 10 % Xn; R20/22: 0.1 % ≤ C < 10 % R33: C ≥ 0.1 % | |
| 048-008-00-3 | cadmium chloride | 233-296-7 | 10108-64-2 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/ 23/25 N; R50-53 | T+; N R: 45-46-60-61-25- 26-48/23/25-50/53 S: 53-45-60-61 | Carc. Cat. 2; R45: C ≥ 0,01 % T; R25: C ≥ 10 % Xn; R22: 0,1 % ≤ C < 10 % T; R48/23/25: C ≥ 7 % Xn; R48/20/22: 0,1 % ≤ C < 7 % | E |
| 048-009-00-9 | cadmium sulphate | 233-331-6 | 10124-36-4 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/ 23/25 N; R50-53 | T+; N R: 45-46-60-61-25- 26-48/23/25-50/53 S: 53-45-60-61 | Carc. Cat. 2; R45: C ≥ 0,01 % T; R25: C ≥ 10 % Xn; R22: 0,1 % ≤ C < 10 % T; R48/23/25: C ≥ 7 % Xn; R48/20/22: 0,1 % ≤ C < 7 % | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|--|--------|
| 048-010-00-4 | cadmium sulphide | 215-147-8 | 1306-23-6 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62-63 T; R48/23/25 Xn; R22 R53 | T; R: 45-22-48/23/25- 62-63-68-53 S: 53-45-61 | Xn; R22: C ≥ 10 % T; R48/23/25: C ≥ 10 % Xn; R48/20/22: 0,1 % ≤ C < 10 % | E 1 |
| 048-011-00-X | cadmium (pyrophoric) | 231-152-8 | 7440-43-9 | F; R17 Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62-63 T+; R26 T; R48/23/25 N; R50-53 | F; T+; N R: 45-17-26-48/23/ 25-62-63-68-50/53 S: 53-45-7/8-43-60- 61 | | E |
| 050-001-00-5 | tin tetrachloride; stannic chloride | 231-588-9 | 7646-78-8 | C; R34 R52-53 | C R: 34-52/53 S: (1/2-)7/8-26-45-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 050-002-00-0 | cyhexatin (ISO); hydroxytricyclohexylstannane; tri(cyclohexyl)tin hydroxide | 236-049-1 | 13121-70-5 | Xn; R20/21/ 22 N; R50-53 | Xn; N R: 20/21/22-50/53 S: (2-)13-60-61 | | |
| 050-003-00-6 | fentin acetate (ISO); triphenyltin acetate | 212-984-0 | 900-95-8 | Carc. Cat. 3; R40 Repr. Cat. 3; R63 T+; R26 T; R24/25- 48/23 Xi; R37/38- 41 N; R50-53 | T+; N R: 24/25-26-37/38- 40-41-48/23-50/53- 63 S: (1/2-)26-28-36/37/ 39-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|--|--|---|---|--------|
| 050-004-00-1 | fentinytlin hydroxide (ISO); triphenylytlin hydroxide | 200-990-6 | 76-87-9 | Carc. Cat. 3; R40 Repr. Cat. 3; R63 T+; R26 T; R24/25- 48/23 Xi; R37/38- 41 N; R50-53 | T+; N R: 24/25-26-37/38- 40-41-48/23-50/53- 63 S: (1/2-)26-28-36/37/ 39-45-60-61 | | |
| 050-005-00-7 | trimethyltlin compounds, with the exception of those specified elsewhere in this Annex | — | — | T+; R26/27/ 28 N; R50-53 | T+; N R: 26/27/28-50/53 S: (1/2-)26-27-28-45- 60-61 | T+; R26/27/28: C ≥ 0,5 % T; R23/24/25: 0,1 % ≤ C < 0,5 % Xn; R20/21/22: 0,05 % ≤ C < 0,1 % | A 1 |
| 050-006-00-2 | triethyltlin compounds, with the exception of those specified elsewhere in this Annex | — | — | T+; R26/27/ 28 N; R50-53 | T+; N R: 26/27/28-50/53 S: (1/2-)26-27-28-45- 60-61 | T+; R26/27/28: C ≥ 0,5 % T; R23/24/25: 0,1 % ≤ C < 0,5 % Xn; R20/21/22: 0,05 % ≤ C < 0,1 % | A 1 |
| 050-007-00-8 | tripropyltlin compounds, with the exception of those specified elsewhere in this Annex | — | — | T; R23/24/25 N; R50-53 | T; N R: 23/24/25-50/53 S: (1/2-)26-27-28-45- 60-61 | T; R23/24/25: C ≥ 0,5 % Xn; R20/21/22: 0,1 % ≤ C < 0,5 % | A 1 |
| 050-008-00-3 | tributyltlin compounds, with the exception of those specified elsewhere in this Annex | — | — | T; R25-48/ 23/25 Xn; R21 Xi; R36/38 N; R50-53 | T; N R: 21-25-36/38-48/ 23/25-50/53 S: (1/2-)35-36/37/39- 45-60-61 | T; R25: C ≥ 1 % Xn; R22: 0,25 % ≤ C < 1 % T; R48/23/25: C ≥ 1 % Xn; R48/20/22: 0,25 % ≤ C < 1 % Xn; R21: C ≥ 1 % Xi; R36/38: C ≥ 1 % | A 1 |
| 050-009-00-9 | fluorotripentylstannane; [1] hexapentylstannoxane [2] | 243-546-7 [1] 247-143-7 [2] | 20153-49-5 [1] 25637-27-8 [2] | Xn; R20/21/ 22 N; R50-53 | Xn; N R: 20/21/22-50/53 S: (2-)26-28-60-61 | Xn; R20/21/22: C ≥ 1 % | 1 |
| 050-010-00-4 | fluorotrihexylstannane | 243-547-2 | 20153-50-8 | Xn; R20/21/ 22 N; R50-53 | Xn; N R: 20/21/22-50/53 S: (2-)26-28-60-61 | Xn; R20/21/22: C ≥ 1 % | 1 |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|---|---|---|--|--------|
| 050-011-00-X | triphenyltin compounds, with the exception of those specified elsewhere in this Annex | — | — | T; R23/24/25 N; R50-53 | T; N R: 23/24/25-50/53 S: (1/2-)26-27-28-45-60-61 | T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,25 % ≤ C < 1 % | A 1 |
| 050-012-00-5 | tetracyclohexylstannane; [1] chlorotricyclohexylstannane; [2] butyltricyclohexylstannane [3] | 215-910-5 [1] 221-437-5 [2] 230-358-5 [3] | 1449-55-4 [1] 3091-32-5 [2] 7067-44-9 [3] | Xn; R20/21/22 N; R50-53 | Xn; N R: 20/21/22-50/53 S: (2-)26-28-60-61 | Xn; R20/21/22: C ≥ 1 % | A 1 |
| 050-013-00-0 | triocetyl tin compounds, with the exception of those specified elsewhere in this Annex | — | — | Xi; R36/37/38 R53 | Xi R: 36/37/38-53 S: (2-)61 | Xi; R36/37/38: C ≥ 1 % | A 1 |
| 050-017-00-2 | fenbutatin oxide (ISO); bis(tris(2-methyl-2-phenylpropyl)tin)oxide | 236-407-7 | 13356-08-6 | T+; R26 Xi; R36/38 N; R50-53 | T+; N R: 26-36/38-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 050-018-00-8 | tin(II) methanesulphonate | 401-640-7 | 53408-94-9 | C; R34 Xn; R22 R43 | C R: 22-34-43 S: (1/2-)22-26-36/37/39-45 | | |
| 050-019-00-3 | azocyclotin (ISO); 1-(tricyclohexylstannyl)-1H—1,2,4-triazole; | 255-209-1 | 41083-11-8 | T+; R26 T; R25 Xi; R37/38-41 N; R50-53 | T+; N R: 25-26-37/38-41-50/53 S: (1/2-)26-28-36/37/39-38-45-60-61 | | |
| 050-020-00-9 | triocetyl stannane | 413-320-4 | 869-59-0 | T; R48/25 Xi; R38 R53 | T R: 38-48/25-53 S: (1/2-)23-36/37-45-61 | | |
| 051-001-00-8 | antimony trichloride | 233-047-2 | 10025-91-9 | C; R34 N; R51-53 | C; N R: 34-51/53 S: (1/2-)26-45-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 051-002-00-3 | antimony pentachloride | 231-601-8 | 7647-18-9 | C; R34 N; R51-53 | C; N R: 34-51/53 S: (1/2-)26-45-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------|--|---|--------|
| 051-003-00-9 | antimony compounds, with the exception of the tetroxide (Sb ₂ O ₄), pentoxide (Sb ₂ O ₅), trisulphide (Sb ₂ S ₃), pentasulphide (Sb ₂ S ₅) and those specified elsewhere in this Annex | — | — | Xn; R20/22 N; R51-53 | Xn; N R: 20/22-51/53 S: (2-)61 | Xn; R20/22: C ≥ 0,25 % | A 1 |
| 051-004-00-4 | antimony trifluoride | 232-009-2 | 7783-56-4 | T; R23/24/25 N; R51-53 | T; N R: 23/24/25-51/53 S: (1/2-)7-26-45-61 | | |
| 051-005-00-X | antimony trioxide | 215-175-0 | 1309-64-4 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)22-36/37 | | |
| 051-006-00-5 | diphenyl(4-phenylthiophenyl)sulfonium hexafluoroantimonate | 403-500-0 | — | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 051-007-00-0 | bis(4-dodecylphenyl)iodonium hexafluoroantimonate | 404-420-9 | 71786-70-4 | R43 R52-53 | Xi R: 43-52/53 S: (2-)24-37-61 | | |
| 053-001-00-3 | iodine | 231-442-4 | 7553-56-2 | Xn; R20/21 N; R50 | Xn; N R: 20/21-50 S: (2-)23-25-61 | | |
| 053-002-00-9 | hydrogen iodide | 233-109-9 | 10034-85-2 | C; R35 | C R: 35 S: (1/2-)9-26-36/37/ 39-45 | C; R35: C ≥ 10 % C; R34: 0,2 % ≤ C < 10 % Xi; R36/37/38: 0,02 % ≤ C < 0,2 % | 5 |
| 053-002-01-6 | hydriodic acid ... % | — | — | C; R34 | C R: 34 S: (1/2-)26-45 | C; R34: C ≥ 25 % Xi; R36/38: 10 % ≤ C < 25 % | B |
| 053-003-00-4 | iodoxybenzene | — | 696-33-3 | E; R1 ⊗ | E R: 1 S: (2-)35 | | |
| 053-004-00-X | calcium iodoxybenzoate | — | — | E; R1 ⊗ | E R: 1 S: (2-)35 | | C |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|--------|
| 053-005-00-5 | (4-(1-methylethyl)phenyl)-(4-methylphenyl)iodonium tetrakis (pentafluorophenyl)borate (1-) | 422-960-3 | 178233-72-2 | Xn; R21/22-48/22 N; R50-53 | Xn; N R: 21/22-48/22-50/53 S: (2-)22-36/37-60-61 | | |
| 056-001-00-1 | barium peroxide | 215-128-4 | 1304-29-6 | O; R8 Xn; R20/22 | O; Xn R: 8-20/22 S: (2-)13-27 | | |
| 056-002-00-7 | barium salts, with the exception of barium sulphate, salts of 1-azo-2-hydroxynaphthalenyl aryl sulphonic acid, and of salts specified elsewhere in this Annex | — | — | Xn; R20/22 | Xn R: 20/22 S: (2-)28 | Xn; R20/22: C ≥ 1 % | A 1 |
| 056-003-00-2 | barium carbonate | 208-167-3 | 513-77-9 | Xn; R22 | Xn R: 22 S: (2-)24/25 | | |
| 056-004-00-8 | barium chloride | 233-788-1 | 10361-37-2 | T; R25 Xn; R20 | T R: 20-25 S: (1/2-)45 | | |
| 072-001-00-4 | hafnium tetra- <i>n</i> -butoxide | 411-740-2 | 22411-22-9 | Xi; R41 R43 | Xi R: 41-43 S: (2-)24/25-26-37/39 | | |
| 074-001-00-X | hexasodium tungstate hydrate | 412-770-9 | 12141-67-2 | Xn; R22 Xi; R41 R52-53 | Xn R: 22-41-52/53 S: (2-)22-26-39-61 | | |
| 074-002-00-5 | Reaction products of tungsten hexachloride with 2-methylpropan-2-ol, nonylphenol and pentane-2,4-dione | 408-250-6 | — | F; R11 Xn; R20 C; R34 R43 N; R50-53 | F; C; N R: 11-20-34-43-50/53 S: (1/2-)16-26-29-33-36/37/39-45-60-61 | | |
| 076-001-00-5 | osmium tetroxide; osmic acid | 244-058-7 | 20816-12-0 | T+; R26/27/28 C; R34 | T+ R: 26/27/28-34 S: (1/2-)7/9-26-45 | | |
| 078-001-00-0 | tetrachloroplatinates with the exception of those specified elsewhere in this Annex | — | — | T; R25 Xi; R41 R42/43 | T R: 25-41-42/43 S: (2-)22-26-36/37/39-45 | | A |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--------------------------------|--|---------------------------------------|-------|
| 078-002-00-6 | diammonium tetrachloroplatinate | 237-499-1 | 13820-41-2 | T; R25 Xi; R38-41 R42/43 | T R: 25-38-41-42/43 S: (2-)22-26-36/37/ 39-45 | | |
| 078-003-00-1 | disodium tetrachloroplatinate | 233-051-4 | 10026-00-3 | T; R25 Xi; R38-41 R42/43 | T R: 25-38-41-42/43 S: (2-)22-26-36/37/ 39-45 | | |
| 078-004-00-7 | dipotassium tetrachloroplatinate | 233-050-9 | 10025-99-7 | T; R25 Xi; R38-41 R42/43 | T R: 25-38-41-42/43 S: (2-)22-26-36/37/ 39-45 | | |
| 078-005-00-2 | hexachloroplatinates with the exception of those specified elsewhere in this Annex | — | — | T; R25 Xi; R41 R42/43 | T R: 25-41-42/43 S: (1/2-)22-26-36/37/ 39-45 | | A |
| 078-006-00-8 | disodium hexachloroplatinate | 240-983-5 | 16923-58-3 | T; R25 Xi; R41 R42/43 | T R: 25-41-42/43 S: (1/2-)22-26-36/37/ 39-45 | | |
| 078-007-00-3 | dipotassium hexachloroplatinate | 240-979-3 | 16921-30-5 | T; R25 Xi; R41 R42/43 | T R: 25-41-42/43 S: (1/2-)22-26-36/37/ 39-45 | | |
| 078-008-00-9 | diammonium hexachloroplatinate | 240-973-0 | 16919-58-7 | T; R25 Xi; R41 R42/43 | T R: 25-41-42/43 S: (1/2-)22-26-36/37/ 39-45 | | |
| 078-009-00-4 | hexachloroplatinic acid | 241-010-7 | 16941-12-1 | T; R25 C; R34 R42/43 | T R: 25-34-42/43 S: (1/2-)22-26-36/37/ 39-45 | | |
| 080-001-00-0 | mercury | 231-106-7 | 7439-97-6 | T; R23 R33 N; R50-53 | T; N R: 23-33-50/53 S: (1/2-)7-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|--|---|--|---|--------|
| 080-002-00-6 | inorganic compounds of mercury with the exception of mercuric sulphide and those specified elsewhere in this Annex | — | — | T+; R26/27/28 R33 N; R50-53 | T+; N R: 26/27/28-33-50/53 S: (1/2-)13-28-45-60-61 | T+; R26/27/28: C ≥ 2 % T; R23/24/25: 0,5 % ≤ C < 2 % Xn; R20/21/22: 0,1 % ≤ C < 0,5 % R33: C ≥ 0,1 % | A 1 |
| 080-003-00-1 | dimercury dichloride; mercurous chloride; calomel | 233-307-5 | 10112-91-1 | Xn; R22 Xi; R36/37/38 N; R50-53 | Xn; N R: 22-36/37/38-50/53 S: (2-)13-24/25-46-60-61 | | |
| 080-004-00-7 | organic compounds of mercury with the exception of those specified elsewhere in this Annex | — | — | T+; R26/27/28 R33 N; R50-53 | T+; N R: 26/27/28-33-50/53 S: (1/2-)13-28-36-45-60-61 | T+; R26/27/28: C ≥ 2 % T; R23/24/25: 0,5 % ≤ C < 2 % Xn; R20/21/22: 0,05 % ≤ C < 0,5 % R33: C ≥ 0,05 % | A 1 |
| 080-005-00-2 | mercury difulminate; mercuric fulminate; fulminate of mercury | 211-057-8 | 628-86-4 | E; R3 T; R23/24/25 R33 N; R50-53 | E; T; N R: 3-23/24/25-33-50/53 S: (1/2-)3 — 45-60-61 | | |
| 080-006-00-8 | dimercury dicyanide oxide; mercuric oxycyanide | 215-629-8 | 1335-31-5 | E; R3 ⊗ T; R23/24/25 R33 N; R50-53 | E; T; N R: 3-23/24/25-33-50/53 S: (1/2-)28-35-45-60-61 | | |
| 080-007-00-3 | dimethylmercury; [1] diethylmercury [2] | 209-805-3 [1] 211-000-7 [2] | 593-74-8 [1] 627-44-1 [2] | T+; R26/27/28 R33 N; R50-53 | T+; N R: 26/27/28-33-50/53 S: (1/2-)13-28-36-45-60-61 | T+; R26/27/28: C ≥ 0,5 % T; R23/24/25: 0,1 % ≤ C < 0,5 % Xn; R20/21/22: 0,05 % ≤ C < 0,1 % R33: C ≥ 0,05 % | 1 |
| 080-008-00-9 | phenylmercury nitrate; [1] phenylmercury hydroxide; [2] basic phenylmercury nitrate [3] | 200-242-9 [1] 202-866-7 [2] - [3] | 55-68-5 [1] 100-57-2 [2] 8003-05-2 [3] | T; R25-48/24/25 C; R34 N; R50-53 | T; N R: 25-34-48/24/25-50/53 S: (1/2-)23-24/25-37-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---|---------|
| 080-009-00-4 | 2-methoxyethylmercury chloride | 204-659-7 | 123-88-6 | T; R25-48/25 C; R34 N; R50-53 | T; N R: 25-34-48/25-50/ 53 S: (1/2-)36/37/39-45- 60-61 | | |
| 080-010-00-X | mercury dichloride; mercuric chloride | 231-299-8 | 7487-94-7 | T+; R28 T; R48/24/25 C; R34 N; R50-53 | T+; N R: 28-34-48/24/25- 50/53 S: (1/2-)36/37/39-45- 60-61 | | |
| 080-011-00-5 | phenylmercury acetate | 200-532-5 | 62-38-4 | T; R25-48/ 24/25 C; R34 N; R50-53 | T; N R: 25-34-48/24/25- 50/53 S: (1/2-)23-24/25-37- 45-60-61 | | |
| 081-001-00-3 | thallium | 231-138-1 | 7440-28-0 | T+; R26/28 R33 R53 | T+ R: 26/28-33-53 S: (1/2-)13-28-45-61 | | |
| 081-002-00-9 | thallium compounds, with the exception of those specified elsewhere in this Annex | — | — | T+; R26/28 R33 N; R51-53 | T+; N R: 26/28-33-51/53 S: (1/2-)13-28-45-61 | | A |
| 081-003-00-4 | dithallium sulphate; thallic sulphate | 231-201-3 | 7446-18-6 | T+; R28 T; R48/25 Xi; R38 N; R51-53 | T+; N R: 28-38-48/25-51/ 53 S: (1/2-)13-36/37-45- 61 | | |
| 082-001-00-6 | lead compounds with the exception of those specified elsewhere in this Annex | — | — | Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R20/22 R33 N; R50-53 | T; N R: 61-20/22-33-62- 50/53 S: 53-45-60-61 | Repr. Cat. 3; R62: C ≥ 2,5 % Xn; R20/22: C ≥ 1 % R33: C ≥ 0,5 % | AE 1 |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---|---------|
| 082-002-00-1 | lead alkyls | — | — | Repr. Cat. 1; R61 Repr. Cat. 3; R62 T+; R26/27/ 28 R33 N; R50-53 | T+; N R: 61-26/27/28-33- 62-50/53 S: 53-45-60-61 | Repr. Cat. 1; R61: C ≥ 0,1 % T+; R26/27/28: C ≥ 0,25 % T; R23/24/25: 0,1 % ≤ C < 0,25 % Xn; R20/21/22: 0,05 % ≤ C < 0,1 % R33: C ≥ 0,05 % | AE 1 |
| 082-003-00-7 | lead diazide; lead azide | 236-542-1 | 13424-46-9 | E; R3 Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R20/22 R33 N; R50-53 | E; T; N R: 61-3-20/22-33-50/ 53-62 S: 53-45-60-61 | | E 1 |
| 082-004-00-2 | lead chromate | 231-846-0 | 7758-97-6 | Carc. Cat. 3; R40 Repr. Cat. 1; R61 Repr. Cat. 3; R62 R33 N; R50-53 | T; N R: 61-33-40-50/53- 62 S: 53-45-60-61 | | 1 |
| 082-005-00-8 | lead di(acetate) | 206-104-4 | 301-04-2 | Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R48/22 R33 N; R50-53 | T; N R: 61-33-48/22-50/ 53-62 S: 53-45-60-61 | | E 1 |
| 082-006-00-3 | trilead bis(orthophosphate) | 231-205-5 | 7446-27-7 | Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R48/22 R33 N; R50-53 | T; N R: 61-33-48/22-50/ 53-62 S: 53-45-60-61 | | E 1 |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|--------|
| 082-007-00-9 | lead acetate, basic; | 215-630-3 | 1335-32-6 | Carc. Cat. 3; R40 Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R48/22 R33 N; R50-53 | T; N R: 61-33-40-48/22-50/53-62 S: 53-45-60-61 | | E 1 |
| 082-008-00-4 | lead(II) methanesulphonate | 401-750-5 | 17570-76-2 | Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R20/22-48/20/22 Xi; R38-41 N; R58 R33 | T; N R: 61-62-20/22-33-38-41-48/20/22-58 S: 53-45-57-61 | | E 1 |
| 082-009-00-X | Lead sulfochromate yellow; C.I. Pigment Yellow 34; [This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77603.] | 215-693-7 | 1344-37-2 | Carc. Cat. 3; R40 Repr. Cat. 1; R61 Repr. Cat. 3; R62 R33 N; R50-53 | T; N R: 61-33-40-50/53-62 S: 53-45-60-61 | | 1 |
| 082-010-00-5 | Lead chromate molybdate sulfate red; C.I. Pigment Red 104; [This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77605.] | 235-759-9 | 12656-85-8 | Carc. Cat. 3; R40 Repr. Cat. 1; R61 Repr. Cat. 3; R62 R33 N; R50-53 | T; N R: 61-33-40-50/53-62 S: 53-45-60-61 | | 1 |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|-----------------------------|---|--|---------------------------------------|--------|
| 082-011-00-0 | lead hydrogen arsenate | 232-064-2 | 7784-40-9 | Carc. Cat. 1; R45 Repr. Cat. 1; R61 Repr. Cat. 3; R62 T; R23/25 R33 N; R50-53 | T; N R: 45-61-23/25-33-50/53-62 S: 53-45-60-61 | | E 1 |
| 092-001-00-8 | uranium | 231-170-6 | 7440-61-1 | T+; R26/28 R33 R53 | T+ R: 26/28-33-53 S: (1/2-)20/21-45-61 | | |
| 092-002-00-3 | uranium compounds | — | — | T+; R26/28 R33 N; R51-53 | T+; N R: 26/28-33-51/53 S: (1/2-)20/21-45-61 | | A |
| 601-001-00-4 | methane | 200-812-7 | 74-82-8 | F+; R12 | F+ R: 12 S: (2-)9-16-33 | | |
| 601-002-00-X | ethane | 200-814-8 | 74-84-0 | F+; R12 | F+ R: 12 S: (2-)9-16-33 | | |
| 601-003-00-5 | propane | 200-827-9 | 74-98-6 | F+; R12 | F+ R: 12 S: (2-)9-16 | | |
| 601-004-00-0 | butane; [1] and isobutane [2] | 203-448-7 [1] 200-857-2 [2] | 106-97-8 [1] 75-28-5 [2] | F+; R12 | F+ R: 12 S: (2-)9-16 | | C |
| 601-004-01-8 | butane (containing \geq 0.1 % butadiene (203-450-8)); [1] isobutane (containing \geq 0.1 % butadiene (203-450-8)) [2] | 203-448-7 [1] 200-857-2 [2] | 106-97-8 [1] 75-28-5 [2] | F+; R12 Carc. Cat. 1; R45 Muta. Cat. 2; R46 | F+; T R: 45-46-12 S: 53-45 | | CS |
| 601-005-00-6 | 2,2-dimethylpropane; neopentane | 207-343-7 | 463-82-1 | F+; R12 N; R51-53 | F+; N R: 12-51/53 S: (2-)9-16-33-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|--|--|--|---------------------------------------|-------|
| 601-006-00-1 | pentane; [1] isopentane; 2-methylbutane [2] | 203-692-4 [1] 201-142-8 [2] | 109-66-0 [1] 78-78-4 [2] | F+; R12 Xn; R65 R66 R67 N; R51-53 | F+; Xn; N R: 12-51/53-65-66- 67 S: (2-)9-16-29-33-61- 62 | | C |
| 601-007-00-7 | hexane, reaction mass of isomers (containing < 5 % <i>n</i> -hexane (203-777-6)) | — | — | F; R11 Xn; R65 Xi; R38 R67 N; R51-53 | F; Xn; N R: 11-38-51/53-65- 67 S: (2-)9-16-29-33-61- 62 | | C |
| 601-008-00-2 | heptane [and isomers] [1] | 205-563-8 [1] 203-548-0 [2] 207-346-3 [3] 209-230-8 [4] 209-280-0 [5] 209-643-3 [6] 209-680-5 [7] 209-730-6 [8] 210-529-0 [9] 250-610-8 [10] | 142-82-5 [1] 108-08-7 [2] 464-06-2 [3] 562-49-2 [4] 565-59-3 [5] 589-34-4 [6] 590-35-2 [7] 591-76-4 [8] 617-78-7 [9] 31394-54-4 [10] | F; R11 Xn; R65 Xi; R38 R67 N; R50-53 | F; Xn; N R: 11-38-50/53-65- 67 S: (2-)9-16-29-33-60- 61-62 | | C |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|---|--|--|---------------------------------------|-------|
| 601-009-00-8 | octane [and isomers] [1] | 203-892-1 [1] 208-759-1 [2] 209-207-2 [3] 209-243-9 [4] 209-266-4 [5] 209-292-6 [6] 209-504-7 [7] 209-547-1 [8] 209-649-6 [9] 209-650-1 [10] 209-660-6 [11] 209-689-4 [12] | 111-65-9 [1] 540-84-1 [2] 560-21-4 [3] 563-16-6 [4] 564-02-3 [5] 565-75-3 [6] 583-48-2 [7] 584-94-1 [8] 589-43-5 [9] 589-53-7 [10] 589-81-1 [11] 590-73-8 [12] 592-13-2 [13] 592-27-8 [14] 594-82-1 [15] 609-26-7 [16] 619-99-8 [17] 1067-08-9 [18] 26635-64-3 [19] | F; R11 Xn; R65 Xi; R38 R67 N; R50-53 | F; Xn; N R: 11-38-50/53-65-67 S: (2-)9-16-29-33-60-61-62 | | C |
| | | 209-745-8 [13] 209-747-9 [14] 209-855-6 [15] 210-187-2 [16] 210-621-0 [17] 213-923-0 [18] 247-861-0 [19] | | | | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|--|---|--|---------------------------------------|-------|
| 601-010-00-3 | ethylene | 200-815-3 | 74-85-1 | F+; R12 R67 | F+ R: 12-67 S: (2-)9-16-33-45 | | |
| 601-011-00-9 | propene; propylene | 204-062-1 | 115-07-1 | F+; R12 | F+ R: 12 S: (2-)9-16-33 | | |
| 601-012-00-4 | but-1-ene; [1] butene, mixed-1-and-2-isomers; [2] 2-methylpropene; [3] (Z)-but-2-ene; [4] (E)-but-2-ene [5] | 203-449-2 [1] 203-452-9 [2] 204-066-3 [3] 209-673-7 [4] 210-855-3 [5] | 106-98-9 [1] 107-01-7 [2] 115-11-7 [3] 590-18-1 [4] 624-64-6 [5] | F+; R12 | F+ R: 12 S: (2-)9-16-33 | | C |
| 601-013-00-X | 1,3-butadiene; buta-1,3-diene | 203-450-8 | 106-99-0 | F+; R12 Carc. Cat. 1; R45 Muta. Cat. 2; R46 | F+; T R: 45-46-12 S: 53-45 | | D |
| 601-014-00-5 | isoprene (stabilised) 2-methyl-1,3-butadiene | 201-143-3 | 78-79-5 | F+; R12 Carc. Cat. 2; R45 Muta. Cat. 3; R68 R52-53 | F+; T R: 45-12-68-52/53 S: 53-45-61 | | D |
| 601-015-00-0 | acetylene; ethyne | 200-816-9 | 74-86-2 | R5 R6 F+; R12 | F+ R: 5-6-12 S: (2-)9-16-33 | | |
| 601-016-00-6 | cyclopropane | 200-847-8 | 75-19-4 | F+; R12 | F+ R: 12 S: (2-)9-16-33 | | |
| 601-017-00-1 | cyclohexane | 203-806-2 | 110-82-7 | F; R11 Xn; R65 Xi; R38 R67 N; R50-53 | F; Xn; N R: 11-38-65-67-50/ 53 S: (2-)9-16-25-33-60- 61-62 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|--|--|--|---------------------------------------|-------|
| 601-018-00-7 | methylcyclohexane | 203-624-3 | 108-87-2 | F; R11 Xn; R65 Xi; R38 R67 N; R51-53 | F; Xn; N R: 11-38-51/53-65-67 S: (2-)9-16-33-61-62 | | |
| 601-019-00-2 | 1,4-dimethylcyclohexane | 209-663-2 | 589-90-2 | F; R11 Xn; R65 Xi; R38 R67 N; R51-53 | F; Xn; N R: 11-38-51/53-65-67 S: (2-)9-16-33-61-62 | | |
| 601-020-00-8 | benzene | 200-753-7 | 71-43-2 | F; R11 Carc. Cat. 1; R45 Muta. Cat. 2; R46 T; R48/23/ 24/25 Xn; R65 Xi; R36/38 | F; T R: 45-46-11-36/38-48/23/24/25-65 S: 53-45 | | E |
| 601-021-00-3 | toluene | 203-625-9 | 108-88-3 | F; R11 Repr. Cat. 3; R63 Xn; R48/20-65 Xi; R38 R67 | F; Xn R: 11-38-48/20-63-65-67 S: (2-)36/37-46-62 | | |
| 601-022-00-9 | <i>o</i> -xylene; [1] <i>p</i> -xylene; [2] <i>m</i> -xylene; [3] xylene [4] | 202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4] | 95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4] | R10 Xn; R20/21 Xi; R38 | Xn R: 10-20/21-38 S: (2-)25 | Xn; R20/21: C ≥ 12,5 % | C |
| 601-023-00-4 | ethylbenzene | 202-849-4 | 100-41-4 | F; R11 Xn; R20 | F; Xn R: 11-20 S: (2-)16-24/25-29 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|--|--|--|---|-------|
| 601-024-00-X | cumene; [1] propylbenzene [2] | 202-704-5 [1] 203-132-9 [2] | 98-82-8 [1] 103-65-1 [2] | R10 Xn; R65 Xi; R37 N; R51-53 | Xn; N R: 10-37-51/53-65 S: (2-)24-37-61-62 | | C |
| 601-025-00-5 | mesitylene; 1,3,5-trimethylbenzene | 203-604-4 | 108-67-8 | R10 Xi; R37 N; R51-53 | Xi; N R: 10-37-51/53 S: (2-)61 | Xi; R37: C ≥ 25 % | |
| 601-026-00-0 | styrene | 202-851-5 | 100-42-5 | R10 Xn; R20 Xi; R36/38 | Xn R: 10-20-36/38 S: (2-)23 | Xn; R20: C ≥ 12,5 % Xi; R36/38: C ≥ 12,5 % | D |
| 601-027-00-6 | 2-phenylpropene; α-methylstyrene | 202-705-0 | 98-83-9 | R10 Xi; R36/37 N; R51-53 | Xi; N R: 10-36/37-51/53 S: (2-)61 | Xi; R36/37: C ≥ 25 % | |
| 601-028-00-1 | 2-methylstyrene; 2-vinyltoluene | 210-256-7 | 611-15-4 | Xn; R20 N; R51-53 | Xn; N R: 20-51/53 S: (2-)24-61 | | |
| 601-029-00-7 | dipentene; limonene; [1] (R)-p-mentha-1,8-diene; d-limonene; [2] (S)-p-mentha-1,8-diene; l-limonene; [3] trans-1-methyl-4-(1-methylvinyl)cyclohexene; [4] (±)-1-methyl-4-(1-methylvinyl)cyclohexene [5] | 205-341-0 [1] 227-813-5 [2] 227-815-6 [3] 229-977-3 [4] 231-732-0 [5] | 138-86-3 [1] 5989-27-5 [2] 5989-54-8 [3] 6876-12-6 [4] 7705-14-8 [5] | R10 Xi; R38 R43 N; R50-53 | Xi; N R: 10-38-43-50/53 S: (2-)24-37-60-61 | | C |
| 601-030-00-2 | cyclopentane | 206-016-6 | 287-92-3 | F; R11 R52-53 | F R: 11-52/53 S: (2-)9-16-29-33-61 | | |
| 601-031-00-8 | 2,4,4-trimethylpent-1-ene | 203-486-4 | 107-39-1 | F; R11 N; R51-53 | F; N R: 11-51/53 S: (2-)9-16-29-33-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 601-032-00-3 | benzo[a]pyrene; benzo[def]chrysene | 200-028-5 | 50-32-8 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 R43 N; R50-53 | T; N R: 45-46-60-61-43- 50/53 S: 53-45-60-61 | Carc. Cat. 2; R45: C ≥ 0,01 % | |
| 601-033-00-9 | benz[a]anthracene | 200-280-6 | 56-55-3 | Carc. Cat. 2; R45 N; R50-53 | T; N R: 45-50/53 S: 53-45-60-61 | | |
| 601-034-00-4 | benz[e]acephenanthrylene | 205-911-9 | 205-99-2 | Carc. Cat. 2; R45 N; R50-53 | T; N R: 45-50/53 S: 53-45-60-61 | | |
| 601-035-00-X | benzo[j]fluoranthene | 205-910-3 | 205-82-3 | Carc. Cat. 2; R45 N; R50-53 | T; N R: 45-50/53 S: 53-45-60-61 | | |
| 601-036-00-5 | benzo[k]fluoranthene | 205-916-6 | 207-08-9 | Carc. Cat. 2; R45 N; R50-53 | T; N R: 45-50/53 S: 53-45-60-61 | | |
| 601-037-00-0 | n-hexane | 203-777-6 | 110-54-3 | F; R11 Repr. Cat. 3; R62 Xn; R65-48/ 20 Xi; R38 R67 N; R51-53 | F; Xn; N R: 11-38-48/20-62- 65-67-51/53 S: (2-)9-16-29-33-36/ 37-61-62 | Xn; R48/20: C ≥ 5 % | |
| 601-041-00-2 | dibenz[a,h]anthracene | 200-181-8 | 53-70-3 | Carc. Cat. 2; R45 N; R50-53 | T; N R: 45-50/53 S: 53-45-60-61 | Carc. Cat. 2; R45: C ≥ 0,01 % | |
| 601-042-00-8 | biphenyl; diphenyl | 202-163-5 | 92-52-4 | Xi; R36/37/ 38 N; R50-53 | Xi; N R: 36/37/38-50/53 S: (2-)23-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---------------------------------------|-------|
| 601-043-00-3 | 1,2,4-triméthylbenzène | 202-436-9 | 95-63-6 | R10 Xn; R20 Xi; R36/37/ 38 N; R51-53 | Xn; N R: 10-20-36/37/38- 51/53 S: (2-)26-61 | | |
| 601-044-00-9 | 3a,4,7,7a-tetrahydro-4,7-méthanoindène | 201-052-9 | 77-73-6 | F; R11 Xn; R20/22 Xi; R36/37/ 38 N; R51-53 | F; Xn; N R: 11-20/22-36/37/ 38-51/53 S: (2-)36/37-61 | | |
| 601-045-00-4 | 1,2,3,4-tétrahydronaphtalène | 204-340-2 | 119-64-2 | R19 Xi; R36/38 N; R51-53 | Xi; N R: 19-36/38-51/53 S: (2-)26-28-61 | | |
| 601-046-00-X | 7-méthyl-octa-1,6-diene | 404-210-7 | 42152-47-6 | R10 N; R50-53 | N R: 10-50/53 S: (2-)60-61 | | |
| 601-047-00-5 | <i>m</i> -mentha-1,3(8)-diène | 404-150-1 | 17092-80-7 | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)37-61 | | |
| 601-048-00-0 | chrysène | 205-923-4 | 218-01-9 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 N; R50-53 | T; N R: 45-68-50/53 S: 53-45-60-61 | | |
| 601-049-00-6 | benzo[<i>e</i>]pyrène | 205-892-7 | 192-97-2 | Carc. Cat. 2; R45 N; R50-53 | T; N R: 45-50/53 S: 53-45-60-61 | | |
| 601-051-00-7 | 4-phénylbut-1-ène | 405-980-7 | 768-56-9 | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)37-61 | | |
| 601-052-00-2 | naphtalène | 202-049-5 | 91-20-3 | Carc. Cat. 3; R40 Xn; R22 N; R50-53 | Xn; N R: 22-40-50/53 S: (2-)36/37-46-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|--|---|--|---------------------------------------|-------|
| 601-053-00-8 | nonylphenol; [1] 4-nonylphenol, branched [2] | 246-672-0 [1] 284-325-5 [2] | 25154-52-3 [1] 84852-15-3 [2] | Repr. Cat. 3; R62-63 Xn; R22 C; R34 N; R50-53 | C; N R: 22-34-62-63-50/ 53 S: (1/2-)26-36/37/39- 45-46-60-61 | | |
| 601-054-00-3 | reaction mass of isomers of: dibenzylbenzene; dibenzyl(methyl)benzene; dibenzyl(dimethyl)benzene; dibenzyl(trimethyl)benzene | 405-570-8 | — | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 601-055-00-9 | reaction mass of isomers of: mono-(2-tetradecyl)naphthalenes; di-(2-tetradecyl)naphthalenes; tri-(2-tetradecyl)naphthalenes | 410-190-0 | 132983-41-6 | Xi; R36 R53 | Xi R: 36-53 S: (2-)26-61 | | |
| 601-056-00-4 | reaction mass of isomers of: methyldiphenylmethane; dimethyldiphenylmethane | 405-470-4 | 73807-39-3 | Xi; R38 N; R50-53 | Xi; N R: 38-50/53 S: (2-)37-60-61 | | |
| 601-057-00-X | N-dodecyl-[3-(4-(dimethylamino)benzamido)-propyl]dime- thylammonium tosylate | 421-130-8 | 156679-41-3 | Xi; R41 R43 N; R50-53 | Xi; N R: 41-43-50/53 S: (2-)24-26-37/39- 60-61 | | |
| 601-058-00-5 | di-L-para-menthene | 417-870-6 | 83648-84-4 | Xi; R38 R43 N; R50-53 | Xi; N R: 38-43-50/53 S: (2-)23-24-37-60- 61 | | |
| 601-059-00-0 | methyl 2-benzylidene-3-oxobutyrate | 420-940-9 | 15768-07-7 | Xi; R36/38 N; R51-53 | Xi; N R: 36/38-51/53 S: (2-)26-37/39-61 | | |
| 601-060-00-6 | 1,2-bis[4-fluoro-6-(4-sulfo-5-(2-(4-sulfonaphtalene-3-ylazo)- 1-hydroxy-3,6-disulfo-8-aminonaphtalene-7-ylazo)phenyla- mino)-1,3,5-triazin-2ylamino]ethane; x-sodium, y-potassium salts x = 7,755 y = 0,245 | 417-610-1 | 155522-09-1 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 601-061-00-1 | (ethyl-1,2-ethanediy)[2-[[[(2-hydroxyethyl)methylamino]ace- tyl]-propyl]ω-(nonylphenoxy)poly]oxy-(methyl-1,2-ethane- diyl) | 418-960-8 | — | C; R34 R43 N; R51-53 | C; N R: 34-43-51/53 S: (1/2-)26-28-36/37/ 39-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 601-062-00-7 | reaction mass of: branched triacontane; branched dotriacontane; branched tetratriacontane; branched hexatriacontane | 417-030-9 | 151006-59-6 | R53 | R: 53 S: 61 | | |
| 601-063-00-2 | reaction mass of isomers of branched tetracosane | 417-060-2 | 151006-61-0 | Xn; R20 R53 | Xn R: 20-53 S: (2-)61 | | |
| 601-064-00-8 | branched hexatriacontane | 417-070-7 | 151006-62-1 | R53 | R: 53 S: 61 | | |
| 601-065-00-3 | reaction mass of: (1'- α ,3'- α ,6'- α -2,2,3',7',7'-pentamethylspiro(1,3-dioxane-5,2'-norcarane); (1' α ,3' β ,6' α)-2,2,3',7',7'-pentamethylspiro(1,3-dioxane-5,2'-norcarane) | 416-930-9 | — | Xn; R48/22 Xi; R41 N; R51-53 | Xn; N R: 41-48/22-51/53 S: (2-)22-26-37/39-61 | | |
| 601-066-00-9 | 1-(4-(<i>trans</i> -4-heptylcyclohexyl)phenyl)ethanone | 426-820-2 | 78531-60-9 | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |
| 601-067-00-4 | triethyl arsenate | 427-700-2 | 15606-95-8 | Carc. Cat. 1; R45 T; R23/25 N; R50-53 | T; N R: 45-23/25-50/53 S: 53-45-60-61 | | E |
| 601-068-00-X | 1,2-diacetoxybut-3-ene | 421-720-5 | 18085-02-4 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 601-069-00-5 | 2-ethyl-1-(2-(1,3-dioxanyl)ethyl)-pyridinium bromide | 422-680-1 | 287933-44-2 | R52-53 | R: 52/53 S: 61 | | |
| 601-071-00-6 | 1-dimethoxymethyl-2-nitro-benzene | 423-830-9 | 20627-73-0 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 601-073-00-7 | 1-bromo-3,5-difluorobenzene | 416-710-2 | 461-96-1 | R10 Xn; R22-48/ 22 Xi; R38 R43 N; R50-53 | Xn; N R: 10-22-38-43-48/ 22-50/53 S: (2-)24-36/37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|--|-------|
| 601-074-00-2 | reaction mass of: 4-(2,2,3-trimethylcyclopent-3-en-1-yl)-1-methyl-2-oxabicyclo[2.2.2]octane; 1-(2,2,3-trimethylcyclopent-3-en-1-yl)-5-methyl-6-oxabicyclo[3.2.1]octane; spiro[cyclohex-3-en-1-yl-[(4,5,6,6a-tetrahydro-3,6',6',6'a-tetramethyl)-1,3'(3'aH)-[2H]cyclopenta[b]furan]; spiro[cyclohex-3-en-1-yl-[4,5,6,6a-tetrahydro-4,6',6',6'a-tetramethyl)-1,3'(3'aH)-[2H]cyclopenta[b]furan] | 422-040-1 | — | Xi; R36/38 N; R51-53 | Xi; N R: 36/38-51/53 S: (2-)26-37-61 | | |
| 602-001-00-7 | chloromethane; methyl chloride | 200-817-4 | 74-87-3 | F+; R12 Carc. Cat. 3; R40 Xn; R48/20 | F+; Xn R: 12-40-48/20 S: (2-)9-16-33 | | |
| 602-002-00-2 | bromomethane; methylbromide | 200-813-2 | 74-83-9 | Muta. Cat. 3; R68 T; R23/25 Xn; R48/20 Xi; R36/37/ 38 N; R50 N; R59 | T; N R: 23/25-36/37/38- 48/20-50-59-68 S: (1/2-)15-27-36/39- 38-45-59-61 | | |
| 602-003-00-8 | dibromomethane | 200-824-2 | 74-95-3 | Xn; R20 R52-53 | Xn R: 20-52/53 S: (2-)24-61 | Xn; R20: C ≥ 12,5 % | |
| 602-004-00-3 | dichloromethane; methylene chloride | 200-838-9 | 75-09-2 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)23-24/25-36/37 | | |
| 602-005-00-9 | methyl iodide; iodomethane | 200-819-5 | 74-88-4 | Carc. Cat. 3; R40 Xn; R21 T; R23/25 Xi; R37/38 | T R: 21-23/25-37/38- 40 S: (1/2-)36/37-38-45 | | |
| 602-006-00-4 | trichloromethane; chloroform | 200-663-8 | 67-66-3 | Xn; R22-48/ 20/22 Xi; R38 Carc. Cat. 3; R40 | Xn R: 22-38-40-48/20/ 22 S: (2-)36/37 | Xn; R22: C ≥ 5 % Xn; R48/20/22: C ≥ 5 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|--|-------|
| 602-007-00-X | bromoform; tribromomethane | 200-854-6 | 75-25-2 | T; R23 Xi; R36/38 N; R51-53 | T; N R: 23-36/38-51/53 S: (1/2-)28-45-61 | | |
| 602-008-00-5 | carbon tetrachloride; tetrachloromethane | 200-262-8 | 56-23-5 | Carc. Cat. 3; R40 T; R23/24/ 25-48/23 N; R59 R52-53 | T; N R: 23/24/25-40-48/ 23-59-52/53 S: (1/2-)23-36/37-45- 59-61 | T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,2 % ≤ C < 1 % T; R48/23: C ≥ 1 % Xn; R48/20: 0,2 % ≤ C < 1 % | |
| 602-009-00-0 | chloroethane | 200-830-5 | 75-00-3 | F+; R12 Carc. Cat. 3; R40 R52-53 | F+; Xn R: 12-40-52/53 S: (2-)9-16-33-36/37- 61 | | |
| 602-010-00-6 | 1,2-dibromoethane | 203-444-5 | 106-93-4 | Carc. Cat. 2; R45 T; R23/24/25 Xi; R36/37/ 38 N; R51-53 | T; N R: 45-23/24/25-36/ 37/38-51/53 S: 53-45-61 | T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,1 % ≤ C < 1 % | E |
| 602-011-00-1 | 1,1-dichloroethane | 200-863-5 | 75-34-3 | F; R11 Xn; R22 Xi; R36/37 R52-53 | F; Xn R: 11-22-36/37-52/ 53 S: (2-)16-23-61 | Xn; R22: C ≥ 12,5 % | |
| 602-012-00-7 | 1,2-dichloroethane; ethylene dichloride | 203-458-1 | 107-06-2 | F; R11 Carc. Cat. 2; R45 Xn; R22 Xi; R36/37/ 38 | F; T R: 45-11-22-36/37/ 38 S: 53-45 | | E |
| 602-013-00-2 | 1,1,1-trichloroethane; methyl chloroform | 200-756-3 | 71-55-6 | Xn; R20 N; R59 | Xn; N R: 20-59 S: (2-)24/25-59-61 | | F |
| 602-014-00-8 | 1,1,2-trichloroethane | 201-166-9 | 79-00-5 | Carc. Cat. 3; R40 Xn; R20/21/ 22 R66 | Xn R: 20/21/22-40-66 S: (2-)9-36/37-46 | Xn; R20/21/22: C ≥ 5 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------|-----------------------------|---|---|---|-------|
| 602-015-00-3 | 1,1,2,2-tetrachloroethane | 201-197-8 | 79-34-5 | T+; R26/27 N; R51-53 | T+; N R: 26/27-51/53 S: (1/2-)38-45-61 | | |
| 602-016-00-9 | 1,1,2,2-tetrabromoethane | 201-191-5 | 79-27-6 | T+; R26 Xi; R36 R52-53 | T+ R: 26-36-52/53 S: (1/2-)24-27-45-61 | | |
| 602-017-00-4 | pentachloroethane | 200-925-1 | 76-01-7 | Carc. Cat. 3; R40 T; R48/23 N; R51-53 | T; N R: 40-48/23-51/53 S: (1/2-)23-36/37-45-61 | T; R48/23: C ≥ 1 % Xn; R48/20: 0,2 % ≤ C < 1 % | |
| 602-018-00-X | 1-chloropropane; [1] 2-chloropropane [2] | 208-749-7 [1] 200-858-8 [2] | 540-54-5 [1] 75-29-6 [2] | F; R11 Xn; R20/21/ 22 | F; Xn R: 11-20/21/22 S: (2-)9-29 | | C |
| 602-019-00-5 | 1-bromopropane; n-propyl bromide | 203-445-0 | 106-94-5 | F; R11 Repr. Cat. 2; R60 Repr. Cat. 3; R63 Xn; R48/20 Xi; R36/37/ 38 R67 | F; T R: 60-11-36/37/38-48/20-63-67 S: 53-45 | | E |
| 602-020-00-0 | 1,2-dichloropropane; propylene dichloride | 201-152-2 | 78-87-5 | F; R11 Xn; R20/22 | F; Xn R: 11-20/22 S: (2-)16-24 | | |
| 602-021-00-6 | 1,2-dibromo-3-chloropropane | 202-479-3 | 96-12-8 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 1; R60 T; R25 Xn; R48/20/ 22 R52-53 | T R: 45-46-60-25-48/ 20/22-52/53 S: 53-45-61 | | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|--|---|--|---------------------------------------|-------|
| 602-022-00-1 | 1-chloropentane; [1] 2-chloropentane; [2] 3-chloropentane [3] | 208-846-4 [1] 210-885-7 [2] 210-467-4 [3] | 543-59-9 [1] 625-29-6 [2] 616-20-6 [3] | F; R11 Xn; R20/21/ 22 | F; Xn R: 11-20/21/22 S: (2-)9-29 | | C |
| 602-023-00-7 | vinyl chloride; chloroethylene | 200-831-0 | 75-01-4 | F+; R12 Carc. Cat. 1; R45 | F+; T R: 45-12 S: 53-45 | | D |
| 602-024-00-2 | bromoethylene | 209-800-6 | 593-60-2 | F+; R12 Carc. Cat. 2; R45 | F+; T R: 45-12 S: 53-45 | | |
| 602-025-00-8 | 1,1-dichloroethylene; vinylidene chloride | 200-864-0 | 75-35-4 | F+; R12 Carc. Cat. 3; R40 Xn; R20 | F+; Xn R: 12-20-40 S: (2-)7-16-29-36/37- 46 | Xn; R20: C ≥ 12,5 % | D |
| 602-026-00-3 | 1,2-dichloroethylene; [1] cis-dichloroethylene; [2] trans-dichloroethylene [3] | 208-750-2 [1] 205-859-7 [2] 205-860-2 [3] | 540-59-0 [1] 156-59-2 [2] 156-60-5 [3] | F; R11 Xn; R20 R52-53 | F; Xn R: 11-20-52/53 S: (2-)7-16-29-61 | Xn; R20: C ≥ 12,5 % | C |
| 602-027-00-9 | trichloroethylene; trichloroethene | 201-167-4 | 79-01-6 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 R67 Xi; R36/38 R52-53 | T R: 45-36/38-52/53- 67 S: 53-45-61 | | |
| 602-028-00-4 | tetrachloroethylene | 204-825-9 | 127-18-4 | Carc. Cat. 3; R40 N; R51-53 | Xn; N R: 40-51/53 S: (2-)23-36/37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------------|-----------------------------------|--|---|---------------------------------------|-------|
| 602-029-00-X | 3-chloropropene; allyl chloride | 203-457-6 | 107-05-1 | F; R11 Carc. Cat. 3; R40 Muta. Cat. 3; R68 Xn; R20/21/ 22-48/20 Xi; R36/37/ 38 N; R50 | F; Xn; N R: 11-20/21/22-36/ 37/38-40-48/20-68- 50 S: (2-)16-25-26-36/ 37-46-61 | | D |
| 602-030-00-5 | 1,3-dichloropropene; [1] (Z)-1,3-dichloropropene [2] | 208-826-5 [1] 233-195-8 [2] | 542-75-6 [1] 10061-01-5 [2] | R10 T; R25 Xn; R20/21 Xi; R36/37/ 38 R43 N; R50-53 | T; N R: 10-20/21-25-36/ 37/38-43-50/53 S: (1/2-)36/37-45-60- 61 | | DC |
| 602-031-00-0 | 1,1-dichloropropene | 209-253-3 | 563-58-6 | F; R11 T; R25 R52-53 | F; T R: 11-25-52/53 S: (1/2-)16-29-33-45- 61 | | |
| 602-032-00-6 | 3-chloro-2-methylpropene | 209-251-2 | 563-47-3 | F; R11 Xn; R20/22 C; R34 R43 N; R51-53 | F; C; N R: 11-20/22-34-43- 51/53 S: (2-)9-16-26-29-36/ 37/39-45-61 | | |
| 602-033-00-1 | chlorobenzene | 203-628-5 | 108-90-7 | R10 Xn; R20 N; R51-53 | Xn; N R: 10-20-51/53 S: (2-)24/25-61 | Xn; R20: C ≥ 5 % | |
| 602-034-00-7 | 1,2-dichlorobenzene; o-dichlorobenzene | 202-425-9 | 95-50-1 | Xn; R22 Xi; R36/37/ 38 N; R50-53 | Xn; N R: 22-36/37/38-50/ 53 S: (2-)23-60-61 | Xn; R22: C ≥ 5 % | |
| 602-035-00-2 | 1,4-dichlorobenzene; p-dichlorobenzene | 203-400-5 | 106-46-7 | Carc. Cat. 3; R40 Xi; R36 N; R50-53 | Xn; N R: 36-40-50/53 S: (2-)36/37-46-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|--|---|---|---------------------------------------|-------|
| 602-036-00-8 | chloroprene (stabilised); 2-chlorobuta-1,3-diene (stabilised) | 204-818-0 | 126-99-8 | F; R11 Carc. Cat. 2; R45 Xn; R20/22- 48/20 Xi; R36/37/ 38 | F; T R: 45-11-20/22-36/ 37/38-48/20 S: 53-45 | | D E |
| 602-037-00-3 | α-chlorotoluene; benzyl chloride | 202-853-6 | 100-44-7 | Carc. Cat. 2; R45 T; R23 Xn; R22-48/ 22 Xi; R37/38- 41 | T R: 45-22-23-37/38- 41-48/22 S: 53-45 | | E |
| 602-038-00-9 | α, α,α-trichlorotoluene; benzotrichloride | 202-634-5 | 98-07-7 | Carc. Cat. 2; R45 T; R23 Xn; R22 Xi; R37/38- 41 | T R: 45-22-23-37/38- 41 S: 53-45 | | E |
| 602-039-00-4 | polychlorobiphenyls; PCB | 215-648-1 | 1336-36-3 | R33 N; R50-53 | N R: 33-50/53 S: (2-)-60-61 | R33: C ≥ 0,005 % | C |
| 602-040-00-X | 2-chlorotoluene; [1] 3-chlorotoluene; [2] 4-chlorotoluene; [3] chlorotoluene [4] | 202-424-3 [1] 203-580-5 [2] 203-397-0 [3] 246-698-2 [4] | 95-49-8 [1] 108-41-8 [2] 106-43-4 [3] 25168-05-2 [4] | Xn; R20 N; R51-53 | Xn; N R: 20-51/53 S: (2-)24/25-61 | | C |
| 602-041-00-5 | pentachloronaphthalene | 215-320-8 | 1321-64-8 | Xn; R21/22 Xi; R36/38 N; R50-53 | Xn; N R: 21/22-36/38-50/ 53 S: (2-)-60-61 | | C |
| 602-042-00-0 | 1,2,3,4,5,6-hexachlorocyclohexanes with the exception of those specified elsewhere in this Annex | — | — | Carc. Cat. 3; R40 T; R25 Xn; R21 N; R50-53 | T; N R: 21-25-40-50/53 S: (1/2-)22-36/37-45- 60-61 | | A C |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---|-------|
| 602-043-00-6 | lindane (ISO) γ-HCH or γ-BHC; γ-1,2,3,4,5,6-hexachlorocyclohexane; | 200-401-2 | 58-89-9 | T; R25 Xn; R20/21-48/22 R64 N; R50-53 | T; N R: 20/21-25-48/22-64-50/53 S: (1/2-)36/37-45-60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 602-044-00-1 | camphechlor (ISO) toxaphene; | 232-283-3 | 8001-35-2 | Carc. Cat. 3; R40 T; R25 Xn; R21 Xi; R37/38 N; R50-53 | T; N R: 21-25-37/38-40-50/53 S: (1/2-)36/37-45-60-61 | | |
| 602-045-00-7 | DDT (ISO); clofenotane (INN); dicophane; 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane; dichlorodiphenyltrichloroethane | 200-024-3 | 50-29-3 | T; R25-48/25 Carc. Cat. 3; R40 N; R50-53 | T; N R: 25-40-48/25-50/53 S: (1/2-)22-36/37-45-60-61 | | |
| 602-046-00-2 | heptachlor (ISO); 1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-4,7-methanoindene | 200-962-3 | 76-44-8 | T; R24/25 Carc. Cat. 3; R40 R33 N; R50-53 | T; N R: 24/25-33-40-50/53 S: (1/2-)36/37-45-60-61 | | |
| 602-047-00-8 | chlordan (ISO); 1,2,4,5,6,7,8,8-octachloro-3a,4,7,7a-tetrahydro-4,7-methanoindan | 200-349-0 | 57-74-9 | Carc. Cat. 3; R40 Xn; R21/22 N; R50-53 | Xn; N R: 21/22-40-50/53 S: (2-)36/37-60-61 | | |
| 602-048-00-3 | aldrin (ISO) | 206-215-8 | 309-00-2 | T; R24/25-48/24/25 Carc. Cat. 3; R40 N; R50-53 | T; N R: 24/25-40-48/24/25-50/53 S: (1/2-)22-36/37-45-60-61 | | |
| 602-049-00-9 | dieldrin (ISO) | 200-484-5 | 60-57-1 | T+; R27 T; R25-48/25 Carc. Cat. 3; R40 N; R50-53 | T+; N R: 25-27-40-48/25-50/53 S: (1/2-)22-36/37-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 602-050-00-4 | (1 α ,4 α ,4 $\alpha\beta$,5 β ,8 β ,8 $\alpha\beta$)-1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-dimethanonaphthalene; isodrin | 207-366-2 | 465-73-6 | T+; R26/27/28 N; R50-53 | T+; N R: 26/27/28-50/53 S: (1/2-)13-28-45-60-61 | | |
| 602-051-00-X | endrin (ISO); 1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octa-hydro-1,4:5,8-dimethanonaphthalene | 200-775-7 | 72-20-8 | T+; R28 T; R24 N; R50-53 | T+; N R: 24-28-50/53 S: (1/2-)22-36/37-45-60-61 | | |
| 602-052-00-5 | endosulfan (ISO); 1,2,3,4,7,7-hexachloro-8,9,10-trinorborn-2-en-5,6-ylenedi-methyl sulphite | 204-079-4 | 115-29-7 | T; R24/25 Xi; R36 N; R50-53 | T; N R: 24/25-36-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 602-053-00-0 | isobenzan (ISO); 1,3,4,5,6,7,8,8-octachloro-1,3,3a,4,7,7a-hexahydro-4,7-methanoisobenzofuran | 206-045-4 | 297-78-9 | T+; R27/28 N; R50 | T+; N R: 27/28-50 S: (1/2-)28-36/37-45-61 | | |
| 602-054-00-6 | 3-iodpropene; allyl iodide | 209-130-4 | 556-56-9 | R10 C; R34 | C R: 10-34 S: (1/2-)7-26-45 | | |
| 602-055-00-1 | bromoethane; ethyl bromide | 200-825-8 | 74-96-4 | F; R11 Carc. Cat. 3; R40 Xn; R20/22 | F; Xn R: 11-20/22-40 S: (2-)36/37 | | |
| 602-056-00-7 | α , α , α -trifluorotoluene; benzotrifluoride | 202-635-0 | 98-08-8 | F; R11 N; R51-53 | F; N R: 11-51/53 S: (2-)16-23-61 | | |
| 602-057-00-2 | α -bromotoluene; benzyl bromide | 202-847-3 | 100-39-0 | Xi; R36/37/ 38 | Xi R: 36/37/38 S: (2-)39 | | |
| 602-058-00-8 | α , α -dichlorotoluene; benzylidene chloride; benzal chloride | 202-709-2 | 98-87-3 | Carc. Cat. 3; R40 T; R23 Xn; R22 Xi; R37/38- 41 | T R: 22-23-37/38-40- 41 S: (1/2-)36/37-38-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---------------------------------------|-------|
| 602-059-00-3 | 1-chlorobutane; butyl chloride | 203-696-6 | 109-69-3 | F; R11 | F R: 11 S: (2-)9-16-29 | | |
| 602-060-00-9 | bromobenzene | 203-623-8 | 108-86-1 | R10 Xi; R38 N; R51-53 | Xi; N R: 10-38-51/53 S: (2-)61 | | |
| 602-061-00-4 | hexafluoropropene; hexafluoropropylene | 204-127-4 | 116-15-4 | Xn; R20 Xi; R37 | Xn R: 20-37 S: (2-)41 | | |
| 602-062-00-X | 1,2,3-trichloropropane | 202-486-1 | 96-18-4 | Carc. Cat. 2; R45 Repr. Cat. 2; R60 Xn; R20/21/ 22 | T R: 45-60-20/21/22 S: 53-45 | | E D |
| 602-063-00-5 | heptachlor epoxide; 2,3-epoxy-1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro- 4,7-methanoindane | 213-831-0 | 1024-57-3 | T; R25 Carc. Cat. 3; R40 R33 N; R50-53 | T; N R: 25-33-40-50/53 S: (1/2-)36/37-45-60- 61 | | |
| 602-064-00-0 | 1,3-dichloro-2-propanol | 202-491-9 | 96-23-1 | Carc. Cat. 2; R45 T; R25 Xn; R21 | T R: 45-21-25 S: 53-45 | | E |
| 602-065-00-6 | hexachlorobenzene | 204-273-9 | 118-74-1 | Carc. Cat. 2; R45 T; R48/25 N; R50-53 | T; N R: 45-48/25-50/53 S: 53-45-60-61 | | E |
| 602-066-00-1 | tetrachloro- <i>p</i> -benzoquinone | 204-274-4 | 118-75-2 | Xi; R36/38 N; R50-53 | Xi; N R: 36/38-50/53 S: (2-)37-60-61 | | |
| 602-067-00-7 | 1,3-dichlorbenzene | 208-792-1 | 541-73-1 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|--|-------|
| 602-068-00-2 | ethylene bis(trichloroacetate) | 219-732-9 | 2514-53-6 | Xi; R38 | Xi R: 38 S: (2-) | | |
| 602-069-00-8 | dichloroacetylene | — | 7572-29-4 | E; R2 Carc. Cat. 3; R40 Xn; R48/20 | E; Xn R: 2-40-48/20 S: (2-)36/37 | | |
| 602-070-00-3 | 3-chloro-4,5,α, α,α-pentafluorotoluene | 401-930-3 | 77227-99-7 | R10 Xn; R20/22 N; R50-58 | Xn; N R: 10-20/22-50-58 S: (2-)51-60-61 | | |
| 602-071-00-9 | bromobenzylbromotoluene, reaction mass of isomers | 402-210-1 | 99688-47-8 | Xn; R48/22 R43 N; R50-53 | Xn; N R: 43-48/22-50/53 S: (2-)24-37-41-60-61 | | |
| 602-072-00-4 | dichloro [(dichlorophenyl)methyl]methylbenzene, reaction mass of isomers; (dichlorophenyl)(dichlorotolyl)methane, reaction mass of isomers (IUPAC) | 278-404-3 | 76253-60-6 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 602-073-00-X | 1,4-dichlorobut-2-ene | 212-121-8 | 764-41-0 | Carc. Cat. 2; R45 T+; R26 T; R24/25 C; R34 N; R50-53 | T+; N R: 45-24/25-26-34-50/53 S: 53-45-60-61 | Carc. Cat. 2; R45: C ≥ 0,01 % C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | E |
| 602-074-00-5 | pentachlorobenzene | 210-172-0 | 608-93-5 | F; R11 Xn; R22 N; R50-53 | F; Xn; N R: 11-22-50/53 S: (2-)41-46-50-60-61 | | |
| 602-075-00-0 | 4,4,5,5-tetrachloro-1,3-dioxolan-2-one | 404-060-2 | 22432-68-4 | T+; R26 Xn; R22 C; R34 | T+ R: 22-26-34 S: (1/2-)9-26-28-36/37/39-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 602-076-00-6 | 2,3,4-trichlorobut-1-ene | 219-397-9 | 2431-50-7 | Carc. Cat. 3; R40 T; R23 Xn; R22 Xi; R36/37/ 38 N; R50-53 | T; N R: 22-23-36/37/38- 40-50/53 S: (1/2-)36/37-45-60- 61 | Carc. Cat. 3; R40: C ≥ 0,1 % | |
| 602-077-00-1 | dodecachloropentacyclo[5.2.1.0 ^{2,6} .0 ^{3,9} .0 ^{5,8}]decane; mirex | 219-196-6 | 2385-85-5 | Carc. Cat. 3; R40 Repr. Cat. 3; R62-63 R64 Xn; R21/22 N; R50/53 | Xn; N R: 21/22-40-50/53- 62-63-64 S: (2-)13-36/37-46- 60-61 | | |
| 602-078-00-7 | hexachlorocyclopentadiene | 201-029-3 | 77-47-4 | T+; R26 T; R24 Xn; R22 C; R34 N; R50-53 | T+; N R: 22-24-26-34-50/ 53 S: (1/2-)25-39-45-53- 60-61 | | |
| 602-079-00-2 | 2,3-dichloropropene; 2,3-dichloropropylene | 201-153-8 | 78-88-6 | F; R11 Muta. Cat. 3; R68 Xn; R20/21/ 22 Xi; R37/38- 41 R52-53 | F; Xn R: 11-20/21/22-37/ 38-41-52/53-68 S: (2-)9-16-23-26-36/ 37/39-61 | | |
| 602-080-00-8 | alkanes, C ₁₀₋₁₃ , chloro | 287-476-5 | 85535-84-8 | Carc. Cat. 3; R40 N; R50-53 | Xn; N R: 40-50/53 S: (2-)24-36/37-60-61 | | |
| 602-081-00-3 | 2-chloro-4,5-difluorobenzoic acid | 405-380-5 | — | Xn; R21/22 Xi; R41 R43 | Xn R: 21/22-41-43 S: (2-)26-36/37/39 | | |
| 602-082-00-9 | 2,2,6,6-tetrakis(bromomethyl)-4-oxaheptane-1,7-diol | 408-020-5 | 109678-33-3 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)22-24-37-41- 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 602-083-00-4 | diphenyl ether, pentabromo derivative pentabromodiphenyl ether | 251-084-2 | 32534-81-9 | Xn; R48/21/22 R64 N; R50-53 | Xn; N R: 48/21/22-50/53-64 S: (1/2-)36/37-45-60-61 | | |
| 602-084-00-X | 1,1-dichloro-1-fluoroethane | 404-080-1 | 1717-00-6 | R52-53 N; R59 | N R: 52/53-59 S: 59-61 | | |
| 602-085-00-5 | 2-bromopropane | 200-855-1 | 75-26-3 | F; R11 Repr. Cat. 1; R60 Xn; R48/20 R66 | F; T R: 60-11-48/20-66 S: 53-45 | | E |
| 602-086-00-0 | trifluoriodomethane; trifluoromethyl iodide | 219-014-5 | 2314-97-8 | Muta. Cat. 3; R68 | Xn R: 68 S: (2-)36/37 | | |
| 602-087-00-6 | 1,2,4-trichlorobenzene | 204-428-0 | 120-82-1 | Xn; R22 Xi; R38 N; R50-53 | Xn; N R: 22-38-50/53 S: (2-)23-37/39-60-61 | | |
| 602-088-00-1 | 2,3-dibromopropan-1-ol; 2,3-dibromo-1-propanol | 202-480-9 | 96-13-9 | Carc. Cat. 2; R45 Repr. Cat. 3; R62 T; R24 Xn; R20/22 R52-53 | T R: 45-20/22-24-52/ 53-62 S: 53-45-61 | | E |
| 602-089-00-7 | 4-bromo-2-chlorofluorobenzene | 405-580-2 | 60811-21-4 | Xn; R22 Xi; R38 N; R50-53 | Xn; N R: 22-38-50/53 S: (2-)26-36/37-60-61 | | |
| 602-090-00-2 | 1-allyl-3-chloro-4-fluorobenzene | 406-630-6 | 121626-73-1 | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)23-37-61 | | |
| 602-091-00-8 | 1,3-dichloro-4-fluorobenzene | 406-160-1 | 1435-48-9 | Xn; R22-48/ 20/22 Xi; R38 N; R51-53 | Xn; N R: 22-38-48/20/22- 51/53 S: (2-)36/37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------------|----------------------------------|---|--|--|-------|
| 602-092-00-3 | 1-bromo-3,4,5-trifluorobenzene | 418-480-9 | 138526-69-9 | R10 Carc. Cat. 3; R40 Xi; R38-41 N; R51-53 | Xn; N R: 10-38-40-41-51/ 53 S: (2-)23-26-36/37/ 39-61 | | |
| 602-093-00-9 | α , α , α ,4-tetrachlorotoluene; <i>p</i> -chlorobenzotrichloride | 226-009-1 | 5216-25-1 | Carc. Cat. 2; R45 Repr. Cat. 3; R62 T; R48/23 Xn; R21/22 Xi; R37/38 | T R: 45-21/22-37/38- 48/23-62 S: 53-45 | | E |
| 602-094-00-4 | diphenylether; octabromo derivate | 251-087-9 | 32536-52-0 | Repr. Cat. 2; R61 Repr. Cat. 3; R62 | T R: 61-62 S: 53-45 | | |
| 602-096-00-5 | malachite green hydrochloride; [1] malachite green oxalate [2] | 209-322-8 [1] 219-441-7 [2] | 569-64-2 [1] 2437-29-8 [2] | Repr. Cat. 3; R63 Xn; R22 Xi; R41 N; R50-53 | Xn; N R: 22-41-63-50/53 S: (2-)26-36/37-39- 46-60-61 | | |
| 602-097-00-0 | 1-bromo-9-(4,4,5,5,5-pentafluoropentylthio)nonane | 422-850-5 | 148757-89-5 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 603-001-00-X | methanol | 200-659-6 | 67-56-1 | F; R11 T; R23/24/ 25-39/23/ 24/25 | F; T R: 11-23/24/25-39/ 23/24/25 S: (1/2-)7-16-36/37- 45 | T; R23/24/25: C \geq 20 % Xn; R20/21/22: 3 % \leq C < 20 % T; R39/23/24/25: C \geq 10 % Xn; R68/20/21/22: 3 % \leq C < 10 % | |
| 603-002-00-5 | ethanol; ethyl alcohol | 200-578-6 | 64-17-5 | F; R11 | F R: 11 S: (2-)7-16 | | |
| 603-003-00-0 | propan-1-ol; <i>n</i> -propanol | 200-746-9 | 71-23-8 | F; R11 Xi; R41 R67 | F; Xi R: 11-41-67 S: (2-)7-16-24-26-39 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|---|--|---|---|---------------------------------------|-------|
| 603-004-00-6 | butan-1-ol; <i>n</i> -butanol | 200-751-6 | 71-36-3 | R10 Xn; R22 Xi; R37/38-41 R67 | Xn R: 10-22-37/38-41-67 S: (2-)7/9-13-26-37/39-46 | | |
| 603-005-00-1 | 2-methylpropan-2-ol; <i>tert</i> -butyl alcohol | 200-889-7 | 75-65-0 | F; R11 Xn; R20 | F; Xn R: 11-20 S: (2-)9-16 | | |
| 603-006-00-7 | pentanol isomers, with the exception fo those specified elsewhere in this Annex | 250-378-8 | | R10 Xn; R20 Xi; R37 R66 | Xn R: 10-20-37-66 S: (2-)46 | | C |
| 603-007-00-2 | 2-methylbutan-2-ol; <i>tert</i> -pentanol | 200-908-9 | 75-85-4 | F; R11 Xn; R20 Xi; R37/38 | F; Xn R: 11-20-37/38 S: (2-)46 | | |
| 603-008-00-8 | 4-methylpentan-2-ol; methyl isobutyl carbinol | 203-551-7 | 108-11-2 | R10 Xi; R37 | Xi R: 10-37 S: (2-)24/25 | Xi; R37: C ≥ 25 % | |
| 603-009-00-3 | cyclohexanol | 203-630-6 | 108-93-0 | Xn; R20/22 Xi; R37/38 | Xn R: 20/22-37/38 S: (2-)24/25 | | |
| 603-010-00-9 | 2-methylcyclohexanol, mixed isomers; [1] <i>cis</i> -2-methylcyclohexanol; [2] <i>trans</i> -2-methylcyclohexanol [3] | 209-512-0 [1] 231-187-9 [2] 231-186-3 [3] | 583-59-5 [1] 7443-70-1 [2] 7443-52-9 [3] | Xn; R20 | Xn R: 20 S: (2-)24/25 | | C |
| 603-011-00-4 | 2-methoxyethanol; ethylene glycol monomethyl ether | 203-713-7 | 109-86-4 | R10 Repr. Cat. 2; R60-61 Xn; R20/21/22 | T R: 60-61-10-20/21/22 S: 53-45 | | E |
| 603-012-00-X | 2-ethoxyethanol; ethylene glycol monoethyl ether | 203-804-1 | 110-80-5 | R10 Repr. Cat. 2; R60-61 Xn; R20/21/22 | T R: 60-61-10-20/21/22 S: 53-45 | | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 603-013-00-5 | 2-isopropoxyethanol; ethylene glycol monoisopropyl ether | 203-685-6 | 109-59-1 | Xn; R20/21 Xi; R36 | Xn R: 20/21-36 S: (2-)24/25 | | |
| 603-014-00-0 | 2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve | 203-905-0 | 111-76-2 | Xn; R20/21/ 22 Xi; R36/38 | Xn R: 20/21/22-36/38 S: (2-)36/37-46 | | |
| 603-015-00-6 | allyl alcohol | 203-470-7 | 107-18-6 | R10 T; R23/24/25 Xi; R36/37/ 38 N; R50 | T; N R: 10-23/24/25-36/ 37/38-50 S: (1/2-)36/37/39-38- 45-61 | | |
| 603-016-00-1 | 4-hydroxy-4-methylpentan-2-one; diacetone alcohol | 204-626-7 | 123-42-2 | Xi; R36 | Xi R: 36 S: (2-)24/25 | Xi; R36: C ≥ 10 % | |
| 603-018-00-2 | furfuryl alcohol | 202-626-1 | 98-00-0 | Xn; R20/21/ 22 | Xn R: 20/21/22 S: (2-) | Xn; R20/21/22: C ≥ 5 % | |
| 603-019-00-8 | dimethyl ether | 204-065-8 | 115-10-6 | F+; R12 | F+ R: 12 S: (2-)9-16-33 | | |
| 603-020-00-3 | ethyl methyl ether | — | 540-67-0 | F+; R12 | F+ R: 12 S: (2-)9-16-33 | | |
| 603-021-00-9 | methyl vinyl ether | 203-475-4 | 107-25-5 | F+; R12 | F+ R: 12 S: (2-)9-16-33 | | D |
| 603-022-00-4 | diethyl ether; ether | 200-467-2 | 60-29-7 | F+; R12 R19 Xn; R22 R66 R67 | F+; Xn R: 12-19-22-66-67 S: (2-)9-16-29-33 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---|-------|
| 603-023-00-X | ethylene oxide; oxirane | 200-849-9 | 75-21-8 | F+; R12 ⊗ Carc. Cat. 2; R45 Muta. Cat. 2; R46 T; R23 Xi; R36/37/ 38 | F+; T R: 45-46-12-23-36/ 37/38 S: 53-45 | | E |
| 603-024-00-5 | 1,4-dioxane | 204-661-8 | 123-91-1 | F; R11-19 Carc. Cat. 3; R40 Xi; R36/37 R66 | F; Xn R: 11-19-36/37-40- 66 S: (2-)9-16-36/37-46 | | D |
| 603-025-00-0 | tetrahydrofuran | 203-726-8 | 109-99-9 | F; R11-19 Xi; R36/37 | F; Xi R: 11-19-36/37 S: (2-)16-29-33 | Xi; R36/37: C ≥ 25 % | |
| 603-026-00-6 | 1-chloro-2,3-epoxypropane; epichlorhydrin | 203-439-8 | 106-89-8 | R10 Carc. Cat. 2; R45 T; R23/24/25 C; R34 R43 | T R: 45-10-23/24/25- 34-43 S: 53-45 | T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,1 % ≤ C < 1 % | E |
| 603-027-00-1 | ethanediol; ethylene glycol | 203-473-3 | 107-21-1 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 603-028-00-7 | 2-chloroethanol; ethylene chlorohydrin | 203-459-7 | 107-07-3 | T+; R26/27/ 28 | T+ R: 26/27/28 S: (1/2-)7/9-28-45 | | |
| 603-029-00-2 | bis(2-chloroethyl) ether | 203-870-1 | 111-44-4 | R10 ⊗ Carc. Cat. 3; R40 T+; R26/27/ 28 | T+ R: 10-26/27/28-40 S: (1/2-)7/9-27-28- 36/37-45 | | |
| 603-030-00-8 | 2-aminoethanol; ethanolamine | 205-483-3 | 141-43-5 | Xn; R20/21/ 22 C; R34 | C R: 20/21/22-34 S: (1/2-)26-36/37/39- 45 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 603-031-00-3 | 1,2-dimethoxyethane; ethylene glycol dimethyl ether; EGDME | 203-794-9 | 110-71-4 | F; R11 R19 Repr. Cat. 2; R60 Repr. Cat. 2; R61 Xn; R20 | F; T R: 60-61-11-19-20 S: 53-45 | | E |
| 603-032-00-9 | ethylene dinitrate; ethylene glycol dinitrate | 211-063-0 | 628-96-6 | E; R2 ⊗ T+; R26/27/ 28 R33 | E; T+ R: 2-26/27/28-33 S: (1/2-)33-35-36/37- 45 | | |
| 603-033-00-4 | oxydiethylene dinitrate; diethylene glycol dinitrate; digol dinitrate | 211-745-8 | 693-21-0 | E; R3 T+; R26/27/ 28 R33 R52-53 | E; T+ R: 3-26/27/28-33-52/ 53 S: (1/2-)33-35-36/37- 45-61 | | |
| 603-034-00-X | glycerol trinitrate; nitroglycerine | 200-240-8 | 55-63-0 | E; R3 T+; R26/27/ 28 R33 N; R51-53 | E; T+; N R: 3-26/27/28-33-51/ 53 S: (1/2-)33-35-36/37- 45-61 | | |
| 603-035-00-5 | pentaerythritol tetranitrate; P.E.T.N. | 201-084-3 | 78-11-5 | E; R3 | E R: 3 S: (2-)35 | | |
| 603-036-00-0 | mannitol hexanitrate; nitromannite | 239-924-6 | 15825-70-4 | E; R3 | E R: 3 S: (2-)35 | | |
| 603-037-00-6 | cellulose nitrate; nitrocellulose, containing more than 12,6 % nitrogen | — | — | E; R3 ⊗ R1 | E R: 1-3 S: (2-)35 | | |
| 603-037-01-3 | cellulose nitrate; nitrocellulose, containing a maximum of 12,6 % nitrogen | — | — | F; R11 ⊗ | F R: 11 S: (2-)16-33-37/39 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|---|--|---|---|---------------------------------------|-------|
| 603-038-00-1 | allyl glycidyl ether; allyl 2,3-epoxypropyl ether; prop-2-en-1-yl 2,3-epoxypropyl ether | 203-442-4 | 106-92-3 | R10 Carc. Cat. 3; R40 Muta. Cat. 3; R68 Repr. Cat. 3; R62 Xn; R20/22 Xi; R37/38-41 R43 R52-53 | Xn R: 10-20/22-37/38-40-41-43-52/53-62-68 S: (2-)24/25-26-36/37/39-61 | | |
| 603-039-00-7 | butyl glycidyl ether; butyl 2,3-epoxypropyl ether | 219-376-4 | 2426-08-6 | R10 Carc. Cat. 3; R40 Muta. Cat. 3; R68 Xn; R20/22 Xi; R37 R43 R52-53 | Xn R: 10-20/22-37-40-43-52/53-68 S: (2-)24/25-36/37-61 | | |
| 603-040-00-2 | sodium methanolate; sodium methoxide; [1] potassium methanolate; potassium methoxide; [2] lithium methanolate; lithium methoxide [3] | 204-699-5 [1] 212-736-1 [2] 212-737-7 [3] | 124-41-4 [1] 865-33-8 [2] 865-34-9 [3] | F; R11 C; R34 R14 | F; C R: 11-14-34 S: (1/2-)8-16-26-43-45 | | |
| 603-041-00-8 | potassium ethanolate; potassium ethoxide; [1] sodium ethanolate; sodium ethoxide [2] | 213-029-0 [1] 205-487-5 [2] | 917-58-8 [1] 141-52-6 [2] | F; R11 C; R34 R14 | F; C R: 11-14-34 S: (1/2-)8-16-26-43-45 | | |
| 603-042-00-3 | aluminium-tri-isopropoxide | 209-090-8 | 555-31-7 | F; R11 | F R: 11 S: (2-)8-16 | | |
| 603-043-00-9 | triarimol (ISO); 2,4-dichloro- α -(pyrimidin-5-yl) benzhydryl alcohol | — | 26766-27-8 | Xn; R22 | Xn R: 22 S: (2-) | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|------------------------------|---|--|---|-------|
| 603-044-00-4 | dicofol (ISO); 2,2,2-trichloro-1,1-bis(4-chlorophenyl)ethanol | 204-082-0 | 115-32-2 | Xn; R21/22 Xi; R38 R43 N; R50-53 | Xn; N R: 21/22-38-43-50/ 53 S: (2-)36/37-60-61 | | |
| 603-045-00-X | diisopropyl ether; [1] dipropyl ether [2] | 203-560-6 [1] 203-869-6 [2] | 108-20-3 [1] 111-43-3 [2] | F; R11 R19 R66 R67 | F R: 11-19-66-67 S: (2-)9-16-29-33 | | C |
| 603-046-00-5 | bis (chloromethyl) ether; oxybis(chloromethane) | 208-832-8 | 542-88-1 | R10 ⊗ Carc. Cat. 1; R45 T+; R26 T; R24 Xn; R22 | T+ R: 45-10-22-24-26 S: 53-45 | Carc. Cat. 1; R45: C ≥ 0,001 % | E |
| 603-047-00-0 | 2-diméthylaminoéthanol; N,N-diméthylethanolamine | 203-542-8 | 108-01-0 | R10 Xn; R20/21/ 22 C; R34 | C R: 10-20/21/22-34 S: (1/2-)25-26-36/37/ 39-45 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 603-048-00-6 | 2-diéthylaminoéthanol; N,N-diéthylethanolamine | 202-845-2 | 100-37-8 | R10 Xn; R20/21/ 22 C; R34 | C R: 10-20/21/22-34 S: (1/2-)25-26-36/37/ 39-45 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 603-049-00-1 | chlorfenéthol (ISO); 1,1-bis (4-chlorophenyl) éthanol | 201-246-3 | 80-06-8 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)36-61 | | |
| 603-050-00-7 | 1-(2-Butoxypropoxy)propan-2-ol | 246-011-6 | 24083-03-2 | Xn; R21/22 | Xn R: 21/22 S: (2-) | | |
| 603-051-00-2 | 2-éthylbutan-1-ol | 202-621-4 | 97-95-0 | Xn; R21/22 | Xn R: 21/22 S: (2-) | | |
| 603-052-00-8 | 3-butoxypropan-2-ol; propylène glycol monobutyl éther | 225-878-4 | 5131-66-8 | Xi; R36/38 | Xi R: 36/38 S: (2-) | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|---|---|--|---------------------------------------|-------|
| 603-053-00-3 | 2-methylpentane-2,4-diol | 203-489-0 | 107-41-5 | Xi; R36/38 | Xi R: 36/38 S: (2-) | Xi; R36/38: C ≥ 10 % | |
| 603-054-00-9 | di-n-butyl ether; dibutyl ether | 205-575-3 | 142-96-1 | R10 Xi; R36/37/ 38 R52-53 | Xi R: 10-36/37/38-52/ 53 S: (2-)61 | Xi; R36/37/38: C ≥ 10 % | |
| 603-055-00-4 | propylene oxide; 1,2-epoxypropane; methyloxirane | 200-879-2 | 75-56-9 | F+; R12 Carc. Cat. 2; R45 Muta. Cat. 2; R46 Xn; R20/21/ 22 Xi; R36/37/ 38 | F+; T R: 45-46-12-20/21/ 22-36/37/38 S: 53-45 | | E |
| 603-056-00-X | [(p-tolyloxy)methyl]oxirane; [1] [(m-tolyloxy)methyl]oxirane; [2] 2,3-epoxypropyl o-tolyl ether; [3] [(tolyloxy)methyl]oxirane; cresyl glycidyl ether [4] | 218-574-8 [1] 218-575-3 [2] 218-645-3 [3] 247-711-4 [4] | 2186-24-5 [1] 2186-25-6 [2] 2210-79-9 [3] 26447-14-3 [4] | Muta. Cat. 3; R68 Xi; R38 R43 N; R51-53 | Xn; N R: 38-43-51/53-68 S: (2-)36/37-61 | | C |
| 603-057-00-5 | benzyl alcohol | 202-859-9 | 100-51-6 | Xn; R20/22 | Xn R: 20/22 S: (2-)26 | | |
| 603-058-00-0 | 1,3-propylene oxide | 207-964-3 | 503-30-0 | F; R11 Xn; R20/21/ 22 | F; Xn R: 11-20/21/22 S: (2-)9-16-26-29 | | |
| 603-059-00-6 | hexan-1-ol | 203-852-3 | 111-27-3 | Xn; R22 | Xn R: 22 S: (2-)24/25 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|--|-------|
| 603-060-00-1 | 2,2'-bioxirane; 1,2:3,4-diepoxybutane | 215-979-1 | 1464-53-5 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 T+; R26 T; R24/25 C; R34 | T+ R: 45-46-24/25-26-34 S: 53-45 | | E |
| 603-061-00-7 | tetrahydro-2-furyl-méthanol; tetrahydrofurfuryl alcohol | 202-625-6 | 97-99-4 | Xi; R36 | Xi R: 36 S: (2-)39 | Xi; R36: C ≥ 10 % | |
| 603-062-00-2 | tetrahydrofuran-2,5-diyl-diméthanol | 203-239-0 | 104-80-3 | Xi; R36/37/38 | Xi R: 36/37/38 S: (2-)39 | Xi; R36/37/38: C ≥ 10 % | |
| 603-063-00-8 | 2,3-époxypropan-1-ol; glycidol; oxiraneméthanol | 209-128-3 | 556-52-5 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 2; R60 T; R23 Xn; R21/22 Xi; R36/37/38 | T R: 45-60-21/22-23-36/37/38-68 S: 53-45 | | E |
| 603-064-00-3 | 1-méthoxy-2-propanol; monopropylène glycol méthyl éther | 203-539-1 | 107-98-2 | R10 | R: 10 S: (2-)24 | | |
| 603-065-00-9 | resorcinol diglycidyl éther; 1,3-bis(2,3-époxypropoxy)benzène | 202-987-5 | 101-90-6 | Carc. Cat. 3; R40 Muta. Cat. 3; R68 Xn; R21/22 Xi; R36/38 R43 R52-53 | Xn R: 21/22-36/38-40-43-52/53-68 S: (2-)23-36/37-61 | | |
| 603-066-00-4 | 1,2-époxy-4-époxyéthylcyclohexane; vinylcyclohexane diepoxide | 203-437-7 | 106-87-6 | T; R23/24/25 Xn; R68 | T R: 23/24/25-68 S: (1/2-)23-24-45 | T; R23/24/25: C ≥ 1 %; Xn; R20/21/22: 0,1 % ≤ C < 1 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 603-067-00-X | phenyl glycidyl ether; 2,3-epoxypropyl phenyl ether; 1,2-epoxy-3-phenoxypropane | 204-557-2 | 122-60-1 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R20 Xi; R37/38 R43 R52-53 | T R: 45-20-37/38-43- 68-52/53 S: 53-45-61 | | E |
| 603-068-00-5 | 2,3-epoxypropyl-2-ethylcyclohexyl ether; ethylcyclohexylglycidyl ether | — | 130014-35-6 | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)26-28-37/39 | | |
| 603-069-00-0 | 2,4,6-tris(dimethylaminomethyl)phenol | 202-013-9 | 90-72-2 | Xn; R22 Xi; R36/38 | Xn R: 22-36/38 S: (2-)26-28 | | |
| 603-070-00-6 | 2-amino-2-methylpropanol | 204-709-8 | 124-68-5 | Xi; R36/38 R52-53 | Xi R: 36/38-52/53 S: (2-)61 | Xi; R36/38: C ≥ 10 % | |
| 603-071-00-1 | 2,2'-iminodiethanol; diethanolamine | 203-868-0 | 111-42-2 | Xn; R22-48/ 22 Xi; R38-41 | Xn R: 22-38-41-48/22 S: (2-)26-36/37/39-46 | | |
| 603-072-00-7 | 1,4-bis(2,3 epoxypropoxy)butane; butanedioldiglycidyl ether | 219-371-7 | 2425-79-8 | Xn; R20/21 Xi; R36/38 R43 | Xn R: 20/21-36/38-43 S: (2-)26-28-37/39 | | |
| 603-073-00-2 | bis-[4-(2,3-epoxipropoxy)phenyl]propane | 216-823-5 | 1675-54-3 | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)28-37/39 | Xi; R36/38: C ≥ 5 % | |
| 603-074-00-8 | reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) | 500-033-5 | 25068-38-6 | Xi; R36/38 R43 N; R51-53 | Xi; N R: 36/38-43-51/53 S: (2-)28-37/39-61 | Xi; R36/38: C ≥ 5 % | |
| 603-075-00-3 | chlormethyl methyl ether; chlorodimethyl ether | 203-480-1 | 107-30-2 | F; R11 Carc. Cat. 1; R45 Xn; R20/21/ 22 | F; T R: 45-11-20/21/22 S: 53-45 | | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---|-------|
| 603-076-00-9 | but-2-yne-1,4-diol; 2-butyne-1,4-diol | 203-788-6 | 110-65-6 | C; R34 T; R23/25 Xn; R21-48/ 22 R43 | C; T R: 21-23/25-34-43- 48/22 S: (1/2-)25-26-36/37/ 39-45-46 | C; R34: C ≥ 50 % Xi; R36/38: 25 % ≤ C < 50 % | D |
| 603-077-00-4 | 1-diméthylaminopropan-2-ol; dimepranol (INN) | 203-556-4 | 108-16-7 | R10 Xn; R22 C; R34 | C R: 10-22-34 S: (1/2-)23-26-36-45 | | |
| 603-078-00-X | prop-2-yn-1-ol; propargyl alcohol | 203-471-2 | 107-19-7 | R10 T; R23/24/25 C; R34 N; R51-53 | T; N R: 10-23/24/25-34- 51/53 S: (1/2-)26-28-36-45- 61 | | |
| 603-079-00-5 | 2,2'-(méthylimino)diéthanol; N-méthyl-diéthanolamine | 203-312-7 | 105-59-9 | Xi; R36 | Xi R: 36 S: (2-)24 | | |
| 603-080-00-0 | 2-méthylaminoéthanol; N-méthylethanolamine; N-méthyl-2-éthanolamine; N-méthyl-2-amino éthanol; 2-(méthylamino)éthanol | 203-710-0 | 109-83-1 | Xn; R21/22 C; R34 | C R: 21/22-34 S: (1/2-)26-36/37/39- 45 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 603-081-00-6 | 2,2'-thiodiéthanol; thiodiglycol | 203-874-3 | 111-48-8 | Xi; R36 | Xi R: 36 S: (2-) | | |
| 603-082-00-1 | 1-aminopropan-2-ol; isopropanolamine | 201-162-7 | 78-96-6 | C; R34 | C R: 34 S: (1/2-)23-26-36-45 | | |
| 603-083-00-7 | 1,1'-iminodipropan-2-ol; di-isopropanolamine | 203-820-9 | 110-97-4 | Xi; R36 | Xi R: 36 S: (2-)26 | | |
| 603-084-00-2 | styrene oxide; (epoxyethyl)benzene; phényloxirane | 202-476-7 | 96-09-3 | Carc. Cat. 2; R45 Xn; R21 Xi; R36 | T R: 45-21-36 S: 53-45 | | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------------|---|---------------------------------------|-------|
| 603-085-00-8 | bronopol (INN); 2-bromo-2-nitropropane-1,3-diol | 200-143-0 | 52-51-7 | Xn; R21/22 Xi; R37/38-41 N; R50 | Xn; N R: 21/22-37/38-41-50 S: (2-)26-37/39-61 | | |
| 603-086-00-3 | ethirimol (ISO); 5-butyl-2-ethylamino-6-methylpyrimidin-4-ol | 245-949-3 | 23947-60-6 | Xn; R21 | Xn R: 21 S: (2-)36/37 | | |
| 603-087-00-9 | 2-ethylhexane-1,3-diol; octylene glycol; ethoexadiol | 202-377-9 | 94-96-2 | Xi; R41 | Xi R: 41 S: (2-)25-26-39-46 | | |
| 603-088-00-4 | 2-(octylthio)ethanol; 2-hydroxyethyl octyl sulphide | 222-598-4 | 3547-33-9 | Xi; R41 | Xi R: 41 S: (2-)26 | | |
| 603-089-00-X | 7,7-dimethyl-3-oxa-6-azaocan-1-ol | 400-390-6 | — | C; R35 Xn; R22 | C R: 22-35 S: (1/2-)26-28-36/37/39-45 | | |
| 603-090-00-5 | 2-(2-bromoethoxy)anisole | 402-010-4 | 4463-59-6 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)22-61 | | |
| 603-091-00-0 | exo-1-methyl-4-(1-methylethyl)-7-oxabicyclo[2.2.1]heptan-2-ol | 402-470-6 | 87172-89-2 | Xn; R22 Xi; R41 | Xn R: 22-41 S: (2-)26-39 | | |
| 603-092-00-6 | 2-methyl-4-phenylpentanol | 402-770-7 | 92585-24-5 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 603-093-00-1 | cinmethylin (ISO) exo-(±)-1-methyl-2-(2-methylbenzyloxy)-4-isopropyl-7-oxabicyclo(2.2.1)heptane | 402-410-9 | 87818-31-3 | Xn; R20 N; R51-53 | Xn; N R: 20-51/53 S: (2-)23-61 | | |
| 603-094-00-7 | 1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane | 241-536-7 | 17557-23-2 | Xi; R38 R43 | Xi R: 38-43 S: (2-)24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 603-095-00-2 | 2-(propyloxy)ethanol; EGPE | 220-548-6 | 2807-30-9 | Xn; R21 Xi; R36 | Xn R: 21-36 S: (2-)26-36/37-46 | | |
| 603-096-00-8 | 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether | 203-961-6 | 112-34-5 | Xi; R36 | Xi R: 36 S: (2-)24-26 | | |
| 603-097-00-3 | 1,1',1"-nitriлотripropan-2-ol; triisopropanolamine | 204-528-4 | 122-20-3 | Xi; R36 R52-53 | Xi R: 36-52/53 S: (2-)26-61 | | |
| 603-098-00-9 | 2-phenoxyethanol | 204-589-7 | 122-99-6 | Xn; R22 Xi; R36 | Xn R: 22-36 S: (2-)26 | | |
| 603-099-00-4 | 3-(N-methyl-N-(4-methylamino-3-nitrophenyl)amino)propane-1,2-diol hydrochloride | 403-440-5 | 93633-79-5 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)61 | | |
| 603-100-00-8 | 1,2-dimethoxypropane | 404-630-0 | 7778-85-0 | F; R11-19 | F R: 11-19 S: (2-)9-16-24/25-33 | | |
| 603-101-00-3 | tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (<i>cis</i> and <i>trans</i>) | 405-040-6 | — | Xi; R36 | Xi R: 36 S: (2-)25-26 | | |
| 603-102-00-9 | 1,2-epoxybutane | 203-438-2 | 106-88-7 | F; R11 Carc. Cat. 3; R40 Xn; R20/21/ 22 Xi; R36/37/ 38 R52-53 | F; Xn R: 11-20/21/22-36/ 37/38-40-52/53 S: (2-)9-16-29-36/37- 61 | | |
| 603-103-00-4 | oxirane, mono[(C ₁₂₋₁₄ -alkyloxy)methyl] derivs. | 271-846-8 | 68609-97-2 | Xi; R38 R43 | Xi R: 38-43 S: (2-)24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 603-104-00-X | fenarimol (ISO); 2,4'-dichloro- α -(pyrimidin-5-yl)benzhydryl alcohol | 262-095-7 | 60168-88-9 | Repr. Cat. 3; R62-63 R64 N; R51-53 | Xn; N R: 51/53-62-63-64 S: (2-)36/37-61 | | |
| 603-105-00-5 | furan | 203-727-3 | 110-00-9 | F+; R12 R19 Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R20/22- 48/22 Xi; R38 R52-53 | F+; T R: 45-12-19-20/22- 38-48/22-68-52/53 S: 53-45-61 | | E |
| 603-106-00-0 | 2-methoxypropanol | 216-455-5 | 1589-47-5 | R10 Repr. Cat. 2; R61 Xi; R37/38- 41 | T R: 61-10-37/38-41 S: 53-45 | | |
| 603-107-00-6 | 2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether | 203-906-6 | 111-77-3 | Repr. Cat. 3; R63 | Xn R: 63 S: (2-)36/37 | | |
| 603-108-00-1 | 2-methylpropan-1-ol; iso-butanol | 201-148-0 | 78-83-1 | R10 Xi; R37/38- 41 R67 | Xi R: 10-37/38-41-67 S: (2-)7/9-13-26-37/ 39-46 | | |
| 603-117-00-0 | propan-2-ol; isopropyl alcohol; isopropanol | 200-661-7 | 67-63-0 | F; R11 Xi; R36 R67 | F; Xi R: 11-36-67 S: (2-)7-16-24/25-26 | | |
| 603-118-00-6 | 6-dimethylaminohexan-1-ol | 404-680-3 | 1862-07-3 | Xn; R22 C; R34 R52-53 | C R: 22-34-52/53 S: (1/2-)26-36/37/39- 45-61 | | |
| 603-119-00-1 | 1,1'-(1,3-phenylenedioxy)bis(3-(2-(prop-2-enyl)phenoxy)propan-2-ol) | 405-840-5 | — | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|---|------------------------------------|--|---------------------------------------|-------|
| 603-120-00-7 | 2-méthyl-5-phénylpentanol | 405-890-8 | 25634-93-9 | Xi; R36/38 | Xi R: 36/38 S: (2-)26-37 | | |
| 603-121-00-2 | 4-[4-(1,3-dihydroxyprop-2-yl)phénylamino]-1,8-dihydroxy-5-nitroanthraquinone | 406-057-1 | 114565-66-1 | Carc. Cat. 3; R40 R43 R53 | Xn R: 40-43-53 S: (2-)36/37-61 | | |
| 603-122-00-8 | sodium 2-éthylhexanoate | 406-150-7 | 38411-13-1 | F; R11 C; R34 R52-53 | F; C R: 11-34-52/53 S: (1/2-)7-26-36/37/ 39-45-61 | | |
| 603-123-00-3 | 4-méthyl-8-méthylénetricyclo[3.3.1.1 ^{3,7}]décan-2-ol | 406-330-5 | 122760-84-3 | Xi; R38 R43 N; R51-53 | Xi; N R: 38-43-51/53 S: (2-)24-37-61 | | |
| 603-124-00-9 | 1,4-bis[2-(vinyloxy)éthoxy]benzène | 406-900-3 | 84563-49-5 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 603-125-00-4 | 2-(2,4-dichlorophényl)-1-(1H-1,2,4-triazol-1-yl)pent-4-en-2-ol | 407-850-5 | 89544-40-1 | Xn; R22 Xi; R41 N; R51-53 | Xn; N R: 22-41-51/53 S: (2-)26-39-61 | | |
| 603-126-00-X | 2-((4-méthyl-2-nitrophényl)amino)éthanol | 408-090-7 | 100418-33-5 | Xn; R22 R43 R52-53 | Xn R: 22-43-52/53 S: (2-)36/37-61 | | |
| 603-127-00-5 | butan-2-ol; [1] (S)-butan-2-ol; [2] (R)-butan-2-ol; [3] (±)-butan-2-ol [4] | 201-158-5 [1] 224-168-1 [2] 238-967-8 [3] 240-029-8 [4] | 78-92-2 [1] 4221-99-2 [2] 14898-79-4 [3] 15892-23-6 [4] | R10 Xi; R36/37 R67 | Xi R: 10-36/37-67 S: (2-)7/9-13-24/25- 26-46 | | C |
| 603-128-00-0 | 2-(phénylméthoxy)naphthalène | 405-490-3 | 613-62-7 | R53 | R: 53 S: 61 | | |
| 603-129-00-6 | 1-tert-butoxypropan-2-ol | 406-180-0 | 57018-52-7 | R10 Xi; R41 | Xi R: 10-41 S: (2-)26-39 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------------|--|---------------------------------------|-------|
| 603-130-00-1 | reaction mass of isomers of: α -((dimethyl)biphenyl)- ω -hydroxypoly(oxyethylene) | 406-325-8 | — | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)39-61 | | |
| 603-131-00-7 | reaction mass of: 1-deoxy-1-[methyl-(1-oxododecyl)amino]-D-glucitol; 1-deoxy-1-[methyl-(1-oxotetradecyl)amino]-D-glucitol (3:1) | 407-290-1 | — | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 603-132-00-2 | 2-hydroxymethyl-9-methyl-6-(1-methylethyl)-1,4-dioxaspiro [4.5]decane | 408-200-3 | 63187-91-7 | Xi; R38-41 R52-53 | Xi R: 38-41-52/53 S: (2-)26-37/39-61 | | |
| 603-133-00-8 | reaction mass of: 3-[(4-amino-2-chloro-5-nitrophenyl)amino]-propane-1,2-diol; 3,3'-(2-chloro-5-nitro-1,4-phenylenediimino)bis(propan-1,2-diol) | 408-240-1 | — | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)22-36-61 | | |
| 603-134-00-3 | reaction mass of substituted dodecyl and/or tetradecyl, diphenyl ethers. The substance is produced by the Friedel Crafts reaction. The catalyst is removed from the reaction product. Diphenyl ether is substituted by C ₁ -C ₁₀ alkyl groups. The alkyl groups are bonded randomly between C ₁ and C ₆ . Linear C ₁₂ and C ₁₄ , 50/50 used. | 410-450-3 | — | R53 | R: 53 S: 61 | | |
| 603-135-00-9 | bis[[2,2',2''-nitrilotris-[ethanolato]]-1-N,O]-bis[2-(2-methoxyethoxy)ethoxy]-titanium | 410-500-4 | — | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 603-136-00-4 | 3-((4-(bis(2-hydroxyethyl)amino)-2-nitrophenyl)amino)-1-propanol | 410-910-3 | 104226-19-9 | R43 R52-53 | Xi R: 43-52/53 S: (2-)24-37-61 | | |
| 603-137-00-X | reaction mass of: 1-deoxy-1-[methyl-(1-oxohexadecyl)amino]-D-glucitol; 1-deoxy-1-[methyl-(1-oxooctadecyl)amino]-D-glucitol | 411-130-6 | — | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 603-138-00-5 | 3-(2,2-dimethyl-3-hydroxypropyl)toluene; (alt.): 2,2-dimethyl-3-(3-methylphenyl)propanol | 403-140-4 | 103694-68-4 | R52-53 | R: 52/53 S: 61 | | |
| 603-139-00-0 | bis(2-methoxyethyl) ether | 203-924-4 | 111-96-6 | R10 R19 Repr. Cat. 2; R60-61 | T R: 60-61-10-19 S: 53-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---------------------------------------|-------|
| 603-140-00-6 | 2,2' -oxybisethanol; diethylene glycol | 203-872-2 | 111-46-6 | Xn; R22 | Xn R: 22 S: (2-)46 | | |
| 603-141-00-1 | reaction mass of: dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethanoxy)]pentadecane; dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethanoxy)]heptadecane | 413-780-6 | — | R52-53 | R: 52/53 S: 61 | | |
| 603-142-00-7 | 2-(2-(2-hydroxyethoxy)ethyl)-2-aza-bicyclo[2.2.1]heptane | 407-360-1 | 116230-20-7 | Xn; R21/22-48/20 Xi; R38-41 | Xn R: 21/22-38-41-48/20 S: (2-)26-36/37/39 | | |
| 603-143-00-2 | R—2,3-epoxy-1-propanol | 404-660-4 | 57044-25-4 | E; R2 Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 2; R60 T; R23 Xn; R21/22 C; R34 | E; T R: 45-60-2-21/22-23-34-68 S: 53-45 | | E |
| 603-144-00-8 | reaction mass of: 2,6,9-trimethyl-2,5,9-cyclododecatrien-1-ol; 6,9-dimethyl-2-méthylène-5,9-cyclododecadien-1-ol | 413-530-6 | 111850-00-1 | N; R51-53 | N R: 51/53 S: 61 | | |
| 603-145-00-3 | 2-isopropyl-2-(1-méthylbutyl)-1,3-diméthoxypropane | 406-970-5 | 129228-11-1 | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)36/37-61 | | |
| 603-146-00-9 | 2-[(2-[2-(diméthylamino)éthoxy]éthyl)méthylamino]éthanol | 406-080-7 | 83016-70-0 | Xn; R22 C; R34 R52-53 | C R: 22-34-52/53 S: (1/2-)23-26-36/37/39-45-61 | | |
| 603-147-00-4 | (-)-trans-4-(4'-fluorophényl)-3-hydroxyméthyl-N-méthylpiperidine | 406-030-4 | 105812-81-5 | Xn; R22 Xi; R41 N; R51-53 | Xn; N R: 22-41-51/53 S: (2-)22-24-26-37/39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 603-148-00-X | 1,4-bis[(vinyloxy)méthyl]cyclohexane | 413-370-7 | 17351-75-6 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 603-149-00-5 | reaction mass of diastereoisomers of 1-(1-hydroxyéthyl)-4-(1-méthylethyl)cyclohexane | 407-640-3 | 63767-86-2 | Xi; R36/38 N; R51-53 | Xi; N R: 36/38-51/53 S: (2-)26-37-61 | | |
| 603-150-00-0 | (±) <i>trans</i> -3,3-diméthyl-5-(2,2,3-triméthyl-cyclopent-3-en-1-yl)-pent-4-en-2-ol | 411-580-3 | 107898-54-4 | Xi; R38 N; R50-53 | Xi; N R: 38-50/53 S: (2-)24/25-37-60-61 | | |
| 603-151-00-6 | (±)-2-(2,4-dichlorophényl)-3-(1 <i>H</i> -1,2,4-triazol-1-yl)propan-1-ol | 413-570-4 | — | R52-53 | R: 52/53 S: 61 | | |
| 603-152-00-1 | 2-(4- <i>tert</i> -butylphényl)éthanol | 410-020-5 | 5406-86-0 | Repr. Cat. 3; R62 Xn; R48/22 Xi; R41 N; R51-53 | Xn; N R: 41-48/22-62-51/ 53 S: (2-)26-36/37/39-61 | | |
| 603-153-00-7 | 3-((2-nitro-4-(trifluorométhyl)phényl)amino)propane-1,2-diol | 410-010-0 | 104333-00-8 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)22-61 | | |
| 603-154-00-2 | 1-[(2- <i>tert</i> -butyl)cyclohexyloxy]-2-butanol | 412-300-2 | 139504-68-0 | N; R51-53 | N R: 51/53 S: 61 | | |
| 603-155-00-8 | Reaction products of 2-(4,6-bis(2,4-diméthylphényl)-1,3,5-triazin-2-yl)-5-hydroxyphénol with ((C ₁₀₋₁₆ , rich in C ₁₂₋₁₃ alkyloxy)méthyl)oxyrane | 410-560-1 | — | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 603-156-00-3 | 2-(2,4-dichlorophényl)-2-(2-propényl)oxirane | 411-210-0 | 89544-48-9 | Xi; R38 R43 N; R50-53 | Xi; N R: 38-43-50/53 S: (2-)24-37-60-61 | | |
| 603-157-00-9 | 6,9-bis(hexadécyloxyméthyl)-4,7-dioxanonane-1,2,9-triol | 411-450-6 | 143747-72-2 | R53 | R: 53 S: 61 | | |
| 603-158-00-4 | reaction mass of 4 diastereoisomers of 2,7-diméthyl-10-(1-méthylethyl)-1-oxaspiro[4.5]deca-3,6-diene | 412-460-3 | — | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 603-159-00-X | 2-cyclododecylpropan-1-ol | 411-410-8 | 118562-73-5 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 603-160-00-5 | 1,2-diethoxypropane | 412-180-1 | 10221-57-5 | F; R11 R19 | F R: 11-19 S: (2-)9-16-24-33 | | |
| 603-161-00-0 | 1,3-diethoxypropane | 413-140-6 | 3459-83-4 | R10 | R: 10 S: (2-)9-24 | | |
| 603-162-00-6 | α [2-[[[(2-hydroxyethyl)methylamino]acetyl]amino]propyl]- ω -(nonylphenoxy)poly[oxo(methyl-1,2-ethanediy)] | 413-420-8 | 144736-29-8 | C; R34 R43 N; R51-53 | C; N R: 34-43-51/53 S: (1/2-)26-28-36/37/ 39-45-61 | | |
| 603-163-00-1 | 2-phenyl-1,3-propanediol | 411-810-2 | 1570-95-2 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 603-164-00-7 | 2-butyl-4-chloro-4,5-dihydro-5-hydroxymethyl-1-[2'-(2-triphenylmethyl-1,2,3,4-2H-tetrazol-5-yl)-1,1'-biphenyl-4-methyl]-1H-imidazole | 412-420-5 | 133909-99-6 | R53 | R: 53 S: 61 | | |
| 603-165-00-2 | reaction mass of: 4-allyl-2,6-bis(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol | 417-470-1 | — | Muta. Cat. 3; R68 R43 | Xn R: 43-68 S: (2-)36/37 | | |
| 603-166-00-8 | R-1-chloro-2,3-epoxypropane | 424-280-2 | 51594-55-9 | R10 Carc. Cat. 2; R45 T; R23/24/25 C; R34 R43 | T R: 45-10-23/24/25- 34-43 S: 53-45 | | E |
| 603-167-00-3 | 3,3',5,5'-tetra- <i>tert</i> -butylbiphenyl-2,2'-diol | 407-920-5 | 6390-69-8 | R53 | R: 53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---------------------------------------|-------|
| 603-168-00-9 | 3-(2-ethylhexyloxy)propane-1,2-diol | 408-080-2 | 70445-33-9 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)26-39-61 | | |
| 603-169-00-4 | (±)- <i>trans</i> -4-(4-fluorophenyl)-3-hydroxymethyl- <i>N</i> -methylpiperidine | 415-550-0 | 109887-53-8 | Xn; R22 Xi; R41 N; R51-53 | Xn; N R: 22-41-51/53 S: (2-)22-26-39-61 | | |
| 603-170-00-X | reaction mass of: 2-methyl-1-(6-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol; 2-methyl-1-(1-methylbicyclo[2.2.1]hept-5-en-2-yl)-pent-1-en-3-ol; 2-methyl-1-(5-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol | 415-990-3 | 67739-11-1 | Xi; R36 N; R51-53 | Xi; N R: 36-51/53 S: (2-)26-61 | | |
| 603-171-00-5 | 5-thiazolylmethanol | 414-780-9 | 38585-74-9 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)26-39-61 | | |
| 603-172-00-0 | mono-2-[2-(4-dibenzo[<i>b,f</i>][1,4]thiazepin-11-yl)piperazinium-1-yl]ethoxy)ethanol <i>trans</i> -butenedioate | 415-180-1 | 773058-82-5 | Xn; R22 Xi; R41 N; R51-53 | Xn; N R: 22-41-51/53 S: (2-)22-26-39-61 | | |
| 603-173-00-6 | 4,4-dimethyl-3,5,8-trioxabicyclo[5.1.0]octane | 421-750-9 | 57280-22-5 | Xi; R36 R43 | Xi R: 36-43 S: (2-)26-36/37 | | |
| 603-174-00-1 | 4-cyclohexyl-2-methyl-2-butanol | 420-630-3 | 83926-73-2 | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 603-175-00-7 | 2-(2-hexyloxyethoxy)ethanol; DEGHE; diethylene glycol monohexyl ether; 3,6-dioxa-1-dodecanol; hexyl carbitol; 3,6-dioxadodecan-1-ol | 203-988-3 | 112-59-4 | Xn; R21 Xi; R41 | Xn R: 21-41 S: (2-)26-36/37/39-46 | | |
| 603-176-00-2 | 1,2-bis(2-methoxyethoxy)ethane; TEGDME; triethylene glycol dimethyl ether; triglyme | 203-977-3 | 112-49-2 | R19 Repr. Cat. 2; R61 Repr. Cat. 3; R62 | T R: 61-19-62 S: 53-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|---------------------------------------|---------------------------------------|--|---|-------|
| 603-177-00-8 | 1-ethoxypropan-2-ol; 2PG1EE; 1-ethoxy-2-propanol; propylene glycol monoethyl ether; [1] 2-ethoxy-1-methylethyl acetate; 2PG1EEA [2] | 216-374-5 [1] 259-370-9 [2] | 1569-02-4 [1] 54839-24-6 [2] | R10 R67 | R: 10-67 S: (2-)24 | | |
| 603-178-00-3 | 2-hexyloxyethanol; ethylene glycol monoethyl ether; n-hexylglycol | 203-951-1 | 112-25-4 | Xn; R21/22 C; R34 | C R: 21/22-34 S: (1/2-)26-36/37/39-45 | | |
| 603-179-00-9 | ergocalciferol (ISO); Vitamin D2 | 200-014-9 | 50-14-6 | T+; R26 T; R24/25-48/25 | T+ R: 24/25-26-48/25 S: (1/2-)28-36/37-45 | | |
| 603-180-00-4 | colecalfiferol; Vitamin D3 | 200-673-2 | 67-97-0 | T+; R26 T; R24/25-48/25 | T+ R: 24/25-26-48/25 S: (1/2-)28-36/37-45 | | |
| 603-181-00-X | <i>tert</i> -butyl methyl ether; MTBE; 2-methoxy-2-methylpropane | 216-653-1 | 1634-04-4 | F; R11 Xi; R38 | F; Xi R: 11-38 S: (2-)9-16-24 | | |
| 603-183-00-0 | 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether; butoxytriethylene glycol | 205-592-6 | 143-22-6 | Xi; R41 | Xi R: 41 S: (2-)26-39-46 | Xi; R41: C ≥ 30 % Xi; R36: 20 % ≤ C < 30 % | |
| 603-184-00-6 | 2-(hydroxymethyl)-2-[[2-hydroxy-3-(isooctadecyloxy)propoxy]methyl]-1,3-propanediol | 416-380-1 | 146925-83-9 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 603-185-00-1 | 2,4-dichloro-3-ethyl-6-nitrophenol | 420-740-1 | 99817-36-4 | T; R25 Xi; R41 R43 N; R50-53 | T; N R: 25-41-43-50/53 S: (1/2-)26-36/37/39-45-60-61 | | |
| 603-186-00-7 | trans-(5RS,6SR)-6-amino-2,2-dimethyl-1,3-dioxepan-5-ol | 419-050-3 | 79944-37-9 | R43 | Xi R: 43 S: (2-)22-24/25-26-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---|-------|
| 603-187-00-2 | 2-((4,6-bis(4-(2-(1-methylpyridinium-4-yl)vinyl)phenylamino)-1,3,5-triazin-2-yl)(2-hydroxyethyl)amino)ethanol dichloride | 419-360-9 | 163661-77-6 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 603-189-00-3 | reaction mass of complexes of: titanium, 2,2'-oxydiethanol, ammonium lactate, nitrilotris(2-propanol) and ethylene glycol | 405-250-8 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 603-191-00-4 | 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(3-((2-ethylhexyl)oxy)-2-hydroxypropoxy)phenol | 419-740-4 | 137658-79-8 | R53 | R: 53 S: 61 | | |
| 603-195-00-6 | 2-[4-(4-methoxyphenyl)-6-phenyl-1,3,5-triazin-2-yl]-phenol | 430-810-3 | 154825-62-4 | R52-53 | R: 52/53 S: 61 | | |
| 603-196-00-1 | 2-(7-ethyl-1H-indol-3-yl)ethanol | 431-020-1 | 41340-36-7 | Xn; 22-48/22 N; R51-53 | Xn; N R: 22-48/22-51/53 S: (2-)36/37/39-61 | | |
| 603-197-00-7 | tebuconazole (ISO); 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | 403-640-2 | 107534-96-3 | Repr. Cat. 3; R63 Xn; R22 N; R51-53 | Xn; N R: 22-51/53-63 S: (2-)22-36/37-61 | | |
| 603-199-00-8 | etoxazol (ISO); (RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl]phenetole | — | 153233-91-1 | N; R50-53 | N R: 50/53 S: 60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 604-001-00-2 | phenol; carbolic acid; monohydroxybenzene; phenylalcohol | 203-632-7 | 108-95-2 | Muta. Cat. 3; R68 T; R23/24/25 Xn; R48/20/ 21/22 C; R34 | T; R: 23/24/25-34-48/ 20/21/22-68 S: (1/2-)24/25-26-28- 36/37/39-45 | T; R23/24/25: C ≥ 10 % Xn; R20/21/22: 3 % ≤ C < 10 % C; R34: C ≥ 3 % Xi; R36/38: 1 % ≤ C < 3 % | |
| 604-002-00-8 | pentachlorophenol | 201-778-6 | 87-86-5 | Carc. Cat. 3; R40 T+; R26 T; R24/25 Xi; R36/37/ 38 N; R50-53 | T+; N R: 24/25-26-36/37/ 38-40-50/53 S: (1/2-)22-36/37-45- 52-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|---|---|---|--|---|-------|
| 604-003-00-3 | sodium pentachlorophenolate; [1] potassium pentachlorophenolate [2] | 205-025-2 [1] 231-911-3 [2] | 131-52-2 [1] 7778-73-6 [2] | Carc. Cat. 3; R40 T+; R26 T; R24/25 Xi; R36/37/ 38 N; R50-53 | T+; N R: 24/25-26-36/37/ 38-40-50/53 S: (1/2-)22-28-36/37- 45-52-60-61 | | |
| 604-004-00-9 | <i>m</i> -cresol; [1] <i>o</i> -cresol; [2] <i>p</i> -cresol; [3] mix-cresol [4] | 203-577-9 [1] 202-423-8 [2] 203-398-6 [3] 215-293-2 [4] | 108-39-4 [1] 95-48-7 [2] 106-44-5 [3] 1319-77-3 [4] | T; R24/25 C; R34 | T R: 24/25-34 S: (1/2-)36/37/39-45 | T; R24/25: C ≥ 5 % Xn; R21/22: 1 % ≤ C < 5 % C; R34: C ≥ 5 % Xi; R36/38: 1 % ≤ C < 5 % | C |
| 604-005-00-4 | 1,4-dihydroxybenzene; hydroquinone; quinol | 204-617-8 | 123-31-9 | Carc. Cat. 3; R40 Muta. Cat. 3; R68 Xn; R22 Xi; R41 R43 N; R50 | Xn; N R: 22-40-41-43-50- 68 S: (2-)26-36/37/39-61 | | |
| 604-006-00-X | 3,4-xylénol; [1] 2,5-xylénol; [2] 2,4-xylénol; [3] 2,3-xylénol; [4] 2,6-xylénol; [5] xylénol; [6] 2,4(or 2,5)-xylénol [7] | 202-439-5 [1] 202-461-5 [2] 203-321-6 [3] 208-395-3 [4] 209-400-1 [5] 215-089-3 [6] 276-245-4 [7] | 95-65-8 [1] 95-87-4 [2] 105-67-9 [3] 526-75-0 [4] 576-26-1 [5] 1300-71-6 [6] 71975-58-1 [7] | T; R24/25 C; R34 N; R51-53 | T; N R: 24/25-34-51/53 S: (1/2-)26-36/37/39- 45-61 | | C |
| 604-007-00-5 | 2-naphthol | 205-182-7 | 135-19-3 | Xn; R20/22 N; R50 | Xn; N R: 20/22-50 S: (2-)24/25-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|---|---|---|--|-------|
| 604-008-00-0 | 2-chlorophenol; [1] 4-chlorophenol; [2] 3-chlorophenol; [3] chlorophenol [4] | 202-433-2 [1] 203-402-6 [2] 203-582-6 [3] 246-691-4 [4] | 95-57-8 [1] 106-48-9 [2] 108-43-0 [3] 25167-80-0 [4] | Xn; R20/21/22 N; R51-53 | Xn; N R: 20/21/22-51/53 S: (2-)28-61 | | C |
| 604-009-00-6 | pyrogallol; 1,2,3-trihydroxybenzene | 201-762-9 | 87-66-1 | Muta. Cat. 3; R68 Xn; R20/21/22 R52-53 | Xn R: 20/21/22-68-52/53 S: (2-)36/37-61 | Xn; R20/21/22: C ≥ 10 % | |
| 604-010-00-1 | resorcinol; 1,3-benzenediol | 203-585-2 | 108-46-3 | Xn; R22 Xi; R36/38 N; R50 | Xn; N R: 22-36/38-50 S: (2-)26-61 | Xn; R22: C ≥ 10 % | |
| 604-011-00-7 | 2,4-dichlorophenol | 204-429-6 | 120-83-2 | T; R24 Xn; R22 C; R34 N; R51-53 | T; N R: 22-24-34-51/53 S: (1/2-)26-36/37/39-45-61 | | |
| 604-012-00-2 | 4-chloro- <i>o</i> -cresol; 4-chloro-2-methyl phenol | 216-381-3 | 1570-64-5 | T; R23 C; R35 N; R50 | T; C; N R: 23-35-50 S: (1/2-)26-36/37/39-45-61 | C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | |
| 604-013-00-8 | 2,3,4,6-tetrachlorophenol | 200-402-8 | 58-90-2 | T; R25 Xi; R36/38 N; R50-53 | T; N R: 25-36/38-50/53 S: (1/2-)26-28-37-45-60-61 | T; R25: C ≥ 5 % Xn; R22: 0,5 % ≤ C < 5 % Xi; R36/38: C ≥ 5 % | |
| 604-014-00-3 | chlorocresol; 4-chloro- <i>m</i> -cresol; 4-chloro-3-methylphenol | 200-431-6 | 59-50-7 | Xn; R21/22 Xi; R41 R43 N; R50 | Xn; N R: 21/22-41-43-50 S: (2-)26-36/37/39-61 | Xn; R21/22: C ≥ 10 % | |
| 604-015-00-9 | 2,2'-methylenebis-(3,4,6-trichlorophenol); hexachlorophene | 200-733-8 | 70-30-4 | T; R24/25 N; R50-53 | T; N R: 24/25-50/53 S: (1/2-)20-37-45-60-61 | T; R24/25: C ≥ 2 % Xn; R21/22: 0,2 % ≤ C < 2 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|--|-------|
| 604-016-00-4 | 1,2-dihydroxybenzene; pyrocatechol | 204-427-5 | 120-80-9 | Xn; R21/22 Xi; R36/38 | Xn R: 21/22-36/38 S: (2-)22-26-37 | | |
| 604-017-00-X | 2,4,5-trichlorophenol | 202-467-8 | 95-95-4 | Xn; R22 Xi; R36/38 N; R50-53 | Xn; N R: 22-36/38-50/53 S: (2-)26-28-60-61 | Xn; R22: C ≥ 20 % Xi; R36/38: C ≥ 5 % | |
| 604-018-00-5 | 2,4,6-trichlorophenol | 201-795-9 | 88-06-2 | Carc. Cat. 3; R40 Xn; R22 Xi; R36/38 N; R50-53 | Xn; N R: 22-36/38-40-50/ 53 S: (2-)36/37-60-61 | | |
| 604-019-00-0 | dichlorophen (ISO) | 202-567-1 | 97-23-4 | Xn; R22 Xi; R36 N; R50-53 | Xn; N R: 22-36-50/53 S: (2-)26-60-61 | | |
| 604-020-00-6 | 2-phenylphenol (ISO); biphenyl-2-ol; 2-hydroxybiphenyl; | 201-993-5 | 90-43-7 | Xi; R36/37/ 38 N; R50 | Xi; N R: 36/37/38-50 S: (2-)22-61 | | |
| 604-021-00-1 | sodium 2-biphenylate; 2-phenylphenol, sodium salt | 205-055-6 | 132-27-4 | Xn; R22 Xi; R37/38- 41 N; R50 | Xn; N R: 22-37/38-41-50 S: (2-)22-26-61 | | |
| 604-022-00-7 | 2,2-dimethyl-1,3-benzodioxol-4-ol | 400-900-7 | 22961-82-6 | Xi; R41 | Xi R: 41 S: (2-)24-26-39 | | |
| 604-023-00-2 | 2,4-dichloro-3-ethylphenol | 401-060-4 | — | C; R34 N; R50-53 | C; N R: 34-50/53 S: (1/2-)26-36/39-45- 60-61 | | |
| 604-024-00-8 | 4,4-isobutylethylidenediphenol | 401-720-1 | 6807-17-6 | Repr. Cat. 2; R60 Xi; R36 N; R50-53 | T; N R: 60-36-50/53 S: 53-45-60-61 | | |
| 604-025-00-3 | 2,5-bis(1,1-dimethylbutyl)hydroquinone | 400-220-0 | — | N; R51-53 | N R: 51/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---------------------------------------|-------|
| 604-026-00-9 | 2,2-spirobi(6-hydroxy-4,4,7-triméthylchromane) | 400-270-3 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 604-027-00-4 | 2-méthyl-5-(1,1,3,3-tétraméthylbutyl)hydroquinone | 400-530-6 | — | Xi; R41 R43 N; R51-53 | Xi; N R: 41-43-51/53 S: (2-)24/25-26-37-61 | | |
| 604-028-00-X | 4-amino-3-fluorophénol | 402-230-0 | 399-95-1 | Carc. Cat. 2; R45 Xn; R22 R43 N; R51-53 | T; N R: 45-22-43-51/53 S: 53-45-61 | | E |
| 604-029-00-5 | 1-naphtol | 201-969-4 | 90-15-3 | Xn; R21/22 Xi; R37/38-41 | Xn R: 21/22-37/38-41 S: (2-)22-26-37/39 | | |
| 604-030-00-0 | bisphénol A; 4,4'-isopropylidenediphénol | 201-245-8 | 80-05-7 | Repr. Cat. 3; R62 Xi; R37-41 R43 | Xn R: 37-41-43-62 S: (2-)26-36/37-39-46 | | |
| 604-031-00-6 | guaiacol | 201-964-7 | 90-05-1 | Xn; R22 Xi; R36/38 | Xn R: 22-36/38 S: (2-)26 | | |
| 604-032-00-1 | thymol | 201-944-8 | 89-83-8 | Xn; R22 C; R34 N; R51-53 | C; N R: 22-34-51/53 S: (1/2-)26-28-36/37/39-45-61 | | |
| 604-033-00-7 | isobutyl but-3-énoate | 401-170-2 | 24342-03-8 | R10 | R: 10 S: (2-) | | |
| 604-034-00-2 | 4,4'-thiodi-o-crésol | 403-330-7 | 24197-34-0 | Xi; R41 N; R50-53 | Xi; N R: 41-50/53 S: (2-)26-39-60-61 | | |
| 604-035-00-8 | 4-nonylphénol, réaction produits avec formaldéhyde et dodécane-1-thiol | 404-160-6 | — | R43 R53 | X R: 43-53 S: (2-)24-37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------------|--|---|---|---------------------------------------|-------|
| 604-036-00-3 | 4,4'-oxybis(éthylendioxy)diphénol | 404-590-4 | 90884-29-0 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 604-037-00-9 | 3,5-xylénol; 3,5-diméthylphénol | 203-606-5 | 108-68-9 | T; R24/25 C; R34 | T R: 24/25-34 S: (1/2-)26-28-36/37/ 39-45 | | |
| 604-038-00-4 | 4-chloro-3,5-diméthylphénol; [1] chloroxygénol [2] | 201-793-8 [1] 215-316-6 [2] | 88-04-0 [1] 1321-23-9 [2] | Xn; R22 Xi; R36/38 R43 | Xn R: 22-36/38-43 S: (2-)24-37 | | |
| 604-039-00-X | éthyl 2-[4-[(6-chlorobenzoxazol-2-yl)oxy]phénoxy]propionate; fénoxaprop-éthyl | 266-362-9 | 66441-23-4 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 604-040-00-5 | fomesafén (ISO); 5-[2-chloro-4-(trifluorométhyl)phénoxy]-N-(méthylsulpho- nyl)-2-nitrobenzamide | 276-439-9 | 72178-02-0 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 604-041-00-0 | acifluorfen (ISO); 5-[2-chloro-4-(trifluorométhyl)phénoxy]-2-nitrobenzoïque acid [1] sodium 5-[2-chloro-4-(trifluorométhyl) phénoxy]-2-nitro- benzoate; acifluorfen-sodium [2] | 256-634-5 [1] 263-560-7 [2] | 50594-66-6 [1] 62476-59-9 [2] | Xn; R22 Xi; R38-41 N; R50-53 | Xn; N R: 22-38-41-50/53 S: (2-)24-39-60-61 | | |
| 604-042-00-6 | 4-nitrosophénol | 203-251-6 | 104-91-6 | Muta. Cat. 3; R68 Xn; R22 Xi; R41 N; R51-53 | Xn; N R: 22-41-51/53-68 S: (2-)26-36/37/39- 47-49-61 | | |
| 604-043-00-1 | monobenzène; 4-hydroxyphényl benzyle éther; hydroquinone monobenzyle éther | 203-083-3 | 103-16-2 | Xi; R36 R43 | Xi R: 36-43 S: (2-)24/25-26-37 | | |
| 604-044-00-7 | mequinol; 4-méthoxyphénol; hydroquinone monométhyle éther | 205-769-8 | 150-76-5 | Xn; R22 Xi; R36 R43 | Xn R: 22-36-43 S: (2-)24/25-26-37/ 39-46 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 604-045-00-2 | 2,3,5-trimethylhydroquinone | 211-838-3 | 700-13-0 | Xn; R20 Xi; R37/38-41 R43 N; R50-53 | Xn; N R: 20-37/38-41-43-50/53 S: (2-)24-26-37/39-60-61 | | |
| 604-046-00-8 | 4-(4-isopropoxyphenylsulfonyl)phenol | 405-520-5 | 95235-30-6 | N; R51-53 | N R: 51/53 S: 61 | | |
| 604-047-00-3 | 4-(4-tolyloxy)biphenyl | 405-730-7 | 51601-57-1 | Xn; R48/22 R53 | Xn R: 48/22-53 S: (2-)22-36-61 | | |
| 604-048-00-9 | 4,4',4''-(ethan-1,1,1-triyl)triphenol | 405-800-7 | 27955-94-8 | N; R51-53 | N R: 51/53 S: 61 | | |
| 604-049-00-4 | 4-4'-methylenebis(oxyethylenethio)diphenol | 407-480-4 | 93589-69-6 | N; R51-53 | N R: 51/53 S: 61 | | |
| 604-051-00-5 | 3,5-bis((3,5-di- <i>tert</i> -butyl-4-hydroxy)benzyl)-2,4,6-trimethylphenol | 401-110-5 | 87113-78-8 | R52-53 | R: 52/53 S: 61 | | |
| 604-052-00-0 | 2,2'-methylenebis(6-(2 <i>H</i> -benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol) | 403-800-1 | 103597-45-1 | R53 | R: 53 S: 61 | | |
| 604-053-00-6 | 2-methyl-4-(1,1-dimethylethyl)-6-(1-methyl-pentadecyl)-phenol | 410-760-9 | 157661-93-3 | Xi; R38 R43 N; R50-53 | Xi; N R: 38-43-50/53 S: (2-)24-37-60-61 | | |
| 604-054-00-1 | reaction mass of: 2-methoxy-4-(tetrahydro-4-methylene-2 <i>H</i> -pyran-2-yl)-phenol; 4-(3,6-dihydro-4-methyl-2 <i>H</i> -pyran-2-yl)-2-methoxyphenol | 412-020-0 | — | R43 R52-53 | Xi R: 43-52/53 S: (2-)24-37-61 | | |
| 604-055-00-7 | 2,2'-((3,3',5,5'-tetramethyl-(1,1'-biphenyl)-4,4'-diyl)-bis(oxy-methylene))-bis-oxirane | 413-900-7 | 85954-11-6 | Muta. Cat. 3; R68 | Xn R: 68 S: (2-)22-36-37 | | |
| 604-056-00-2 | 2-(2-hydroxy-3,5-dinitroanilino)ethanol | 412-520-9 | 99610-72-7 | F; R11 Repr. Cat. 3; R62 Xn; R22 | F; Xn R: 11-22-62 S: (2-)22-33-36/37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|-------------------------------------|---|---------------------------------------|-------|
| 604-057-00-8 | reaction mass of: isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-(n)-dodecylphenol; isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-(n)-tetracosylphenol; isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-5,6-didodecylphenol. n=5 or 6 | 401-680-5 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 604-058-00-3 | 1,2-bis(3-methylphenoxy)ethane | 402-730-9 | 54914-85-1 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 604-059-00-9 | 2-n-hexadecylhydroquinone | 406-400-5 | — | Xn; R48/22 Xi; R38 R43 R53 | Xn R: 38-43-48/22-53 S: (2-)22-36/37-61 | | |
| 604-060-00-4 | 9,9-bis(4-hydroxyphenyl)fluorene | 406-950-6 | 3236-71-3 | Xi; R36-38 N; R50-53 | Xi; N R: 36/38-50/53 S: (2-)26-37-60-61 | | |
| 604-061-00-X | reaction mass of: 2-chloro-5-sec-tetradecylhydroquinones where sec-tetradecyl= 1-methyltridecyl; 1-ethyldodecyl; 1-propylundecyl; 1-butyldecyl; 1-pentylononyl; 1-hexyloctyl | 407-740-7 | — | Xi; R38 R43 R52-53 | Xi R: 38-43-52/53 S: (2-)24-37-61 | | |
| 604-062-00-5 | 2,4-dimethyl-6-(1-methyl-pentadecyl)phenol | 411-220-5 | — | Xi; R38 R43 N; R50-53 | Xi; N R: 38-43-50/53 S: (2-)24-37-60-61 | | |
| 604-063-00-0 | 5,6-dihydroxyindole | 412-130-9 | 3131-52-0 | Xn; R22 Xi; R41 N; R51-53 | Xn; N R: 22-41-51/53 S: (2-)22-26-36/37/ 39-61 | | |
| 604-064-00-6 | 2-(4,6-diphenyl-1,3,5-triazin-2-yl)-5-((hexyl)oxy)-phenol | 411-380-6 | 147315-50-2 | R53 | R: 53 S: 61 | | |
| 604-065-00-1 | 4,4',4''-(1-methylpropan-1-yl-3-ylidene)tris(2-cyclohexyl-5-methylphenol) | 407-460-5 | 111850-25-0 | N; R51-53 | N R: 51/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|--|-------|
| 604-066-00-7 | reaction mass of: phenol, 6-(1,1-dimethylethyl)-4-tetrapropyl-2-[(2-hydroxy-5-tetra-propylphenyl)methyl (C ₄₁ -compound) and methane, 2,2'-bis[6-(1,1-dimethyl-ethyl)-1-hydroxy-4-tetrapropyl-phenyl]]- (C ₄₅ -compound); 2,6-bis(1,1-dimethylethyl)-4-tetra-propyl-phenol and 2-(1,1-dimethylethyl)-4-tetrapropyl-phenol; 2,6-bis[6-(1,1-dimethylethyl)-1-hydroxy-4-tetrapropylphenyl methyl]-4-(tetrapropyl)phenol and 2-[(6-(1,1-dimethylethyl)-1-hydroxy-4-tetrapropylphenylmethyl)-6-[1-hydroxy-4-tetrapropylphenyl)methyl]-4-(tetrapropyl)phenol | 414-550-8 | — | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 604-067-00-2 | reaction mass of: 2,2'-[[[2-hydroxyethyl]imino]bis(methylene) bis[4-dodecylphenol]; formaldehyde, oligomer with 4-dodecyl phenol and 2-aminoethanol(n = 2); formaldehyde, oligomer with 4-dodecyl phenol and 2-aminoethanol(n = 3, 4 and higher) | 414-520-4 | — | Xi; R38-41 N; R50-53 | Xi; N R: 38-41-50/53 S: (2-)26-37/39-60-61 | | |
| 604-068-00-8 | (±)-4-[2-[[3-(4-hydroxyphenyl)-1-methylpropyl]amino]-1-hydroxyethyl]phenol hydrochloride | 415-170-5 | 90274-24-1 | Xn; R20/22 R43 | Xn R: 20/22-43 S: (2-)24-26-37 | | |
| 604-069-00-3 | 2-(1-methylpropyl)-4-tert-butylphenol | 421-740-4 | 51390-14-8 | C; R34 N; R51-53 | C; N R: 34-51/53 S: (1/2-)26-36/37/39-45-61 | | |
| 604-070-00-9 | triclosan; 2,4,4'-trichloro-2'-hydroxy-diphenyl-ether; 5-chloro-2-(2,4-dichlorophenoxy)phenol | 222-182-2 | 3380-34-5 | Xi; R36/38 N; R50-53 | Xi; N R: 36/38-50/53 S: 26-39-46-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 605-001-00-5 | formaldehyde ...% | 200-001-8 | 50-00-0 | Carc. Cat. 3; R40 T; R23/24/25 C; R34 R43 | T R: 23/24/25-34-40-43 S: (1/2-)26-36/37/39-45-51 | T; R23/24/25: C ≥ 25 % Xn; R20/21/22: 5 % ≤ C < 25 % C; R34: C ≥ 25 % Xi; R36/37/38: 5 % ≤ C < 25 % R43: C ≥ 0,2 % | B D |
| 605-002-00-0 | 1,3,5-trioxan; trioxymethylene | 203-812-5 | 110-88-3 | F; R11 Repr. Cat. 3; R63 Xi; R37 | F; Xn R: 11-37-63 S: (2-)36/37-46 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------------|----------------------------------|---|--|---|-------|
| 605-003-00-6 | acetaldehyde; ethanal | 200-836-8 | 75-07-0 | F+; R12 Carc. Cat. 3; R40 Xi; R36/37 | F+; Xn R: 12-36/37-40 S: (2-)16-33-36/37 | | |
| 605-004-00-1 | 2,4,6-trimethyl-1,3,5-trioxan; paraldehyde | 204-639-8 | 123-63-7 | F; R11 ⊗ | F R: 11 S: (2-)9-16-29-33 | | |
| 605-005-00-7 | 2,4,6,8-tetramethyl-1,3,5,7-tetraoxacyclooctane; metaldehyde | 203-600-2 | 108-62-3 | R10 ⊗ Xn; R22 | Xn R: 10-22 S: (2-)13-25-46 | | |
| 605-006-00-2 | butyraldehyde | 204-646-6 | 123-72-8 | F; R11 | F R: 11 S: (2-)9-29-33 | | |
| 605-007-00-8 | 1,1-dimethoxyethane; dimethyl acetal | 208-589-8 | 534-15-6 | F; R11 | F R: 11 S: (2-)9-16-33 | | |
| 605-008-00-3 | acrylaldehyde; acrolein; prop-2-enal | 203-453-4 | 107-02-8 | F; R11 T+; R26 T; R24/25 C; R34 N; R50 | F; T+; N R: 11-24/25-26-34-50 S: 23-26-28-36/37/ 39-45-61 | | D |
| 605-009-00-9 | crotonaldehyde; 2-butenal; [1] (E)-2-butenal; (E)-crotonaldehyde [2] | 224-030-0 [1] 204-647-1 [2] | 4170-30-3 [1] 123-73-9 [2] | F; R11 Muta. Cat. 3; R68 T+; R26 T; R24/25 Xn; R48/22 Xi; R37/38-41 N; R50 | F; T+; N R: 11-24/25-26-37/ 38-41-48/22-50-68 S: (1/2-)26-28-36/37/ 39-45-61 | | |
| 605-010-00-4 | 2-furaldehyde | 202-627-7 | 98-01-1 | Carc. Cat. 3; R40 T; R23/25 Xn; R21 Xi; R36/37 | T R: 21-23/25-36/37-40 S: (1/2-)26-36/37/39-45 | T; R23/25: C ≥ 5 % Xn; R20/22: 1 % ≤ C < 5 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---|-------|
| 605-011-00-X | 2-chlorobenzaldehyde; o-chlorobenzaldehyde | 201-956-3 | 89-98-5 | C; R34 | C R: 34 S: (1/2-)26-45 | | |
| 605-012-00-5 | benzaldehyde | 202-860-4 | 100-52-7 | Xn; R22 | Xn R: 22 S: (2-)24 | | |
| 605-013-00-0 | chloralose (INN); (R)-1,2-O-(2,2,2-trichloroethylidene)- α -D-glucofuranose; glucochloralose; anhydroglucochloral | 240-016-7 | 15879-93-3 | Xn; R20/22 | Xn R: 20/22 S: (2-)16-24/25-28 | | |
| 605-014-00-6 | chloral hydrate; 2,2,2-trichloroethane-1,1-diol | 206-117-5 | 302-17-0 | T; R25 Xi; R36/38 | T R: 25-36/38 S: (1/2-)25-45 | | |
| 605-015-00-1 | 1,1-diethoxyethane; acetal | 203-310-6 | 105-57-7 | F; R11 Xi; R36/38 | F; Xi R: 11-36/38 S: (2-)9-16-33 | Xi; R36/38: C \geq 10 % | |
| 605-016-00-7 | glyoxal...%; ethandial...% | 203-474-9 | 107-22-2 | Muta. Cat. 3; R68 Xn; R20 Xi; R36/38 R43 | Xn R: 20-36/38-43-68 S: (2-)36/37 | Xn; R20: C \geq 10 % Xi; R36/38: C \geq 10 % | B |
| 605-017-00-2 | 1,3-dioxolane | 211-463-5 | 646-06-0 | F; R11 | F R: 11 S: (2-)16 | | |
| 605-018-00-8 | propanal; propionaldehyde | 204-623-0 | 123-38-6 | F; R11 Xi; R36/37/ 38 | F; Xi R: 11-36/37/38 S: (2-)9-16-29 | | |
| 605-019-00-3 | citral | 226-394-6 | 5392-40-5 | Xi; R38 R43 | Xi R: 38-43 S: (2-)24/25-37 | | |
| 605-020-00-9 | safrole; 5-allyl-1,3-benzodioxole | 202-345-4 | 94-59-7 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R22 | T R: 45-22-68 S: 53-45 | | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---|-------|
| 605-021-00-4 | formaldehyde, reaction products with butylphenol | 294-145-9 | 91673-30-2 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 605-022-00-X | glutaral; glutaraldehyde; 1,5-pentanedial | 203-856-5 | 111-30-8 | T; R23/25 C; R34 R42/43 N; R50 | T; N R: 23/25-34-42/43-50 S: (1/2-)26-36/37/39-45-61 | T; R25: C ≥ 50 % Xn; R22: 2 % ≤ C < 50 % T; R23: C ≥ 25 % Xn; R20: 2 % ≤ C < 25 % C; R34: C ≥ 10 % Xi; R37/38-41: 2 % ≤ C < 10 % Xi; R36/37/38: 0,5 % ≤ C < 2 % R43: C ≥ 0,5 % | |
| 605-025-00-6 | chloroacetaldehyde | 203-472-8 | 107-20-0 | Carc. Cat. 3; R40 T+; R26 T; R24/25 C; R34 N; R50 | T+; N R: 24/25-26-34-40-50 S: (1/2-)26-28-36/37/39-45-61 | | |
| 605-026-00-1 | 2,5,7,7-tetramethyloctanal | 405-690-0 | 114119-97-0 | Xi; R38 R43 N; R51-53 | Xi; N R: 38-43-51/53 S: (2-)24-37-61 | | |
| 605-027-00-7 | reaction mass of: 3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-indene-6-carboxaldehyde; 3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-indene-5-carboxaldehyde | 410-480-7 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 605-028-00-2 | β-methyl-3-(1-methylethyl)-benzenepropanal | 412-050-4 | 125109-85-5 | N; R51-53 | N R: 51/53 S: 61 | | |
| 605-029-00-8 | 2-cyclohexylpropanal | 412-270-0 | 2109-22-0 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 605-030-00-3 | 1-(p-methoxyphenyl)acetaldehyde oxime | 411-510-1 | 3353-51-3 | R43 | Xi R: 43 S: (2-)24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 605-031-00-9 | reaction mass of: 2,2-dimethoxyethanal [(this component is considered to be anhydrous in terms of identity, structure and composition. However, 2,2-dimethoxyethanal will exist in a hydrated form. 60 % anhydrous is equivalent to 70.4 % hydrate; water(Including free water and water in hydrated 2,2-dimethoxyethanal)] | 421-890-0 | — | R43 | Xi R: 43 S: (2-)24-37 | | |
| 606-001-00-8 | acetone; propan-2-one; propanone | 200-662-2 | 67-64-1 | F; R11 Xi; R36 R66 R67 | F; Xi R: 11-36-66-67 S: (2-)9-16-26 | | |
| 606-002-00-3 | butanone; ethyl methyl ketone | 201-159-0 | 78-93-3 | F; R11 Xi; R36 R66 R67 | F; Xi R: 11-36-66-67 S: (2-)9-16 | | |
| 606-003-00-9 | heptan-3-one; butyl ethyl ketone | 203-388-1 | 106-35-4 | R10 Xn; R20 Xi; R36 | Xn R: 10-20-36 S: (2-)24 | | |
| 606-004-00-4 | 4-methylpentan-2-one; isobutyl methyl ketone | 203-550-1 | 108-10-1 | F; R11 Xn; R20 Xi; R36/37 R66 | F; Xn R: 11-20-36/37-66 S: (2-)9-16-29 | | |
| 606-005-00-X | 2,6-dimethylheptan-4-one; di-isobutyl ketone | 203-620-1 | 108-83-8 | R10 Xi; R37 | Xi R: 10-37 S: (2-)24 | Xi; R37: C ≥ 10 % | |
| 606-006-00-5 | pentan-3-one; diethyl ketone | 202-490-3 | 96-22-0 | F; R11 Xi; R37 R66 R67 | F; Xi R: 11-37-66-67 S: (2-)9-16-25-33 | | |
| 606-007-00-0 | 3-methylbutan-2-one; methyl isopropyl ketone | 209-264-3 | 563-80-4 | F; R11 | F R: 11 S: (2-)9-16-33 | | |
| 606-009-00-1 | 4-methylpent-3-en-2-one; mesityl oxide | 205-502-5 | 141-79-7 | R10 Xn; R20/21/ 22 | Xn R: 10-20/21/22 S: (2-)25 | Xn; R20/21/22: C ≥ 5 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 606-010-00-7 | cyclohexanone | 203-631-1 | 108-94-1 | R10 Xn; R20 | Xn R: 10-20 S: (2-)25 | | |
| 606-011-00-2 | 2-méthylcyclohexanone | 209-513-6 | 583-60-8 | R10 Xn; R20 | Xn R: 10-20 S: (2-)25 | | |
| 606-012-00-8 | 3,5,5-triméthylcyclohex-2-enone; isophorone | 201-126-0 | 78-59-1 | Carc. Cat. 3; R40 Xn; R21/22 Xi; R36/37 | Xn R: 21/22-36/37-40 S: (2-)13-23-36/37/ 39-46 | Xi; R36/37: C ≥ 10 % | |
| 606-013-00-3 | p-benzoquinone; quinone | 203-405-2 | 106-51-4 | T; R23/25 Xi; R36/37/ 38 N; R50 | T; N R: 23/25-36/37/38- 50 S: (1/2-)26-28-45-61 | | |
| 606-014-00-9 | chlorophacinone (ISO); 2-(2-(4-chlorophenyl)phénylacétyl)indan-1,3-dione | 223-003-0 | 3691-35-8 | T+; R27/28 T; R23-48/ 24/25 N; R50-53 | T+; N R: 23-27/28-48/24/ 25-50/53 S: (1/2-)36/37-45-60- 61 | | |
| 606-016-00-X | pindone (ISO); 2-pivaloylindan-1,3-dione | 201-462-8 | 83-26-1 | T; R25-48/25 N; R50-53 | T; N R: 25-48/25-50/53 S: (1/2-)37-45-60-61 | | |
| 606-017-00-5 | diketene; diketen | 211-617-1 | 674-82-8 | R10 Xn; R20 | Xn R: 10-20 S: (2-)3 | | D |
| 606-018-00-0 | dichlone (ISO); 2,3-dichloro-1,4-naphthoquinone | 204-210-5 | 117-80-6 | Xn; R22 Xi; R36/38 N; R50-53 | Xn; N R: 22-36/38-50/53 S: (2-)26-60-61 | | |
| 606-019-00-6 | chlordecone (ISO); perchloropentacyclo[5,3,0,0 ^{2,6} ,0 ^{3,9} ,0 ^{4,8}]decan-5-one; decachloropentacyclo[5,2,1,0 ^{2,6} ,0 ^{3,9} ,0 ^{5,8}]decan-4-one | 205-601-3 | 143-50-0 | Carc. Cat. 3; R40 T; R24/25 N; R50-53 | T; N R: 24/25-40-50/53 S: (1/2-)22-36/37-45- 60-61 | | |
| 606-020-00-1 | 5-méthylheptan-3-one | 208-793-7 | 541-85-5 | R10 Xi; R36/37 | Xi R: 10-36/37 S: (2-)23 | Xi; R36/37: C ≥ 10 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 606-021-00-7 | N-méthyl-2-pyrrolidone | 212-828-1 | 872-50-4 | Xi; R36/38 | Xi R: 36/38 S: (2-)41 | Xi; R36/38: C ≥ 10 % | |
| 606-022-00-2 | 1-phenyl-3-pyrazolidone | 202-155-1 | 92-43-3 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)61 | | |
| 606-023-00-8 | 4-methoxy-4-méthylpentan-2-one | 203-512-4 | 107-70-0 | R10 Xn; R20 | Xn R: 10-20 S: (2-)23-24/25 | | |
| 606-024-00-3 | heptan-2-one; méthyl amyl ketone | 203-767-1 | 110-43-0 | R10 Xn; R20/22 | Xn R: 10-20/22 S: (2-)24/25 | | |
| 606-025-00-9 | cyclopentanone | 204-435-9 | 120-92-3 | R10 Xi; R36/38 | Xi R: 10-36/38 S: (2-)23 | | |
| 606-026-00-4 | 5-méthylhexan-2-one; isoamyl méthyl ketone | 203-737-8 | 110-12-3 | R10 Xn; R20 | Xn R: 10-20 S: (2-)23-24/25 | | |
| 606-027-00-X | heptan-4-one; di-n-propyl ketone | 204-608-9 | 123-19-3 | R10 Xn; R20 | Xn R: 10-20 S: (2-)24/25 | | |
| 606-028-00-5 | 2,4-diméthylpentan-3-one; di-isopropyl ketone | 209-294-7 | 565-80-0 | F; R11 Xn; R20 | F; Xn R: 11-20 S: (2-)9-16-24/25 | | |
| 606-029-00-0 | pentane-2,4-dione; acétylacétone | 204-634-0 | 123-54-6 | R10 Xn; R22 | Xn R: 10-22 S: (2-)21-23-24/25 | | |
| 606-030-00-6 | hexan-2-one; méthyl butyl ketone; butyl méthyl ketone; méthyl-n-butyl ketone | 209-731-1 | 591-78-6 | R10 Repr. Cat. 3; R62 T; R48/23 R67 | T R: 10-48/23-62-67 S: (1/2-)36/37-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 606-031-00-1 | 3-propanolide; 1,3-propiolactone | 200-340-1 | 57-57-8 | Carc. Cat. 2; R45 T+; R26 Xi; R36/38 | T+ R: 45-26-36/38 S: 53-45 | | E |
| 606-032-00-7 | hexachloroacetone | 204-129-5 | 116-16-5 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)24/25-61 | | |
| 606-033-00-2 | 2-(3,4-dichlorophenyl)-4-methyl-1,2,4-oxadiazolidinedione; methazole | 243-761-6 | 20354-26-1 | Xn; R21/22 Xi; R36/38 N; R51-53 | Xn; N R: 21/22-36/38-51/ 53 S: (2-)36/37-61 | | |
| 606-034-00-8 | metribuzin (ISO); 4-amino-6- <i>tert</i> -butyl-3-methylthio-1,2,4-triazin-5(4H)-one; 4-amino-4,5-dihydro-6-(1,1-dimethylethyl)-3-methylthio- 1,2,4-triazin-5-one | 244-209-7 | 21087-64-9 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 606-035-00-3 | chloridazon (ISO); 5-amino-4-chloro-2-phenylpyridazine-3-(2H)-one; pyrazon | 216-920-2 | 1698-60-8 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 606-036-00-9 | quinomethionate; chinomethionat (ISO); 6-methyl-1,3-dithiolo(4,5- <i>b</i>)quinoxalin-2-one | 219-455-3 | 2439-01-2 | Repr. Cat. 3; R62 Xn; R20/21/ 22-48/22 Xi; R36 R43 N; R50-53 | Xn; N R: 20/21/22-36-43- 48/22-50/53-62 S: (2-)24-37-60-61 | | |
| 606-037-00-4 | triadimefon (ISO); 1-(4-chlorophenoxy)-3,3-dimethyl-1-(1,2,4-triazol-1-yl)buta- none | 256-103-8 | 43121-43-3 | Xn; R22 R43 N; R51-53 | Xn; N R: 22-43-51/53 S: (2-)24-37-61 | | |
| 606-038-00-X | diphacinone (ISO); 2-diphenylacetylindan-1,3-dione | 201-434-5 | 82-66-6 | T+; R28 T; R48/23/ 24/25 | T+ R: 28-48/23/24/25 S: (1/2-)36/37-45 | | |
| 606-039-00-5 | 5(or 6)- <i>tert</i> -butyl-2'-chloro-6'-ethylamino-3',7'-dimethylspiro (isobenzofuran-1(1H),9'-xanthene)-3-one | 400-680-2 | — | Xn; R20 N; R50-53 | Xn; N R: 20-50/53 S: (2-)60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|--|---------------------------------------|-------|
| 606-040-00-0 | (<i>N</i> -benzyl- <i>N</i> -ethyl)amino-3-hydroxyacetophenone hydrochloride | 401-840-4 | 55845-90-4 | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 606-041-00-6 | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one | 400-600-6 | 71868-10-5 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)22-61 | | |
| 606-042-00-1 | acetophenone | 202-708-7 | 98-86-2 | Xn; R22 Xi; R36 | Xn R: 22-36 S: (2-)26 | | |
| 606-043-00-7 | 2,4-di- <i>tert</i> -butylcyclohexanone | 405-340-7 | 13019-04-0 | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)37-61 | | |
| 606-044-00-2 | 2,4,6-trimethylbenzophenone | 403-150-9 | 954-16-5 | Xn; R22 Xi; R36 N; R50-53 | Xn; N R: 22-36-50/53 S: (2-)26-60-61 | | |
| 606-045-00-8 | oxadiazon (ISO); 3-[2,4-dichloro-5-(1-methylethoxy)phenyl]-5-(1,1-dimethylethyl)-1,3,4-oxadiazol-2(3 <i>H</i>)-one | 243-215-7 | 19666-30-9 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 606-046-00-3 | reaction mass of <i>cis</i> - and <i>trans</i> -cyclohexadec-8-en-1-one | 401-700-2 | 3100-36-5 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 606-047-00-9 | 2-benzyl-2-dimethylamino-4-morpholinobutyrophenone | 404-360-3 | 119313-12-1 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 606-048-00-4 | 2'-anilino-3'-methyl-6'-dipentylaminospiro(isobenzofuran-1(1 <i>H</i>),9'-xanthen)-3-one | 406-480-1 | — | R53 | R: 53 S: 61 | | |
| 606-049-00-X | 4-(<i>trans</i> -4-propylcyclohexyl)acetophenone | 406-700-6 | 78531-61-0 | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |
| 606-050-00-5 | 6-anilino-1-benzoyl-4-(4- <i>tert</i> -pentylphenoxy)naphto[1,2,3- <i>de</i>]quinoline-2,7-(3 <i>H</i>)-dione | 412-480-2 | 72453-58-8 | N; R51-53 | N R: 51/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|-----------------------------------|---|---------------------------------------|-------|
| 606-051-00-0 | 4-pentylcyclohexanone | 406-670-4 | 61203-83-6 | N; R51-53 | N R: 51/53 S: 61 | | |
| 606-052-00-6 | 4-(N,N-dibutylamino)-2-hydroxy-2'-carboxybenzophenone | 410-410-5 | 54574-82-2 | R52-53 | R: 52/53 S: 61 | | |
| 606-053-00-1 | flurtamone (ISO); (RS)-5-methylamino-2-phenyl-4-(α , α , α -trifluoro- <i>m</i> -tolyl) furan-3(2H)-one | — | 96525-23-4 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 606-054-00-7 | isoxaflutole (ISO); 5-cyclopropyl-1,2-oxazol-4-yl α , α , α -trifluoro-2-mesyl- <i>p</i> -tolyl ketone | — | 141112-29-0 | Repr. Cat. 3; R63 N; R50-53 | Xn; N R: 50/53-63 S: (2-)36/37-60-61 | | |
| 606-055-00-2 | 1-(2,3-dihydro-1,3,3,6-tetramethyl-1-(1-methylethyl)-1H- inden-5-yl)ethanone | 411-180-9 | 92836-10-7 | Xn; R22-48/ 22 N; R51-53 | Xn; N R: 22-48/22-51/53 S: (2-)24-36-61 | | |
| 606-056-00-8 | 4-chloro-3',4'-dimethoxybenzophenone | 404-610-1 | 116412-83-0 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 606-057-00-3 | 4-propylcyclohexanone | 406-810-4 | 40649-36-3 | Xi; R38 R52-53 | Xi R: 38-52/53 S: (2-)25-37-61 | | |
| 606-058-00-9 | 4'-fluoro-2,2-dimethoxyacetophenone | 407-500-1 | 21983-80-2 | R43 R52-53 | Xi R: 43-52/53 S: (2-)24-37-61 | | |
| 606-059-00-4 | 2,4-difluoro- α -(1H—1,2,4-triazol-1-yl)acetophenone hydro- chloride | 412-390-3 | 86386-75-6 | Xn; R22 Xi; R41 R43 | Xn R: 22-41-43 S: (2-)22-26-36/37/39 | | |
| 606-060-00-X | reaction mass of: <i>trans</i> —2,4-dimethyl-2-(5,6,7,8-tetrahydro- 5,5,8,8-tetramethyl-naphthalene-2-yl)-1,3-dioxolane; <i>cis</i> —2,4-dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl- naphthalene-2-yl)-1,3-dioxolane | 412-950-7 | — | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 606-061-00-5 | (3-chlorophenyl)-(4-methoxy-3-nitrophenyl)methanone | 423-290-4 | 66938-41-8 | Muta. Cat. 3; R68 N; R50-53 | Xn; N R: 68-50/53 S: (2-)22-36/37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 606-062-00-0 | tetrahydrothiopyran-3-carboxaldehyde | 407-330-8 | 61571-06-0 | Repr. Cat. 2; R61 Xi; R41 R52-53 | T R: 61-41-52/53 S: 53-45-61 | | |
| 606-063-00-6 | (E)-3-(2-chlorophenyl)-2-(4-fluorophenyl)propenal | 410-980-5 | 112704-51-5 | Xi; R36 R43 | Xi R: 36-43 S: (2-)24-26-37 | | |
| 606-064-00-1 | pregn-5-ene-3,20-dione bis(ethylene ketal) | 407-450-0 | 7093-55-2 | R53 | R: 53 S: 61 | | |
| 606-065-00-7 | 1-(4-morpholinophenyl)butan-1-one | 413-790-0 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 606-066-00-2 | (E)-5[(4-chlorophenyl)methylene]-2,2-dimethylcyclopentanone | 410-440-9 | 164058-20-2 | N; R51-53 | N R: 51/53 S: 61 | | |
| 606-067-00-8 | reaction mass of: 1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1H-benz(g)inden-4-yl)ethanone; 1-(2,3,5,6,7,8-hexahydro-1,1-dimethyl-1H-benz(f)inden-4-yl)ethanone; 1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1H-benz(g)inden-5-yl)ethanone; 1-(2,3,6,7,8,9-hexahydro-3,3-dimethyl-1H-benz(g)inden-5-yl)ethanone | 414-870-8 | 96792-67-5 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 606-068-00-3 | 2,7,11-trimethyl-13-(2,6,6-trimethylcyclohex-1-en-1-yl)tridecahexaen-2,4,6,8,10,12-al | 415-770-7 | 1638-05-7 | Xn; R48/22 R43 R52-53 | Xn R: 43-48/22-52/53 S: (2-)22-36/37-61 | | |
| 606-069-00-9 | spiro[1,3-dioxolane-2,5'-(4',4',8',8'-tetramethyl-hexahydro-3',9'-methanonaphthalene)] | 415-460-1 | 154171-76-3 | N; R51-53 | N R: 51/53 S: 24-61 | | |
| 606-070-00-4 | butoxydim (ISO); 5-(3-butyryl-2,4,6-trimethylphenyl)-2-[1-(ethoxyimino)propyl]-3-hydroxycyclohex-2-en-1-one | 414-790-3 | 138164-12-2 | Repr. Cat. 3; R62-63 Xn; R22 Xi; R38 N; R50-53 | Xn; N R: 22-38-62-63-50/ 53 S: (2-)22-36/37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---------------------------------------|-------|
| 606-071-00-X | 17-spiro(5,5-dimethyl-1,3-dioxan-2-yl)androsta-1,4-diene-3-one | 421-050-3 | 13258-43-0 | N; R50-53 | N R: 50/53 S: 22-60-61 | | |
| 606-072-00-5 | 3-acetyl-1-phenyl-pyrrolidine-2,4-dione | 421-600-2 | 719-86-8 | Xn; R48/22 N; R51-53 | Xn; N R: 48/22-51/53 S: (2-)22-36/37-61 | | |
| 606-073-00-0 | 4,4'-bis(diméthylamino)benzophénone; Michler's ketone | 202-027-5 | 90-94-8 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xi; R41 | T R: 45-41-68 S: 53-45 | | |
| 606-075-00-1 | 1-benzyl-5-éthoxyimidazolidine-2,4-dione | 417-340-4 | 65855-02-9 | Xn; R22 | Xn R: 22 S: (2-)22 | | |
| 606-076-00-7 | 1-((2-quinolinyl-carbonyl)oxy)-2,5-pyrrolidinedione | 418-630-3 | 136465-99-1 | Xi; R41 R43 | Xi R: 41-43 S: (2-)24-26-37/39 | | |
| 606-077-00-2 | (3S,4S)-3-hexyl-4-[(R)-2-hydroxytridecyl]-2-oxétanone | 418-650-2 | 104872-06-2 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 606-078-00-8 | 1-octylazépine-2-one | 420-040-6 | 59227-88-2 | C; R34 R43 N; R51-53 | C; N R: 34-43-51/53 S: (1/2-)26-36/37/39-45-61 | | |
| 606-079-00-3 | 2-n-butyl-benzo[d]isothiazol-3-one | 420-590-7 | 4299-07-4 | C; R34 R43 N; R50-53 | C; N R: 34-43-50/53 S: (1/2-)26-36/37/39-45-60-61 | | |
| 606-080-00-9 | Reaction product of: 3-hydroxy-5,7-di-tert-butylbenzofuran-2-one with o-xylene | 417-100-9 | — | R53 | R: 53 S: 61 | | |
| 606-081-00-4 | (3β, 5α, 6β)-3-(acétyloxy)-5-bromo-6-hydroxy-androstan-17-one | 419-790-7 | 4229-69-0 | R43 R52-53 | Xi R: 43-52/53 S: (2-)22-36/37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|-----------------------------|---|---------------------------------------|-------|
| 606-082-00-X | reaction mass of: butan-2-one oxime; syn-O,O'-di(butan-2-one oxime)diethoxysilane | 406-930-7 | | T; R48/25 R43 R52-53 | T R: 43-48/25-52/53 S: (1/2-)25-36/37-45-61 | | |
| 606-083-00-5 | 2-chloro-5-sec-hexadecylhydroquinone | 407-750-1 | 137193-60-3 | Xi; R36/38 R43 R52-53 | Xi R: 36/38-43-52/53 S: (2-)24-26-37-61 | | |
| 606-084-00-0 | 1-(4-methoxy-5-benzofuranyl)-3-phenyl-1,3-propanedione | 414-540-3 | 484-33-3 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 606-085-00-6 | (1R,4S)-2-azabicyclo[2.2.1]hept-5-en-3-one | 418-530-1 | 79200-56-9 | Xn; R22 Xi; R41 R43 | Xn R: 22-41-43 S: (2-)24-26-37/39 | | |
| 606-086-00-1 | 1-(3,3-dimethylcyclohexyl)pent-4-en-1-one | 422-330-8 | 56973-87-6 | N; R51-53 | N R: 51/53 S: 61 | | |
| 606-087-00-7 | 6-ethyl-5-fluoro-4(3H)-pyrimidone | 422-460-5 | 137234-87-8 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 606-088-00-2 | 2,4,4,7-tetramethyl-6-octen-3-one | 422-520-0 | 74338-72-0 | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)37-61 | | |
| 606-089-00-8 | reaction mass of: 1,4-diamino-2-chloro-3-phenoxyanthraquinone; 1,4-diamino-2,3-bis-phenoxyanthraquinone | 423-220-2 | 12223-77-7 | R53 | R: 53 S: 61 | | |
| 606-091-00-9 | 6-chloro-5-(2-chloroethyl)-1,3-dihydroindol-2-one | 421-320-0 | 118289-55-7 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 606-092-00-4 | reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one | 422-320-3 | | N; R50-53 | N R: 50/53 S: 60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|------------------------------------|---|---|-------|
| 607-001-00-0 | formic acid ... % | 200-579-1 | 64-18-6 | C; R35 | C R: 35 S: (1/2-)23-26-45 | C; R35: C ≥ 90 % C; R34: 10 % ≤ C < 90 % Xi; R36/38: 2 % ≤ C < 10 % | B |
| 607-002-00-6 | acetic acid ... % | 200-580-7 | 64-19-7 | R10 C; R35 | C R: 10-35 S: (1/2-)23-26-45 | C; R35: C ≥ 90 % C; R34: 25 % ≤ C < 90 % Xi; R36/38: 10 % ≤ C < 25 % | B |
| 607-003-00-1 | chloroacetic acid | 201-178-4 | 79-11-8 | T; R25 C; R34 N; R50 | T; N R: 25-34-50 S: (1/2-)23-37-45-61 | | |
| 607-004-00-7 | TCA (ISO); trichloroacetic acid | 200-927-2 | 76-03-9 | C; R35 N; R50-53 | C; N R: 35-50/53 S: (1/2-)26-36/37/39-45-60-61 | C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | |
| 607-005-00-2 | TCA-sodium (ISO); sodium trichloroacetate | 211-479-2 | 650-51-1 | Xi; R37 N; R50-53 | Xi; N R: 37-50/53 S: (2-)46-60-61 | | |
| 607-006-00-8 | oxalic acid | 205-634-3 | 144-62-7 | Xn; R21/22 | Xn R: 21/22 S: (2-)24/25 | Xn; R21/22: C ≥ 5 % | |
| 607-007-00-3 | salts of oxalic acid | — | — | Xn; R21/22 | Xn R: 21/22 S: (2-)24/25 | Xn; R21/22: C ≥ 5 % | A |
| 607-008-00-9 | acetic anhydride | 203-564-8 | 108-24-7 | R10 Xn; R20/22 C; R34 | C R: 10-20/22-34 S: (1/2-)26-36/37/39-45 | C; R34: C ≥ 25 % Xi; R37/38-41: 5 % ≤ C < 25 % Xi; R36: 1 % ≤ C < 5 % | |
| 607-009-00-4 | phthalic anhydride | 201-607-5 | 85-44-9 | Xn; R22 Xi; R37/38-41 R42/43 | Xn R: 22-37/38-41-42/43 S: (2-)23-24/25-26-37/39-46 | | |
| 607-010-00-X | propionic anhydride | 204-638-2 | 123-62-6 | C; R34 | C R: 34 S: (1/2-)26-45 | C; R34: C ≥ 25 % Xi; R36/38: 10 % ≤ C < 25 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|--|---|---|---------------------------------------|-------|
| 607-011-00-5 | acetyl chloride | 200-865-6 | 75-36-5 | F; R11 R14 C; R34 | F; C R: 11-14-34 S: (1/2-)9-16-26-45 | | |
| 607-012-00-0 | benzoyl chloride | 202-710-8 | 98-88-4 | C; R34 | C R: 34 S: (1/2-)26-45 | | |
| 607-013-00-6 | dimethyl carbonate | 210-478-4 | 616-38-6 | F; R11 | F R: 11 S: (2-)9-16 | | |
| 607-014-00-1 | methyl formate | 203-481-7 | 107-31-3 | F+; R12 Xn; R20/22 Xi; R36/37 | F+; Xn R: 12-20/22-36/37 S: (2-)9-16-24-26-33 | | |
| 607-015-00-7 | ethyl formate | 203-721-0 | 109-94-4 | F; R11 Xn; R20/22 Xi; R36/37 | F; Xn R: 11-20/22-36/37 S: (2-)9-16-24-26-33 | | |
| 607-016-00-2 | propyl formate; [1] isopropyl formate [2] | 203-798-0 [1] 210-901-2 [2] | 110-74-7 [1] 625-55-8 [2] | F; R11 Xi; R36/37 R67 | F; Xi R: 11-36/37-67 S: (2-)9-16-24-33 | | C |
| 607-017-00-8 | butyl formate; [1] tert-butyl formate; [2] isobutyl formate [3] | 209-772-5 [1] 212-105-0 [2] 208-818-1 [3] | 592-84-7 [1] 762-75-4 [2] 542-55-2 [3] | F; R11 Xi; R36/37 | F; Xi R: 11-36/37 S: (2-)9-16-24-33 | | C |
| 607-018-00-3 | isopentyl formate; [1] pentyl formate; [2] 2-methylbutyl formate [3] | 203-769-2 [1] 211-340-6 [2] 252-343-2 [3] | 110-45-2 [1] 638-49-3 [2] 35073-27-9 [3] | R10 Xi; R36/37 | Xi R: 10-36/37 S: (2-)24 | | C |
| 607-019-00-9 | methyl chloroformate | 201-187-3 | 79-22-1 | F; R11 T+; R26 Xn; R21/22 C; R34 | F; T+ R: 11-21/22-26-34 S: (1/2-)14-26-28-36/ 37/39-45-46-63 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|--|--|---|---------------------------------------|-------|
| 607-020-00-4 | ethyl chloroformate | 208-778-5 | 541-41-3 | F; R11 T+; R26 Xn; R22 C; R34 | F; T+ R: 11-22-26-34 S: (1/2-)9-16-26-28-33-36/37/39-45 | | |
| 607-021-00-X | methyl acetate | 201-185-2 | 79-20-9 | F; R11 Xi; R36 R66 R67 | F; Xi R: 11-36-66-67 S: (2-)16-26-29-33 | | |
| 607-022-00-5 | ethyl acetate | 205-500-4 | 141-78-6 | F; R11 Xi; R36 R66 R67 | F; Xi R: 11-36-66-67 S: (2-)16-26-33 | | |
| 607-023-00-0 | vinyl acetate | 203-545-4 | 108-05-4 | F; R11 | F R: 11 S: (2-)16-23-29-33 | | D |
| 607-024-00-6 | propyl acetate; [1] isopropyl acetate [2] | 203-686-1 [1] 203-561-1 [2] | 109-60-4 [1] 108-21-4 [2] | F; R11 Xi; R36 R66 R67 | F; Xi R: 11-36-66-67 S: (2-)16-26-29-33 | | C |
| 607-025-00-1 | <i>n</i> -butyl acetate | 204-658-1 | 123-86-4 | R10 R66 R67 | R: 10-66-67 S: (2-)25 | | |
| 607-026-00-7 | <i>sec</i> -butyl acetate; [1] <i>isobutyl</i> acetate; [2] <i>tert</i> -butyl acetate [3] | 203-300-1 [1] 203-745-1 [2] 208-760-7 [3] | 105-46-4 [1] 110-19-0 [2] 540-88-5 [3] | F; R11 R66 | F R: 11-66 S: (2-)16-23-25-29-33 | | C |
| 607-027-00-2 | methyl propionate | 209-060-4 | 554-12-1 | F; R11 Xn; R20 | F; Xn R: 11-20 S: (2-)16-24-29-33 | | |
| 607-028-00-8 | ethyl propionate | 203-291-4 | 105-37-3 | F; R11 | F R: 11 S: (2-)16-23-24-29-33 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--|---|---|---|---------------------------------------|-------|
| 607-029-00-3 | <i>n</i> -butyl propionate; [1] <i>sec</i> -butyl propionate; [2] <i>tert</i> -butyl propionate; [3] iso-butyl propionate [4] | 209-669-5 [1] - [2] - [3] - 208-746-0 [4] | 590-01-2 [1] 591-34-4 [2] 20487-40-5 [3] 540-42-1 [4] | R10 | R: 10 S: (2-) | | C |
| 607-030-00-9 | propyl propionate | 203-389-7 | 106-36-5 | R10 Xn; R20 | Xn R: 10-20 S: (2-)24 | | |
| 607-031-00-4 | butyl butyrate | 203-656-8 | 109-21-7 | R10 | R: 10 S: (2-) | | C |
| 607-032-00-X | ethyl acrylate | 205-438-8 | 140-88-5 | F; R11 Xn; R20/21/ 22 Xi; R36/37/ 38 R43 | F; Xn R: 11-20/21/22-36/ 37/38-43 S: (2-)9-16-33-36/37 | Xi; 36/37/38: C ≥ 5 % | D |
| 607-033-00-5 | <i>n</i> -butyl methacrylate | 202-615-1 | 97-88-1 | R10 Xi; R36/37/ 38 R43 | Xi R: 10-36/37/38-43 S: (2-) | | D |
| 607-034-00-0 | methyl acrylate; methyl propenoate | 202-500-6 | 96-33-3 | F; R11 Xn; R20/21/ 22 Xi; R36/37/ 38 R43 | F; Xn R: 11-20/21/22-36/ 37/38-43 S: (2-)9-25-26-33-36/ 37-43 | | D |
| 607-035-00-6 | methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate | 201-297-1 | 80-62-6 | F; R11 Xi; R37/38 R43 | F; Xi R: 11-37/38-43 S: (2-)24-37-46 | | D |
| 607-036-00-1 | 2-methoxyethyl acetate; methylglycol acetate | 203-772-9 | 110-49-6 | Repr. Cat. 2; R60-61 Xn; R20/21/ 22 | T R: 60-61-20/21/22 S: 53-45 | | E |
| 607-037-00-7 | 2-ethoxyethyl acetate; ethylglycol acetate | 203-839-2 | 111-15-9 | ⊗ Repr. Cat. 2; R60-61 Xn; R20/21/ 22 | T R: 60-61-20/21/22 S: 53-45 | | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------------|---------------------------------------|---|--|---------------------------------------|-------|
| 607-038-00-2 | 2-butoxyethyl acetate; butylglycol acetate | 203-933-3 | 112-07-2 | Xn; R20/21 | Xn R: 20/21 S: (2-)24 | | |
| 607-039-00-8 | 2,4-D (ISO); 2,4-dichlorophenoxyacetic acid | 202-361-1 | 94-75-7 | Xn; R22 Xi; R37-41 R43 R52-53 | Xn R: 22-37-41-43-52/ 53 S: (2-)24/25-26-36/ 37/39-46-61 | | |
| 607-040-00-3 | salts of 2,4-D | — | — | Xn; R22 Xi; R41 R43 N; R51-53 | Xn; N R: 22-41-43-51/53 S: (2-)24/25-26-36/ 37/39-46-61 | | A |
| 607-041-00-9 | 2,4,5-T (ISO); 2,4,5-trichlorophenoxy acetic acid | 202-273-3 | 93-76-5 | Xn; R22 Xi; R36/37/ 38 N; R50-53 | Xn; N R: 22-36/37/38-50/ 53 S: (2-)24-60-61 | | |
| 607-042-00-4 | salts and esters of 2,4,5-T; salts and esters of 2,4,5-trichlorophenoxy acetic acid | — | — | Xn; R22 Xi; R36/37/ 38 N; R50-53 | Xn; N R: 22-36/37/38-50/ 53 S: (2-)24-60-61 | | A |
| 607-043-00-X | dicamba (ISO); 2,5-dichloro-6-methoxybenzoic acid; 3,6-dichloro-2-methoxybenzoic acid | 217-635-6 | 1918-00-9 | Xn; R22 Xi; R41 R52-53 | Xn R: 22-41-52/53 S: (2-)26-61 | | |
| 607-044-00-5 | 3,6-dichloro- <i>o</i> -anisic acid, compound with dimethylamine (1:1); [1] potassium 3,6-dichloro- <i>o</i> -anisate [2] | 218-951-7 [1] 233-002-7 [2] | 2300-66-5 [1] 10007-85-9 [2] | Xi; R36 R52-53 | Xi R: 36-52/53 S: (2-)26-61 | | |
| 607-045-00-0 | dichlorprop (ISO); 2-(2,4-dichlorophenoxy) propionic acid | 204-390-5 | 120-36-5 | Xn; R21/22 Xi; R38-41 | Xn R: 21/22-38-41 S: (2-)26-36/37 | | |
| 607-046-00-6 | salts of dichlorprop | — | — | Xn; R20/21/ 22 | Xn R: 20/21/22 S: (2-)13 | | A |
| 607-047-00-1 | fenoprop (ISO); 2-(2,4,5-trichlorophenoxy)propionic acid | 202-271-2 | 93-72-1 | Xn; R22 Xi; R38 N; R50-53 | Xn; N R: 22-38-50/53 S: (2-)37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--|---|---|--|--|-------|
| 607-048-00-7 | salts of fenoprop; salts of 2-(2,4,5-trichlorophenoxy)propionic acid | — | — | Xn; R20/21/ 22 N; R50-53 | Xn; N R: 20/21/22-50/53 S: (2-)13-60-61 | | A |
| 607-049-00-2 | mecoprop (ISO); 2-(4-chloro- <i>o</i> -tolylxy) propionic acid; (<i>RS</i>)-2-(4-chloro- <i>o</i> -tolylxy)propionic acid; [1] 2-(4-chloro-2-methylphenoxy)propionic acid [2] | 230-386-8 [1] 202-264-4 [2] | 7085-19-0 [1] 7085-19-0 [2] | Xn; R22 Xi; R38-41 N; R50-53 | Xn; N R: 22-38-41-50/53 S: (2-)13-26-37/39- 60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 607-050-00-8 | salts of mecoprop | — | — | Xn; R22 Xi; R38-41 N; R50-53 | Xn; N R: 22-38-41-50/53 S: (2-)13-26-37/39- 60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | A |
| 607-051-00-3 | MCPA (ISO); 4-chloro- <i>o</i> -tolylxyacetic acid | 202-360-6 | 94-74-6 | Xn; R22 Xi; R38-41 | Xn R: 22-38-41 S: (2-)26-37-39 | | |
| 607-052-00-9 | salts and esters of MCPA | — | — | Xn; R20/21/ 22 | Xn R: 20/21/22 S: (2-)13 | | A |
| 607-053-00-4 | MCPB (ISO); 4-(4-chloro- <i>o</i> -tolylxy) butyric acid | 202-365-3 | 94-81-5 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-054-00-X | salts and esters of MCPB | — | — | Xn; R22 | Xn R: 22 S: (2-)24/25 | | A |
| 607-055-00-5 | endothal-sodium (ISO); disodium 7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylate | 204-959-8 | 129-67-9 | T; R25 Xn; R21 Xi; R36/37/ 38 | T R: 21-25-36/37/38 S: (1/2-)36/37/39-45 | | |
| 607-056-00-0 | warfarin (ISO); [1] (<i>S</i>)-4-hydroxy-3-(3-oxo-1-phenylbutyl)-2-benzopyrone; [2] (<i>R</i>)-4-hydroxy-3-(3-oxo-1-phenylbutyl)-2-benzopyrone [3] | 201-377-6 [1] 226-907-3 [2] 226-908-9 [3] | 81-81-2 [1] 5543-57-7 [2] 5543-58-8 [3] | Repr. Cat. 1; R61 T; R48/25 R52-53 | T R: 61-48/25-52/53 S: 53-45-61 | | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|--|-------|
| 607-057-00-6 | coumachlor (ISO); 3-[1-(4-chlorophenyl)-3-oxobutyl]-4-hydroxycoumarin | 201-378-1 | 81-82-3 | Xn; R48/22 R52-53 | Xn R: 48/22-52/53 S: (2-)37-61 | | |
| 607-058-00-1 | coumafuryl (ISO); fumarin; (RS)-3-(1-(2-furyl)-3-oxobutyl)4-hydroxycoumarin; 4-hydroxy-3-[3-oxo-1-(2-furyl) butyl]coumarin | 204-195-5 | 117-52-2 | T; R25-48/25 R52-53 | T R: 25-48/25-52/53 S: (1/2-)37-45-61 | | |
| 607-059-00-7 | coumatetrayl; 4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin | 227-424-0 | 5836-29-3 | T+; R27/28 T; R48/24/25 R52-53 | T+ R: 27/28-48/24/25- 52/53 S: (1/2-)28-36/37-45- 61 | | |
| 607-060-00-2 | dicoumarol; 4,4'-dihydroxy-3,3'-methylenebis(2H-chromen-2-one) | 200-632-9 | 66-76-2 | T; R48/25 Xn; R22 N; R51-53 | T; N R: 22-48/25-51/53 S: (1/2-)37-45-61 | | |
| 607-061-00-8 | acrylic acid; prop-2-enoic acid | 201-177-9 | 79-10-7 | R10 Xn; R20/21/ 22 C; R35 N; R50 | C; N R: 10-20/21/22-35- 50 S: (1/2-)26-36/37/39- 45-61 | C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | D |
| 607-062-00-3 | n-butyl acrylate | 205-480-7 | 141-32-2 | R10 Xi; R36/37/ 38 R43 | Xi R: 10-36/37/38-43 S: (2-)9 | | D |
| 607-063-00-9 | isobutyric acid | 201-195-7 | 79-31-2 | Xn; R21/22 | Xn R: 21/22 S: (2-) | | |
| 607-064-00-4 | benzyl chloroformate | 207-925-0 | 501-53-1 | C; R34 N; R50-53 | C; N R: 34-50/53 S: (1/2-)26-45-60-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 607-065-00-X | bromoacetic acid | 201-175-8 | 79-08-3 | T; R23/24/25 C; R35 N; R50 | T; C; N R: 23/24/25-35-50 S: (1/2-)26-36/37/39- 45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|------------------------------------|---|---|-------|
| 607-066-00-5 | dichloroacetic acid | 201-207-0 | 79-43-6 | C; R35 N; R50 | C; N R: 35-50 S: (1/2-)26-45-61 | | |
| 607-067-00-0 | dichloroacetyl chloride | 201-199-9 | 79-36-7 | C; R35 N; R50 | C; N R: 35-50 S: (1/2-)9-26-45-61 | | |
| 607-068-00-6 | iodoacetic acid | 200-590-1 | 64-69-7 | T; R25 C; R35 | T; C R: 25-35 S: (1/2-)22-36/37/39-45 | | |
| 607-069-00-1 | ethyl bromoacetate | 203-290-9 | 105-36-2 | T+; R26/27/ 28 | T+ R: 26/27/28 S: (1/2-)7/9-26-45 | | |
| 607-070-00-7 | ethyl chloroacetate | 203-294-0 | 105-39-5 | T; R23/24/25 N; R50 | T; N R: 23/24/25-50 S: (1/2-)7/9-45-61 | | |
| 607-071-00-2 | ethyl methacrylate | 202-597-5 | 97-63-2 | F; R11 Xi; R36/37/ 38 R43 | F; Xi R: 11-36/37/38-43 S: (2-)9-16-29-33 | | D |
| 607-072-00-8 | 2-hydroxyethyl acrylate | 212-454-9 | 818-61-1 | T; R24 C; R34 R43 N; R50 | T; N R: 24-34-43-50 S: (1/2-)26-36/39-45-61 | T; R24: C ≥ 2 % Xn; R21: 0,2 % ≤ C < 2 % R43: C ≥ 0,2 % | D |
| 607-073-00-3 | 4-CPA (ISO); 4-chlorophenoxyacetic acid | 204-581-3 | 122-88-3 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 607-074-00-9 | chlorfenac (ISO); 2,3,6-trichlorophenylacetic acid | 201-599-3 | 85-34-7 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)36-61 | | |
| 607-075-00-4 | chlorfenprop-methyl; methyl 2-chloro-3-(4-chlorophenyl)propionate | 238-413-5 | 14437-17-3 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)36/37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 607-076-00-X | dodine (ISO); dodecylguanidinium acetate | 219-459-5 | 2439-10-3 | Xn; R22 Xi; R36/38 N; R50-53 | Xn; N R: 22-36/38-50/53 S: (2-)26-60-61 | | |
| 607-077-00-5 | erbon (ISO); 2-(2,4,5-trichlorophenoxy)ethyl 2,2-dichloropropionate | — | 136-25-4 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)61 | | |
| 607-078-00-0 | fluenetil (ISO); 2-fluoroethyl biphenyl-4-ylacetate | — | 4301-50-2 | T+; R27/28 | T+ R: 27/28 S: (1/2-)28-36/ 37-45 | | |
| 607-079-00-6 | kelevan (ISO); ethyl 5-(perchloro-5-hydroxypentacyclo[5,3,0,0 ^{2,6} ,0 ^{3,9} ,0 ^{4,8}] decan-5-yl)-4-oxopentanoate; ethyl 5-(1,2,3,5,6,7,8,9,10,10-decachloro-4-hydroxypentacyclo[5,2,1,0 ^{2,6} ,0 ^{3,9} ,0 ^{3,8}]dec-4-yl)-4-oxovalerate | — | 4234-79-1 | T; R24 Xn; R22 N; R51-53 | T; N R: 22-24-51/53 S: (1/2-)36/37-45-61 | | |
| 607-080-00-1 | chloroacetyl chloride | 201-171-6 | 79-04-9 | R14 R29 T; R23/24/ 25-48/23 C; R35 N; R50 | T; C; N R: 14-23/24/25-29- 35-48/23-50 S: (1/2-)7/8-9-26-36/ 37/39-45-61 | | |
| 607-081-00-7 | fluoroacetic acid | 205-631-7 | 144-49-0 | T+; R28 N; R50 | T+; N R: 28-50 S: (1/2-)20-22-26-45- 61 | | |
| 607-082-00-2 | fluoroacetates, soluble | — | — | T+; R28 N; R50 | T+; N R: 28-50 S: (1/2-)20-22-26-45- 61 | | A |
| 607-083-00-8 | 2,4-DB (ISO); 4-(2,4-dichlorophenoxy)butyric acid | 202-366-9 | 94-82-6 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)25-29-46-61 | | |
| 607-084-00-3 | salts of 2,4-DB | — | — | Xn; R22 Xi; R41 N; R51-53 | Xn; N R: 22-41-51/53 S: (2-)26-29-39-46- 61 | | A |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|---|---|---|---|-------|
| 607-085-00-9 | benzyl benzoate | 204-402-9 | 120-51-4 | Xn; R22 | Xn R: 22 S: (2-)25 | | |
| 607-086-00-4 | diallyl phthalate | 205-016-3 | 131-17-9 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)24/25-60-61 | | |
| 607-088-00-5 | methacrylic acid; 2-methylpropenoic acid | 201-204-4 | 79-41-4 | Xn; R21/22 C; R35 | C R: 21/22-35 S: (1/2-)26-36/37/39-45 | C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | D |
| 607-089-00-0 | propionic acid ... % | 201-176-3 | 79-09-4 | C; R34 | C R: 34 S: (1/2-)23-36-45 | C; R34: C ≥ 25 % Xi; R36/37/38: 10 % ≤ C < 25 % | B |
| 607-090-00-6 | thioglycolic acid | 200-677-4 | 68-11-1 | T; R23/24/25 C; R34 | T R: 23/24/25-34 S: (1/2-)25-27-28-45 | T; R23/24/25: C ≥ 2 % Xn; R20/21/22: 0,2 % ≤ C < 2 % | |
| 607-091-00-1 | trifluoroacetic acid . . . % | 200-929-3 | 76-05-1 | Xn; R20 C; R35 R52-53 | C R: 20-35-52/53 S: (1/2-)9-26-27-28-45-61 | Xn; R20: C ≥ 10 % | B |
| 607-092-00-7 | methyl lactate; [1] methyl (±)-lactate; [2] methyl (R)-lactate; [3] methyl (S)-(-)-lactate [4] | 208-930-0 [1] 218-449-8 [2] 241-420-6 [3] 248-704-9 [4] | 547-64-8 [1] 2155-30-8 [2] 17392-83-5 [3] 27871-49-4 [4] | R10 Xi; R36/37 | Xi R: 10-36/37 S: (2-)24 | | C |
| 607-093-00-2 | propionyl chloride | 201-170-0 | 79-03-8 | F; R11 R14 C; R34 | F; C R: 11-14-34 S: (1/2-)9-16-26-45 | | B D |
| 607-094-00-8 | peracetic acid . . . % | 201-186-8 | 79-21-0 | R10 O; R7 Xn; R20/21/ 22 C; R35 N; R50 | O; C; N R: 7-10-20/21/22-35-50 S: (1/2-)3/7-14-36/37/39-45-61 | Xn; R20/21/22: C ≥ 10 % C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | B D |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|--|------------------------------|---|---------------------------------------|-------|
| 607-095-00-3 | maleic acid | 203-742-5 | 110-16-7 | Xn; R22 Xi; R36/37/ 38 | Xn R: 22-36/37/38 S: (2-)26-28-37 | | |
| 607-096-00-9 | maleic anhydride | 203-571-6 | 108-31-6 | Xn; R22 C; R34 R42/43 | C R: 22-34-42/43 S: (2-)22-26-36/37/ 39-45 | | |
| 607-097-00-4 | benzene-1,2,4-tricarboxylic acid 1,2-anhydride; trimellitic anhydride | 209-008-0 | 552-30-7 | Xi; R37-41 R42/43 | Xn R: 37-41-42/43 S: (2-)22-26-36/37/39 | | |
| 607-098-00-X | benzene-1,2:4,5-tetracarboxylic dianhydride; benzene-1,2:4,5-tetracarboxylic dianhydride; pyromellitic dianhydride | 201-898-9 | 89-32-7 | Xi; R41 R42/43 | Xn R: 41-42/43 S: (2-)22-24-26-37/39 | | |
| 607-099-00-5 | 1,2,3,6-tetrahydrophthalic anhydride; [1] <i>cis</i> -1,2,3,6-tetrahydrophthalic anhydride; [2] 3,4,5,6-tetrahydrophthalic anhydride; [3] tetrahydrophthalic anhydride [4] | 201-605-4 [1] 213-308-7 [2] 219-374-3 [3] 247-570-9 [4] | 85-43-8 [1] 935-79-5 [2] 2426-02-0 [3] 26266-63-7 [4] | Xi; R41 R42/43 R52-53 | Xn R: 41-42/43-52/53 S: (2-)22-24-26-37/ 39-61 | | C |
| 607-100-00-9 | benzophenone-3,3',4,4'-tetracarboxylic dianhydride; 4,4'-carbonyldi(phthalic anhydride) | 219-348-1 | 2421-28-5 | Xi; R36/37 | Xi R: 36/37 S: (2-)25 | Xi; R36/37: C ≥ 1 % | |
| 607-101-00-4 | 1,4,5,6,7,7-hexachlorobicyclo [2,2,1]hept-5-ene-2,3-dicarboxylic anhydride chlorendic anhydride | 204-077-3 | 115-27-5 | Xi; R36/37/ 38 | Xi R: 36/37/38 S: (2-)25 | Xi; R36/37/38: C ≥ 1 % | |
| 607-102-00-X | cyclohexane-1,2-dicarboxylic anhydride; [1] <i>cis</i> -cyclohexane-1,2-dicarboxylic anhydride; [2] <i>trans</i> -cyclohexane-1,2-dicarboxylic anhydride [3] | 201-604-9 [1] 236-086-3 [2] 238-009-9 [3] | 85-42-7 [1] 13149-00-3 [2] 14166-21-3 [3] | Xi; R41 R42/43 | Xn R: 41-42/43 S: (2-)23-24-26-37/39 | | C |
| 607-103-00-5 | succinic anhydride | 203-570-0 | 108-30-5 | Xi; R36/37 | Xi R: 36/37 S: (2-)25 | Xi; R36/37: C ≥ 1 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|---|---------------------------------|---|---|-------|
| 607-104-00-0 | cyclopentane-1,2,3,4-tetracarboxylic dianhydride | 227-964-7 | 6053-68-5 | Xi; R36/37 | Xi R: 36/37 S: (2-)25 | Xi; R36/37: C ≥ 1 % | |
| 607-105-00-6 | 8,9,10-trinorborn-5-ene-2,3-dicarboxylic anhydride; [1] 1,2,3,6-tetrahydro-3,6-methanophthalic anhydride; [2] (1 α ,2 α ,3 β ,6 β)-1,2,3,6-tetrahydro-3,6-methanophthalic anhydride [3] | 204-957-7 [1] 212-557-9 [2] 220-384-5 [3] | 129-64-6 [1] 826-62-0 [2] 2746-19-2 [3] | Xi; R41 R42/43 | Xn R: 41-42/43 S: (2-)22-24-26-37/39 | | C |
| 607-106-00-1 | 8,9-dinorborn-5-ene-2,3-dicarboxylic anhydride | — | 123748-85-6 | Xn; R22 Xi; R36/37/38 R42 | Xn R: 22-36/37/38-42 S: (2-)39 | Xi; R36/37/38: C ≥ 10 % | C |
| 607-107-00-7 | 2-ethylhexyl acrylate | 203-080-7 | 103-11-7 | Xi; R37/38 R43 | Xi R: 37/38-43 S: (2-)36/37-46 | | D |
| 607-108-00-2 | 2-hydroxy-1-methylethylacrylate; [1] 2-hydroxypropylacrylate; [2] acrylic acid, monoester with propane-1,2-diol [3] | 220-852-9 [1] 213-663-8 [2] 247-118-0 [3] | 2918-23-2 [1] 999-61-1 [2] 25584-83-2 [3] | T; R23/24/25 C; R34 R43 | T R: 23/24/25-34-43 S: (1/2-)26-36/37/39-45 | T; R23/24/25: C ≥ 2 % Xn; R20/21/22: 0,2 % ≤ C < 2 % R43: C ≥ 0,2 % | C D |
| 607-109-00-8 | hexamethylene diacrylate; hexane-1,6-diol diacrylate | 235-921-9 | 13048-33-4 | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)39 | | D |
| 607-110-00-3 | pentaerythritol triacrylate | 222-540-8 | 3524-68-3 | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)39 | | D |
| 607-111-00-9 | 2,2-bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate | 239-701-3 | 15625-89-5 | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)39 | | D |
| 607-112-00-4 | 2,2-dimethyltrimethylene diacrylate; neopentyl glycol diacrylate | 218-741-5 | 2223-82-7 | T; R24 Xi; R36/38 R43 | T R: 24-36/38-43 S: (1/2-)28-39-45 | T; R24: C ≥ 5 % Xn; R21: 0,2 % ≤ C < 5 % | D |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---|-------|
| 607-113-00-X | isobutyl methacrylate | 202-613-0 | 97-86-9 | R10 Xi; R36/37/ 38 R43 N; R50 | Xi; N R: 10-36/37/38-43- 50 S: (2-)24-37-61 | | D |
| 607-114-00-5 | ethylene dimethacrylate | 202-617-2 | 97-90-5 | Xi; R37 R43 | Xi R: 37-43 S: (2-)24-37 | Xi; R37: C ≥ 10 % | D |
| 607-115-00-0 | isobutyl acrylate | 203-417-8 | 106-63-8 | R10 Xn; R20/21 Xi; R38 R43 | Xn R: 10-20/21-38-43 S: (2-)9-24-37 | Xi; R38: C ≥ 10 % | D |
| 607-116-00-6 | cyclohexyl acrylate | 221-319-3 | 3066-71-5 | Xi; R37/38 N; R51-53 | Xi; N R: 37/38-51/53 S: (2-)61 | Xi; R37/38: C ≥ 10 % | D |
| 607-117-00-1 | 2,3-epoxypropyl acrylate; glycidyl acrylate | 203-440-3 | 106-90-1 | T; R23/24/25 C; R34 R43 | T R: 23/24/25-34-43 S: (1/2-)26-36/37/39- 45 | T; R23/24/25: C ≥ 2 % Xn; R20/21/22: 0,2 % ≤ C < 2 % R43: C ≥ 0,2 % | D |
| 607-118-00-7 | 1-methyltrimethylene diacrylate; 1,3-butylene glycol diacrylate | 243-105-9 | 19485-03-1 | Xn; R21 C; R34 R43 | C R: 21-34-43 S: (1/2-)26-36/37/39- 45 | | D |
| 607-119-00-2 | tetramethylene diacrylate; 1,4-butyleneglycol diacrylate | 213-979-6 | 1070-70-8 | Xn; R21 C; R34 R43 | C R: 21-34-43 S: (1/2-)26-36/37/39- 45 | | D |
| 607-120-00-8 | 2,2'-oxydiethyl diacrylate; diethylene glycol diacrylate | 223-791-6 | 4074-88-8 | T; R24 Xi; R36/38 R43 | T R: 24-36/38-43 S: (1/2-)28-39-45 | T; R24: C ≥ 2 % Xn; R21: 0,2 % ≤ C < 2 % R43: C ≥ 0,2 % | D |
| 607-121-00-3 | 8,9,10-trinorborn-2-yl acrylate | — | 10027-06-2 | Xn; R21 Xi; R38 R43 | Xn R: 21-38-43 S: (2-)28 | Xi; R38: C ≥ 10 % | D |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|----------------------------------|--|--|---------------------------------------|-------|
| 607-122-00-9 | pentaerythritol tetraacrylate | 225-644-1 | 4986-89-4 | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)26-39 | | D |
| 607-123-00-4 | 2,3-epoxypropyl methacrylate; glycidyl methacrylate | 203-441-9 | 106-91-2 | Xn; R20/21/ 22 Xi; R36/38 R43 | Xn R: 20/21/22-36/38- 43 S: (2-)26-28 | Xi; R36/38: C ≥ 10 % | D |
| 607-124-00-X | 2-hydroxyethyl methacrylate | 212-782-2 | 868-77-9 | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)26-28 | | D |
| 607-125-00-5 | 2-hydroxypropyl methacrylate; [1] 3-hydroxypropyl methacrylate [2] | 213-090-3 [1] 220-426-2 [2] | 923-26-2 [1] 2761-09-3 [2] | Xi; R36 R43 | Xi R: 36-43 S: (2-)24/25-26-37/39 | | C D |
| 607-126-00-0 | 2,2'-(ethylenedioxy)diethyl diacrylate; triethylene glycol diacrylate | 216-853-9 | 1680-21-3 | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)26-28 | | D |
| 607-127-00-6 | 2-diethylaminoethyl methacrylate | 203-275-7 | 105-16-8 | Xn; R20 Xi; R36/38 R43 | Xn R: 20-36/38-43 S: (2-)26 | Xi; R36/38: C ≥ 10 % | D |
| 607-128-00-1 | 2-tert-butylaminoethyl methacrylate | 223-228-4 | 3775-90-4 | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)26 | | D |
| 607-129-00-7 | ethyl lactate; ethyl DL-lactate; [1] ethyl (S)-2-hydroxypropionate; ethyl L-lactate; ethyl-(S)-lactate [2] | 202-598-0 [1] 211-694-1 [2] | 97-64-3 [1] 687-47-8 [2] | R10 Xi; R37-41 | Xi R: 10-37-41 S: (2-)24-26-39 | | C |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|---|--|---------------------------------|---|---------------------------------------|-------|
| 607-130-00-2 | pentyl acetate; [1] isopentyl acetate; [2] 1-methylbutyl acetate; [3] 2-methylbutyl acetat; [4] 2(or 3)-methylbutyl acetate [5] | 211-047-3 [1] 204-662-3 [2] 210-946-8 [3] 210-843-8 [4] 282-263-3 [5] | 628-63-7 [1] 123-92-2 [2] 626-38-0 [3] 624-41-9 [4] 84145-37-9 [5] | R10 R66 | R: 10-66 S: (2-)23-25 | | C |
| 607-131-00-8 | isopentyl propionate; [1] pentyl propionate; [2] 2-methylbutyl propionate [3] | 203-322-1 [1] 210-852-7 [2] 219-449-0 [3] | 105-68-0 [1] 624-54-4 [2] 2438-20-2 [3] | R10 | R: 10 S: (2-)23-24 | | C |
| 607-132-00-3 | 2-dimethylaminoethyl methacrylate | 220-688-8 | 2867-47-2 | Xn; R21/22 Xi; R36/38 R43 | Xn R: 21/22-36/38-43 S: (2-)26-28 | Xi; R36/38: C ≥ 10 % | D |
| 607-133-00-9 | monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid with the exception of those specified elsewhere in this Annex | — | — | Xi; R36/37/38 N; R51-53 | Xi; N R: 36/37/38-51/53 S: (2-)26-28-61 | Xi; R36/37/38: C ≥ 10 % | A |
| 607-134-00-4 | monoalkyl or monoaryl or monoalkylaryl esters of methacrylic acid with the exception of those specified elsewhere in this Annex | — | — | Xi; R36/37/38 | Xi R: 36/37/38 S: (2-)26-28 | Xi; R36/37/38: C ≥ 10 % | A |
| 607-135-00-X | butyric acid | 203-532-3 | 107-92-6 | C; R34 | C R: 34 S: (1/2-)26-36-45 | | |
| 607-136-00-5 | butyryl chloride | 205-498-5 | 141-75-3 | F; R11 C; R34 | F; C R: 11-34 S: (1/2-)16-23-26-36-45 | | |
| 607-137-00-0 | methyl acetoacetate | 203-299-8 | 105-45-3 | Xi; R36 | Xi R: 36 S: (2-)26 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|------------------------------------|---|---------------------------------------|-------|
| 607-138-00-6 | butyl chloroformate; chloroformic acid butyl ester | 209-750-5 | 592-34-7 | R10 T; R23 C; R34 | T R: 10-23-34 S: (1/2-)26-36-45 | | |
| 607-139-00-1 | 2-chloropropionic acid | 209-952-3 | 598-78-7 | Xn; R22 C; R35 | C R: 22-35 S: (1/2-)23-26-28-36-45 | | |
| 607-140-00-7 | isobutryl chloride | 201-194-1 | 79-30-1 | F; R11 C; R35 | F; C R: 11-35 S: (1/2-)16-23-26-36-45 | | |
| 607-141-00-2 | oxydiethylene bis(chloroformate) | 203-430-9 | 106-75-2 | Xn; R22 Xi; R38-41 N; R51-53 | Xn; N R: 22-38-41-51/53 S: (2-)23-26-61 | | |
| 607-142-00-8 | propyl chloroformate; chloroformic acid propylester; <i>n</i> -propyl chloroformate | 203-687-7 | 109-61-5 | R10 ⊗ T; R23 C; R34 | T R: 10-23-34 S: (1/2-)26-36-45 | | |
| 607-143-00-3 | valeric acid | 203-677-2 | 109-52-4 | C; R34 R52-53 | C R: 34-52/53 S: (1/2-)26-36-45-61 | | |
| 607-144-00-9 | adipic acid | 204-673-3 | 124-04-9 | Xi; R36 | Xi R: 36 S: (2-) | | |
| 607-145-00-4 | methanesulphonic acid | 200-898-6 | 75-75-2 | C; R34 | C R: 34 S: (1/2-)26-36-45 | | |
| 607-146-00-X | fumaric acid | 203-743-0 | 110-17-8 | Xi; R36 | Xi R: 36 S: (2-)26 | | |
| 607-147-00-5 | oxalic acid diethylester; diethyl oxalate | 202-464-1 | 95-92-1 | Xn; R22 Xi; R36 | Xn R: 22-36 S: (2-)23 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---|-------|
| 607-148-00-0 | guanidinium chloride; guanadine hydrochloride | 200-002-3 | 50-01-1 | Xn; R22 Xi; R36/38 | Xn R: 22-36/38 S: (2-)22 | | |
| 607-149-00-6 | urethane (INN); ethyl carbamate | 200-123-1 | 51-79-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | |
| 607-150-00-1 | endothal (ISO); 7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylic acid | 205-660-5 | 145-73-3 | T; R25 Xn; R21 Xi; R36/37/ 38 | T R: 21-25-36/37/38 S: (1/2-)36/37/39-45 | | |
| 607-151-00-7 | propargite (ISO); 2-(4- <i>tert</i> -butylphenoxy) cyclohexyl prop-2-ynyl sulphite | 219-006-1 | 2312-35-8 | Carc. Cat. 3; R40 T; R23 Xi; R38-41 N; R50-53 | T; N R: 23-38-40-41-50/ 53 S: (1/2-)26-36/37/39- 45-60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 607-152-00-2 | 2,3,6-TBA (ISO); 2,3,6-trichlorobenzoic acid | 200-026-4 | 50-31-7 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)61 | | |
| 607-153-00-8 | benazolin (ISO); 4-chloro-2,3-dihydro-2-oxo-1,3-benzothiazol-3-ylacetic acid | 223-297-0 | 3813-05-6 | Xi; R36/38 R52-53 | Xi R: 36/38-52/53 S: (2-)22-61 | | |
| 607-154-00-3 | ethyl N-benzoyl-N-(3,4-dichlorophenyl)-Dl-alaninate; benzoylprop-ethyl (ISO) | 244-845-5 | 22212-55-1 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)24-60-61 | | |
| 607-155-00-9 | 3-(3-amino-5-(1-methylguanidino)-1-oxopentylamino-6-(4-amino-2-oxo-2,3-dihydro-pyrimidin-1-yl)-2,3-dihydro-(6H)-pyran-2-carboxylic acid; blasticidin-s | — | 2079-00-7 | T+; R28 | T+ R: 28 S: (1/2-)24/25-36/37- 45 | | |
| 607-156-00-4 | chlorfenson (ISO); 4-chlorophenyl 4-chlorobenzenesulfonate | 201-270-4 | 80-33-1 | Xn; R22 Xi; R38 N; R50-53 | Xn; N R: 22-38-50/53 S: (2-)37-60-61 | | |
| 607-157-00-X | 3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxy-coumarin; difenacoum | 259-978-4 | 56073-07-5 | T+; R28 T; R48/25 N; R50-53 | T+; N R: 28-48/25-50/53 S: (1/2-)36/37-45-60- 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---|---------------------------------------|-------|
| 607-158-00-5 | sodium salt of chloroacetic acid; sodium chloroacetate | 223-498-3 | 3926-62-3 | T; R25 Xi; R38 N; R50 | T; N R: 25-38-50 S: (1/2-)22-37-45-61 | | |
| 607-159-00-0 | chlorobenzilate (ISO); ethyl 2,2-di(4-chlorophenyl)-2-hydroxyacetate; ethyl 4,4'-dichlorobenzilate | 208-110-2 | 510-15-6 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 607-160-00-6 | isobutyl 2-(4-(4-chlorophenoxy)phenoxy)propionate; clofop-isobutyl (ISO) | — | 51337-71-4 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 607-161-00-1 | diethanolamine salt of 4-CPA | — | — | Xn; R22 | Xn R: 22 S: (2-) | | |
| 607-162-00-7 | 2,2-dichloropropionic acid; dalapon | 200-923-0 | 75-99-0 | Xn; R22 Xi; R38-41 R52-53 | Xn R: 22-38-41-52/53 S: (2-)26-39-61 | | |
| 607-163-00-2 | 3-acetyl-6-methyl-2H-pyran-2,4(3H)-dione; dehydracetic acid | 208-293-9 | 520-45-6 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 607-164-00-8 | sodium 1-(3,4-dihydro-6-methyl-2,4-dioxo-2H-pyran-3-ylidene)ethonolate; sodium dehydracetate | 224-580-1 | 4418-26-2 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 607-165-00-3 | diclofop-methyl (ISO); methyl 2-(4-(2,4-dichlorophenoxy)phenoxy)propionate; methyl (RS)-2-[4-(2,4-dichlorophenoxy)phenoxy]propionate; | 257-141-8 | 51338-27-3 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24-37-60-61 | | |
| 607-166-00-9 | medinoterb acetate (ISO); 6-tert-butyl-3-methyl-2,4-dinitrophenyl acetate | 219-634-6 | 2487-01-6 | T; R25 Xn; R21 | T R: 21-25 S: (1/2-)36/37-45 | | |
| 607-167-00-4 | sodium 3-chloroacrylate | — | 4312-97-4 | Xn; R21/22 | Xn R: 21/22 S: (2-)36/37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---------------------------------------|-------|
| 607-168-00-X | dipropyl 6,7-methylenedioxy-1,2,3,4-tetrahydro-3-methyl-naphthalene-1,2-dicarboxylate; propylisome | — | 83-59-0 | T; R24 Xn; R22 N; R50-53 | T; N R: 22-24-50/53 S: (1/2-)36/37-45-60-61 | | |
| 607-169-00-5 | sodium fluoroacetate | 200-548-2 | 62-74-8 | T+; R26/27/28 N; R50 | T+; N R: 26/27/28-50 S: (1/2-)13-22-36/37-45-61 | | |
| 607-170-00-0 | bis(1,2,3-trithiacyclohexyldimethylammonium) oxalate; thiocyclam-oxalate | 250-859-2 | 31895-22-4 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)36/37-46-60-61 | | |
| 607-172-00-1 | 4-hydroxy-3-(3-(4'-bromo-4-biphenyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin; brodifacoum | 259-980-5 | 56073-10-0 | T+; R27/28 T; R48/24/25 N; R50-53 | T+; N R: 27/28-48/24/25-50/53 S: (1/2-)36/37-45-60-61 | | |
| 607-173-00-7 | dimethyl (3-methyl-4-(5-nitro-3-ethoxycarbonyl-2-thienyl)azo)phenylnitrilodipropionate | 400-460-6 | — | R43 R52-53 | Xi R: 43-52/53 S: (2-)24-37-61 | | |
| 607-174-00-2 | reaction mass of dodecyl 3-(2,2,4,4-tetramethyl-21-oxo-7-oxa-3,20-diazadispiro(5,1,1,1,2)hencosan-20-yl)propionate and tetradecyl 3-(2,2,4,4-tetramethyl-21-oxo-7-oxa-3,20-diazadispiro(5,1,1,1,2)hencosan-20-yl)propionate | 400-580-9 | — | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)28-61 | | |
| 607-175-00-8 | methyl 2-(2-nitrobenzylidene)acetoacetate | 400-650-9 | 39562-27-1 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 607-176-00-3 | reaction mass of α -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- ω -hydroxypoly(oxyethylene) and α -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- ω -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) | 400-830-7 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)36/37-61 | | |
| 607-177-00-9 | methyl 2-(3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)3-methylureidosulphonyl)benzoate | 401-190-1 | 101200-48-0 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 607-178-00-4 | methyl α -((4,6-dimethoxyimidin-2-yl)ureidosulphonyl)-o-toluate | 401-340-6 | 83055-99-6 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 607-179-00-X | (benzothiazol-2-ylthio)succinic acid | 401-450-4 | 95154-01-1 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 607-180-00-5 | potassium 2-hydroxycarbazole-1-carboxylate | 401-630-2 | 96566-70-0 | Xn; R22 Xi; R36/37 R52-53 | Xn R: 22-36/37-52/53 S: (2-)22-26-61 | | |
| 607-181-00-0 | 3,5-dichloro-2,4-difluorobenzoyl fluoride | 401-800-6 | 101513-70-6 | T; R23 C; R34 Xn; R22 R29 R43 R52-53 | T; C R: 22-23-29-34-43-52/53 S: (1/2-)26-36/37/39-45-61 | | |
| 607-182-00-6 | methyl 3-sulphamoyl-2-thenoate | 402-050-2 | — | R43 | Xi R: 43 S: (2-)24-37 | | |
| 607-183-00-1 | zinc 2-hydroxy-5-C ₁₃₋₁₈ alkylbenzoate | 402-280-3 | — | Xi; R36/38 N; R51-53 | Xi; N R: 36/38-51/53 S: (2-)26-61 | | |
| 607-184-00-7 | S-(3-trimethoxysilyl)propyl 19-isocyanato-11-(6-isocyanato-hexyl)-10,12-dioxo-2,9,11,13-tetraazonadecanethioate | 402-290-8 | 85702-90-5 | R10 R42/43 | Xn R: 10-42/43 S: (2-)23-24-37 | | |
| 607-185-00-2 | ethyl <i>trans</i> -3-dimethylaminoacrylate | 402-650-4 | 1117-37-9 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 607-186-00-8 | quinclorac (ISO); 3,7-dichloroquinoline-8-carboxylic acid | 402-780-1 | 84087-01-4 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 607-187-00-3 | bis(2,2,6,6-tetramethyl-4-piperidyl) succinate | 402-940-0 | 62782-03-0 | Xi; R36 R52-53 | Xi R: 36-52/53 S: (2-)26-61 | | |
| 607-188-00-9 | hydrogen sodium N-carboxylatoethyl-N-octadec-9-enylmaleamate | 402-970-4 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 607-189-00-4 | trimethylenediaminetetraacetic acid | 400-400-9 | 1939-36-2 | Xn; R22 Xi; R41 N; R50-53 | Xn; N R: 22-41-50/53 S: (2-)22-26-39-60-61 | | |
| 607-190-00-X | methyl acrylamidomethoxyacetate (containing ≥ 0,1 % acrylamid) | 401-890-7 | 77402-03-0 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 Xn; R22 Xi; R36 | T R: 45-46-22-36 S: 53-45 | | E |
| 607-191-00-5 | isobutyl 3,4-epoxybutyrate | 401-920-9 | 100181-71-3 | Xi; R38 R43 N; R50-53 | Xi; N R: 38-43-50/53 S: (2-)24-28-36/37-60-61 | | |
| 607-192-00-0 | disodium N-carboxymethyl-N-(2-(2-hydroxyethoxy)ethyl)glycinate | 402-360-8 | 92511-22-3 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 607-194-00-1 | propylene carbonate | 203-572-1 | 108-32-7 | Xi; R36 | Xi R: 36 S: (2-) | | |
| 607-195-00-7 | 2-methoxy-1-methylethyl acetate | 203-603-9 | 108-65-6 | R10 Xi; R36 | Xi R: 10-36 S: (2-)25 | | |
| 607-196-00-2 | heptanoic acid | 203-838-7 | 111-14-8 | C; R34 | C R: 34 S: (1/2-)26-28-36/37/39-45 | | |
| 607-197-00-8 | nonanoic acid | 203-931-2 | 112-05-0 | C; R34 | C R: 34 S: (1/2-)26-28-36/37/39-45 | | |
| 607-198-00-3 | propyl 3,4,5-trihydroxybenzoate | 204-498-2 | 121-79-9 | Xn; R22 R43 | Xn R: 22-43 S: (2-)24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 607-199-00-9 | octyl 3,4,5-trihydroxybenzoate | 213-853-0 | 1034-01-1 | Xn; R22 R43 | Xn R: 22-43 S: (2-)24-37 | | |
| 607-200-00-2 | dodecyl 3,4,5-trihydroxybenzoate | 214-620-6 | 1166-52-5 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 607-201-00-8 | thiocarbonyl chloride | 207-341-6 | 463-71-8 | T; R23 Xn; R22 Xi; R36/37/ 38 | T R: 22-23-36/37/38 S: (1/2-)7-9-36/37-45 | | |
| 607-203-00-9 | 2-ethylhexyl[[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]thio]acetate | 279-452-8 | 80387-97-9 | Repr. Cat. 2; R61 R43 R52-53 | T R: 61-43-52/53 S: 53-45-61 | | |
| 607-204-00-4 | (chlorophenyl)(chlorotolyl)methane, mixed isomers | 400-140-6 | — | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-205-00-X | methyl chloroacetate | 202-501-1 | 96-34-4 | R10 T; R23/25 Xi; R37/38- 41 | T R: 10-23/25-37/38- 41 S: (1/2-)26-37/39-45 | | |
| 607-206-00-5 | isopropyl chloroacetate | 203-301-7 | 105-48-6 | R10 T; R25 Xi; R36/37/ 38 | T R: 10-25-36/37/38 S: (1/2-)26-37/39-45 | | |
| 607-207-00-0 | haloxyfop-etotyl (ISO) 2-ethoxyethyl 2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate; haloxyfop-(2-ethoxyethyl) | 402-560-5 | 87237-48-7 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)22-36-60-61 | | |
| 607-208-00-6 | 4,8,12-trimethyltrideca-3,7,11-trienoic acid, mixed isomers | 403-000-2 | 91853-67-7 | Xi; R38 N; R50-53 | Xi; N R: 38-50/53 S: (2-)37/39-60-61 | | |
| 607-209-00-1 | reaction mass of O,O'-diisopropyl (pentathio)dithioformate and O,O'-diisopropyl (trithio)dithioformate and O,O'-diisopropyl (tetrathio)dithioformate | 403-030-6 | — | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)36/37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---------------------------------------|-------|
| 607-210-00-7 | methyl acrylamidoglycolate (containing $\geq 0,1$ % acrylamide) | 403-230-3 | 77402-05-2 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 C; R34 R43 | T R: 45-46-34-43 S: 53-45 | | |
| 607-211-00-2 | methyl 3-(3- <i>tert</i> -butyl-4-hydroxy-5-methylphenyl)propionate | 403-270-1 | 6386-39-6 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)36-61 | | |
| 607-212-00-8 | poly(oxypropylenecarbonyl-co-oxy(ethylethylene)carbonyl), containing 27 % hydroxyvalerate | 403-300-3 | — | R43 | Xi R: 43 S: (2-)24-37 | | |
| 607-213-00-3 | ethyl 3,3-bis(<i>tert</i> -pentylperoxy)butyrate | 403-320-2 | 67567-23-1 | E; R2 \otimes O; R7 R10 N; R51-53 | E; N R: 2-7-10-51/53 S: (2-)3/7-14-33-36/ 37/39-61 | | |
| 607-214-00-9 | N,N-hydrazinodiacetic acid | 403-510-5 | 19247-05-3 | T; R25 Xn; R48/22 R43 R52-53 | T R: 25-43-48/22-52/ 53 S: (1/2-)26-36/37/39- 45-61 | | |
| 607-215-00-4 | 3-(3- <i>tert</i> -butyl-4-hydroxyphenyl)propionic acid | 403-920-4 | 107551-67-7 | Xn; R22 Xi; R36 | Xn R: 22-36 S: (2-)25-26-36 | | |
| 607-216-00-X | glutamic acid, reaction products with N-(C ₁₂₋₁₄ alkyl)propylenediamine | 403-950-8 | — | T+; R26 Xn; R22 C; R34 N; R50-53 | T+; N R: 22-26-34-50/53 S: (1/2-)26-36/37/39- 38-45-60-61 | | |
| 607-217-00-5 | 2-ethoxyethyl 2-(4-(2,6-dihydro-2,6-dioxo-7-phenyl-1,5-dioxaindacen-3-yl)phenoxy)acetate | 403-960-2 | — | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |
| 607-218-00-0 | dichlorprop-P (ISO); (+)-R-2-(2,4-dichlorophenoxy)propionic acid | 403-980-1 | 15165-67-0 | Xn; R22 Xi; R38-41 R43 | Xn R: 22-38-41-43 S: (2-)24-26-37/39 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---------------------------------------|-------|
| 607-219-00-6 | bis(2-ethylhexyl) dithiodiacetate | 404-510-8 | 62268-47-7 | Xn; R22 R43 N; R51-53 | Xn; N R: 22-43-51/53 S: (2-)24/25-37-61 | | |
| 607-221-00-7 | 6-docosyloxy-1-hydroxy-4-(1-(4-hydroxy-3-methylphenanthren-1-yl)-3-oxo-2-oxaphenalen-1-yl)naphthalene-2-carboxylic acid | 404-550-6 | — | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |
| 607-222-00-2 | 6-(2,3-dimethylmaleimido)hexyl methacrylate | 404-870-6 | 63740-41-0 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 607-223-00-8 | transfluthrin (ISO); 2,3,5,6-tetrafluorobenzyl <i>trans</i> -2-(2,2-dichlorovinyl)-3,3-dimethylcyclopropanecarboxylate | 405-060-5 | 118712-89-3 | Xi; R38 N; R50-53 | Xi; N R: 38-50/53 S: (2-)36/37-60-61 | | |
| 607-224-00-3 | methyl 2-(3-nitrobenzylidene)acetoacetate | 405-270-7 | 39562-17-9 | Xi; R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 607-225-00-9 | 3-azidosulfonylbenzoic acid | 405-310-3 | 15980-11-7 | E; R2 Xn; R48/22 Xi; R41 R43 | E; Xn R: 2-41-43-48/22 S: (2-)22-26-35-36/ 37/39 | | |
| 607-226-00-4 | reaction mass of 2-acryloyloxyethyl hydrogen cyclohexane-1,2-dicarboxylate and 2-methacryloyloxyethyl hydrogen cyclohexane-1,2-dicarboxylate | 405-360-6 | — | Xi; R38-41 R43 R52-53 | Xi R: 38-41-43-52/53 S: (2-)24-26-37/39-61 | | |
| 607-227-00-X | potassium 2-amino-2-methylpropionate octahydrate | 405-560-3 | 120447-91-8 | Xn; R22 C; R35 | C R: 22-35 S: (1/2-)26-28-36/37/ 39-45 | | |
| 607-228-00-5 | bis(2-methoxyethyl) phthalate | 204-212-6 | 117-82-8 | Repr. Cat. 2; R61 Repr. Cat. 3; R62 | T R: 61-62 S: 53-45 | | |
| 607-229-00-0 | diethylcarbamoyl chloride | 201-798-5 | 88-10-8 | Carc. Cat. 3; R40 Xn; R20/22 Xi; R36/37/ 38 | Xn R: 20/22-36/37/38- 40 S: (2-)26-36/37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 607-230-00-6 | 2-ethylhexanoic acid | 205-743-6 | 149-57-5 | Repr. Cat. 3; R63 | Xn R: 63 S: (2-)36/37 | | |
| 607-231-00-1 | 3,6-dichloropyridine-2-carboxylic acid; clopyralid | 216-935-4 | 1702-17-6 | Xi; R41 N; R51-53 | X; N R: 41-51/53 S: (2-)26-39-61 | | |
| 607-232-00-7 | pyridate (ISO); O-(6-chloro-3-phenylpyridazin-4-yl) S-octyl thiocarbonate | 259-686-7 | 55512-33-9 | Xi; R38 R43 N; R50-53 | Xi; N R: 38-43-50/53 S: (2-)24-37-60-61 | | |
| 607-233-00-2 | hexyl acrylate | 219-698-5 | 2499-95-8 | Xi; R36/37/ 38 R43 N; R51-53 | Xi; N R: 36/37/38-43-51/ 53 S: (2-)24-26-37-61 | | |
| 607-234-00-8 | flurenol (ISO); 9-hydroxy-9H-fluorene-9-carboxylic acid | 207-397-1 | 467-69-6 | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-235-00-3 | mecrilate; methyl 2-cyanoacrylate | 205-275-2 | 137-05-3 | Xi; R36/37/ 38 | Xi R: 36/37/38 S: (2-)23-24/25-26 | Xi; R36/37/38: C ≥ 10 % | |
| 607-236-00-9 | ethyl 2-cyanoacrylate | 230-391-5 | 7085-85-0 | Xi; R36/37/ 38 | Xi R: 36/37/38 S: (2-)23-24/25-26 | Xi; R36/37/38: C ≥ 10 % | |
| 607-237-00-4 | benzyl 2-chloro-4-(trifluoromethyl)thiazole-5-carboxylate; flurazole | 276-942-3 | 72850-64-7 | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-238-00-X | tau-fluvalinate (ISO); cyano-(3-phenoxyphenyl)methyl N-[2-chloro-4-(trifluoromethyl)phenyl]-D-valinate | — | 102851-06-9 | Xn; R22 Xi; R38 N; R50-53 | Xn; N R: 22-38-50/53 S: (2-)24-59-61 | | |
| 607-239-00-5 | fenpropathrin (ISO); α-cyano-3-phenoxybenzyl 2,2,3,3-tetramethylcyclopropane-carboxylate; | 254-485-0 | 39515-41-8 | T+; R26 T; R25 Xn; R21 N; R50-53 | T+; N R: 21-25-26-50/53 S: (1/2-)28-36/37-38- 45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|---|---|---|--|---------------------------------------|-------|
| 607-240-00-0 | <i>cis</i> -1,2,3,6-tetrahydro-4-methylphthalic anhydride; [1] 1,2,3,6-tetrahydro-4-methylphthalic anhydride; [2] 1,2,3,6-tetrahydro-3-methylphthalic anhydride; [3] tetrahydromethylphthalic anhydride; [4] 1,2,3,6-tetrahydromethylphthalic anhydride; [5] tetrahydro-4-methylphthalic anhydride; [6] 2,3,5,6-tetrahydro-2-methylphthalic anhydride [7] | 216-906-6 [1] 222-323-8 [2] 226-247-6 [3] 234-290-7 [4] 247-830-1 [5] 251-823-9 [6] 255-853-3 [7] | 1694-82-2 [1] 3425-89-6 [2] 5333-84-6 [3] 11070-44-3 [4] 26590-20-5 [5] 34090-76-1 [6] 42498-58-8 [7] | Xi; R41 R42/43 | Xn R: 41-42/43 S: (2-)22-24-26-37/39 | | C |
| 607-241-00-6 | hexahydro-4-methylphthalic anhydride; [1] hexahydromethylphthalic anhydride; [2] hexahydro-1-methylphthalic anhydride; [3] hexahydro-3-methylphthalic anhydride [4] | 243-072-0 [1] 247-094-1 [2] 256-356-4 [3] 260-566-1 [4] | 19438-60-9 [1] 25550-51-0 [2] 48122-14-1 [3] 57110-29-9 [4] | Xi; R41 R42/43 | Xn R: 41-42/43 S: (2-)22-24-26-37/39 | | C |
| 607-242-00-1 | tetrachlorophthalic anhydride | 204-171-4 | 117-08-8 | Xi; R41 R42/43 N; R50-53 | Xn; N R: 41-42/43-50/53 S: (2-)22-24-26-37/ 39-60-61 | | |
| 607-243-00-7 | sodium 3,6-dichloro- <i>o</i> -anisate; [1] 3,6-dichloro- <i>o</i> -anisic acid, compound with 2,2'-iminodiethanol (1:1); [2] 3,6-dichloro- <i>o</i> -anisic acid, compound with 2-aminoethanol (1:1) [3] | 217-846-3 [1] 246-590-5 [2] 258-527-9 [3] | 1982-69-0 [1] 25059-78-3 [2] 53404-28-7 [3] | R52-53 | R: 52/53 S: 61 | | |
| 607-244-00-2 | isooctyl acrylate | 249-707-8 | 29590-42-9 | Xi; R36/37/ 38 N; R50-53 | Xi; N R: 36/37/38-50/53 S: (2-)26-28-60-61 | Xi; R36/37/38: C ≥ 10 % | |
| 607-245-00-8 | <i>tert</i> -butyl acrylate | 216-768-7 | 1663-39-4 | F; R11 Xn; R20/21/ 22 Xi; R37/38 R43 N; R52-53 | F; Xn R: 11-20/21/22-37/ 38-43-52/53 S: (2-)16-25-37-61 | | D |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 607-246-00-3 | allyl methacrylate; 2-methyl-2-propenoic acid 2-propenyl ester | 202-473-0 | 96-05-9 | R10 T; R23 Xn; R21/22 N; R50 | T; N R: 10-21/22-23-50 S: (1/2-)36/37-45-61 | | |
| 607-247-00-9 | dodecyl methacrylate | 205-570-6 | 142-90-5 | Xi; 36/37/38 N; R50-53 | Xi; N R: 36/37/38-50/53 S: (2-)26-28-60-61 | Xi; R36/37/38: C ≥ 10 % | |
| 607-248-00-4 | naptalam-sodium (ISO); sodium N-naphth-1-ylphthalamate | 205-073-4 | 132-67-2 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 607-249-00-X | (1-methyl-1,2-ethanediy)bis[oxy(methyl-2,1-ethanediy)] diacrylate | 256-032-2 | 42978-66-5 | Xi; R36/37/38 R43 N; R51-53 | Xi; N R: 36/37/38-43-51/53 S: (2-)24-37-61 | Xi; R36/37/38: C ≥ 10 % | |
| 607-250-00-5 | 4H—3,1-benzoxazine-2,4(1H)-dione | 204-255-0 | 118-48-9 | Xi; R36 R43 | Xi R: 36-43 S: (2-)24-26-37 | | |
| 607-251-00-0 | 2-methoxypropyl acetate | 274-724-2 | 70657-70-4 | R10 Repr. Cat. 2; R61 Xi; R37 | T R: 61-10-37 S: 53-45 | | |
| 607-252-00-6 | lambda-cyhalothrin (ISO); reaction mass of (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate and (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate (1:1) | 415-130-7 | 91465-08-6 | T+; R26 T; R25 Xn; R21 N; R50-53 | T+; N R: 21-25-26-50/53 S: (1/2-)28-36/37/39-38-45-60-61 | | |
| 607-253-00-1 | α-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; cyfluthrin | 269-855-7 | 68359-37-5 | T+; R28 T; R23 N; R50-53 | T+; N R: 23-28-50/53 S: (1/2-)36/37/39-45-60-61 | | |
| 607-254-00-7 | α-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; beta-cyfluthrin | 269-855-7 | 68359-37-5 | T+; R26/28 N; R50-53 | T+; N R: 26/28-50/53 S: (1/2-)36/37/39-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--------------------------|---|---------------------------------------|-------|
| 607-255-00-2 | fluroxypyr (ISO); 4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid | — | 69377-81-7 | R52-53 | R: 52/53 S: 61 | | |
| 607-256-00-8 | azoxystrobin (ISO); methyl (E)-2-[2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl]-3-methoxyacrylate | — | 131860-33-8 | T; R23 N; 50-53 | T; N R: 23-50/53 S: (1/2-)22-45-60-61 | | |
| 607-257-00-3 | isopropyl propionate | 211-300-8 | 637-78-5 | F; R11 | F R: 11 S: (2-)16-23-24-29-33 | | |
| 607-258-00-9 | dodecyl 3-(2-(3-benzyl-4-ethoxy-2,5-dioxoimidazolidin-1-yl)-3-(4-methoxybenzoyl)acetamido)-4-chlorobenzoate | 403-990-6 | 70950-45-7 | R53 | R: 53 S: 61 | | |
| 607-259-00-4 | methyl 2R,3S-(-)-3-(4-methoxyphenyl)oxiranecarboxylate | 404-130-2 | 105560-93-8 | Xi; R41 R43 R52-53 | Xi R: 41-43-52/53 S: (2-)24-26-37/39-61 | | |
| 607-260-00-X | ethyl 2-(3-nitrobenzylidene)acetoacetate | 404-490-0 | 39562-16-8 | Xi; R41 R43 R52-53 | Xi R: 41-43-52/53 S: (2-)24-26-37/39-61 | | |
| 607-261-00-5 | iso(C ₁₀ -C ₁₄)alkyl (3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)methylthioacetate | 404-800-4 | 118832-72-7 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-262-00-0 | 7-chloro-1-cyclopropyl-6-fluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid | 405-050-0 | 86393-33-1 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)22-61 | | |
| 607-263-00-6 | potassium iron(III) 1,3-propanediamine- <i>N,N,N',N'</i> -tetraacetate hemihydrate | 405-680-6 | — | E; R2 N; R51-53 | E; N R: 2-51/53 S: (2-)35-61 | | |
| 607-264-00-1 | 2-chloro-4-(methylsulfonyl)benzoic acid | 406-520-8 | 53250-83-2 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 607-265-00-7 | ethyl-2-chloro-2,2-diphenylacetate | 406-580-5 | 52460-86-3 | Xi; R38 R52-53 | Xi R: 38-52/53 S: (2-)37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---------------------------|---|----------------------|--|---------------------------------------|-------|
| 607-266-00-2 | reaction mass of: hydroxyaluminium bis[2-hydroxy-3,5-di- <i>tert</i> -butylbenzoate]; 3,5-di- <i>tert</i> -butyl-salicylic acid | 406-890-0 | 130296-87-6 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)22-60-61 | | |
| 607-267-00-8 | <i>tert</i> -butyl (5 <i>S</i> ,6 <i>R</i> ,7 <i>R</i>)-3-bromomethyl-5,8-dioxo-7-(2-(2-phenylacetamido)-5-thia-1-azabicyclo[4.2.0] oct-2-ene-2-carboxylate | 407-620-4 | 33610-13-8 | R42/43 R52-53 | Xn R: 42/43-52/53 S: (2-)22-24-37-61 | | |
| 607-268-00-3 | 2-methylpropyl (R)-2-hydroxypropanoate | 407-770-0 | 61597-96-4 | Xi; R36 | Xi R: 36 S: (2-)26 | | |
| 607-269-00-9 | (R)-2-(4-hydroxyphenoxy)propanoic acid | 407-960-3 | 94050-90-5 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 607-270-00-4 | 3,9-bis(2-(3-(3- <i>tert</i> -butyl-4-hydroxy-5-methylphenyl)propionyloxy-1,1-dimethylethyl)-2,4,8,10-tetraoxaspiro[5.5]undecane | 410-730-5 | 90498-90-1 | Xn; R21 | Xn R: 21 S: (2-)36/37 | | |
| 607-271-00-X | 2-isopropyl-5-methylcyclohexyloxycarbonyloxy-2-hydroxypropane | 417-420-9 | 156324-82-2 | Xi; R36 N; R51-53 | Xi; N R: 36-51/53 S: (2-)26-61 | | |
| 607-272-00-5 | fluroxypyr-meptyl (ISO); methylheptyl, O-(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate; [1] fluroxypyr-butometyl (ISO); 2-butoxy-1-methylethyl, O-(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate [2] | 279-752-9 [1] - [2] | 81406-37-3 [1] 154486-27-8 [2] | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-273-00-0 | ammonium 7-(2,6-dimethyl-8-(2,2-dimethylbutyryloxy)-1,2,6,7,8,8a-hexahydro-1-naphthyl)-3,5-dihydroxyheptanoate | 404-520-2 | — | R52-53 | R: 52/53 S: 61 | | |
| 607-274-00-6 | 2-(N-benzyl-N-methylamino)ethyl 3-amino-2-butenoate | 405-350-1 | 54527-73-0 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 607-275-00-1 | sodium benzoyloxybenzene-4-sulfonate | 405-450-5 | 66531-87-1 | R43 | Xi R: 43 S: (2-)24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 607-276-00-7 | bis[(1-methylimidazol)-(2-ethyl-hexanoate)], zinc complex | 405-635-0 | — | Xi; R38-41 N; R50-53 | Xi; N R: 38-41-50/53 S: (2-)26-37/39-60-61 | | |
| 607-277-00-2 | reaction mass of: 2-(hexylthio)ethylamine hydrochloride; sodium propionate | 405-720-2 | — | Xn; R22 Xi; R41 R43 N; R51-53 | Xn; N R: 22-41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 607-278-00-8 | reaction mass of isomers of: sodium phenethylnaphthalene-sulfonate; sodium naphthylethylbenzenesulfonate | 405-760-0 | — | Xi; R41 R43 R52-53 | Xi R: 41-43-52/53 S: (2-)24-26-37/39-61 | | |
| 607-279-00-3 | reaction mass of <i>n</i> -octadecylaminodiethyl bis(hydrogen maleate); <i>n</i> -octadecylaminodiethyl hydrogen maleate hydrogenphthalate | 405-960-8 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 607-280-00-9 | sodium 4-chloro-1-hydroxybutane-1-sulfonate | 406-190-5 | 54322-20-2 | Xn; R22 Xi; R36 R43 | Xn R: 22-36-43 S: (2-)22-26-36/37 | | |
| 607-281-00-4 | reaction mass of branched and linear C ₇ -C ₉ alkyl 3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl] propionates | 407-000-3 | 127519-17-9 | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-282-00-X | 2-acetoxymethyl-4-benzoyloxybut-1-yl acetate | 407-140-5 | 131266-10-9 | R52-53 | R: 52/53 S: 61 | | |
| 607-283-00-5 | <i>E</i> -ethyl-4-oxo-4-phenylcrotonate | 408-040-4 | 15121-89-8 | Xn; R21/22 Xi; R38-41 R43 N; R50-53 | Xn; N R: 21/22-38-41-43-50/53 S: (2-)26-36/37/39-60-61 | | |
| 607-284-00-0 | reaction mass of: sodium 3,3'-(1,4-phenylenebis(carbonylimino-3,1-propanediylimino))bis(10-amino-6,13-dichloro-4,11-triphenodioxazinedisulfonate); lithium 3,3'-(1,4-phenylenebis-(carbonylimino-3,1-propanediyl-imino))bis(10-amino-6,13-dichloro)-4,11-triphenodioxazinedisulfonate (9:1) | 410-040-4 | 136213-76-8 | N; R51-53 | N R: 51/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|-----------------------------|--|---------------------------------------|-------|
| 607-285-00-6 | reaction mass of: 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonic acid; sodium 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonate; potassium 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonate | 410-065-0 | — | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 607-286-00-1 | reaction mass of: sodium/potassium 7-[[[3-[[4-((2-hydroxynaphthyl)azo)phenyl]azo]phenyl]sulfonyl]amino]-naphthalene-1,3-disulfonate | 410-070-8 | 141880-36-6 | R43 R52-53 | Xi R: 43-52/53 S: (2-)22-24-37-61 | | |
| 607-287-00-7 | O'-methyl O-(1-methyl-2-methacryloyloxy-ethyl)-1,2,3,6-tetrahydrophthalate | 410-140-8 | — | R52-53 | R: 52/53 S: 61 | | |
| 607-288-00-2 | Tetrasodium (c-(3-(1-(3-(ε-6-dichloro-5-cyanopyrimidin-f-yl(methyl)amino)propyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)-4-sulfonatophenylsulfamoyl)phthalocyanine-a,b,d-trisulfonato(6-))nickelato II, where a is 1 or 2 or 3 or 4, b is 8 or 9 or 10 or 11, c is 15 or 16 or 17 or 18, d is 22 or 23 or 24 or 25 and where ε and f together are 2 and 4 or 4 and 2 respectively | 410-160-7 | 148732-74-5 | Xi; R36 R43 R52-53 | Xi R: 36-43-52/53 S: (2-)22-26-36/37-61 | | |
| 607-289-00-8 | 3-(3-(4-(2,4-bis(1,1-dimethylpropyl)phenoxy)butylaminocarbonyl-4-hydroxy-1-naphthalenyl)thio)propanoic acid | 410-370-9 | 105488-33-3 | R53 | R: 53 S: 61 | | |
| 607-290-00-3 | reaction mass (ratio not known) of: ammonium 1-C ₁₄ -C ₁₈ -alkyloxycarbonyl-2-(3-allyloxy-2-hydroxypropoxycarbonyl)ethane-1-sulfonate; ammonium 2-C ₁₄ -C ₁₈ -alkyloxycarbonyl-1-(3-allyloxy-2-hydroxypropoxycarbonyl)ethane-1-sulfonate | 410-540-2 | — | Xi; R38 R43 N; R50-53 | Xi; N R: 38-43-50/53 S: (2-)24-37-60-61 | | |
| 607-291-00-9 | dodecyl-ω-(C ₅ /C ₆ -cycloalkyl)alkyl carboxylate | 410-630-1 | 104051-92-5 | R53 | R: 53 S: 61 | | |
| 607-292-00-4 | reaction mass of: [1-(methoxymethyl)-2-(C ₁₂ -alkoxy)-ethoxy]acetic acid; [1-(methoxymethyl)-2-(C ₁₄ -alkoxy)-ethoxy]acetic acid | 410-640-6 | — | Xi; R38-41 N; R50-53 | Xi; N R: 38-41-50/53 S: (2-)26-37/39-60-61 | | |
| 607-293-00-X | reaction mass of: N-aminoethylpiperazonium mono-2,4,6-trimethylnonyldiphenyl ether di-sulfonate; N-aminoethylpiperazonium di-2,4,6-trimethylnonyldiphenyl ether di-sulfonate | 410-650-0 | — | Xi; R41 R43 N; R51-53 | Xi; N R: 41-43-51/53 S: (2-)26-36/37/39-61 | | |
| 607-294-00-5 | sodium 2-benzoyloxy-1-hydroxyethane-sulfonate | 410-680-4 | — | R43 | Xi R: 43 S: (2-)24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|-----------------------------------|---|---------------------------------------|-------|
| 607-295-00-0 | reaction mass of: tetrasodium phosphonoethane-1,2-dicarboxylate; hexasodium phosphonobutane-1,2,3,4-tetracarboxylate | 410-800-5 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 607-296-00-6 | reaction mass of: pentaerythriol tetraesters with heptanoic acid and 2-ethylhexanoic acid | 410-830-9 | — | R53 | R: 53 S: 61 | | |
| 607-297-00-1 | (<i>E—E</i>)-3,3'-(1,4-phenylenedimethylidene)bis(2-oxobornane-10-sulfonic acid) | 410-960-6 | 92761-26-7 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 607-298-00-7 | 2-(trimethylammonium)ethoxycarboxybenzene-4-sulfonate | 411-010-3 | — | R43 | Xi R: 43 S: (2-)22-36/37 | | |
| 607-299-00-2 | methyl 3-(acetylthio)-2-methyl-propanoate | 411-040-7 | 97101-46-7 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24-37-60-61 | | |
| 607-300-00-6 | trisodium [2-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-5-(<i>b</i> -sulfamoyl- <i>c</i> , <i>d</i> -sulfonatophthalocyanin- <i>a</i> -yl-K4,N29,N30,N31,N32-sulfonylamino)benzoato(5-)]cuprate(II) where <i>a</i> =1,2,3,4 <i>b</i> =8,9,10,11 <i>c</i> =15,16,17,18 <i>d</i> =22,23,24,25 | 411-430-7 | — | Xi; R41 R43 | Xi R: 41-43 S: (2-)26-36/37/39 | | |
| 607-301-00-1 | reaction mass of: dodecanoic acid; poly(1-7)lactate esters of dodecanoic acid | 411-860-5 | — | R43 N; R51-53 | Xi; N R: 38-41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 607-302-00-7 | reaction mass of: tetradecanoic acid; poly(1-7)lactate esters of tetradecanoic acid | 411-910-6 | — | Xi; R38-41 R43 N; R51-53 | Xi; N R: 38-41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 607-303-00-2 | 1-cyclopropyl-6,7-difluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid | 413-760-7 | 93107-30-3 | Repr. Cat. 3; R62 R52-53 | Xn R: 62-52/53 S: (2-)22-36/37-61 | | |
| 607-304-00-8 | fluazifop-butyl (ISO); butyl (RS)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate | 274-125-6 | 69806-50-4 | Repr. Cat. 2; R61 N; R50-53 | T; N R: 61-50/53 S: 53-45-60-61 | | |
| 607-305-00-3 | fluazifop-P-butyl (ISO); butyl (R)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate | — | 79241-46-6 | Repr. Cat. 3; R63 N; R50-53 | Xn; N R: 50/53-63 S: (2-)29-36/37-46-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---|-------|
| 607-306-00-9 | chlazolinate (ISO); ethyl (RS)-3-(3,5-dichlorophenyl)-5-methyl-2,4-dioxo-oxazolidine-5-carboxylate | 282-714-4 | 84332-86-5 | Carc. Cat. 3; R40 N; R51-53 | Xn; N R: 40-51/53 S: (2-)36/37-61 | | |
| 607-307-00-4 | vinclozolin (ISO); N—3,5-dichlorophenyl-5-methyl-5-vinyl-1,3-oxazolidine-2,4-dione | 256-599-6 | 50471-44-8 | Carc. Cat. 3; R40 Repr. Cat. 2; R60-61 R43 N; R51-53 | T; N R: 60-61-40-43-51/ 53 S: 53-45-61 | | |
| 607-308-00-X | esters of 2,4-D | — | — | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)26-29-36/37- 46-60-61 | | A |
| 607-309-00-5 | carfentrazone-ethyl (ISO); ethyl (RS)-2-chloro-3-[2-chloro-4-fluoro-5-[4-difluoromethyl]-4,5-dihydro-3-methyl-5-oxo-1H—1,2,4-triazol-1-yl]phenyl]propionate | — | 128639-02-1 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-310-00-0 | kresoxim-methyl (ISO); methyl (E)-2-methoxyimino-[2-(o-tolylloxymethyl)phenyl]acetate | — | 143390-89-0 | Carc. Cat. 3; R40 N; R50-53 | Xn; N R: 40-50/53 S: (2-)36/37-60-61 | | |
| 607-311-00-6 | benazolin-ethyl; ethyl 4-chloro-2-oxo-2H-benzothiazole-3-acetate | 246-591-0 | 25059-80-7 | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-312-00-1 | methoxyacetic acid | 210-894-6 | 625-45-6 | Repr. Cat. 2; R60-61 Xn; R22 C; R34 | T R: 60-61-22-34 S: 53-45 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | E |
| 607-313-00-7 | neodecanoyl chloride | 254-875-0 | 40292-82-8 | T+; R26 Xn; R22 C; R34 | T+ R: 22-26-34 S: (1/2-)26-28-36/37/ 39-45 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 607-314-00-2 | ethofumesate (ISO); (±)-2-ethoxy-2,3-dihydro-3,3-dimethylbenzofuran-5-yl methanesulfonate | 247-525-3 | 26225-79-6 | N; R51-53 | N R: 51/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 607-315-00-8 | glyphosate (ISO); N-(phosphonomethyl)glycine | 213-997-4 | 1071-83-6 | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 607-316-00-3 | glyphosate-trimesium; glyphosate-trimethylsulfonium | — | 81591-81-3 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)36/37-46-61 | | |
| 607-317-00-9 | bis(2-ethylhexyl) phthalate; di-(2-ethylhexyl) phthalate; DEHP | 204-211-0 | 117-81-7 | Repr. Cat. 2; R60-61 | T R: 60-61 S: 53-45 | | |
| 607-318-00-4 | dibutyl phthalate; DBP | 201-557-4 | 84-74-2 | Repr. Cat. 2; R61 Repr. Cat. 3; R62 N; R50 | T; N R: 61-50-62 S: 53-45-61 | | |
| 607-319-00-X | deltamethrin (ISO); (S)- α -cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dibromovinyl)- 2,2-dimethylcyclopropanecarboxylate | 258-256-6 | 52918-63-5 | T; R23/25 N; R50-53 | T; N R: 23/25-50/53 S: (1/2-)24-28-36/37/ 39-38-45-60-61 | | |
| 607-320-00-5 | bis[4-(ethenoxy)butyl] 1,3-benzenedicarboxylate | 413-930-0 | 130066-57-8 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 607-321-00-0 | (S)-methyl-2-chloropropionate | 412-470-8 | 73246-45-4 | R10 Xn; R48/22 Xi; R36 | Xn R: 10-36-48/22 S: (2-)23-26-36 | | |
| 607-322-00-6 | 4-(4,4-dimethyl-3-oxo-pyrazolidin-1-yl)-benzoic acid | 413-120-7 | 107144-30-9 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)22-61 | | |
| 607-323-00-1 | 2-(1-(2-hydroxy-3,5-di- <i>tert</i> -pentyl-phenyl)ethyl)-4,6-di- <i>tert</i> - pentylphenyl acrylate | 413-850-6 | 123968-25-2 | R53 | R: 53 S: 61 | | |
| 607-324-00-7 | reaction mass of: N,N-di(hydrogenated alkyl C ₁₄ -C ₁₈)phtala- mic acid; dihydrogenated alkyl (C ₁₄ -C ₁₈)amine | 413-800-3 | — | R53 | R: 53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 607-325-00-2 | (S)-2-chloropropionic acid | 411-150-5 | 29617-66-1 | Xn; R21/22 C; R35 | C R: 21/22-35 S: (1/2-)23-26-28-36/ 37/39-45 | | |
| 607-326-00-8 | reaction mass of: isobutyl hydrogen 2-(α -2,4,6-trimethylnon-2-enyl)succinate; isobutyl hydrogen 2-(β -2,4,6-trimethylnon-2-enyl)succinate | 410-720-0 | 141847-13-4 | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 607-327-00-3 | 2-(2-iodoethyl)-1,3-propanediol diacetate | 411-780-0 | 127047-77-2 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)36-61 | | |
| 607-328-00-9 | methyl 4-bromomethyl-3-methoxybenzoate | 410-310-1 | 70264-94-7 | Xi; R38-41 R43 N; R50-53 | Xi; N R: 38-41-43-50/53 S: (2-)26-36/37/39- 60-61 | | |
| 607-329-00-4 | reaction mass of: sodium 2-(C ₁₂₋₁₈ - <i>n</i> -alkyl)amino-1,4-butandioate; sodium 2-octadecenyl-amino-1,4-butandioate | 411-250-9 | — | R43 | Xi R: 43 S: (2-)24-26-37/39 | | |
| 607-330-00-X | (S)-2,3-dihydro-1H-indole-2-carboxylic acid | 410-860-2 | 79815-20-6 | Repr. Cat. 3; R62 Xn; R48/22 R43 | Xn R: 43-48/22-62 S: (2-)22-25-26-36/37 | | |
| 607-331-00-5 | reaction mass of: bis(2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-1,10-decanedioate; 1,8-bis[(2,2,6,6-tetramethyl-4-((2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-decan-1,10-dioyl)piperidin-1-yl)oxy]octane | 406-750-9 | — | R53 | R: 53 S: 23-61 | | |
| 607-332-00-0 | cyclopentyl chloroformate | 411-460-0 | 50715-28-1 | R10 T; R23 Xn; R22-48/ 22 Xi; R41 R43 | T R: 10-22-23-41-43- 48/22 S: (1/2-)26-36/37/39- 45 | | |
| 607-333-00-6 | reaction mass of: dodecyl N-(2,2,6,6-tetramethylpiperidin-4-yl)- β -alaninate; tetradecyl N-(2,2,6,6-tetramethylpiperidin-4-yl)- β -alaninate | 405-670-1 | — | Xn; R22-48/ 22 C; R34 N; R50-53 | C; N R: 22-34-48/22-50/ 53 S: (1/2-)26-36/37/39- 45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 607-334-00-1 | ethyl 1-ethyl-6,7,8-trifluoro-1,4-dihydro-4-oxoquinoline-3-carboxylate | 405-880-3 | 100501-62-0 | R43 R52-53 | Xi R: 43-52/53 S: (2-)24-37-61 | | |
| 607-335-00-7 | methyl (R)-2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate | 406-250-0 | 72619-32-0 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 607-336-00-2 | 4-methyl-8-methylenetricyclo[3.3.1.1 ^{3,7}]dec-2-yl acetate | 406-560-6 | 122760-85-4 | Xi; R38 R43 N; R51-53 | Xi; N R: 38-43-51/53 S: (2-)36/37-61 | | |
| 607-337-00-8 | di-tert-(C ₁₂₋₁₄)-alkylammonium 2-benzothiazolylthiosuccinate | 406-052-4 | 125078-60-6 | R10 Xn; R22 Xi; R38-41 N; R51-53 | Xn; N R: 10-22-38-41-51/ 53 S: (2-)26-37/39-61 | | |
| 607-338-00-3 | 2-methylpropyl 2-hydroxy-2-methylbut-3-enoate | 406-235-9 | 72531-53-4 | Xi; R36/38 | Xi R: 36/38 S: (2-)26-37 | | |
| 607-339-00-9 | 2,3,4,5-tetrachlorobenzoylchloride | 406-760-3 | 42221-52-3 | Xn; R22 C; R34 R43 | C R: 22-34-43 S: (1/2-)26-36/37/39-45 | | |
| 607-340-00-4 | 1,3-bis(4-benzoyl-3-hydroxyphenoxy)prop-2-yl acetate | 406-990-4 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-341-00-X | (9S)-9-amino-9-deoxyerythromycin | 406-790-7 | 26116-56-3 | Xi; R41 N; R50-53 | Xi; N R: 41-50/53 S: (2-)26-39-60-61 | | |
| 607-342-00-5 | 4-chlorobutyl veratrate | 410-950-1 | 69788-75-6 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 607-343-00-0 | 4,7-methanoctahydro-1H-indene-diyldimethyl bis(2-carboxybenzoate) | 407-410-2 | — | R53 | R: 53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|------------------------------|---|---------------------------------------|-------|
| 607-344-00-6 | reaction mass of: 3-(N-(3-dimethylaminopropyl)-(C ₄₋₈)perfluoroalkylsulfonamido)propionic acid; N-[dimethyl-3-(C ₄₋₈ -perfluoroalkylsulfonamido)propylammonium propionate; 3-(N-(3-dimethyl-propylammonium)-(C ₄₋₈)perfluoroalkylsulfonamido)propionic acid propionate | 407-810-7 | — | Xn; R48/22 | Xn R: 48/22 S: (2-)21-22-36/37 | | |
| 607-345-00-1 | potassium 2-(2,4-dichlorophenoxy)-(R)-propionate | 413-580-9 | 113963-87-4 | Xn; R22 Xi; R38-41 R43 | Xn R: 22-38-41-43 S: (2-)24-26-37/39 | | |
| 607-346-00-7 | 3-icosyl-4-henicosylidene-2-oxetanone | 401-210-9 | 83708-14-9 | R53 | R: 53 S: 61 | | |
| 607-347-00-2 | sodium (R)-2-(2,4-dichlorophenoxy)propionate | 413-340-3 | 119299-10-4 | Xn; R22 Xi; R38-41 R43 | Xn R: 22-38-41-43 S: (2-)22-26-36/37/39 | | |
| 607-348-00-8 | magnesium bis((R)-2-(2,4-dichlorophenoxy)propionate) | 413-360-2 | — | Xn; R22 Xi; R38-41 R43 | Xn R: 22-38-41-43 S: (2-)22-26-36/37/39 | | |
| 607-349-00-3 | mono-(tetrapropylammonium) hydrogen 2,2'-dithiobisbenzoate | 411-270-8 | — | R52-53 | R: 52/53 S: 61 | | |
| 607-350-00-9 | bis(4-(1,2-bis(ethoxycarbonyl)ethylamino)-3-methylcyclohexyl)methane | 412-060-9 | 136210-32-7 | R43 R52-53 | Xi R: 43-52/53 S: (2-)36/37-61 | | |
| 607-351-00-4 | methyl O-(4-amino-3,5-dichloro-6-fluoropyridin-2-yloxy)acetate | 407-550-4 | 69184-17-4 | N; R51-53 | N R: 51/53 S: 20/21-61 | | |
| 607-352-00-X | 4,4'-oxydiphthalic anhydride | 412-830-4 | 1823-59-2 | R52-53 | R: 52/53 S: 61 | | |
| 607-353-00-5 | reaction mass of: ethyl <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane- <i>endo</i> -2-carboxylate; ethyl <i>endo</i> -tricyclo[5.2.1.0 ^{2,6}]decane- <i>exo</i> -2-carboxylate | 407-520-0 | 80657-64-3 | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)37-61 | | |
| 607-354-00-0 | ethyl 2-cyclohexylpropionate | 412-280-5 | 2511-00-4 | N; R51-53 | N R: 51/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|-------------------------|---|---------------------------------------|-------|
| 607-355-00-6 | <i>p</i> -tolyl 4-chlorobenzoate | 411-530-0 | 15024-10-9 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 607-356-00-1 | ethyl <i>trans</i> -2,2,6-trimethylcyclohexanecarboxylate | 412-540-8 | — | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)37-61 | | |
| 607-357-00-7 | reaction mass of: <i>trans</i> -4-acetoxy-4-methyl-2-propyl-tetrahydro-2 <i>H</i> -pyran; <i>cis</i> -4-acetoxy-4-methyl-2-propyl-tetrahydro-2 <i>H</i> -pyran | 412-450-9 | 131766-73-9 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 607-358-00-2 | (1 <i>S</i> ,3 <i>S</i> ,5 <i>R</i> ,6 <i>R</i>)-(4-nitrophenylmethyl)-1-dioxo-6-phenylacetamido-penam-3-carboxylate | 412-670-5 | 54275-93-3 | R42 | Xn R: 42 S: (2-)22 | | |
| 607-359-00-8 | (1 <i>S</i> ,4 <i>R</i> ,6 <i>R</i> ,7 <i>R</i>)-(4-nitrophenylmethyl)3-methylene-1-oxo-7-phenylacetamido-cepham-4-carboxylateido-penam-3-carboxylate | 412-800-0 | 76109-32-5 | R42 | Xn R: 42 S: (2-)22 | | |
| 607-360-00-3 | sodium 3-acetoacetyl-amino-4-methoxytolyl-6-sulfonate | 411-680-7 | 133167-77-8 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 607-361-00-9 | methyl (<i>R</i>)-2-(4-hydroxyphenoxy)propionate | 411-950-4 | 96562-58-2 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)26-39-61 | | |
| 607-362-00-4 | reaction mass of: (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)hexadec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)tetradec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)hexadec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)tetradec-4-enoate | 413-500-2 | — | Xi; R38-41 N; R51-53 | Xi; N R: 38-41-51/53 S: (2-)26-37/39-61 | | |
| 607-363-00-X | methyl-3-methoxyacrylate | 412-900-4 | 5788-17-0 | R43 | Xi R: 43 S: (2-)24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|------------------------------|---|---------------------------------------|-------|
| 607-364-00-5 | 3-phenyl-7-[4-(tetrahydrofurfuryloxy)phenyl]-1,5-dioxas-indacen-2,6-dione | 413-330-9 | 134724-55-3 | R53 | R: 53 S: 61 | | |
| 607-365-00-0 | 2-(2-amino-1,3-thiazol-4-yl)-(Z)-2-methoxyiminoacetyl chloride hydrochloride | 410-620-7 | 119154-86-8 | Xn; R22 C; R34 R43 | C R: 22-34-43 S: (1/2-)22-26-36/37/ 39-45 | | |
| 607-366-00-6 | 3,5-dimethylbenzoyl chloride | 413-010-9 | 6613-44-1 | C; R34 R43 | C R: 34-43 S: (1/2-)26-36/37/39- 45 | | |
| 607-367-00-1 | potassium bis(N-carboxymethyl)-N-methyl-glycinato-(2-)N,O,O,N-ferrate-(1-) monohydrate | 411-640-9 | 153352-59-1 | Xn; R22 | Xn R: 22 S: (2-)37 | | |
| 607-368-00-7 | 1-(N,N-dimethylcarbamoyl)-3-tert-butyl-5-carbomethoxyethylthio-1H-1,2,4-triazole | 411-650-3 | 110895-43-7 | T; R23/25 N; R50-53 | T; N R: 23/25-50/53 S: (1/2-)37-38-45-60- 61 | | |
| 607-369-00-2 | reaction mass of: <i>trans</i> -(2R)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid; <i>cis</i> -(2R)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid | 411-660-8 | 147027-04-1 | Xn; R22 Xi; R38-41 R43 | Xn R: 22-38-41-43 S: (2-)22-24-26-37/39 | | |
| 607-370-00-8 | 2-[[2-(acetyloxy)-3-(1,1-dimethyl-ethyl)-5-methylphenyl]methyl]-6-(1,1-dimethylethyl)-4-methylphenol | 412-210-3 | 41620-33-1 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-371-00-3 | 3-ethyl 5-methyl 4-(2-chlorophenyl)-1,4-dihydro-2-[2-(1,3-dihydro-1,3-dioxo-(2H)isindol-2-yl)-ethoxymethyl]-6-methyl-3,5-pyridinedicarboxylate | 413-410-3 | 88150-62-3 | R53 | R: 53 S: 61 | | |
| 607-372-00-9 | ethoxylated bis phenol A di-(norbornene carboxylate) | 412-410-0 | — | R52-53 | R: 52/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 607-373-00-4 | (±) tetrahydrofurfuryl (R)-2-[4-(6-chloroquinoxalin-2-yloxy)phenoxy]propionate | 414-200-4 | 119738-06-6 | Muta. Cat. 3; R68 Repr. Cat. 2; R61 Repr. Cat. 3; R62 Xn; R22-48/ 22 N; R50-53 | T; N R: 61-22-48/22-62- 68-50/53 S: 53-45-60-61 | | E |
| 607-374-00-X | 5-amino-2,4,6-triiodo-1,3-benzenedicarbonyldichloride | 417-220-1 | 37441-29-5 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)22-36/37-61 | | |
| 607-375-00-5 | reaction mass of: <i>cis</i> -4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin; <i>trans</i> -4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin | 421-960-0 | 90035-08-8 | T+; R26/27/ 28 T; R48/23/ 24/25 N; R50-53 | T+; N R: 26/27/28-48/23/ 24/25-50/53 S: (1/2-)28-36/37/39- 45-60-61 | | |
| 607-376-00-0 | benzyl 2,4-dibromobutanoate | 420-710-8 | 23085-60-1 | Repr. Cat. 3; R62 Xi; R38 R43 N; R50-53 | Xn; N R: 38-43-62-50/53 S: (2-)23-36/37-41- 60-61 | | |
| 607-377-00-6 | <i>trans</i> -4-cyclohexyl-L-proline monohydrochloride | 419-160-1 | 90657-55-9 | Repr. Cat. 3; R62 Xn; R22 Xi; R38-41 R43 | Xn R: 22-38-41-43-62 S: (2-)22-26-36/37/39 | | |
| 607-378-00-1 | ammonium (<i>Z</i>)- α -methoxyimino-2-furylacetate | 405-990-1 | 97148-39-5 | F; R11 | F R: 11 S: (2-)22-43 | | |
| 607-379-00-7 | reaction mass of: 2-[N-(2-hydroxyethyl)stearamido]ethyl stearate; sodium [bis[2-(stearoyloxy)ethyl]amino]methylsulfonate; sodium [bis(2-hydroxyethyl)amino]methylsulfonate; N,N-bis(2-hydroxyethyl)stearamide | 401-230-8 | | R52-53 | R: 52/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--------------------------------|--|---------------------------------------|-------|
| 607-380-00-2 | reaction mass of: ammonium-1,2-bis(hexyloxycarbonyl)ethanesulfonate; ammonium-1-hexyloxycarbonyl-2-octyloxycarbonylethanesulfonate; ammonium-2-hexyloxycarbonyl-1-octyloxycarbonylethanesulfonate | 407-320-3 | — | Xi; R38-41 R52-53 | Xi R: 38-41-52/53 S: (2-)26-37/39-61 | | |
| 607-381-00-8 | reaction mass of triesters of 2,2-bis(hydroxymethyl)butanol with C ₇ -alkanoic acids and 2-ethylhexanoic acid | 413-710-4 | — | R53 | R: 53 S: 61 | | |
| 607-382-00-3 | 2-((4-amino-2-nitrophenyl)amino)benzoic acid | 411-260-3 | 117907-43-4 | Xi; R41 R43 R52-53 | Xi R: 41-43-52/53 S: (2-)24-26-37/39-61 | | |
| 607-383-00-9 | reaction mass of: 2,2,6,6-tetramethylpiperidin-4-yl-hexadecanoate; 2,2,6,6-tetramethylpiperidin-4-yl-octadecanoate | 415-430-8 | 86403-32-9 | Xi; R41 R43 N; R50-53 | Xi; N R: 41-43-50/53 S: (2-)24-26-37/39-60-61 | | |
| 607-384-00-4 | reaction mass of: esters of C ₁₄ -C ₁₅ branched alcohols with 3,5-di-t-butyl-4-hydroxyphenyl propionic acid; C ₁₅ branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate; C ₁₃ branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate | 413-750-2 | 171090-93-0 | R53 | R: 53 S: 61 | | |
| 607-385-00-X | Copolymer of vinyl-alcohol and vinyl acetate partially acetylated with 4-(2-(4-formylphenyl)ethenyl)-1-methylpyridinium methylsulfate | 414-590-6 | 125229-74-5 | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-386-00-5 | reaction mass of: tetradecanoic acid (42.5-47.5 %); poly(1-7)lactate esters of tetradecanoic acid (52.5-57.5 %) | 412-580-6 | 174591-51-6 | Xi; R38-41 R43 N; R50-53 | Xi; N R: 38-41-43-50/53 S: (2-)24-26-37/39-60-61 | | |
| 607-387-00-0 | reaction mass of: dodecanoic acid (35-40 %); poly(1-7)lactate esters of dodecanoic acid (60-65 %) | 412-590-0 | 58856-63-6 | Xi; R38-41 R43 N; R50-53 | Xi; N R: 38-41-43-50/53 S: (2-)24-26-37/39-60-61 | | |
| 607-388-00-6 | 4-ethylamino-3-nitrobenzoic acid | 412-090-2 | 2788-74-1 | Xn; R22 R43 R52-53 | Xn R: 22-43-52/53 S: (2-)22-24-37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------------|--|---------------------------------------|-------|
| 607-389-00-1 | trisodium N,N-bis(carboxyméthyl)-3-amino-2-hydroxypropionate | 414-130-4 | 119710-96-2 | Xn; R22 | Xn R: 22 S: (2-)22 | | |
| 607-390-00-7 | 1,2,3,4-tetrahydro-6-nitro-quinoxaline | 414-270-6 | 41959-35-7 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)22-61 | | |
| 607-391-00-2 | diméthylcyclopropane-1,1-dicarboxylate | 414-240-2 | 6914-71-2 | R52-53 | R: 52/53 S: 61 | | |
| 607-392-00-8 | 2-phenoxyéthyl 4-((5-cyano-1,6-dihydro-2-hydroxy-1,4-diméthyl-6-oxo-3-pyridinyl)azo)benzoate | 414-260-1 | 88938-37-8 | R53 | R: 53 S: 61 | | |
| 607-393-00-3 | 3-(<i>cis</i> -1-propenyl)-7-amino-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ène-2-carboxylique acid | 415-750-8 | 106447-44-3 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 607-394-00-9 | 5-méthylpyrazine-2-carboxylique acid | 413-260-9 | 5521-55-1 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 607-395-00-4 | reaction mass of: sodium 1-tridécyloxy-4-allyl-(2 or 3)-sulfobutanedioate; sodium 1-dodécyl-4-allyl-(2 or 3)-sulfobutanedioate | 410-230-7 | — | C; R34 R43 N; R51-53 | C; N R: 34-43-51/53 S: (1/2-)26-36/37/39-45-61 | | |
| 607-396-00-X | bis(1,2,2,6,6-pentaméthyl-4-piperidinyl) 2-(4-méthoxybenzylidène)malonate | 414-840-4 | 147783-69-5 | N; R50-53 | N R: 50/53 S: 22-60-61 | | |
| 607-397-00-5 | reaction mass of: Ca salicylates (branched C ₁₀₋₁₄ and C ₁₈₋₃₀ alkylated); Ca phénates (branched C ₁₀₋₁₄ and C ₁₈₋₃₀ alkylated); Ca sulfurized phénates (branched C ₁₀₋₁₄ and C ₁₈₋₃₀ alkylated) | 415-930-6 | — | R43 | Xi R: 43 S: (2-)36/37 | | |
| 607-398-00-0 | éthyl N-(5-chloro-3-(4-(diéthylamino)-2-méthylphénylimino)-4-méthyl-6-oxo-1,4-cyclohexadienyl)carbamate | 414-820-5 | 125630-94-6 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-399-00-6 | 2,2-diméthyl 3-méthyl-3-butenyl propanoate | 415-610-6 | 104468-21-5 | Xi; R38 R52-53 | Xi R: 38-52/53 S: (2-)37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 607-400-00-X | methyl 3-[[[dibutylamino]thioxomethyl]thio]propanoate | 414-400-1 | 32750-89-3 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-401-00-5 | ethyl 3-hydroxy-5-oxo-3-cyclohexene-1-carboxylate | 414-450-4 | 88805-65-6 | Xi; R38-41 R43 | Xi R: 38-41-43 S: (2-)24-26-37/39 | | |
| 607-402-00-0 | methyl N-(phenoxy-carbonyl)-L-valinate | 414-500-5 | 153441-77-1 | R52-53 | R: 52/53 S: 61 | | |
| 607-403-00-6 | reaction mass of: bis(1S,2S,4S)-(1-benzyl-4-tert-butoxycarbonyl-amido-2-hydroxy-5-phenyl)pentylammonium succinate; isopropyl alcohol | 414-810-0 | — | Xn; R48/22 Xi; R41 N; R50-53 | Xn; N R: 41-48/22-50/53 S: (2-)22-26-36/39-60-61 | | |
| 607-404-00-1 | reaction mass of: ((Z)-3,7-dimethyl-2,6-octadienyl)oxycarbonylpropanoic acid; di-((E)-3,7-dimethyl-2,6-octadienyl) butandioate; di-((Z)-3,7-dimethyl-2,6-octadienyl) butandioate; (Z)-3,7-dimethyl-2,6-octadienyl butandioate; ((E)-3,7-dimethyl-2,6-octadienyl)oxycarbonylpropanoic acid | 415-190-4 | — | R43 | Xi R: 43 S: (2-)24-37 | | |
| 607-405-00-7 | 2-hexyldecyl-p-hydroxybenzoate | 415-380-7 | 148348-12-3 | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-406-00-2 | potassium 2,5-dichlorobenzoate | 415-700-5 | 184637-62-5 | Xn; R22 Xi; R41 | Xn R: 22-41 S: (2-)26-39 | | |
| 607-407-00-8 | ethyl 2-carboxy-3-(2-thienyl)propionate | 415-680-8 | 143468-96-6 | Xi; R38-41 R43 | Xi R: 38-41-43 S: (2-)24-26-37/39 | | |
| 607-408-00-3 | potassium N-(4-fluorophenyl)glycinate | 415-710-1 | 184637-63-6 | Xn; R48/22 Xi; R41 R43 R52-53 | Xn R: 41-43-48/22-52/53 S: (2-)22-26-36/37/39-61 | | |
| 607-409-00-9 | reaction mass of: (3R)-[1S-(1 α , 2 α , 6 β -((2S)-2-methyl-1-oxo-butoxy)-8 α)]hexahydro-2,6-dimethyl-1-naphthalene]-3,5-dihydroxyheptanoic acid; inert biomass from <i>Aspergillus terreus</i> | 415-840-7 | — | R43 R52-53 | Xi R: 43-52/53 S: (2-)36/37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 607-410-00-4 | mono[2-(diméthylamino)éthyl]monohydrogène-2-(hexadéc-2-ényl)butanedioate and/or mono[2-(diméthylamino)éthyl]monohydrogène-3-(hexadéc-2-ényl)butanedioate | 415-880-5 | 779343-34-9 | Xi; R38-41 R43 N; R50-53 | Xi; N R: 38-41-43-50/53 S: (2-)24-26-37/39-60-61 | | |
| 607-411-00-X | oxiraneméthanol, 4-méthylbenzène-sulfonate, (S)- | 417-210-7 | 70987-78-9 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xi; R41 R43 N; R51-53 | T; N R: 45-41-43-68-51/ 53 S: 53-45-61 | | |
| 607-412-00-5 | éthyl 2-(1-cyanocyclohexyl)acétate | 415-970-4 | 133481-10-4 | Xn; R22-48/ 22 R52-53 | Xn R: 22-48/22-52/53 S: (2-)36/37-61 | | |
| 607-413-00-0 | trans-4-phényl-L-proline | 416-020-1 | 96314-26-0 | Repr. Cat. 3; R62 R43 | Xn R: 43-62 S: (2-)22-36/37 | | |
| 607-414-00-6 | tris(2-éthylhexyl)-4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)tribenzoate | 402-070-1 | 88122-99-0 | R53 | R: 53 S: 61 | | |
| 607-415-00-1 | poly-(méthyl méthacrylate)-co-(butylméthacrylate)-co-(4-acryloxybutyl-isopropényl- α , α -diméthylbenzyl carbamate)-co-(maleicanhydride) | 419-590-1 | — | F; R11 R43 | F; Xi R: 11-43 S: (2-)24-37-43 | | |
| 607-416-00-7 | 4-(2-carboxyméthylthio)éthoxy-1-hydroxy-5-isobutyloxy-carbonylamino-N-(3-dodécyloxypropyl)-2-naphthamide | 420-730-7 | — | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-418-00-8 | 2-éthylhexyl 4-aminobenzoate | 420-170-3 | 26218-04-2 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-419-00-3 | (3'-carboxyméthyl-5-(2-(3-éthyl-3H-benzothiazol-2-ylidène)-1-méthyl-éthylidène)-4,4'-dioxo-2'-thioxo-(2,5')bithiazolidinylidène-3-yl)-acétique | 422-240-9 | 166596-68-5 | Xi; R41 R43 | Xi R: 41-43 S: (2-)26-36/37/39 | | |
| 607-420-00-9 | 2,2-bis(hydroxyméthyl)butanoïque | 424-090-1 | 10097-02-6 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)26-39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|--|---|--|---------------------------------------|-------|
| 607-421-00-4 | cypermethrin <i>cis/trans</i> +/- 40/60; (<i>RS</i>)- α -cyano-3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 257-842-9 | 52315-07-8 | Xn; R20/22 Xi; R37 N; R50-53 | Xn; N R: 20/22-37-50/53 S: (2-)24-36/37/39-60-61 | | |
| 607-422-00-X | α -cypermethrin | 257-842-9 | 67375-30-8 | T; R25 Xn; R48/22 Xi; R37 N; R50-53 | T; N R: 25-37-48/22-50/53 S: (2-)36/37/39-45-60-61 | | |
| 607-423-00-5 | esters of mecoprop and of mecoprop-P | — | — | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)13-36/37-60-61 | | A |
| 607-424-00-0 | trifloxystrobin (ISO); (<i>E,E</i>)- α -methoxyimino-[2-[[[1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]benzeneacetic acid methyl ester | — | 141517-21-7 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-46-60-61 | | |
| 607-425-00-6 | metalaxyl (ISO); methyl-N-(2,6-dimethylphenyl)-N-(methoxyacetyl)-DL-alanine | 260-979-7 | 57837-19-1 | Xn; R22 R43 R52-53 | Xn R: 22-43-52/53 S: (2-)13-24-37-46-61 | | |
| 607-426-00-1 | 1,2-benzenedicarboxylic acid, dipentylester, branched and linear; [1] n-pentyl-isopentylphthalate; [2] di-n-pentyl phthalate; [3] diisopentylphthalate [4] | 284-032-2 [1] - [2] - 205-017-9 [3] - 210-088-4 [4] | 84777-06-0 [1] - [2] - 131-18-0 [3] - 605-50-5 [4] | Repr. Cat. 2; R60-61 N; R50 | T; N R: 60-61-50 S: 53-45-61 | | |
| 607-427-00-7 | bromoxynil heptanoate (ISO); 2,6-dibromo-4-cyanophenyl heptanoate | 260-300-4 | 56634-95-8 | Repr. Cat. 3; R63 Xn; R20/22 R43 N; R50-53 | Xn; N R: 20/22-43-63-50/53 S: (2-)36/37-46-60-61 | | |
| 607-430-00-3 | BBP; benzyl butyl phthalate | 201-622-7 | 85-68-7 | Repr. Cat. 2; R61 Repr. Cat. 3; R62 N; R50-53 | T; N R: 61-62-50/53 S: 53-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|----------------|---|---|--|---------------------------------------|-------|
| 607-431-00-9 | prallethrin (ISO); ETOC; 2-methyl-4-oxo-3-(prop-2-ynyl)cyclopent-2-en-1-yl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate | 245-387-9 | 23031-36-9 | T; R23 Xn; R22 N; R50-53 | T; N R: 22-23-50/53 S: (1/2-)45-60-61 | | |
| 607-432-00-4 | S-metolachlor; reaction mass of (S)-2-chloro-N-(2-ethyl-6-methyl-phenyl)-N-(2-methoxy-1-methyl-ethyl)-acetamide (80-100 %); [1] (R)-2-chloro-N-(2-ethyl-6-methyl-phenyl)-N-(2-methoxy-1-methyl-ethyl)-acetamide (0-20 %) [2] | - [1] - [2] | 87392-12-9 [1] 178961-20-1 [2] | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 607-433-00-X | cypermethrin <i>cis/trans</i> +/- 80/20; (RS)- α -cyano-3-phenoxybenzyl (1RS; 3RS; 1RS, 3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 257-842-9 | 52315-07-8 | Xn; R22 Xi; R37/38 R43 N; R50-53 | Xn; N R: 22-37/38-43-50/ 53 S: (2-)36/37/39-60-61 | | |
| 607-434-00-5 | mecoprop-P [1] and its salts; (R)-2-(4-chloro-2-methylphenoxy)propionic acid | 240-539-0 | 16484-77-8 | Xn; R22 Xi; R41 N; R51-53 | Xn; N R: 22-41-51/53 S: (2-)13-26-37/39- 46-61 | | |
| 607-435-00-0 | 2S-isopropyl-5R-methyl-1R-cyclohexyl 2,2-dihydroxyacetate | 416-810-6 | 111969-64-3 | Xn; R48/22 Xi; R41 N; R51-53 | Xn; N R: 41-48/22-51/53 S: (2-)22-26-36/39-61 | | |
| 607-436-00-6 | 2-hydroxy-3-(2-ethyl-4-methylimidazolyl)propyl neodecanoate | 417-350-9 | — | Xi; R38-41 N; R50-53 | Xi; N R: 38-41-50/53 S: (2-)26-28-37/39- 60-61 | | |
| 607-437-00-1 | 3-(4-aminophenyl)-2-cyano-2-propenoic acid | 417-480-6 | 252977-62-1 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 607-438-00-7 | methyl-2-[(aminosulfonyl)methyl]benzoate | 419-010-5 | 112941-26-1 | Xn; R22 Xi; R36 | Xn R: 22-36 S: (2-)22-26 | | |
| 607-439-00-2 | methyl tetrahydro-2-furancarboxylate | 420-670-1 | 37443-42-8 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------|---|---------------------------------------|-------|
| 607-440-00-8 | methyl 2-aminosulfonyl-6-(trifluoromethyl)pyridine-3-carboxylate | 421-220-7 | 144740-59-0 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)22-24-37-61 | | |
| 607-441-00-3 | 3-[3-(2-dodecyloxy-5-methylphenylcarbonyl)-4-hydroxy-1-naphthylthio]propionic acid | 421-490-6 | 167684-63-1 | R53 | R: 53 S: 57-61 | | |
| 607-442-00-9 | benzyl [hydroxy-(4-phenylbutyl)phosphinyl] acetate | 416-050-5 | 87460-09-1 | Xi; R41 | Xi R: 41 S: (2-)26-36/39 | | |
| 607-443-00-4 | bis(2,4-di- <i>tert</i> -butyl-6-methylphenyl)ethyl phosphate | 416-140-4 | 145650-60-8 | R53 | R: 53 S: 61 | | |
| 607-444-00-X | reaction mass of: <i>cis</i> -1,4-dimethylcyclohexyl dibenzoate; <i>trans</i> -1,4-dimethylcyclohexyl dibenzoate | 416-230-3 | 35541-81-2 | R53 | R: 53 S: 61 | | |
| 607-445-00-5 | Iron (III) tris(4-methylbenzenesulfonate) | 420-960-8 | 77214-82-5 | Xi; R41 | Xi R: 41 S: (2-)24-26-39 | | |
| 607-446-00-0 | methyl 2-[4-(2-chloro-4-nitrophenylazo)-3-(1-oxopropyl)amino]phenylaminopropionate | 416-240-8 | 155522-12-6 | R43 R53 | Xi R: 43-53 S: (2-)22-24-37-61 | | |
| 607-447-00-6 | sodium 4-[4-(4-hydroxyphenylazo)phenylamino]-3-nitrobenzenesulfonate | 416-370-5 | 156738-27-1 | R43 R52-53 | Xi R: 43-52/53 S: (2-)22-24-37-61 | | |
| 607-448-00-1 | 2,3,5,6-tetrafluorobenzoic acid | 416-800-1 | 652-18-6 | Xi; R38-41 | Xi R: 38-41 S: (2-)22-26-37/39 | | |
| 607-449-00-7 | reaction mass of: 4,4',4''-[2,4,6-trioxo-1,3,5(2 <i>H</i> ,4 <i>H</i> ,6 <i>H</i>)-triazine-1,3,5-triyl]tris[methylene(3,5,5-trimethyl-3,1-cyclohexanediy)iminocarbonyloxy-2,1-ethanediy(ethyl)amino]]trisbenzenediazoniumtri[bis(2-methylpropyl)naphthalenesulfonate]; 4,4',4''-[5,5'-[carbonylbis(imino(1,5,5-trimethyl-3,1-cyclohexanediy)methylene)]-2,4,6-trioxo-1,3,5(2 <i>H</i> ,4 <i>H</i> ,6 <i>H</i>)-triazine-1,1',3,3'-tetrayl]tetrakis[methylene(3,5,5-trimethyl-3,1-cyclohexanediy)iminocarbonyloxy-2,1-ethanediy(ethyl)amino]]tetrakisbenzenediazoniumtetra[bis(2-methylpropyl)naphthalenesulfonate] | 417-080-1 | — | E; R2 R43 N; R50-53 | E; Xi; N R: 2-43-50/53 S: (2-)24-37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------------|---|---------------------------------------|-------|
| 607-450-00-2 | 2-mercaptobenzothiazolyl-(Z)-(2-aminothiazol-4-yl)-2-(tert-butoxycarbonyl) isopropoxyiminoacetate | 419-040-9 | 89604-92-2 | R53 | R: 53 S: 61 | | |
| 607-451-00-8 | 4-[4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonaphth-6-ylazo]-6-[3-(4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonaphth-6-ylazo)phenylcarbonylamino]benzenesulfonic acid, sodium salt | 417-640-5 | 161935-19-9 | Xi; R41 R43 | Xi R: 41-43 S: (2-)22-24-26-37/39 | | |
| 607-453-00-9 | 4-benzyl-2,6-dihydroxy-4-aza-heptylene bis(2,2-dimethyloctanoate) | 418-100-1 | 172964-15-7 | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |
| 607-454-00-4 | reaction mass of: <i>trans</i> -2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid; <i>cis</i> -2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid | 418-170-3 | 116193-72-7 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)25-26-39-61 | | |
| 607-455-00-X | 1-amino-4-(3-[4-chloro-6-(2,5-di-sulfophenylamino)-1,3,5-triazin-2-ylamino]-2,2-dimethyl-propylamino)-anthraquinone-2-sulfonic acid, sodium/lithium salt | 419-520-8 | 172890-93-6 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 607-456-00-5 | 3-amino-4-chlorobenzoic acid, hexadecyl ester | 419-700-6 | 143269-74-3 | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-457-00-0 | tetrasodium dihydrogen 1,1"-dihydroxy-8,8"-[p-phenylbis(imino-{6-[4-(2-aminoethyl)piperazin-1-yl]}-1,3,5-triazine-4,2-diyl-imino))bis(2,2'-azonaphthalene-1',3,6-trisulfonate) | 420-350-1 | 172277-97-3 | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 607-458-00-6 | reaction mass of: 2-ethyl-[2,6-dibromo-4-[1-[3,5-dibromo-4-(2-hydroxyethoxy)phenyl]-1-methylethyl]phenoxy]propenoate; 2,2'-diethyl-[4,4'-bis(2,6-dibromophenoxy)-1-methylethylidene] dipropenoate; 2,2'-[(1-methylethylidene)bis[[2,6-dibromo-4,1-phenyleneoxy]ethanol]] | 420-850-1 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-459-00-1 | isopentyl 4-{2-[5-cyano-1,2,3,6-tetrahydro-1-(2-isopropoxyethoxy-carbonylmethyl)-4-methyl-2,6-dioxo-3-pyridylidene]hydrazino}benzoate | 418-930-4 | — | R53 | R: 53 S: 61 | | |
| 607-460-00-7 | 3-tridecyloxy-propyl-ammonium 9-octadecenoate | 418-990-1 | 778577-53-0 | Xn; R48/22 Xi; R36/38 N; R50-53 | Xn; N R: 36/38-48/22-50/53 S: (2-)23-26-37/39-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 607-461-00-2 | reaction mass of: pentasodium 2-{4-[3-methyl-4-[6-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino]-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino}-benzene-1,4-disulfonate; pentasodium 2-{4-[3-methyl-4-[7-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino]-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino}-benzene-1,4-disulfonate | 421-160-1 | — | R52-53 | R: 52/53 S: 61 | | |
| 607-462-00-8 | reaction mass of: 1-hexyl acetate; 2-methyl-1-pentyl acetate; 3-methyl-1-pentyl acetate; 4-methyl-1-pentyl acetate; other mixed linear and branched C ₆ -alkyl acetates | 421-230-1 | 88230-35-7 | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-463-00-3 | 3-(phenothiazin-10-yl)propionic acid | 421-260-5 | 362-03-8 | N; R51-53 | N R: 51/53 S: 24/25-61 | | |
| 607-464-00-9 | reaction mass of: 7-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid; 5-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid | 421-280-4 | | R52-53 | R: 52/53 S: 61 | | |
| 607-465-00-4 | tris(2-hydroxyethyl)ammonium 7-{4-[4-(2-cyanoamino-4-hydroxy-6-oxidopyrimidin-5-ylazo)benzamido]-2-ethoxy-phenylazo)naphthalene-1,3-disulfonate | 421-440-3 | 778583-04-3 | R52-53 | R: 52/53 S: 61 | | |
| 607-466-00-X | reaction mass of: phenyl 1-(1-[2-chloro-5-(hexadecyloxycarbonyl)phenylcarbamoyl]-3,3-dimethyl-2-oxobutyl)-1H—2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 2-(1-(2-chloro-5-(hexadecyloxycarbonyl)phenylcarbamoyl)-3,3-dimethyl-2-oxobutyl)-1H—2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 3-(1-(2-chloro-5-(hexadecyloxycarbonyl)phenylcarbamoyl)-3,3-dimethyl-2-oxobutyl)-1H—2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate | 421-480-1 | — | N; R51-53 | N R: 51/53 S: 37/39-61 | | |
| 607-467-00-5 | 1,1,3,3-tetrabutyl-1,3-ditinoxidicaprlylate | 419-430-9 | 56533-00-7 | Xn; R21/22-48/22 C; R34 N; R50-53 | C; N R: 21/22-34-48/22-50/53 S: (1/2-)26-36/37/39-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--------------------------------|--|---------------------------------------|-------|
| 607-468-00-0 | reaction mass of: monosodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; disodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; trisodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; tetrasodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate | 419-450-8 | — | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 607-469-00-6 | disodium 7-((4,6-bis(3-diethylaminopropylamino)-1,3,5-triazine-2-yl)amino)-4-hydroxy-3-(4-(4-sulfonatophenylazo)phenylazo)-2-naphthalene sulfonate | 419-460-2 | 120029-06-3 | R52-53 | R: 52/53 S: 61 | | |
| 607-470-00-1 | potassium sodium 6,13-dichloro-3,10-bis{2-[4-[3-(2-hydroxysulphonyloxyethanesulfonyl)phenylamino]-6-(2,5-disulfonatophenylamino)-1,3,5-triazin-2-ylamino]ethylamino}benzo[5,6][1,4]oxazino[2,3-b]phenoxazine-4,11-disulfonate | 414-100-0 | 154336-20-6 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)39-22-26-61 | | |
| 607-472-00-2 | ammonium iron(III) trimethylenediaminetetraacetate hemihydrate | 400-660-3 | 111687-36-6 | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-474-00-3 | (4-(4-(4-dimethylaminobenzyliden-1-yl)-3-methyl-5-oxo-2-pyrazolin-1-yl)benzoic acid | 410-430-4 | 117573-89-4 | R53 | R: 53 S: 61 | | |
| 607-475-00-9 | reaction mass of: tetrasodium 7-(4-[4-chloro-6-[methyl-(3-sulfonatophenyl)amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate; tetrasodium 7-(4-[4-chloro-6-[methyl-(4-sulfonatophenyl)amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate (1:1) | 412-940-2 | 148878-18-6 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 607-476-00-4 | trisodium N,N-bis(carboxymethyl)-β-alanine | 414-070-9 | 129050-62-0 | C; R34 R52-53 | C R: 34-52/53 S: (1/2-)26-36/37/39-45-61 | | |
| 607-478-00-5 | tetramethylammonium hydrogen phthalate | 416-900-5 | 79723-02-7 | T; R25 Xn; R48/22 N; R50 | T; N R: 25-48/22-50 S: (1/2-)25-36-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--------------------------------------|---------------------------------------|-------|
| 607-479-00-0 | hexadecyl 4-chloro-3-[2-(5,5-dimethyl-2,4-dioxo-1,3-oxazolidin-3-yl)-4,4-dimethyl-3-oxopentamido]benzoate | 418-550-9 | 168689-49-4 | R53 | R: 53 S: 61 | | |
| 607-480-00-6 | 1,2-benzenedicarboxylic acid; di-C ₇₋₁₁ -branched and linear alkylesters | 271-084-6 | 68515-42-4 | Repr. Cat. 2; R61 Repr. Cat. 3; R62 | T R: 61-62 S: 53-45 | | |
| 607-487-00-4 | reaction mass of: disodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-hydroxy-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl)benzenesulfonate; trisodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-oxido-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl)benzenesulfonate | 402-660-9 | — | Repr. Cat. 2; R61 R52-53 | T R: 61-52/53 S: 53-45-61 | | |
| 607-488-00-X | ethyl (2-acetylamino-5-fluoro-4-isothiocyanatophenoxy)acetate | 414-210-9 | 147379-38-2 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-489-00-5 | reaction mass of: 2-ethylhexyl linolenate, linoleate and oleate; 2-ethylhexyl epoxyoleate; 2-ethylhexyl diepoxylinoleate; 2-ethylhexyl triepoxylinolenate | 414-890-7 | 71302-79-9 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 607-490-00-0 | N-[2-hydroxy-3-(C ₁₂₋₁₆ -alkyloxy)propyl]-N-methyl glycinate | 415-060-7 | — | Xi; R41 R43 | Xi R: 41-43 S: (2-)24-26-37/39 | | |
| 607-492-00-1 | 2-(1-(3',3'-dimethyl-1'-cyclohexyl)ethoxy)-2-methyl propyl propanoate | 415-490-5 | 141773-73-1 | N; R51-53 | N R: 51/53 S: 61 | | |
| 607-493-00-7 | methyl (3aR,4R,7aR)-2-methyl-4-(1S,2R,3-triacetoxypropyl)-3a,7a-dihydro-4H-pyrano[3,4-d]oxazole-6-carboxylate | 415-670-3 | 78850-37-0 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 607-494-00-2 | bis(2-ethylhexyl)octylphosphonate | 417-170-0 | 52894-02-7 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 607-495-00-8 | sodium 4-sulfophenyl-6-((1-oxononyl)amino)hexanoate | 417-550-6 | 168151-92-6 | R43 | Xi R: 43 S: (2-)24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--------------------------------|--|---------------------------------------|-------|
| 607-496-00-3 | 2,2'-methylenebis(4,6-di- <i>tert</i> -butyl-phenyl)-2-ethylhexyl phosphite | 418-310-3 | 126050-54-2 | R53 | R: 53 S: 61 | | |
| 607-497-00-9 | cerium oxide isostearate | 419-760-3 | — | R53 | R: 53 S: 61 | | |
| 607-498-00-4 | (<i>E</i>)-3,7-dimethyl-2,6-octadienylhexadecanoate | 421-370-3 | 3681-73-0 | Xi; R38 R53 | Xi R: 38-53 S: (2-)37-61 | | |
| 607-499-00-X | bis(dimethyl-(2-hydroxyethyl)ammonium) 1,2-ethanediyl-bis(2-hexadecenylsuccinate) | 421-660-1 | — | Xi; R41 R43 N; R51-53 | Xi; N R: 41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 607-500-00-3 | calcium 2,2-bis[(5-tetrapropylene-2-hydroxy)phenyl]ethanoate | 421-670-4 | — | Xi; R38 N; R50-53 | Xi; N R: 38-50/53 S: (2-)37-60-61 | | |
| 607-501-00-9 | reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives | 421-820-9 | 192268-65-8 | R53 | R: 53 S: 61 | | |
| 607-502-00-4 | (<i>N</i> -benzyl- <i>N,N,N</i> -tributyl)ammonium 4-dodecylbenzenesulfonate | 422-200-0 | 178277-55-9 | C; R34 Xn; R22 N; R51-53 | C; N R: 22-34-51/53 S: (1/2-)26-36/37/39-45-61 | | |
| 607-503-00-X | 2,4,6-tri- <i>n</i> -propyl-2,4,6-trioxo-1,3,5,2,4,6-trioxatriphosphorane | 422-210-5 | 68957-94-8 | C; R34 | C R: 34 S: (1/2-)26-36/37/39-45 | | |
| 607-505-00-0 | pentasodium 7-(4-(4-(5-amino-4-sulfonato-2-(4-((2-(sulfonato-ethoxy)sulfonyl)phenylazo)phenylamino)-6-chloro-1,3,5-triazin-2-yl)amino-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate | 422-930-1 | | R52-53 | R: 52/53 S: 22-61 | | |
| 607-506-00-6 | reaction mass of: strontium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1 <i>H</i> -pyrazol-4-yl)azo)-5-methyl)benzenesulfonate; disodium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1 <i>H</i> -pyrazol-4-yl)azo)-5-methyl)benzenesulfonate | 422-970-8 | | N; R51-53 | N R: 51/53 S: 22-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------|--|---------------------------------------|-------|
| 607-507-00-1 | potassium, sodium 2,4-diamino-3-[4-(2-sulfonatoethoxysulfonyl)phenylazo]-5-[4-(2-sulfonatoethoxysulfonyl)-2-sulfonatophenylazo]-benzenesulfonate | 422-980-2 | 187026-95-5 | Xi; R41 | Xi R: 41 S: (2-)22-26-39 | | |
| 607-508-00-7 | disodium 3,3'-[iminobis(sulfonyl-4,1-phenylene-(5-hydroxy-3-methylpyrazole-1,4-diyl)azo-4,1-phenylenesulfonylimino-(4-amino-6-hydroxypyrimidine-2,5-diyl)azo-4,1-phenylene-sulfonylimino(4-amino-6-hydroxypyrimidine-2,5-diyl)azo]bis(benzenesulfonate)] | 423-110-4 | — | Xi; R41 | Xi R: 41 S: (2-)22-26-39 | | |
| 607-512-00-9 | trisodium 2,4-diamino-3,5-bis-[4-(2-sulfonatoethoxy)sulfonyl]phenylazo]benzenesulfonate | 423-970-0 | 182926-43-8 | R52-53 | R: 52/53 S: 22-61 | | |
| 607-513-00-4 | reaction mass of: Trisodium 4-benzoylamino-6-(6-ethenesulfonyl-1-sulfato-naphthalen-2-ylazo)-5-hydroxynaphthalene-2,7-disulfonate; 5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo)naphthalene-2,7-disulfonic acid sodium salt; 5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo)naphthalene-2,7-disulfonic acid | 423-200-3 | — | Xi; R41 R43 R52-53 | Xi R: 41-43-52/53 S: (2-)22-26-36/37/ 39-61 | | |
| 607-515-00-5 | reaction mass of: disodium hexyldiphenyl ether disulphonate; disodium dihexyldiphenyl ether disulphonate | 429-650-7 | 147732-60-3 | Xi; R36 N; R51-53 | Xi; N R: 36-51/53 S: (2-)26-61 | | |
| 607-516-00-0 | N,N'-bis(trifluoroacetyl)-S,S'-bis-L-homocysteine | 429-670-6 | 105996-54-1 | Xi; R41 R43 | Xi R: 41-43 S: (2-)24-26-37/39 | | |
| 607-517-00-6 | (S)- α -(acetylthio)benzenepropanoic acid | 430-300-0 | 76932-17-7 | Xn; R22 Xi; R41 R43 | Xn R: 22-41-43 S: (2-)22-26-36/37/39 | | |
| 607-526-00-5 | cartap (ISO); 1,3-bis(carbamoylthio)-2-(dimethylamino)propane | — | 15263-53-3 | N; R50-53 | N R: 50/53 S: 60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---|-------|
| 607-527-00-0 | reaction mass of: 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-tridecafluorooctyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-heptadecafluorodecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-heneicosafuorododecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-pentacosafuorotetradecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-heptadecafluorodecyl)-12-(1''H,1''H,2''H,2''H-heptadecafluorodecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-heptadecafluorodecyl)-12-(1''H,1''H,2''H,2''H-heneicosafuorododecyl)dodecanedioate | 423-180-6 | — | Xn; R48/22 | Xn R: 48/22 S: (2-)36 | | |
| 608-001-00-3 | acetonitrile; cyanomethane | 200-835-2 | 75-05-8 | F; R11 Xn; R20/21/ 22 Xi; R36 | F; Xn R: 11-20/21/22-36 S: (2-)16-36/37 | | |
| 608-002-00-9 | trichloroacetonitrile | 208-885-7 | 545-06-2 | T; R23/24/25 N; R51-53 | T; N R: 23/24/25-51/53 S: (1/2-)45-61 | | |
| 608-003-00-4 | acrylonitrile | 203-466-5 | 107-13-1 | F; R11 Carc. Cat. 2; R45 T; R23/24/25 Xi; R37/38- 41 R43 N; R51-53 | F; T; N R: 45-11-23/24/25- 37/38-41-43-51/53 S: - 53-45-61 | T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,2 % ≤ C < 1 % | D E |
| 608-004-00-X | 2-hydroxy-2-methylpropionitrile; 2-cyanopropan-2-ol; acetone cyanohydrin | 200-909-4 | 75-86-5 | T+; R26/27/ 28 N; R50-53 | T+; N R: 26/27/28-50/53 S: (1/2-)7/9-27-45- 60-61 | | |
| 608-005-00-5 | n-butyronitrile | 203-700-6 | 109-74-0 | R10 ⊗ T; R23/24/25 | T R: 10-23/24/25 S: (1/2-)45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---|-------|
| 608-006-00-0 | bromoxynil (ISO) 3,5-dibromo-4-hydroxybenzonnitrile; bromoxynil phenol | 216-882-7 | 1689-84-5 | Repr. Cat. 3; R63 T+; R26 T; R25 R43 N; R50-53 | T+; N R: 25-26-43-63-50/ 53 S: (1/2-)27/28-36/37- 45-63-60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 608-007-00-6 | ioxynil (ISO) 4-hydroxy-3,5-diiodobenzonnitrile | 216-881-1 | 1689-83-4 | Repr. Cat. 3; R63 T; R23/25 Xn; R21-48/ 22 Xi; R36 N; R50-53 | T; N R: 21-23/25-36-48/ 22-63-50/53 S: (1/2-)36/37-45-60- 61-63 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 608-008-00-1 | chloroacetonitrile | 203-467-0 | 107-14-2 | T; R23/24/25 N; R51-53 | T; N R: 23/24/25-51/53 S: (1/2-)45-61 | | |
| 608-009-00-7 | malononitrile | 203-703-2 | 109-77-3 | T; R23/24/25 N; R50-53 | T; N R: 23/24/25-50/53 S: (1/2-)23-27-45-60- 61 | | |
| 608-010-00-2 | methacrylonitrile; 2-methyl-2-propene nitrile | 204-817-5 | 126-98-7 | F; R11 T; R23/24/25 R43 | F; T R: 11-23/24/25-43 S: (1/2-)9-16-18-29- 45 | T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,2 % ≤ C < 1 % R43: C ≥ 0,2 % | D |
| 608-011-00-8 | oxalonitrile; cyanogen | 207-306-5 | 460-19-5 | F; R11 ⊗ T; R23 N; R50-53 | F; T; N R: 11-23-50/53 S: (1/2-)23-45-60-61 | | |
| 608-012-00-3 | benzonnitrile | 202-855-7 | 100-47-0 | Xn; R21/22 | Xn R: 21/22 S: (2-)23 | | |
| 608-013-00-9 | 2-chlorobenzonnitrile | 212-836-5 | 873-32-5 | Xn; R21/22 Xi; R36 | Xn R: 21/22-36 S: (2-)23 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---|-------|
| 608-014-00-4 | chlorothalonil (ISO); tetrachloroisophthalonitrile | 217-588-1 | 1897-45-6 | Carc. Cat. 3; R40 T+; R26 Xi; R41 Xi; R37 R43 N; R50-53 | T+; N R: 26-37-40-41-43-50/53 S: (2-)28-36/37/39-45-60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 608-015-00-X | dichlobenil (ISO); 2,6-dichlorobenzonitrile | 214-787-5 | 1194-65-6 | Xn; R21 N; R51-53 | Xn; N R: 21-51/53 S: (2-)36/37-61 | | |
| 608-016-00-5 | 1,4-Dicyano-2,3,5,6-tetra-chloro-benzene | 401-550-8 | 1897-41-2 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 608-017-00-0 | bromoxynil octanoate (ISO); 2,6-dibromo-4-cyanophenyl octanoate | 216-885-3 | 1689-99-2 | Repr. Cat. 3; R63 T; R23 Xn; R22 R43 N; R50-53 | T; N R: 22-23-43-63-50/53 S: (1/2-)36/37-45-63-60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 608-018-00-6 | ioxynil octanoate (ISO); 4-cyano-2,6-diiodophenyl octanoate | 223-375-4 | 3861-47-0 | Repr. Cat. 3; R63 T; R25 Xi; R36 R43 N; R50-53 | T; N R: 25-36-43-63-50/53 S: (1/2-)26-36/37-45-60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 608-019-00-1 | 2,2'-dimethyl-2,2'-azodipropionitrile; ADZN | 201-132-3 | 78-67-1 | E; R2 F; R11 Xn; R20/22 R52-53 | E; Xn R: 2-11-20/22-52/53 S: (2-)39-41-47-61 | | |
| 608-021-00-2 | 3-(2-(diaminomethyleneamino)thiazol-4-ylmethylthio)propionitrile | 403-710-2 | 76823-93-3 | Xn; R22 R43 | Xn R: 22-43 S: (2-)22-24-37 | | |
| 608-022-00-8 | 3,7-dimethyloctanenitrile | 403-620-3 | 40188-41-8 | Xi; R38 R43 N; R51-53 | Xi; N R: 38-43-51/53 S: (2-)36/37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|-----------------------------------|--|---------------------------------------|-------|
| 608-023-00-3 | fenbuconazole (ISO) 4-(4-chlorophenyl)-2-phenyl-2-[(1H—1,2,4-triazol-1-yl)methyl]butanenitrile | 406-140-2 | 114369-43-6 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 608-024-00-9 | 2-(4-(N-butyl-N-phenethylamino)phenyl)ethylene-1,1,2-tricarbonitrile | 407-650-8 | 97460-76-9 | R53 | R: 53 S: 61 | | |
| 608-025-00-4 | 2-nitro-4,5-bis(benzyloxy)phenylacetonitrile | 410-970-0 | 117568-27-1 | R53 | R: 53 S: 61 | | |
| 608-026-00-X | 3-cyano-3,5,5-trimethylcyclohexanone | 411-490-4 | 7027-11-4 | Xn; R22-48/22 R43 R52-53 | Xn R: 22-43-48/22-52/53 S: (2-)36/37-61 | | |
| 608-027-00-5 | reaction mass of: 3-(4-ethylphenyl)-2,2-dimethylpropanenitrile; 3-(2-ethylphenyl)-2,2-dimethylpropanenitrile; 3-(3-ethylphenyl)-2,2-dimethylpropanenitrile | 412-660-0 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 608-028-00-0 | 4-(2-cyano-3-phenylamino-acryloyloxymethyl)-cyclohexylmethyl 2-cyano-3-phenylamino)-acrylate | 413-510-7 | 147374-67-2 | Xn; R48/20/21 R43 N; R51-53 | Xn; N R: 43-48/20/21-51/53 S: (2-)36/37-61 | | |
| 608-029-00-6 | 1,2-dihydro-6-hydroxy-4-methyl-1-[3-(1-methylethoxy)propyl]-2-oxo-3-pyridinecarbonitrile | 411-990-2 | 68612-94-2 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 608-030-00-1 | N-acetyl-N-[5-cyano-3-(2-dibutylamino-4-phenylthiazol-5-yl-methylene)-4-methyl-2,6-dioxo-1,2,3,6-tetrahydropyridin-1-yl]benzamide | 412-340-0 | 147741-93-3 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 608-031-00-7 | 2-benzyl-2-methyl-3-butenitrile | 407-870-4 | 97384-48-0 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)61 | | |
| 608-033-00-8 | N-butyl-3-(2-chloro-4-nitrophenylhydrazono)-1-cyano-2-methylprop-1-ene-1,3-dicarboximide | 407-970-8 | 75511-91-0 | R43 R52-53 | Xi R: 43-52/53 S: (2-)24-37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---|-------|
| 608-034-00-3 | chlorfenapyr; 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile | — | 122453-73-0 | T; R23 Xn; R22 N; R50-53 | T; N R: 22-23-50/53 S: (1/2-)13-36/37-45-60-61 | | |
| 608-035-00-9 | (±)-α-[(2-acetyl-5-methylphenyl)-amino]-2,6-dichlorobenzene-aceto-nitrile | 419-290-9 | — | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |
| 608-036-00-4 | 3-(2-{4-[2-(4-cyanophenyl)vinyl]phenyl}vinyl)benzonnitrile | 419-060-8 | 79026-02-1 | R53 | R: 53 S: 61 | | |
| 608-037-00-X | reaction mass of: (E)-2,12-tridecadiennitrile; (E)-3,12-tridecadiennitrile; (Z)-3,12-tridecadiennitrile | 422-190-8 | | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 608-038-00-5 | 2,2,4-triméthyl-4-phényl-butane-nitrile | 422-580-8 | 75490-39-0 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)61 | | |
| 608-039-00-0 | 2-phénylhexanenitrile | 423-460-8 | 3508-98-3 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)23-60-61 | | |
| 608-040-00-6 | 4,4'-dithiobis(5-amino-1-(2,6-dichloro-4-(trifluorométhyl)phényl)-1H-pyrazole-3-carbonitrile) | 423-490-1 | 130755-46-3 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 608-041-00-1 | 4'-((2-butyl-4-oxo-1,3-diazaspiro[4.4]non-1-ene-3-yl)méthyl)(1,1'-biphényl)-2-carbonitrile | 423-500-4 | 138401-24-8 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 608-043-00-2 | 3-(cis-3-hexényloxy)propanenitril | 415-220-6 | 142653-61-0 | T; R23 Xn; R22 N; R50-53 | T; N R: 22-23-50/53 S: (1/2-)13-36/37-45-60-61 | | |
| 608-065-00-2 | salts of bromoxynil with the exception of those specified elsewhere in this Annex | — | — | Repr. Cat. 3; R63 T+; R26 T; R25 R43 N; R50-53 | T+; N R: 25-26-43-50/53 S: (1/2-)27/28-36/37-45-63-60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | A |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|--|--|---|---|-------|
| 608-066-00-8 | salts of ioxynil with the exception of those specified elsewhere in this Annex | — | — | Repr. Cat. 3; R63 T; R23/25 Xn; R21-48/ 22 Xi; R36 N; R50-53 | T; N R: 21-23/25-36-48/ 22-63-50/53 S: (1/2-)36/37-45-63- 60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | A |
| 609-001-00-6 | 1-nitropropane | 203-544-9 | 108-03-2 | R10 Xn; R20/21/ 22 | Xn R: 10-20/21/22 S: (2-)9 | Xn; R20/21/22: C ≥ 5 % | |
| 609-002-00-1 | 2-nitropropane | 201-209-1 | 79-46-9 | R10 Carc. Cat. 2; R45 Xn; R20/22 | T R: 45-10-20/22 S: 53-45 | | E |
| 609-003-00-7 | nitrobenzene | 202-716-0 | 98-95-3 | Carc. Cat. 3; R40 Repr. Cat. 3; R62 T; R23/24/ 25-48/23/24 N; R51-53 | T; N R: 23/24/25-40-48/ 23/24-51/53-62 S: (1/2-)28-36/37-45- 61 | | |
| 609-004-00-2 | dinitrobenzene; [1] 1,4-dinitrobenzene; [2] 1,3-dinitrobenzene; [3] 1,2-dinitrobenzene [4] | 246-673-6 [1] 202-833-7 [2] 202-776-8 [3] 208-431-8 [4] | 25154-54-5 [1] 100-25-4 [2] 99-65-0 [3] 528-29-0 [4] | T+; R26/27/ 28 R33 N; R50-53 | T+; N R: 26/27/28-33-50/ 53 S: (1/2-)28-36/37-45- 60-61 | | |
| 609-005-00-8 | 1,3,5-trinitrobenzene | 202-752-7 | 99-35-4 | E; R2 ⊗ T+; R26/27/ 28 R33 N; R50-53 | E; T+; N R: 2-26/27/28-33-50/ 53 S: (1/2-)35-45-60-61 | | |
| 609-006-00-3 | 4-nitrotoluene | 202-808-0 | 99-99-0 | T; R23/24/25 R33 N; R51-53 | T; N R: 23/24/25-33-51/ 53 S: (1/2-)28-37-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------------|-----------------------------------|---|---|---------------------------------------|-------|
| 609-007-00-9 | 2,4-dinitrotoluène; dinitrotoluène, technical grade; [1] dinitrotoluène [2] | 204-450-0 [1] 246-836-1 [2] | 121-14-2 [1] 25321-14-6 [2] | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 N; R51-53 | T; N R: 45-23/24/25-48/ 22-62-68-51/53 S: 53-45-61 | | E |
| 609-008-00-4 | 2,4,6-trinitrotoluène; TNT | 204-289-6 | 118-96-7 | E; R2 T; R23/24/25 R33 N; R51-53 | E; T; N R: 2-23/24/25-33-51/ 53 S: (1/2-)35-45-61 | | |
| 609-009-00-X | 2,4,6-trinitrophenol; picric acid | 201-865-9 | 88-89-1 | E; R2 ⊗ R4 T; R23/24/25 | E; T R: 2-4-23/24/25 S: (1/2-)28-35-37-45 | | |
| 609-010-00-5 | salts of picric acid | — | — | E; R3 T; R23/24/25 | E; T R: 3-23/24/25 S: (1/2-)28-35-37-45 | | A |
| 609-011-00-0 | 2,4,6-trinitroanisole | — | 606-35-9 | E; R2 Xn; R20/21/ 22 N; R51-53 | E; Xn; N R: 2-20/21/22-51/53 S: (2-)35-61 | | |
| 609-012-00-6 | 2,4,6-trinitro- <i>m</i> -cresol | 210-027-1 | 602-99-3 | E; R2 R4 Xn; R20/21/ 22 | E; Xn R: 2-4-20/21/22 S: (2-)35 | | |
| 609-013-00-1 | 2,4,6-trinitro- <i>m</i> -xylene | 211-187-5 | 632-92-8 | E; R2 Xn; R20/21/ 22 R33 | E; Xn R: 2-20/21/22-33 S: (2-)35 | | |
| 609-015-00-2 | 4-nitrophenol; <i>p</i> -nitrophenol | 202-811-7 | 100-02-7 | Xn; R20/21/ 22 R33 | Xn R: 20/21/22-33 S: (2-)28 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------------|--|---|--|---------------------------------------|-------|
| 609-016-00-8 | dinitrophenol (reaction mass of isomers); [1] 2,4(or 2,6)-dinitrophenol [2] | 247-096-2 [1] 275-732-9 [2] | 25550-58-7 [1] 71629-74-8 [2] | T; R23/24/25 R33 N; R50-53 | T; N R: 23/24/25-33-50/ 53 S: (1/2-)28-37-45-60- 61 | | |
| 609-018-00-9 | 2,4,6-trinitroresorcinol; styphnic acid | 201-436-6 | 82-71-3 | E; R2 ⊗ R4 Xn; R20/21/ 22 | E; Xn R: 2-4-20/21/22 S: (2-)35 | | |
| 609-019-00-4 | lead 2,4,6-trinitro- <i>m</i> -phenylene dioxide; lead 2,4,6-trinitroresorcinoxide; lead styphnate | 239-290-0 | 15245-44-0 | E; R3 Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R20/22 R33 N; R50-53 | E; T; N R: 61-3-20/22-33-50/ 53-62 S: 53-45-60-61 | E 1 | |
| 609-020-00-X | DNOC (ISO); 4,6-dinitro- <i>o</i> -cresol | 208-601-1 | 534-52-1 | Muta. Cat. 3; R68 T+; R26/27/ 28 Xi; R38-41 R43 R44 N; R50-53 | T+; N R: 26/27/28-38-41- 43-44-50/53-68 S: (1/2-)36/37-45-60- 61 | | |
| 609-021-00-5 | sodium salt of DNOC; sodium 4,6-dinitro- <i>o</i> -cresolate; [1] potassium salt of DNOC; potassium 4,6-dinitro- <i>o</i> -cresolate [2] | 219-007-7 [1] - [2] | 2312-76-7 [1] 5787-96-2 [2] | T; R23/24/25 R33 N; R50-53 | T; N R: 23/24/25-33-50/ 53 S: (1/2-)13-45-60-61 | | |
| 609-022-00-0 | ammonium salt of DNOC; ammonium 4,6-dinitro- <i>o</i> -tolyl oxide | 221-037-0 | 2980-64-5 | T+; R26/27/ 28 R33 N; R50-53 | T+; N R: 26/27/28-33-50/ 53 S: (1/2-)13-28-45-60- 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 609-023-00-6 | dinocap (ISO) | 254-408-0 | 39300-45-3 | Repr. Cat. 2; R61 Xn; R20-48/ 22 Xi; R38 R43 N; R50-53 | T; N R: 61-20-22-38-43- 48/22-50/53 S: 53-45-60-61 | | E |
| 609-024-00-1 | binapacryl (ISO); 2-sec-butyl-4,6-dinitrophenyl-3-methylcrotonate | 207-612-9 | 485-31-4 | Repr. Cat. 2; R61 Xn; R21/22 N; R50-53 | T; N R: 61-21/22-50/53 S: 53-45-60-61 | | E |
| 609-025-00-7 | dinoseb (ISO); 6-sec-butyl-2,4-dinitrophenol | 201-861-7 | 88-85-7 | R44 T; R24/25 Repr. Cat. 2; R61 Repr. Cat. 3; R62 Xi; R36 N; R50-53 | T; N R: 61-62-24/25-36- 44-50/53 S: 53-45-60-61 | | E |
| 609-026-00-2 | salts and esters of dinoseb, with the exception of those specified elsewhere in this Annex | — | — | R44 Repr. Cat. 2; R61 Repr. Cat. 3; R62 T; R24/25 Xi; R36 N; R50-53 | T; N R: 61-62-24/25-36- 44-50/53 S: 53-45-60-61 | | AE |
| 609-027-00-8 | dinocton; reaction mass of isomers: methyl 2-octyl-4,6-dinitrophenyl carbonate, methyl 4-octyl-2,6-dinitrophenyl carbonate | — | 63919-26-6 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 609-028-00-3 | dinex (ISO); 2-cyclohexyl-4,6-dinitrophenol | 205-042-5 | 131-89-5 | T; R23/24/25 N; R50-53 | T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61 | | |
| 609-029-00-9 | salts and esters of dinex | — | — | T; R23/24/25 N; R50-53 | T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61 | | A |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---------------------------------------|-------|
| 609-030-00-4 | dinoterb (ISO); 2-tert-butyl-4,6-dinitrophenol | 215-813-8 | 1420-07-1 | Repr. Cat. 2; R61 T+; R28 T; R24 R44 N; R50-53 | T+; N R: 61-24-28-44-50/ 53 S: 53-45-60-61 | | E |
| 609-031-00-X | salts and esters of dinoterb | — | — | Repr. Cat. 2; R61 T+; R28 T; R24 N; R50-53 | T+; N R: 61-24-28-50/53 S: 45-53-60-61 | | AE |
| 609-032-00-5 | bromofenoxim (ISO); 3,5-dibromo-4-hydroxybenzaldehyde-O-(2,4-dinitrophenyl)- oxime | 236-129-6 | 13181-17-4 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)25-60-61 | | |
| 609-033-00-0 | dinosam (ISO); 2-(1-methylbutyl)-4,6-dinitrophenol | — | 4097-36-3 | T; R23/24/25 N; R50-53 | T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61 | | |
| 609-034-00-6 | salts and esters of dinosam | — | — | T; R23/24/25 N; R50-53 | T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61 | | A |
| 609-035-00-1 | nitroethane | 201-188-9 | 79-24-3 | R10 Xn; R20/22 | Xn R: 10-20/22 S: (2-)9-25-41 | Xn; R20/22: C ≥ 12,5 % | |
| 609-036-00-7 | nitromethane | 200-876-6 | 75-52-5 | R5-10 Xn; R22 | Xn R: 5-10-22 S: (2-)41 | Xn; R22: C ≥ 12,5 % | |
| 609-037-00-2 | 5-nitroacenaphthene | 210-025-0 | 602-87-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | |
| 609-038-00-8 | 2-nitronaphthalene | 209-474-5 | 581-89-5 | Carc. Cat. 2; R45 N; R51-53 | T; N R: 45-51/53 S: 53-45-61 | | |
| 609-039-00-3 | 4-nitrobiphenyl | 202-204-7 | 92-93-3 | Carc. Cat. 2; R45 N; R51-53 | T; N R: 45-51/53 S: 53-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 609-040-00-9 | nitrofen (ISO); 2,4-dichlorophenyl 4-nitrophenyl ether | 217-406-0 | 1836-75-5 | Carc. Cat. 2; R45 Repr. Cat. 2; R61 Xn; R22 N; R50-53 | T; N R: 45-61-22-50/53 S: 53-45-60-61 | | E |
| 609-041-00-4 | 2,4-dinitrophenol | 200-087-7 | 51-28-5 | T; R23/24/25 R33 N; R50 | T; N R: 23/24/25-33-50 S: (1/2-)28-37-45-61 | | |
| 609-042-00-X | pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylydine | 254-938-2 | 40487-42-1 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-29-37-60-61 | | |
| 609-043-00-5 | quintozene (ISO); pentachloronitrobenzene | 201-435-0 | 82-68-8 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)13-24-37-60-61 | | |
| 609-044-00-0 | tecnazene (ISO); 1,2,4,5-tetrachloro-3-nitrobenzene | 204-178-2 | 117-18-0 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24-37-60-61 | | |
| 609-045-00-6 | reaction mass of: 4,6-dinitro-2-(3-octyl)phenyl methyl carbonate and 4,6-dinitro-2-(4-octyl)phenyl methyl carbonate; dinocron-6 | — | 8069-76-9 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 609-046-00-1 | trifluralin (ISO) (containing < 0.5 ppm NPDA); α, α,α-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine (containing < 0.5 ppm NPDA); 2,6-dinitro-N,N-dipropyl-4-trifluoromethylaniline (containing < 0.5 ppm NPDA); N,N-dipropyl-2,6-dinitro-4-trifluoromethylaniline (containing < 0.5 ppm NPDA) | 216-428-8 | 1582-09-8 | Xi; R36 R43 N; R50-53 | Xi; N R: 36-43-50/53 S: (2-)24-37-60-61 | | |
| 609-047-00-7 | 2-nitroanisole | 202-052-1 | 91-23-6 | Carc. Cat. 2; R45 Xn; R22 | T R: 45-22 S: 53-45 | | E |
| 609-048-00-2 | sodium 3-nitrobenzenesulphonate | 204-857-3 | 127-68-4 | Xi; R36 R43 | Xi R: 36-43 S: (2-)24-26-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 609-049-00-8 | 2,6-dinitrotoluene | 210-106-0 | 606-20-2 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 R52-53 | T R: 45-23/24/25-48/ 22-62-68-52/53 S: 53-45-61 | | E |
| 609-050-00-3 | 2,3-dinitrotoluene | 210-013-5 | 602-01-7 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 N; R50-53 | T; N R: 45-23/24/25-48/ 22-62-68-50/53 S: 53-45-60-61 | | E |
| 609-051-00-9 | 3,4-dinitrotoluene | 210-222-1 | 610-39-9 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 N; R51-53 | T; N R: 45-23/24/25-48/ 22-62-68-51/53 S: 53-45-61 | | E |
| 609-052-00-4 | 3,5-dinitrotoluene | 210-566-2 | 618-85-9 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 R52-53 | T R: 45-23/24/25-48/ 22-62-68-52/53 S: 53-45-61 | | E |
| 609-053-00-X | hydrazine-trinitromethane | 414-850-9 | — | E; R3 O; R8 Carc. Cat. 2; R45 T; R23/25 R43 | E; T R: 45-3-8-23/25-43 S: 53-45 | | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|--|---|---|---|-------|
| 609-054-00-5 | 2,3-dinitrophenol; [1] 2,5-dinitrophenol; [2] 2,6-dinitrophenol; [3] 3,4-dinitrophenol; [4] salts of dinitrophenol [5] | 200-628-7 [1] 206-348-1 [2] 209-357-9 [3] 209-415-3 [4] - [5] | 66-56-8 [1] 329-71-5 [2] 573-56-8 [3] 577-71-9 [4] - [5] | T; R23/24/25 R33 N; R51-53 | T; N R: 23/24/25-33-51 S: (1/2-)28-37-45-61 | | |
| 609-055-00-0 | 2,5-dinitrotoluene | 210-581-4 | 619-15-8 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 N; R51-53 | T; N R: 45-23/24/25-48/ 22-62-68-51/53 S: 53-45-61 | | E |
| 609-056-00-6 | 2,2-dibromo-2-nitroethanol | 412-380-9 | 69094-18-4 | E; R2 Carc. Cat. 3; R40 Xn; R22-48/ 22 C; R35 R43 N; R50-53 | E; C; N R: 2-22-35-40-43-48/ 22-50/53 S: (1/2-)23-26-36/37/ 39-45-60-61 | Xn; R22: C ≥ 10 % C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | |
| 609-057-00-1 | 3-chloro-2,4-difluoronitrobenzene | 411-980-8 | 3847-58-3 | Xn; R22 C; R34 R43 N; R50-53 | C; N R: 22-34-43-50/53 S: (1/2-)22-26-28-36/ 37/39-45-60-61 | | |
| 609-058-00-7 | 2-nitro-2-phenyl-1,3-propanediol | 410-360-4 | 5428-02-4 | T; R39-48/25 Xn; R21/22 Xi; R41 R43 N; R51-53 | T; N R: 21/22-39-41-43- 48/25-51/53 S: 53-45-61 | | |
| 609-059-00-2 | 2-chloro-6-(ethylamino)-4-nitrophenol | 411-440-1 | 131657-78-8 | Xn; R22 R43 N; R51-53 | Xn; N R: 22-43-51/53 S: (2-)22-24-37/39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 609-060-00-8 | 4-[(3-hydroxypropyl)amino]-3-nitrophenol | 406-305-9 | 92952-81-3 | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)37-61 | | |
| 609-061-00-3 | (E,Z)-4-chlorophenyl(cyclopropyl)ketone O-(4-nitrophenyl-methyl)oxime | 406-100-4 | 94097-88-8 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 609-062-00-9 | 2-bromo-2-nitropropanol | 407-030-7 | 24403-04-1 | T; R24 Xn; R22-48/ 22 C; R34 R43 N; R50-53 | T; N R: 22-24-34-43-48/ 22-50/53 S: (1/2-)26-36/37/39- 45-60-61 | | |
| 609-063-00-4 | 2-[(4-chloro-2-nitrophenyl)amino]ethanol | 413-280-8 | 59320-13-7 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)22-61 | | |
| 609-064-00-X | mesotrione (ISO); 2-[4-(methylsulfonyl)-2-nitrobenzoyl]-1,3-cyclohexanedione | — | 104206-82-8 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 609-065-00-5 | 2-nitrotoluene | 201-853-3 | 88-72-2 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 3; R62 Xn; R22 N; R51-53 | T; N R: 45-46-22-62-51/ 53 S: 53-45-61 | | E |
| 609-066-00-0 | lithium sodium 3-amino-10-{4-(10-amino-6,13-dichloro-4,11-disulfonatobenzo[5,6][1,4]oxazino[2,3-b]phenoxazine-3-ylamino)-6-[methyl(2-sulfonato-ethyl)amino]-1,3,5-triazin-2-ylamino)-6,13-dichlorobenzo[5,6][1,4]oxazino[2,3-b]phenoxazine-4,11-disulfonate | 418-870-9 | 154212-58-5 | Xn; R20/21/ 22-68/20/ 21/22 | Xn R: 20/21/22-68/20/ 21/22 S: (2-)36/37 | | |
| 609-067-00-6 | sodium and potassium 4-(3-aminopropylamino)-2,6-bis[3-(4-methoxy-2-sulfo-phenylazo)-4-hydroxy-2-sulfo-7-naphthylamino]-1,3,5-triazine | 416-280-6 | 156769-97-0 | R43 | Xi R: 43 S: (2-)22-24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---------------------------------------|-------|
| 609-068-00-1 | musk xylene; 5- <i>tert</i> -butyl-2,4,6-trinitro- <i>m</i> -xylene | 201-329-4 | 81-15-2 | E; R2 Carc. Cat. 3; R40 N; R50-53 | E; Xn; N R: 2-40-50/53 S: (2-)36/37-46-60-61 | | |
| 609-070-00-2 | 1,4-dichloro-2-(1,1,2,3,3,3-hexafluoropropoxy)-5-nitrobenzene | 415-580-4 | 130841-23-5 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)36/37/39-60-61 | | |
| 609-071-00-8 | reaction mass of: 2-methylsulfanyl-4,6-bis-(2-hydroxy-4-methoxy-phenyl)-1,3,5-triazine; 2-(4,6-bis-methylsulfanyl-1,3,5-triazin-2-yl)-5-methoxy-phenol | 423-520-3 | 156137-33-6 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 610-001-00-3 | trichloronitromethane; chloropicrin | 200-930-9 | 76-06-2 | Xn; R22 T+; R26 Xi; R36/37/38 | T+ R: 22-26-36/37/38 S: (1/2-)36/37-38-45 | | |
| 610-002-00-9 | 1,1-dichloro-1-nitroethane | 209-854-0 | 594-72-9 | T; R23/24/25 | T R: 23/24/25 S: (1/2-)26-45 | | |
| 610-003-00-4 | chlorodinitrobenzene | — | — | T; R23/24/25 R33 N; R50-53 | T; N R: 23/24/25-33-50/53 S: (1/2-)28-36/37-45-60-61 | | C |
| 610-004-00-X | 2-chloro-1,3,5-trinitrobenzene | 201-864-3 | 88-88-0 | E; R2 T+; R26/27/28 N; R50-53 | E; T+; N R: 2-26/27/28-50/53 S: (1/2-)28-36/37-45-60-61 | | |
| 610-005-00-5 | 1-chloro-4-nitrobenzene | 202-809-6 | 100-00-5 | Carc. Cat. 3; R40 Muta. Cat. 3; R68 T; R23/24/25 Xn; R48/20/21/22 N; R51-53 | T; N R: 23/24/25-40-48/20/21/22-68-51/53 S: (1/2-)28-36/37-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 610-006-00-0 | chloronitroanilines with the exception of those specified elsewhere in this Annex | — | — | T+; R26/27/28 R33 N; R51-53 | T+; N R: 26/27/28-33-51/53 S: (1/2-)28-36/37-45-61 | | A C |
| 610-007-00-6 | 1-chloro-1-nitropropane | 209-990-0 | 600-25-9 | Xn; R20/22 | Xn R: 20/22 S: (2-) | Xn; R20/22: C ≥ 5 % | |
| 610-008-00-1 | 2,6-dichloro-4-nitroanisole | 403-350-6 | 17742-69-7 | T; R25 N; R51-53 | T; N R: 25-51/53 S: (1/2-)36/37-45-61 | | |
| 610-009-00-7 | 2-chloro-4-nitroaniline | 204-502-2 | 121-87-9 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)22-24-61 | | |
| 610-010-00-2 | 2-bromo-1-(2-furyl)-2-nitroethylene | 406-110-9 | 35950-52-8 | Xn; R22-48/22 C; R34 R43 N; R50-53 | C; N R: 22-34-43-48/22-50/53 S: (1/2-)22-26-36/37/39-45-60-61 | | |
| 611-001-00-6 | azobenzene | 203-102-5 | 103-33-3 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R20/22-48/22 N; R50-53 | T; N R: 45-20/22-48/22-68-50/53 S: 53-45-60-61 | | E |
| 611-002-00-1 | azoxybenzene | 207-802-1 | 495-48-7 | Xn; R20/22 | Xn R: 20/22 S: (2-)28 | | |
| 611-003-00-7 | fenaminsulf (ISO); sodium 4-dimethylaminobenzenediazosulphonate | 205-419-4 | 140-56-7 | T; R25 Xn; R21 R52-53 | T R: 21-25-52/53 S: (1/2-)36/37-45-61 | | |
| 611-004-00-2 | methyl-ONN-azoxymethyl acetate; methyl azoxy methyl acetate | 209-765-7 | 592-62-1 | Carc. Cat. 2; R45 Repr. Cat. 2; R61 | T R: 45-61 S: 53-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|-----------------------------------|---|---------------------------------------|-------|
| 611-005-00-8 | disodium {5-[(4'-((2,6-hydroxy-3-((2-hydroxy-5-sulphophenyl)azo)phenyl)azo)(1,1'-biphenyl)-4-yl]azo]salicylato(4-)} cuprate(2-); CI Direct Brown 95 | 240-221-1 | 16071-86-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | |
| 611-006-00-3 | 4- <i>o</i> -tolylazo- <i>o</i> -toluidine; 4-amino-2',3-dimethylazobenzene; fast garnet GBC base; AAT; <i>o</i> -aminoazotoluene | 202-591-2 | 97-56-3 | Carc. Cat. 2; R45 R43 | T R: 45-43 S: 53-45 | | |
| 611-007-00-9 | tricyclazole (ISO); 5-methyl-1,2,4-triazolo(3,4- <i>b</i>)benzo-1,3-thiazole | 255-559-5 | 41814-78-2 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 611-008-00-4 | 4-aminoazobenzene; 4-phenylazoaniline | 200-453-6 | 60-09-3 | Carc. Cat. 2; R45 N; R50-53 | T; N R: 45-50/53 S: 53-45-60-61 | | |
| 611-009-00-X | sodium (1-(5-(4-(4-anilino-3-sulphophenylazo)-2-methyl-5-methylsulphonamidophenylazo)-4-hydroxy-2-oxido-3-(phenylazo)phenylazo)-5-nitro-4-sulphonato-2-naphtholato)iron (II) | 401-220-3 | — | Xn; R20 R52-53 | Xn R: 20-52/53 S: (2-)61 | | |
| 611-010-00-5 | 2'-(2-cyano-4,6-dinitrophenylazo)-5'-(<i>N,N</i> -dipropylamino) propionanilide | 403-010-7 | 106359-94-8 | R43 R52-53 | Xi R: 43-52/53 S: (2-)22-24-37-61 | | |
| 611-011-00-0 | <i>N,N,N',N'</i> -tetramethyl-3,3'-(propylenebis(iminocarbonyl-4,1-phenylenazo(1,6-dihydro-2-hydroxy-4-methyl-6-oxopyridine-3,1-diyli)))di(propylammonium) dilactate | 403-340-1 | — | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 611-012-00-6 | reaction mass of 2,2-iminodiethanol 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate and 2-methylaminoethanol 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate and <i>N,N</i> -diethylpropane-1,3-diamine 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate | 403-410-1 | 114565-65-0 | R43 | Xi R: 43 S: (2-)22-24-26-37 | | |
| 611-013-00-1 | trilithium-1-hydroxy-7-(3-sulfonatoanilino)-2-(3-methyl-4-(2-methoxy-4-(3-sulfonatophenylazo)phenylazo)phenylazo)naphthalene-3-sulfonate | 403-650-7 | 117409-78-6 | E; R2 N; R51-53 | E; N R: 2-51/53 S: (2-)35-61 | | |
| 611-014-00-7 | (tetrasodium 1-(4-(3-acetamido-4-(4'-nitro-2,2'-disulfonatosilben-4-ylazo)anilino)-6-(2,5-disulfonatoanilino)-1,3,5-triazin-2-yl)-3-carboxypyridinium) hydroxide | 404-250-5 | 115099-55-3 | R43 | Xi R: 43 S: (2-)22-24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 611-015-00-2 | tetrasodium 4-amino-5-hydroxy-6-(4-(2-(2-(sulfonatooxy)ethylsulfonyl)ethylcarbamoyl)phenylazo)-3-(4-(2-(sulfonatooxy)ethylsulfonyl)phenylazo)naphthalene-2,7-disulfonate | 404-320-5 | 116889-78-2 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 611-016-00-8 | reaction mass of 1,1'-((dihydroxyphenylene)bis(azo-3,1-phenylenazo(1-(3-dimethylaminopropyl)-1,2-dihydro-6-hydroxy-4-methyl-2-oxopyridine-5,3-diy)))dipyridinium dichloride dihydrochloride, mixed isomers and 1-(1-(3-dimethylaminopropyl)-5-(3-((4-(1-(3-dimethylaminopropyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-5-pyridinio-3-pyridylazo)phenylazo)-2,4(or2,6 or3,5)-dihydroxyphenylazo)phenylazo)-1,2-dihydro-6-hydroxy-4-methyl-2-oxo-3-pyridyl)pyridinium dichloride | 404-540-1 | — | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 611-017-00-3 | 2-(4-(diethylaminopropylcarbamoyl)phenylazo)-3-oxo-N-(2,3-dihydro-2-oxobenzimidazol-5-yl)butyramide | 404-910-2 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 611-018-00-9 | tetraammonium 5-(4-(7-amino-1-hydroxy-3-sulfonato-2-naphthylazo)-6-sulfonato-1-naphthylazo)isophthalate | 405-130-5 | — | R43 | Xi R: 43 S: (2-)24-37 | | |
| 611-019-00-4 | tetralithium 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate | 405-150-4 | 106028-58-4 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 611-020-00-X | tetrakis(tetramethylammonium) 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate | 405-170-3 | 116340-05-7 | T; R25 R43 R52-53 | T R: 25-43-52/53 S: (1/2-)22-24-37-45-61 | | |
| 611-021-00-5 | 2-(4-(4-cyano-3-methylisothiazol-5-ylazo)-N-ethyl-3-methylanilino)ethyl acetate | 405-480-9 | — | Xn; R22-48/22 Xi; R38 R53 | Xn R: 22-38-48/22-53 S: (2-)22-36/37-61 | | |
| 611-022-00-0 | 4-dimethylaminobenzenediazonium 3-carboxy-4-hydroxybenzenesulfonate | 404-980-4 | — | E; R2 T; R23/25 Xn; R21-48/22 Xi; R41 R43 N; R50/53 | E; T; N R: 2-21-23/25-41-43-48/22-50/53 S: (1/2-)3-12-26-35-36/37/39-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|-----------------------------------|---------------------------------------|-------|
| 611-023-00-6 | disodium 7-(4,6-dichloro-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(4-(2-(sulfonatooxy)ethylsulfonyl)phenylazo) naphthalene-2-sulfonate | 404-600-7 | — | R43 | X R: 43 S: (2-)22-24-37 | | |
| 611-024-00-1 | Benzidine based azo dyes; 4,4'-diarylazobiphenyl dyes, with the exception of those specified elsewhere in this Annex | — | — | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | A |
| 611-025-00-7 | disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate; C.I. Direct Black 38 | 217-710-3 | 1937-37-7 | Carc. Cat. 2; R45 Repr. Cat. 3; R63 | T R: 45-63 S: 53-45 | | |
| 611-026-00-2 | tetrasodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis[5-amino-4-hydroxynaphthalene-2,7-disulphonate]; C.I. Direct Blue 6 | 220-012-1 | 2602-46-2 | Carc. Cat. 2; R45 Repr. Cat. 3; R63 | T R: 45-63 S: 53-45 | | |
| 611-027-00-8 | disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-amino-naphthalene-1-sulphonate); C.I. Direct Red 28 | 209-358-4 | 573-58-0 | Carc. Cat. 2; R45 Repr. Cat. 3; R63 | T R: 45-63 S: 53-45 | | |
| 611-028-00-3 | C,C'-azodi(formamide) | 204-650-8 | 123-77-3 | R42 R44 ⊗ | Xn R: 42-44 S: (2-)22-24-37 | | |
| 611-029-00-9 | <i>o</i> -dianisidine based azo dyes; 4,4'-diarylazo-3,3'-dimethoxybiphenyl dyes with the exception of those mentioned elsewhere in this Annex | — | — | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | A H |
| 611-030-00-4 | <i>o</i> -tolidine based dyes; 4,4'-diarylazo-3,3'-dimethylbiphenyl dyes, with the exception of those mentioned elsewhere in this Annex | — | — | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | A H |
| 611-031-00-X | 4,4'-(4-iminocyclohexa-2,5-dienylidene)methylene)dianiline hydrochloride; C.I. Basic Red 9 | 209-321-2 | 569-61-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | |
| 611-032-00-5 | 1,4,5,8-tetraaminoanthraquinone; C.I. Disperse Blue 1 | 219-603-7 | 2475-45-8 | Carc. Cat. 2; R45 Xi; R38-41 R43 | T R: 45-38-41-43 S: 53-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 611-033-00-0 | hexasodium [4,4''-azoxybis(2,2'-disulfonatostilbene-4,4'-diy-lazo)]-bis[5'-sulfonatobenzene-2,2'- diolato-O(2),O(2),N(1)]-copper(II) | 400-020-3 | 82027-60-9 | N; R51-53 | N R: 51/53 S: 61 | | |
| 611-034-00-6 | N-(5-(bis(2-methoxyethyl)amino)-2-((5-nitro-2,1-benzisothiazol-3-yl)azo)phenylacetamide | 402-430-8 | 105076-77-5 | R53 | R: 53 S: 61 | | |
| 611-035-00-1 | tetralithium 6-amino-4-hydroxy-3-[7-sulfonato-4-(5-sulfonato-2-naphthylazo)-1-naphthylazo]naphthalene-2,7-disulfonate | 403-660-1 | 107246-80-0 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 611-036-00-7 | 2-(4-(5,6(or 6,7)-dichloro-1,3-benzothiazol-2-ylazo)-N-methyl-m-toluidino)ethyl acetate | 405-440-0 | — | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 611-037-00-2 | 3(or 5)-(4-(N-benzyl-N-ethylamino)-2-methylphenylazo)-1,4-dimethyl-1,2,4-triazolium methylsulphate | 406-055-0 | 124584-00-5 | Xn; R22 Xi; R41 R43 N; R51-53 | Xn; N R: 22-41-43-51/53 S: (2-)22-24-26-37/ 39-61 | | |
| 611-038-00-8 | trisodium 1-hydroxynaphthalene-2-azo-4'(5',5''-dimethylbiphenyl)-4''-azo(4''-phenylsulfonyloxybenzene)- 2',2'',4-trisulfonate | 406-820-9 | — | Xi; R36 | Xi R: 36 S: (2-)25-26 | | |
| 611-039-00-3 | 7-(((4,6-dichloro-1,3,5-triazin-2-yl)amino)-4-hydroxy-3-(4-((2-sulfoxy)ethyl)sulfonyl)phenylazo)naphthalene-2-sulfonic acid | 407-050-6 | 117715-57-8 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 611-040-00-9 | 3-(5-acetylamino-4-(4-[4,6-bis(3-diethylaminopropylamino)-1,3,5-triazin-2-ylamino]phenylazo)-2-(2-methoxyethoxy)phenylazo)-6-amino-4-hydroxy-2-naphthalenesulfonic acid | 407-670-7 | 115099-58-6 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 611-041-00-4 | 2-[[[4[[4,6-bis[[3-(diethylamino)propyl]amino]-1,3,5-triazine-2-yl]amino]phenyl]azo]-N-(2,3-dihydro-2-oxo-1H-benzimidazol-5-yl)-3-oxobutanamide | 407-680-1 | 98809-11-1 | Xi; R41 R43 N; R51-53 | Xi; N R: 41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 611-042-00-X | trisodium 5-amino-3-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-4-hydroxy-6-(4-vinylsulfonylphenylazo)naphthalene-2,7-disulfonate | 411-770-6 | 136213-71-3 | R52-53 | R: 52/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 611-043-00-5 | <p>reaction mass of: trisodium N(1')-N(2):N(1'')-N(2'')-η-6-[2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]-6''-(1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate;</p> <p>trisodium N(1')-N(2):N(1'')-N(2'')-η-6,6''-bis(1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate;</p> <p>trisodium N(1')-N(2):N(1'')-N(2'')-η-6,6''-bis[2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]5',5'''-disulfamoyl-3,3''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate (2:1:1)</p> | 402-850-1 | — | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)26-39-61 | | |
| 611-044-00-0 | <p>reaction mass of: <i>tert</i>-alkyl(C₁₂-C₁₄)ammonium bis[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate (1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium bis[1-[(2-hydroxy-4-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium bis[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium [[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium [[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium ((1-(4(or 5)-nitro-2-oxidophenylazo)-2-naphtholato)(1-(3-nitro-2-oxido-5-pentylphenylazo)-2-naphtholato))chromate(1-)</p> | 403-720-7 | 117527-94-3 | N; R51-53 | N R: 51/53 S: 61 | | |
| 611-045-00-6 | 2-[4-[N-(4-acetoxybutyl)-N-ethyl]amino-2-methylphenylazo]-3-acetyl-5-nitrothiophene | 404-830-8 | — | R53 | R: 53 S: 61 | | |
| 611-046-00-1 | 4,4'-diamino-2-methylazobenzene | 407-590-2 | 43151-99-1 | T; R25 Xn; R48/22 R43 N; R50-53 | T; N R: 25-43-48/22-50/53 S: (1/2-)22-28-36/37-45-60-61 | | |
| 611-047-00-7 | <p>reaction mass of: 2-[[4-[N-ethyl-N-(2-acetoxyethyl)amino]phenyl]azo]-5,6-dichlorobenzothiazole;</p> <p>2-[[4-[N-ethyl-N-(2-acetoxyethyl)amino]phenyl]azo]-6,7-dichlorobenzothiazole (1:1)</p> | 407-890-3 | 111381-11-4 | R53 | R: 53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 611-048-00-2 | reaction mass of: 2-[[4-[bis(2-acetoxyethyl)amino]phenyl]azo]-5,6-dichlorobenzothiazole; 2-[[4-[bis(2-acetoxyethyl)amino]phenyl]azo]-6,7-dichlorobenzothiazole (1:1) | 407-900-6 | 111381-12-5 | R53 | R: 53 S: 61 | | |
| 611-049-00-8 | reaction mass of 7-[4-(3-diethylaminopropylamino)-6-(3-diethylammoniopropylamino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-phenylazophenylazo)-naphthalene-2-sulfonate, acetic acid, lactic acid (2:1:1) | 408-000-6 | 118658-98-3 | Xn; R48/22 R43 R52-53 | Xn R: 43-48/22-52/53 S: (2-)22-36/37-61 | | |
| 611-051-00-9 | 2-(4-(N-ethyl-N-(2-hydroxyethyl)amino-2-methylphenyl)azo)-6-methoxy-3-methyl-benzothiazolium chloride | 411-110-7 | 136213-74-6 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 611-052-00-4 | monosodium aqua-[5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophenyl)azo]phenyl]azo]-2-naphthalensulfonate], iron complex | 400-720-9 | — | R52-53 | R: 52/53 S: 61 | | |
| 611-053-00-X | 2,2'-azobis[2-methylpropionamide] dihydrochloride | 221-070-0 | 2997-92-4 | Xn; R22 R43 | Xn R: 22-43 S: (2-)24-37 | | |
| 611-055-00-0 | C.I. Disperse Yellow 3; N-[4-[(2-hydroxy-5-methylphenyl)azo]phenyl]acetamide | 220-600-8 | 2832-40-8 | Carc. Cat. 3; R40 R43 | Xn R: 40-43 S: (2-)22-36/37-46 | | |
| 611-056-00-6 | C.I. Solvent Yellow 14; 1-phenylazo-2-naphthol | 212-668-2 | 842-07-9 | Carc. Cat. 3; R40 Muta. Cat. 3; R68 R43 R53 | Xn R: 40-43-53-68 S: (2-)22-36/37-46-61 | | |
| 611-057-00-1 | 6-hydroxy-1-(3-isopropoxypropyl)-4-methyl-2-oxo-5-[4-(phenylazo)phenylazo]-1,2-dihydro-3-pyridinecarbonitrile | 400-340-3 | 85136-74-9 | Carc. Cat. 2; R45 R53 | T R: 45-53 S: 53-45-61 | | |
| 611-058-00-7 | (6-(4-hydroxy-3-(2-methoxyphenylazo)-2-sulfonato-7-naphthylamino)-1,3,5-triazin-2,4-diyl)bis[(amino-1-methylethyl) ammonium] formate | 402-060-7 | 108225-03-2 | Carc. Cat. 2; R45 Xi; R41 N; R51-53 | T; N R: 45-41-51/53 S: 53-45-61 | | |
| 611-059-00-2 | octasodium 2-(6-(4-chloro-6-(3-(N-methyl-N-(4-chloro-6-(3,5-disulfonato-2-naphthylazo)-1-hydroxy-6-naphthylamino)-1,3,5-triazin-2-yl)aminomethyl)phenylamino)-1,3,5-triazin-2-ylamino)-3,5-disulfonato-1-hydroxy-2-naphthylazo)naphthalene-1,5-disulfonate | 412-960-1 | 148878-21-1 | Xi; R41 R43 R52-53 | Xi R: 41-43-52/53 S: (2-)22-24-26-37/ 39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 611-060-00-8 | reaction mass of: sodium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalate; ammonium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalate; 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalic acid | 413-180-4 | 187285-15-0 | Xi; R41 | Xi R: 41 S: (2-)22-26-39 | | |
| 611-061-00-3 | disodium 5-[5-[4-(5-chloro-2,6-difluoropyrimidin-4-ylamino)benzamido]-2-sulfonatophenylazo]-1-ethyl-6-hydroxy-4-methyl-2-oxo-3-pyridylmethylsulfonate | 412-530-3 | — | Xi; R41 R43 | Xi R: 41-43 S: (2-)22-24-26-37/39 | | |
| 611-062-00-9 | octasodium 2-(8-(4-chloro-6-(3-((4-chloro-6-(3,6-disulfonato-2-(1,5-disulfonatonaphthalen-2-ylazo)-1-hydroxynaphthalen-8-ylamino)-1,3,5-triazin-2-yl)aminomethyl)phenylamino)-1,3,5-triazin-2-ylamino)-3,6-disulfonato-1-hydroxynaphthalen-2-ylazo)naphthalene-1,5-disulfonate | 413-550-5 | — | Xi; R38-41 | Xi R: 38-41 S: (2-)22-26-37/39 | | |
| 611-063-00-4 | trisodium [4'-(8-acetylamino-3,6-disulfonato-2-naphthylazo)-4''-(6-benzoylamino-3-sulfonato-2-naphthylazo)-biphenyl-1,3',3'',1«'-tetraolato-O,O',O»,O«']copper(II) | 413-590-3 | 164058-22-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | |
| 611-064-00-X | 4-(3,4-dichlorophenylazo)-2,6-di- <i>sec</i> -butyl-phenol | 410-600-8 | 124719-26-2 | Xn; R48/22 Xi; R38 N; R50-53 | Xn; N R: 38-48/22-50/53 S: (2-)23-25-36/37-60-61 | | |
| 611-065-00-5 | 4-(4-nitrophenylazo)-2,6-di- <i>sec</i> -butyl-phenol | 410-610-2 | 111850-24-9 | Xn; R48/22 Xi; R36/38 R43 N; R50-53 | Xn; N R: 36/38-43-48/22-50/53 S: (2-)23-26-36/37-60-61 | | |
| 611-066-00-0 | tetrasodium 5-[4-chloro-6-(<i>N</i> -ethyl-anilino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(1,5-disulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate | 411-540-5 | 130201-57-9 | Xi; R41 R43 N; R51-53 | Xi; N R: 41-43-51/53 S: (2-)22-24-26-37/39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|--|---------------------------------------|-------|
| 611-067-00-6 | reaction mass of: bis(tris(2-(2-hydroxy(1-methyl)ethoxy)ethyl) ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate; bis(tris(2-(2-hydroxy(2-methyl)ethoxy)ethyl)ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate | 406-910-8 | — | Xn; R22 Xi; R41 R52-53 | Xn R: 22-41-52/53 S: (2-)26-36/39-61 | | |
| 611-068-00-1 | tetrasodium 4-amino-3,6-bis(5-[4-chloro-6-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino]-2-sulfonatophenylazo)-5-hydroxynaphthalene-2,7-disulfonate | 400-690-7 | 85665-98-1 | N; R51-53 | N R: 51/53 S: 61 | | |
| 611-069-00-7 | N,N-di-[poly(oxyethylene)-co-poly(oxypropylene)]-4-[(3,5-dicyano-4-methyl-2-thienyl)azo]-3-methylaniline | 413-380-1 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 611-070-00-2 | reaction mass of: disodium (6-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-); trisodium bis(5-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)chromate(1-) | 405-665-4 | — | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 611-071-00-8 | tris(tetramethylammonium) 5-hydroxy-1-(4-sulphonatophenyl)-4-(4-sulphonatophenylazo)pyrazole-3-carboxylate | 406-073-9 | 131013-81-5 | T; R25 R52-53 | T R: 25-52/53 S: (1/2-)37-45-61 | | |
| 611-072-00-3 | 2,4-bis[2,2'-[2-(N,N-dimethylamino)ethyloxycarbonyl]phenylazo]-1,3-dihydroxybenzene, dihydrochloride | 407-010-8 | 118208-02-9 | Xn; R22 Xi; R41 N; R51-53 | Xn; N R: 22-41-51/53 S: (2-)26-39-61 | | |
| 611-073-00-9 | dimethyl 3,3'-(N-(4-(4-bromo-2,6-dicyanophenylazo)-3-hydroxyphenyl)imino)dipropionate | 407-310-9 | 122630-55-1 | R53 | R: 53 S: 61 | | |
| 611-074-00-4 | reaction mass of: sodium/potassium (3-(4-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato) copper(II); sodium/potassium (3-(4-(5-(5-chloro-4,6-difluoropyrimidin-2-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato)copper(II) | 407-100-7 | — | R43 | Xi R: 43 S: (2-)22-24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|-------------------------------|--|---------------------------------------|-------|
| 611-075-00-X | reaction mass of: tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(2-amino-4-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazononaphthalene-2,7-disulfonate; tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(4-amino-2-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazononaphthalene-2,7-disulfonate (2:1) | 406-000-0 | — | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 611-076-00-5 | 3-(2,6-dichloro-4-nitrophenylazo)-1-methyl-2-phenylindole | 406-280-4 | 117584-16-4 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 611-077-00-0 | dilithium disodium (5,5'-diamino-(μ-4,4'-dihydroxy-1:2-κ-2, O4, O4',-3,3'-[3,3'-dihydroxy-1:2-κ-2-O3, O3'-biphenyl-4,4'-ylenebisazo-1:2-(N3,N4-η:N3',N4'-η)]-dinaphthalene-2,7-disulfonato(8)))dicuprate(2-) | 407-230-4 | 126637-70-5 | Xn; R22 R43 | Xn R: 22-43 S: (2-)22-24-37 | | |
| 611-078-00-6 | (2,2'-(3,3'-dioxidobiphenyl-4,4'-diyldiazo)bis(6-(4-(3-(diethylamino)propylamino)-6-(3-(diethylammonio)propylamino)-1,3,5-triazin-2-ylamino)-3-sulfonato-1-naphtholato))dicopper (II) acetate lactate | 407-240-9 | 159604-94-1 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)22-24-37-61 | | |
| 611-079-00-1 | disodium 7-[4-chloro-6-(N-ethyl-o-toluidino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-methoxy-2-sulfonatophenylazo)-2-naphthalenesulfonate | 410-390-8 | 147703-64-8 | Xi; R41 | Xi R: 41 S: (2-)22-26-39 | | |
| 611-080-00-7 | sodium 3-(2-acetamido-4-(4-(2-hydroxybutoxy)phenylazo)phenylazo)benzenesulfonate | 410-150-2 | 147703-65-9 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 611-081-00-2 | tetrasodium [7-(2,5-dihydroxy-KO2-7-sulfonato-6-[4-(2,5,6-trichloro-pyrimidin-4-ylamino)phenylazo]-(N1,N7-N)-1-naphthylazo)-8-hydroxy-KO8-naphthalene-1,3,5-trisulfonato(6-)]cuprate(II) | 411-470-5 | 141048-13-7 | R43 R52-53 | Xi R: 43-52/53 S: (2-)22-24-37-61 | | |
| 611-082-00-8 | reaction mass of: pentasodium bis(1-(3(or 5)-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)ferrate(1-); pentasodium [(1-(3-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)-(5-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato]ferrate(1-) | 407-570-3 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 611-083-00-3 | reaction mass of: 2-[N-ethyl-4-[(5,6-dichlorobenzothiazol-2-yl)azo]-m-toluidino]ethyl acetate; 2-[N-ethyl-4-[(6,7-dichlorobenzothiazol-2-yl)azo]-m-toluidino]ethyl acetate (1:1) | 411-560-4 | — | T; R48/25 R43 N; R51-53 | T; N R: 43-48/25-51/53 S: (1/2-)22-36/37-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 611-084-00-9 | reaction mass of: N-(4-chlorophenyl)-4-(2,5-dichloro-4-(dimethylsulfamoyl)phenylazo)-3-hydroxy-2-naphthalenecarboxamide; N-(4-chlorophenyl)-4-(2,5-dichloro-4-(methylsulfamoyl)phenylazo)-3-hydroxy-2-naphthalenecarboxamide | 412-550-2 | — | R53 | R: 53 S: 61 | | |
| 611-085-00-4 | reaction mass of: 3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-(2-hydroxy-ethylamino)-4-methyl-6-[3-(2-phenoxyethoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-(2-hydroxy-ethylamino)-4-methyl-2-[3-(2-phenoxyethoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-amino-4-methyl-6-[3-(3-hydroxypropoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-amino-4-methyl-2-[3-(3-methoxypropoxy)propylamino]pyridine | 411-880-4 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 611-086-00-X | monolithium 5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophenyl)azo]phenyl]azo]-2-naphthalenesulfonate], iron complex, monohydrate | 411-360-7 | — | R52-53 | R: 52/53 S: 61 | | |
| 611-087-00-5 | reaction mass of: 3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxy-6-oxo-3-pyridinyl)azo)-benzoyloxy-2-phenoxyethane; 3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxy-6-oxo-3-pyridinyl)azo)-benzoyloxy-2-ethoxy-2-(ethylphenol) | 411-710-9 | — | R53 | R: 53 S: 61 | | |
| 611-088-00-0 | reaction mass of: trilithium 4-amino-3-((4-((4-((2-amino-4-hydroxyphenyl)azo)phenyl)amino)-3-sulfofenyl)azo)-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulfonate; trilithium 4-amino-3-((4-((4-((4-amino-2-hydroxyphenyl)azo)phenyl)amino)-3-sulfofenyl)azo)-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulfonate | 411-890-9 | — | Xn; R22 Xi; R41 R52-53 | Xn R: 22-41-52/53 S: (2-)22-26-39-61 | | |
| 611-089-00-6 | 2-((4-(ethyl-(2-hydroxyethyl)amino)-2-methylphenyl)azo)-6-methoxy-3-methyl-benzothiazolium methylsulfate | 411-100-2 | 136213-73-5 | Xn; R48/22 R43 N; R50-53 | Xn; N R: 43-48/22-50/53 S: (2-)22-36/37-60-61 | | |
| 611-090-00-1 | 2,5-dibutoxy-4-(morpholin-4-yl)benzenediazonium 4-methylbenzenesulfonate | 413-290-2 | 93672-52-7 | F; R11 Xn; R22 Xi; R41 R43 R52-53 | F; Xn R: 11-22-41-43-52/53 S: (2-)12-22-24-26-37/39-47-61 | | |
| 611-091-00-7 | sodium (1.0-1.95)/lithium (0.05-1) 5-((5-((5-chloro-6-fluoropyrimidin-4-yl)amino)-2-sulfonatophenyl)azo)-1,2-dihydro-6-hydroxy-1,4-dimethyl-2-oxo-3-pyridinemethylsulfonate | 413-470-0 | 134595-59-8 | R43 | Xi R: 43 S: (2-)22-24/25-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|-----------------------------------|--|---------------------------------------|-------|
| 611-092-00-2 | <i>tert</i> -(dodecyl/tetradecyl)-ammonium bis(3-(4-((5-(1,1-diméthyl-propyl)-2-hydroxy-3-nitrophenyl)azo)-3-méthyl-5-hydroxy-(1 <i>H</i>)pyrazol-1-yl)benzenesulfonamidato)chromate | 413-210-6 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 611-093-00-8 | sodium 2-(4-(4-fluoro-6-(2-sulfo-ethylamino)-[1,3,5]triazin-2-ylamino)-2-ureido-phenylazo)-5-(4-sulfo-phenylazo)benzene-1-sulfonate | 410-770-3 | 146177-84-6 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 611-094-00-3 | reaction mass of: 2-[2-acetyl-amino-4-[<i>N,N</i> -bis[2-ethoxy-carbonyloxy]ethyl]amino]phenylazo]-5,6-dichloro-1,3-benzothiazole; 2-[2-acetyl-amino-4-[<i>N,N</i> -bis[2-ethoxy-carbonyloxy]ethyl]amino]phenylazo]-6,7-dichloro-1,3-benzotriazole (1:1) | 411-600-0 | 143145-93-1 | R53 | R: 53 S: 61 | | |
| 611-095-00-9 | hexasodium 1,1'-[(1-amino-8-hydroxy-3,6-disulfonate-2,7-naphthalenediyl)bis(azo(4-sulfonate-1,3-phenyl)imino[6-[(4-chloro-3-sulfonatophenyl)amino]-1,3,5-triazin-2,4-diyl]]]bis[3-carboxypyridinium] dihydroxide | 412-240-7 | 89797-03-5 | N; R51-53 | N R: 51/53 S: 22-61 | | |
| 611-096-00-4 | methyl <i>N</i> -[3-acetyl-amino)-4-(2-cyano-4-nitrophenylazo)phenyl]- <i>N</i> -[(1-methoxy)acetyl]glycinate | 413-040-2 | 149850-30-6 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 611-097-00-X | reaction mass of iron complexes of: 1,3-dihydroxy-4-[(5-phenylaminosulfonyl)-2-hydroxyphenylazo]- <i>n</i> -(5-amino-sulfonyl-2-hydroxyphenylazo)benzene and: 1,3-dihydroxy-4-[(5-phenylaminosulfonyl)-2-hydroxyphenylazo]- <i>n</i> -[4-(4-nitro-2-sulfo-phenylamino)phenylazo]benzene (<i>n</i> =2,5,6) | 414-150-3 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)22-24-37-61 | | |
| 611-098-00-5 | tetrakis(tetramethylammonium) 3,3'-(6-(2-hydroxyethylamino) 1,3,5-triazine-2,4-diyl)bisimino(2-méthyl-4,1-phenyleneazo) bisnaphthalene-1,5-disulfonate | 405-950-3 | 131013-83-7 | T; R25 R52-53 | T R: 25-52/53 S: (1/2-)37-45-61 | | |
| 611-099-00-0 | (méthylènebis(4,1-phenylénazo(1-(3-(diméthylamino)propyl)-1,2-dihydro-6-hydroxy-4-méthyl-2-oxopyridine-5,3-diyl)))-1,1'-dipyridinium dichloride dihydrochloride | 401-500-5 | 118658-99-4 | Carc. Cat. 2; R45 N; R51-53 | T; N R: 45-51/53 S: 53-45-61 | | |
| 611-100-00-4 | potassium sodium 3,3'-(3(or4)-méthyl-1,2-phenylènebis(imino(6-chloro)-1,3,5-triazine-4,2-diyl)imino(2-acétamido-5-méthoxy)-4,1-phenylénazo)dinaphthalène-1,5-disulfonate | 403-810-6 | 140876-13-7 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 611-101-00-X | 2'-(4-chloro-3-cyano-5-formyl-2-thienyl)azo-5'-diéthylaminoacétanilide | 405-200-5 | 104366-25-8 | R43 | Xi R: 43 S: (2-)22-24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|-----------------------------|--|---------------------------------------|-------|
| 611-103-00-0 | trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatophthalen-2-amido)nickel(II) | 407-110-1 | — | Xi; R41 R43 N; R51-53 | Xi; N R: 41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 611-104-00-6 | reaction mass of: trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2or 6)-(4-(4-nitro-2-sulfonatoanilino)phenylazo)phenolato)ferrate(1-); trisodium bis(2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)ferrate(1-); trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(4-nitro-2-sulfonatophenylazo)phenolato)ferrate(1-); trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(3-sulfonatophenylazo)phenolato)ferrate(1-); disodium 3,3'-(2,4-dihydroxy-1,3(or 1,5 or 3,5)-phenylene-diazo)dibzenesulfonate | 406-870-1 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 611-105-00-1 | sodium 4-(4-chloro-6-(N-ethylanilino)-1,3,5-triazin-2-ylamino)-2-(1-(2-chlorophenyl)-5-hydroxy-3-methyl-1H-pyrazol-4-ylazo)benzenesulfonate | 407-800-2 | 136213-75-7 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)22-24-37-61 | | |
| 611-106-00-7 | hexasodium 4,4'-dihydroxy-3,3'-bis[2-sulfonato-4-(4-sulfonatophenylazo)phenylazo]-7,7'[p-phenylenebis(imino(6-chloro-1,3,5-triazine-4,2-diy)imino)]dinaphthalene-2-sulfonate | 410-180-6 | 157627-99-1 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 611-107-00-2 | potassium sodium 4-(4-chloro-6-(3,6-disulfonato-7-(5,8-disulfonato-naphthalen-2-ylazo)-8-hydroxy-naphthalen-1-ylamino)-1,3,5-triazin-2-ylamino)-5-hydroxy-6-(4-(2-sulfatoethanesulfonyl)-phenylazo)-naphthalene-1,7-disulfonate | 412-490-7 | — | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 611-108-00-8 | disodium 5-((4-((4-chloro-3-sulfonatophenyl)azo)-1-naphthyl)azo)-8-(phenylamino)-1-naphthalenesulfonate | 413-600-6 | 6527-62-4 | R52-53 | R: 52/53 S: 61 | | |
| 611-109-00-3 | Reaction products of: copper(II) sulfate and tetrasodium 2,4-bis[6-(2-methoxy-5-sulfonatophenylazo)-5-hydroxy-7-sulfonato-2-naphthylamino]-6-(2-hydroxyethylamino)-1,3,5-triazine (2:1) | 407-710-3 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 611-110-00-9 | tetra-sodium/lithium 4,4'-bis-(8-amino-3,6-disulfonato-1-naphthol-2-ylazo)-3-methylazobenzene | 408-210-8 | 124605-82-9 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-28-37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|------------------------------|--|---------------------------------------|-------|
| 611-111-00-4 | disodium 2-[[4-(2-chloroethylsulfonyl)phenyl]-[(2-hydroxy-5-sulfo-3-[3-[2-(2-(sulfooxy)ethylsulfonyl)ethylazo]-4-sulfobenzoato(3-)cuprate(1-) | 414-230-8 | — | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 611-112-00-X | tetrasodium 4-hydroxy-5-[4-[3-(2-sulfatoethanesulfonyl)phenylamino]-6-morpholin-4-yl-1,3,5-triazin-2-ylamino]-3-(1-sulfonatonaphthalen-2-ylazo)naphthalene-2,7-disulfonate | 413-070-6 | — | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 611-113-00-5 | lithium sodium (2-(((5-((2,5-dichlorophenyl)azo)-2-hydroxyphenyl)methylene)amino)benzoato(2-)))(2-(((4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo)-5-sulfobenzoato(3-)) chromate(2-) | 414-280-0 | 149626-00-6 | N; R51-53 | N R: 51/53 S: 24/25-61 | | |
| 611-114-00-0 | lithium sodium (4-((5-chloro-2-hydroxyphenyl)azo)-2,4-dihydro-5-methyl-3H-pyrazol-3-onato(2-))(3-(((4,5-dihydro-3-methyl-1-(4-methylphenyl)-5-oxo-1H-pyrazol-4-yl)azo)-4-hydroxy-5-nitrobenzenesulfonato(3-)) chromate(2-) | 414-250-7 | 149564-66-9 | Xn; R22 Xi; R41 R52-53 | Xn R: 22-41-52/53 S: (2-)22-26-39-61 | | |
| 611-115-00-6 | trilithium bis(4-((4-(diethylamino)-2-hydroxyphenyl)azo)-3-hydroxy-1-naphthalenesulfonato(3-))chromate(3-) | 414-290-5 | 149564-65-8 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)22-61 | | |
| 611-116-00-1 | reaction mass of: trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalene-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalene-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate | 414-620-8 | — | Xi; R41 R43 | Xi R: 41-43 S: (2-)22-24-26-37/39 | | |
| 611-117-00-7 | 1,3-bis{6-fluoro-4-[1,5-disulfo-4-(3-aminocarbonyl-1-ethyl-6-hydroxy-4-methyl-pyrid-2-on-5-ylazo)-phenyl-2-ylamino]-1,3,5-triazin-2-ylamino}propane lithium-, sodium salt | 415-100-3 | 149850-29-3 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 611-118-00-2 | sodium 1,2-bis[4-[4-(4-sulfophenylazo)-2-sulfophenylazo]-2-ureido-phenyl-amino]-6-fluoro-1,3,5-triazin-2-ylamino]-propane, sodium salt | 413-990-8 | | R43 | Xi R: 43 S: (2-)22-24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|--|---------------------------------------|-------|
| 611-119-00-8 | tetrasodium 4-[4-chloro-6-(4-methyl-2-sulfophenylamino)-1,3,5-triazin-2-ylamino]-6-(4,5-dimethyl-2-sulfophenylazo)-5-hydroxynaphthalene-2,7-disulfonate | 415-400-4 | 148878-22-2 | Xi; R41 R43 | Xi R: 41-43 S: (2-)22-24-26-37/39 | | |
| 611-120-00-3 | 5-{4-[5-amino-2-[4-(2-sulfoxyethylsulfonyl)phenylazo]-4-sulfo-phenylamino]-6-chloro-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfo-naphthalen-2-ylazo)-naphthalene-2,7-disulfonicacid sodium salt | 418-340-7 | 157707-94-3 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)22-26-39-61 | | |
| 611-121-00-9 | Main component 6 (isomer): asym. 1:2 Cr(III)-complex of: A: 3-hydroxy-4-(2-hydroxy-naphthalene-1-ylazo)naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)phenylazo]naphthalene-2-ol; Main component 8 (isomer): asym. 1:2 Cr-complex of: A: 3-hydroxy-4-(2-hydroxy-naphthalene-1-ylazo)-naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)-phenylazo]-naphthalene-2-ol | 417-280-9 | 30785-74-1 | Xi; R41 N; R50-53 | Xi; N R: 41-50/53 S: (2-)26-39-60-61 | | |
| 611-122-00-4 | hexasodium (di[N-(3-(4-[5-(5-amino-3-methyl-1-phenylpyrazol-4-yl-azo)-2,4-disulfo-anilino]-6-chloro-1,3,5-triazin-2-ylamino)phenyl)-sulfamoyl](di-sulfo)-phthalocyaninato)nickel | 417-250-5 | 151436-99-6 | Xi; R41 R43 | Xi R: 41-43 S: (2-)22-24-26-37/39 | | |
| 611-123-00-X | 3-(2,4-bis(4-((5-(4,6-bis(2-aminopropylamino)-1,3,5-triazin-2-ylamino)-4-hydroxy-2,7-disulfonaphthalen-3-yl)azo)phenylamino)-1,3,5-triazin-6-ylamino)propyldiethylammonium lactate | 424-310-4 | 178452-66-9 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 611-124-00-5 | reaction mass of: pentasodium 5-amino-3-(5-{4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo)-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate; pentasodium 5-amino-6-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-3-(5-{4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo)-4-hydroxynaphthalene-2,7-disulfonate; tetrasodium 5-amino-3-[5-{4-chloro-6-[4-(vinylsulfonyl)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo]-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate | 424-320-9 | | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 611-125-00-0 | reaction mass of: Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl]pyrazolin-4-yl-azo]-3-[2-oxido-4-(ethen-sulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex; Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl]pyrazolin-4-yl-azo]-3-[2-oxido-4-(2-hydroxyethylsulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex | 423-940-7 | — | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 611-126-00-6 | 2,6-bis-(2-(4-(4-amino-phenylamino)-phenylazo)-1,3-dimethyl-3H-imidazolium)-4-dimethylamino-1,3,5-triazine, dichloride | 424-120-1 | 174514-06-8 | Xi; R41 N; R50-53 | Xi; N R: 41-50/53 S: (2-)26-39-60-61 | | |
| 611-127-00-1 | pentasodium 4-amino-6-(5-(4-(2-ethyl-phenylamino)-6-(2-sulfatoethanesulfonyl)-1,3,5-triazin-2-ylamino)-2-sulfonato-phenylazo)-5-hydroxy-3-(4-(2-sulfatoethanesulfonyl)phenylazo)naphthalene-2,7-disulfonate | 423-790-2 | — | R5 Xi; R41 R43 R52-53 | Xi R: 5-41-43-52/53 S: (2-)22-26-36/37/ 39-41-61 | | |
| 611-128-00-7 | N,N'-bis{6-chloro-4-[6-(4-vinylsulfonylphenylazo)-2,7-disulfonic acid-5-hydroxynaphthalen-1,3,5-triazin-2-yl]-N-(2-hydroxyethyl)ethane-1,2-diamine, sodium salt | 419-500-9 | 171599-85-2 | Xi; R41 R43 | Xi R: 41-43 S: (2-)22-24-26-37/39 | | |
| 611-129-00-2 | reaction mass of: 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-phosphonophenyl)azo]benzoic acid; 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-3-[(3-phosphonophenyl)azo]benzoic acid | 418-230-9 | 163879-69-4 | E; R2 Repr. Cat. 3; R62 Xn; R48/22 R43 N; R51-53 | E; Xn; N R: 2-43-48/22-62-51/ 53 S: (2-)26-35-36/37-61 | | |
| 611-130-00-8 | tetra-ammonium 2-[6-[7-(2-carboxylato-phenylazo)-8-hydroxy-3,6-disulfonato-1-naphthylamino]-4-hydroxy-1,3,5-triazin-2-ylamino]benzoate | 418-520-5 | 183130-96-3 | Xi; R36 N; R50-53 | Xi; N R: 36-50/53 S: (2-)26-39-60-61 | | |
| 611-131-00-3 | 2-[2-hydroxy-3-(2-chlorophenyl)carbamoyl-1-naphthylazo]-7-[2-hydroxy-3-(3-methylphenyl)carbamoyl-1-naphthylazo]fluoren-9-one | 420-580-2 | 151798-26-4 | Repr. Cat. 2; R61 R53 | T R: 61-53 S: 53-45-61 | | |
| 611-132-00-9 | pentasodium bis{7-[4-(1-butyl-5-cyano-1,2-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)phenylsulfonylamino]-5'-nitro-3,3'-disulfonatophthalene-2-azobenzene-1,2'-diolato} chromate (III) | 419-210-2 | 178452-71-6 | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)26-39-61 | | |
| 611-133-00-4 | Product by process iron complex of azo dyestuffs obtained by coupling a mixture of diazotized 2-amino-1-hydroxybenzene-4-sulfanilide and 2-amino-1-hydroxybenzene-4-sulfonamide with resorcin, the obtained mixture being subsequently submitted to a second coupling reaction with a mixture of diazotized 3-aminobenzene-1-sulfonic acid (metanilic acid) and 4'-amino-4-nitro-1,1'-diphenylamine-2-sulfonic acid and metallization with ferric chloride, sodium salt | 419-260-5 | — | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)26-39-61 | | |
| 611-134-00-X | trisodium 2-{α[2-hydroxy-3-[4-chloro-6-[4-(2,3-dibromopropionylamino)-2-sulfonatophenylamino]-1,3,5-triazin-2-ylamino]-5-sulfonatophenylazo]-benzylidenediazino}-4-sulfonatobenzoate, copper complex | 423-770-3 | — | Xi; R41 N; R51-53 | Xi; N R: 41-51/53 S: (2-)22-26-39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|---|--|---|--|---|-------|
| 611-135-00-5 | Reaction product of: 2-[[4-amino-2-ureidophenylazo]-5-[(2-(sulfooxy)ethyl)sulfonyl]]benzenesulfonic acid with 2,4,6-trifluoropyrimidine and partial hydrolysis to the corresponding vinylsulfonyl derivative, mixed potassium/sodium salt | 424-250-9 | — | Xi; R41 R52-53 | Xi R: 41-52/53 S: (2-)26-39-61 | | |
| 611-136-00-0 | 2-{4-(2-ammoniopropylamino)-6-[4-hydroxy-3-(5-methyl-2-methoxy-4-sulfamoylphenylazo)-2-sulfonatonaphth-7-ylamino]-1,3,5-triazin-2-ylamino}-2-aminopropyl formate | 424-260-3 | — | Repr. Cat. 3; R62 Xi; R41 N; R51-53 | Xn; N R: 41-62-51/53 S: (2-)22-26-36/37/ 39-61 | | |
| 611-137-00-6 | 6-tert-butyl-7-chloro-3-tridecyl-7,7a-dihydro-1H-pyrazolo [5,1-c]-1,2,4-triazole | 419-870-1 | 159038-16-1 | R53 | R: 53 S: 61 | | |
| 611-138-00-1 | 2-(4-aminophenyl)-6-tert-butyl-1H-pyrazolo[1,5-b][1,2,4]triazole | 415-910-7 | 152828-25-6 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)22-24-37-61 | | |
| 611-140-00-2 | azafenidin (ISO) 2-(2,4-dichloro-5-prop-2-ynyloxyphenyl)-5,6,7,8-tetrahydro-1,2,4-triazolo[4,3-a]pyridin-3(2H)-one | — | 68049-83-2 | Repr. Cat. 2; R61 Repr. Cat. 3; R62 Xn; R48/22 N; R50-53 | T; N R: 61-48/22-62-50/ 53 S: 53-45-60-61 | N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 % | E |
| 612-001-00-9 | mono-methylamine; [1] di-methylamine; [2] tri-methylamine [3] | 200-820-0 [1] 204-697-4 [2] 200-875-0 [3] | 74-89-5 [1] 124-40-3 [2] 75-50-3 [3] | F+; R12 Xn; R20 Xi; R37/38-41 | F+; Xn R: 12-20-37/38-41 S: (2-)16-26-39 | Xn; R20: C ≥ 5 % Xi; R37/38-41: C ≥ 5 % Xi; R36: 0,5 % ≤ C < 5 % | 5 |
| 612-001-01-6 | mono-methylamine ...%; [1] di-methylamine ...%; [2] tri-methylamine ...% [3] | 200-820-0 [1] 204-697-4 [2] 200-875-0 [3] | 74-89-5 [1] 124-40-3 [2] 75-50-3 [3] | F+; R12 Xn; R20/22 C; R34 | F+; C R: 12-20/22-34 S: (1/2-)3-16-26-29-36/37/39-45 | Xn; R20/22: C ≥ 15 % C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | B |
| 612-002-00-4 | ethylamine | 200-834-7 | 75-04-7 | F+; R12 Xi; R36/37 | F+; Xi R: 12-36/37 S: (2-)16-26-29 | | |
| 612-003-00-X | diethylamine | 203-716-3 | 109-89-7 | F; R11 Xn; R20/21/ 22 C; R35 | F; C R: 11-20/21/22-35 S: (1/2-)3-16-26-29-36/37/39-45 | C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|--|-------|
| 612-004-00-5 | triethylamine | 204-469-4 | 121-44-8 | F; R11 Xn; R20/21/ 22 C; R35 | F; C R: 11-20/21/22-35 S: (1/2-)3-16-26-29- 36/37/39-45 | C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | |
| 612-005-00-0 | butylamine | 203-699-2 | 109-73-9 | F; R11 Xn; R20/21/ 22 C; R35 | F; C R: 11-20/21/22-35 S: (1/2-)3-16-26-29- 36/37/39-45 | C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | |
| 612-006-00-6 | ethylenediamine; 1,2-diaminoethane | 203-468-6 | 107-15-3 | R10 Xn; R21/22 C; R34 R42/43 | C R: 10-21/22-34-42/ 43 S: (1/2-)23-26-36/37/ 39-45 | C; R34: C ≥ 10 % Xi; R36/38: 2 % ≤ C < 10 % | |
| 612-007-00-1 | 2-aminopropane; isopropylamine | 200-860-9 | 75-31-0 | F+; R12 Xi; R36/37/ 38 | F+; Xi R: 12-36/37/38 S: (2-)16-26-29 | | |
| 612-008-00-7 | aniline | 200-539-3 | 62-53-3 | Carc. Cat. 3; R40 Muta. Cat. 3; R68 T; R23/24/ 25-48/23/ 24/25 Xi; R41 R43 N; R50 | T; N R: 23/24/25-40-41- 43-48/23/24/25-68- 50 S: (1/2-)26-27-36/37/ 39-45-46-61-63 | T; R23/24/25: C ≥ 25 % Xn; R20/21/22: 1 % ≤ C < 25 % T; R48/23/24/25: C ≥ 1 % Xn; R48/20/21/22: 0,2 % ≤ C < 1 % | |
| 612-009-00-2 | salts of aniline | — | — | Carc. Cat. 3; R40 Muta. Cat. 3; R68 T; R23/24/ 25-48/23/ 24/25 Xi; R41 R43 N; R50 | T; N R: 23/24/25-40-41- 43-48/23/24/25-68- 50 S: (1/2-)26-27-36/37/ 39-45-61-63 | T; R23/24/25: C ≥ 25 % Xn; R20/21/22: 1 % ≤ C < 25 % T; R48/23/24/25: C ≥ 1 % Xn; R48/20/21/22: 0,2 % ≤ C < 1 % | A |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--|--|---|--|---------------------------------------|-------|
| 612-010-00-8 | chloroanilines, with exception of those specified elsewhere in this Annex | — | — | T; R23/24/25 R33 N; R50-53 | T; N R: 23/24/25-33-50/ 53 S: (1/2-)28-36/37-45- 60-61 | | C |
| 612-011-00-3 | 4-nitrosoaniline | 211-535-6 | 659-49-4 | Xn; R20/21/ 22 | Xn R: 20/21/22 S: (2-)25-28 | | |
| 612-012-00-9 | <i>o</i> -nitroaniline; [1] <i>m</i> -nitroaniline; [2] <i>p</i> -nitroaniline [3] | 201-855-4 [1] 202-729-1 [2] 202-810-1 [3] | 88-74-4 [1] 99-09-2 [2] 100-01-6 [3] | T; R23/24/25 R33 R52-53 | T R: 23/24/25-33-52/ 53 S: (1/2-)28-36/37-45- 61 | | C |
| 612-013-00-4 | 3-aminobenzene sulphonic acid; metanilic acid | 204-473-6 | 121-47-1 | Xn; R20/21/ 22 | Xn R: 20/21/22 S: (2-)25-28 | | |
| 612-014-00-X | sulphanilic acid; 4-aminobenzenesulphonic acid | 204-482-5 | 121-57-3 | Xi; R36/38 R43 | Xi R: 36/38-43 S: (2-)24-37 | | |
| 612-015-00-5 | <i>N</i> -methylaniline | 202-870-9 | 100-61-8 | T; R23/24/25 R33 N; R50-53 | T; N R: 23/24/25-33-50/ 53 S: (1/2-)28-36/37-45- 60-61 | | |
| 612-016-00-0 | <i>N,N</i> -dimethylaniline | 204-493-5 | 121-69-7 | Carc. Cat. 3; R40 T; R23/24/25 N; R51-53 | T; N R: 23/24/25-40-51/ 53 S: (1/2-)28-36/37-45- 61 | | |
| 612-017-00-6 | <i>N</i> -methyl- <i>N</i> ,2,4,6-tetranitroaniline; tetryl | 207-531-9 | 479-45-8 | E; R2 ⊗ T; R23/24/25 R33 | E; T R: 2-23/24/25-33 S: (1/2-)35-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|---|---|--|---------------------------------------|-------|
| 612-018-00-1 | bis(2,4,6-trinitrophenyl)amine; hexyl | 205-037-8 | 131-73-7 | E; R2 T+; R26/27/ 28 R33 N; R51-53 | E; T+; N R: 2-26/27/28-33-51/ 53 S: (1/2-)35-36-45-61 | | |
| 612-019-00-7 | dipicrylamine, ammonium salt | 220-639-0 | 2844-92-0 | E R1 T+; R26/27/ 28 R33 N; R51-53 | E; T+; N R: 1-26/27/28-33-51/ 53 S: (1/2-)28-36/37-45- 61 | | |
| 612-020-00-2 | 1-naphthylamine | 205-138-7 | 134-32-7 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)24-61 | | |
| 612-022-00-3 | 2-naphthylamine | 202-080-4 | 91-59-8 | Carc. Cat. 1; R45 Xn; R22 N; R51-53 | T; N R: 45-22-51/53 S: 53-45-61 | Carc. Cat. 1; R45: C ≥ 0,01 % | E |
| 612-023-00-9 | phenylhydrazine; [1] phenylhydrazinium chloride; [2] phenylhydrazine hydrochloride; [3] phenylhydrazinium sulphate (2:1) [4] | 202-873-5 [1] 200-444-7 [2] 248-259-0 [3] 257-622-2 [4] | 100-63-0 [1] 59-88-1 [2] 27140-08-5 [3] 52033-74-6 [4] | Carc. Cat. 2; R45 Muta. Cat. 3; R68 T; R23/24/ 25-48/23/ 24/25 Xi; R36/38 R43 N; R50 | T; N R: 45-23/24/25-36/ 38-43-48/23/24/25- 68-50 S: 53-45-61 | | E |
| 612-024-00-4 | <i>m</i> -toluidine; 3-aminotoluene | 203-583-1 | 108-44-1 | T; R23/24/25 R33 N; R50 | T; N R: 23/24/25-33-50 S: (1/2-)28-36/37-45- 61 | | |
| 612-025-00-X | nitrotoluidines, with the exception of those specified elsewhere in this Annex | — | — | T; R23/24/25 R33 N; R51-53 | T; N R: 23/24/25-33-51/ 53 S: (1/2-)28-36/37-45- 61 | | C |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------------|----------------------------------|---|--|---------------------------------------|-------|
| 612-026-00-5 | diphenylamine | 204-539-4 | 122-39-4 | T; R23/24/25 R33 N; R50-53 | T; N R: 23/24/25-33-50/ 53 S: (1/2-)28-36/37-45- 60-61 | | |
| 612-027-00-0 | xylidines with the exception of those specified elsewhere in this Annex; dimethyl anilines with the exception of those specified elsewhere in this Annex | — | — | T; R23/24/25 R33 N; R51-53 | T; N R: 23/24/25-33-51/ 53 S: (1/2-)28-36/37-45- 61 | | C |
| 612-028-00-6 | <i>p</i> -phenylenediamine | 203-404-7 | 106-50-3 | T; R23/24/25 Xi; R36 R43 N; R50-53 | T+; N R: 23/24/25-36-43- 50/53 S: (1/2-)28-36/37-45- 60-61 | | |
| 612-029-00-1 | benzene-1,4-diamine dihydrochloride; <i>p</i> -phenylenediamine dihydrochloride | 210-834-9 | 624-18-0 | T; R23/24/25 Xi; R36 R43 N; R50-53 | T; N R: 23/24/25-36-43- 50/53 S: (1/2-)28-36/37-45- 60-61 | | |
| 612-030-00-7 | 2-methyl- <i>p</i> -phenylenediamine sulphate [1] | 210-431-8 [1] 228-871-4 [2] | 615-50-9 [1] 6369-59-1 [2] | T; R25 Xn; R20/21 R43 N; R51-53 | T; N R: 20/21-25-43-51/ 53 S: (1/2-)24-37-45-61 | | |
| 612-031-00-2 | <i>N,N</i> -dimethylbenzene-1,3-diamine; [1] 4-amino- <i>N,N</i> -dimethylaniline; 3-amino- <i>N,N'</i> -dimethylaniline [2] | 220-623-3 [1] 202-807-5 [2] | 2836-04-6 [1] 99-98-9 [2] | T; R23/24/25 | T R: 23/24/25 S: (1/2-)28-45 | | C |
| 612-032-00-8 | <i>N,N,N',N'</i> -tetramethyl- <i>p</i> -phenylenediamine | 202-831-6 | 100-22-1 | Xn; R20/21/ 22 | Xn R: 20/21/22 S: (2-)28 | | |
| 612-033-00-3 | 2-aminophenol | 202-431-1 | 95-55-6 | Xn; R20/22 Muta. Cat. 3; R68 | Xn R: 20/22-68 S: (2-)28-36/37 | | |
| 612-034-00-9 | 2-amino-4,6-dinitrophenol; picramic acid | 202-544-6 | 96-91-3 | E; R1 ⊗ Xn; R20/21/ 22 R52-53 | E; Xn R: 1-20/21/22-52/53 S: (2-)35-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 612-035-00-4 | 2-methoxyaniline; <i>o</i> -anisidine | 201-963-1 | 90-04-0 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 T; R23/24/25 | T R: 45-23/24/25-68 S: 53-45 | | E |
| 612-036-00-X | 3,3'-dimethoxybenzidine; <i>o</i> -dianisidine | 204-355-4 | 119-90-4 | Carc. Cat. 2; R45 Xn; R22 | T R: 45-22 S: 53-45 | | E |
| 612-037-00-5 | salts of 3,3'-dimethoxybenzidine; salts of <i>o</i> -dianisidine | — | — | Carc. Cat. 2; R45 Xn; R22 | T R: 45-22 S: 53-45 | | AE |
| 612-038-00-0 | 2-nitro- <i>p</i> -anisidine; 4-methoxy-2-nitroaniline | 202-547-2 | 96-96-8 | T+; R26/27/ 28 R33 R52-53 | T+ R: 26/27/28-33-52/ 53 S: (1/2-)28-36/37-45- 61 | | |
| 612-039-00-6 | 2-ethoxyaniline; <i>o</i> -phenetidine | 202-356-4 | 94-70-2 | T; R23/24/25 R33 | T R: 23/24/25-33 S: (1/2-)28-36/37-45 | | |
| 612-040-00-1 | 2,4-dinitroaniline | 202-553-5 | 97-02-9 | T+; R26/27/ 28 R33 N; R51-53 | T+; N R: 26/27/28-33-51/ 53 S: (1/2-)28-36/37-45- 61 | | |
| 612-041-00-7 | 4,4'-bi- <i>o</i> -toluidine | 204-358-0 | 119-93-7 | Carc. Cat. 2; R45 Xn; R22 N; R51-53 | T; N R: 45-22-51/53 S: 53-45-61 | | E |
| 612-042-00-2 | benzidine; 1,1'-biphenyl-4,4'-diamine; 4,4'-diaminobiphenyl; biphenyl-4,4'-ylenediamine | 202-199-1 | 92-87-5 | Carc. Cat. 1; R45 Xn; R22 N; R50-53 | T; N R: 45-22-50/53 S: 53-45-60-61 | Carc. Cat. 1; R45: C ≥ 0,01 % | E |
| 612-043-00-8 | <i>N,N'</i> -dimethylbenzidine | — | 2810-74-4 | Xn; R20/21/ 22 | Xn R: 20/21/22 S: (2-)22-36 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------|------------------------------|---|--|--|-------|
| 612-044-00-3 | N,N'-diacetylbenzidine | 210-338-2 | 613-35-4 | Xn; R20/21/22 | Xn R: 20/21/22 S: (2-)22-36 | | |
| 612-046-00-4 | allylamine | 203-463-9 | 107-11-9 | F; R11 T; R23/24/25 N; R51-53 | F; T; N R: 11-23/24/25-51/53 S: (1/2-)9-16-24/25-45-61 | | |
| 612-047-00-X | benzylamine | 202-854-1 | 100-46-9 | Xn; R21/22 C; R34 | C R: 21/22-34 S: (1/2-)26-36/37/39-45 | | |
| 612-048-00-5 | dipropylamine | 205-565-9 | 142-84-7 | F; R11 Xn; R20/21/22 C; R35 | F; C R: 11-20/21/22-35 S: (1/2-)16-26-36/37/39-45 | C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 % | |
| 612-049-00-0 | di-n-butylamine; [1] di-sec-butylamine [2] | 203-921-8 [1] 210-937-9 [2] | 111-92-2 [1] 626-23-3 [2] | R10 Xn; R20/21/22 | Xn R: 10-20/21/22 S: (2-) | | |
| 612-050-00-6 | cyclohexylamine | 203-629-0 | 108-91-8 | R10 Xn; R21/22 C; R34 | C R: 10-21/22-34 S: (1/2-)36/37/39-45 | C; R34: C ≥ 10 % Xi; R36/38: 2 % ≤ C < 10 % | |
| 612-051-00-1 | 4,4'-diaminodiphenylmethane; 4,4'-methylenedianiline | 202-974-4 | 101-77-9 | Carc. Cat. 2; R45 Muta. Cat. 3; R68 T; R39/23/24/25 Xn; R48/20/21/22 R43 N; R51-53 | T; N R: 45-39/23/24/25-43-48/20/21/22-68-51/53 S: 53-45-61 | E | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--|--|--|--|---|-------|
| 612-052-00-7 | (S)- <i>sec</i> -butylamine; (S)-2-aminobutane; [1] (R)- <i>sec</i> -butylamine; (R)-2-aminobutane; [2] <i>sec</i> -butylamine; 2-aminobutane [3] | 208-164-7 [1] 236-232-6 [2] 237-732-7 [3] | 513-49-5 [1] 13250-12-9 [2] 13952-84-6 [3] | F; R11 Xn; R20/22 C; R35 N; R50 | F; C; N R: 11-20/22-35-50 S: (1/2-)9-16-26-28- 36/37/39-45-61 | | C |
| 612-053-00-2 | N-ethylaniline | 203-135-5 | 103-69-5 | T; R23/24/25 R33 | T R: 23/24/25-33 S: (1/2-)28-37-45 | | |
| 612-054-00-8 | N,N-diethylaniline | 202-088-8 | 91-66-7 | T; R23/24/25 R33 N; R51-53 | T; N R: 23/24/25-33-51/ 53 S: (1/2-)28-37-45-61 | T; R23/24/25: C ≥ 5 % Xn; R20/21/22: 1 % ≤ C < 5 % | |
| 612-055-00-3 | N-methyl- <i>o</i> -toluidine; [1] N-methyl- <i>m</i> -toluidine; [2] N-methyl- <i>p</i> -toluidine [3] | 210-260-9 [1] 211-795-0 [2] 210-769-6 [3] | 611-21-2 [1] 696-44-6 [2] 623-08-5 [3] | T; R23/24/25 R33 R52-53 | T R: 23/24/25-33-52/ 53 S: (1/2-)28-36/37-45- 61 | | C |
| 612-056-00-9 | N,N-dimethyl- <i>p</i> -toluidine; [1] N,N-dimethyl- <i>m</i> -toluidine; [2] N,N-dimethyl- <i>o</i> -toluidine [3] | 202-805-4 [1] 204-495-6 [2] 210-199-8 [3] | 99-97-8 [1] 121-72-2 [2] 609-72-3 [3] | T; R23/24/25 R33 R52-53 | T R: 23/24/25-33-52/ 53 S: (1/2-)28-36/37-45- 61 | T; R23/24/25: C ≥ 5 % Xn; R20/21/22: 1 % ≤ C < 5 % | C |
| 612-057-00-4 | piperazine | 203-808-3 | 110-85-0 | C; R34 R42/43 R52-53 | C R: 34-42/43-52/53 S: (1/2-)22-26-36/37/ 39-45-61 | | |
| 612-058-00-X | 2,2'-iminodiéthylamine; diéthylentriamine | 203-865-4 | 111-40-0 | Xn; R21/22 C; R34 R43 | C R: 21/22-34-43 S: (1/2-)26-36/37/39- 45 | | |
| 612-059-00-5 | 3,6-diazaoctanethylenediamin; triéthylentetramine | 203-950-6 | 112-24-3 | Xn; R21 C; R34 R43 R52-53 | C R: 21-34-43-52/53 S: (1/2-)26-36/37/39- 45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|--|-------|
| 612-060-00-0 | 3,6,9-triazaundecamethylenediamine; tetraethylenepentamine | 203-986-2 | 112-57-2 | Xn; R21/22 C; R34 R43 N; R51-53 | C; N R: 21/22-34-43-51/ 53 S: (1/2-)26-36/37/39- 45-61 | | |
| 612-061-00-6 | 3-aminopropyldiméthylamine; N,N-diméthyl-1,3-diaminopropane | 203-680-9 | 109-55-7 | R10 Xn; R22 C; R34 R43 | C R: 10-22-34-43 S: (1/2-)26-36/37/39- 45 | | |
| 612-062-00-1 | 3-aminopropyldiéthylamine; N,N-diéthyl-1,3-diaminopropane | 203-236-4 | 104-78-9 | R10 Xn; R21/22 C; R34 R43 | C R: 10-21/22-34-43 S: (1/2-)26-36/37/39- 45 | | |
| 612-063-00-7 | 3,3'-iminodi(propylamine); dipropylenetriamine | 200-261-2 | 56-18-8 | T+; R26 T; R24 Xn; R22 C; R35 R43 | T+; C R: 22-24-26-35-43 S: (1/2-)26-28-36/37/ 39-45 | | |
| 612-064-00-2 | 3,6,9,12-tetra-azatetradecamethylenediamine; pentactylènehexamine | 223-775-9 | 4067-16-7 | C; R34 R43 N; R50-53 | C; N R: 34-43-50/53 S: (1/2-)26-36/37/39- 45-60-61 | | |
| 612-065-00-8 | polyéthylène polyamines with the exception of those specified elsewhere in this Annex | — | — | Xn; R21/22 C; R34 R43 N; R50-53 | C; N R: 21/22-34-43-50/ 53 S: (1/2-)26-36/37/39- 45-60-61 | | |
| 612-066-00-3 | dicyclohexylamine | 202-980-7 | 101-83-7 | Xn; R22 C; R34 N; R50-53 | C; N R: 22-34-50/53 S: (1/2-)26-36/37/39- 45-60-61 | C; R34: C ≥ 10 % Xi; R36/38: 2 % ≤ C < 10 % | |
| 612-067-00-9 | 3-aminométhyl-3,5,5-triméthylcyclohexylamine | 220-666-8 | 2855-13-2 | Xn; R21/22 C; R34 R43 R52-53 | C R: 21/22-34-43-52/ 53 S: (1/2-)26-36/37/39- 45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--|--|---|--|---------------------------------------|-------|
| 612-068-00-4 | 3,3'-dichlorobenzidine; 3,3'-dichlorobiphenyl-4,4'-ylenediamine | 202-109-0 | 91-94-1 | Carc. Cat. 2; R45 Xn; R21 R43 N; R50-53 | T; N R: 45-21-43-50/53 S: 53-45-60-61 | | E |
| 612-069-00-X | salts of 3,3'-dichlorobenzidine; salts of 3,3'-dichlorobiphenyl-4,4'-ylenediamine | — — — | — — — | Carc. Cat. 2; R45 Xn; R21 R43 N; R50-53 | T; N R: 45-21-43-50/53 S: 53-45-60-61 | | AE |
| 612-070-00-5 | salts of benzidine [| 208-519-6 208-520-1 244-236-4 252-984-8 | 531-85-1 531-86-2 21136-70-9 36341-27-2 | Carc. Cat. 1; R45 Xn; R22 N; R50-53 | T; N R: 45-22-50/53 S: 53-45-60-61 | | AE |
| 612-071-00-0 | salts of 2-naphthylamine | 209-030-0 210-313-6 | 553-00-4 612-52-2 | Carc. Cat. 1; R45 Xn; R22 N; R51-53 | T; N R: 45-22-51/53 S: 53-45-61 | | AE |
| 612-072-00-6 | biphenyl-4-ylamine; xenylamine; 4-aminobiphenyl | 202-177-1 | 92-67-1 | Carc. Cat. 1; R45 Xn; R22 | T R: 45-22 S: 53-45 | | E |
| 612-073-00-1 | salts of biphenyl-4-ylamine; salts of xenylamine; salts of 4-aminobiphenyl | — | — | Carc. Cat. 1; R45 Xn; R22 | T R: 45-22 S: 53-45 | | AE |
| 612-074-00-7 | benzyl dimethylamine | 203-149-1 | 103-83-3 | R10 Xn; R20/21/ 22 C; R34 R52-53 | C R: 10-20/21/22-34- 52/53 S: (1/2-)26-36-45-61 | | |
| 612-075-00-2 | 2-aminoethyldimethylamine; 2-dimethylaminoethylamine | 203-541-2 | 108-00-9 | F; R11 Xn; R21/22 C; R35 | F; C R: 11-21/22-35 S: (1/2-)16-23-26-28- 36-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------------------------------|--------------------------------------|--|---|---------------------------------------|-------|
| 612-076-00-8 | ethyldiméthylamine | 209-940-8 | 598-56-1 | F+; R12 ☉ Xn; R20/22 C; R34 | F+; C R: 12-20/22-34 S: (1/2-)3-16-26-36-45 | | |
| 612-077-00-3 | diméthylnitrosoamine; N-nitrosodiméthylamine | 200-549-8 | 62-75-9 | Carc. Cat. 2; R45 T+; R26 T; R25-48/25 N; R51-53 | T+; N R: 45-25-26-48/25-51/53 S: 53-45-61 | Carc. Cat. 2; R45: C ≥ 0,001 % | E |
| 612-078-00-9 | 2,2'-dichloro-4,4'-méthylènedianiline; 4,4'-méthylène bis(2-chloroaniline) | 202-918-9 | 101-14-4 | Carc. Cat. 2; R45 Xn; R22 N; R50-53 | T; N R: 45-22-50/53 S: 53-45-60-61 | | E |
| 612-079-00-4 | salts of 2,2'-dichloro-4,4'-méthylènedianiline; salts of 4,4'-méthylènebis(2-chloroaniline) | — | — | Carc. Cat. 2; R45 Xn; R22 N; R50-53 | T; N R: 45-22-50/53 S: 53-45-60-61 | | AE |
| 612-080-00-X | 4-amino-N,N-diéthylaniline; N,N-diéthyl-p-phénylendiamine | 202-214-1 | 93-05-0 | T; R25 C; R34 | T R: 25-34 S: (1/2-)26-36-45 | | |
| 612-081-00-5 | salts of 4,4'-bi-o-tolidine; salts of 3,3'-diméthylbenzidine; salts of o-tolidine | 210-322-5 265-294-7 277-985-0 | 612-82-8 64969-36-4 74753-18-7 | Carc. Cat. 2; R45 Xn; R22 N; R51-53 | T; N R: 45-22-51/53 S: 53-45-61 | | AE |
| 612-082-00-0 | thiourea; thiocarbamide | 200-543-5 | 62-56-6 | Carc. Cat. 3; R40 Repr. Cat. 3; R63 Xn; R22 N; R51-53 | Xn; N R: 22-40-51/53-63 S: (2-)36/37-61 | | |
| 612-083-00-6 | 1-méthyl-3-nitro-1-nitrosoguanidine | 200-730-1 | 70-25-7 | Carc. Cat. 2; R45 Xn; R20 Xi; R36/38 N; R51-53 | T; N R: 45-20-36/38-51/53 S: 53-45-61 | Carc. Cat. 2; R45: C ≥ 0,01 % | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---|-------|
| 612-084-00-1 | dapsone; 4,4'-diamino diphenyl sulfone | 201-248-4 | 80-08-0 | Xn; R22 | Xn R: 22 S: (2-)22 | | |
| 612-085-00-7 | 4,4'-methylenedi-o-toluidine | 212-658-8 | 838-88-0 | Carc. Cat. 2; R45 Xn; R22 R43 N; R50-53 | T; N R: 45-22-43-50/53 S: 53-45-60-61 | | E |
| 612-086-00-2 | amitraz (ISO); N,N-bis(2,4-xylyliminomethyl) methylamine | 251-375-4 | 33089-61-1 | Xn; R22-48/ 22 R43 N; R50-53 | Xn; N R: 22-43-48/22-50/ 53 S: (2-)22-24-60-36/ 37-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 612-087-00-8 | guazatine (ISO) | | 108173-90-6 | T+; R26 Xn; R21/22 Xi; R37/38- 41 N; R50-53 | T+; N R: 21/22-26-37/38- 41-50/53 S: (1/2-)26-28-36/37/ 39-38-45-46-60-61- 63 | | |
| 612-088-00-3 | simazine (ISO); 6-chloro-N,N'-diethyl-1,3,5-triazine-2,4-diamine | 204-535-2 | 122-34-9 | Carc. Cat. 3; R40 N; R50-53 | Xn; N R: 40-50/53 S: (2-)36/37-46-60-61 | | |
| 612-089-00-9 | 1,5-naphthylenediamine | 218-817-8 | 2243-62-1 | Carc. Cat. 3; R40 N; R50-53 | Xn; N R: 40-50/53 S: (2-)36/37-60-61 | | |
| 612-090-00-4 | 2,2'-(nitrosoimino)bisethanol | 214-237-4 | 1116-54-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | |
| 612-091-00-X | o-toluidine; 2-aminotoluene | 202-429-0 | 95-53-4 | Carc. Cat. 2; R45 T; R23/25 Xi; R36 N; R50 | T; N R: 45-23/25-36-50 S: 53-45-61 | | E |
| 612-092-00-5 | N,N'-(2,2-dimethylpropylidene)hexamethylenediamine | 401-660-6 | 1000-78-8 | Xi; R38 R43 | Xi R: 38-43 S: (2-)24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 612-093-00-0 | 3,5-dichloro-4-(1,1,2,2-tetrafluoroethoxy)aniline | 401-790-3 | 104147-32-2 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)24/25-26-57-60-61 | | |
| 612-094-00-6 | 4-(2-chloro-4-trifluorométhyl)phenoxy-2-fluoroaniline hydrochloride | 402-190-4 | — | T; R48/25 Xn; R22-48/20 Xi; R41 R43 N; R50-53 | T; N R: 22-41-43-48/20-48/25-50/53 S: (1/2-)26-36/37/39-45-60-61 | | |
| 612-095-00-1 | benzyl-2-hydroxydodecyldiméthylammonium benzoate | 402-610-6 | 113694-52-3 | C; R34 Xn; R22 N; R50-53 | C; N R: 22-34-50/53 S: (1/2-)26-28-36/37/39-45-60-61 | | |
| 612-096-00-7 | 4,4'-carbonimidoylbis[N,N-diméthylaniline] | 207-762-5 | 492-80-8 | Carc. Cat. 3; R40 Xn; R22 Xi; R36 N; R51-53 | Xn; N R: 22-36-40-51/53 S: (2-)36/37-61 | | |
| 612-097-00-2 | salts of 4,4'-carbonimidoylbis[N,N-diméthylaniline] | — | — | Carc. Cat. 3; R40 Xn; R22 Xi; R36 N; R51-53 | Xn; N R: 22-36-40-51/53 S: (2-)36/37-61 | | A |
| 612-098-00-8 | nitrosodipropylamine | 210-698-0 | 621-64-7 | Carc. Cat. 2; R45 Xn; R22 N; R51-53 | T; N R: 45-22-51/53 S: 53-45-61 | Carc. Cat. 2; R45: C ≥ 0,001 % | E |
| 612-099-00-3 | 4-méthyl- <i>m</i> -phénylénédiamine; 2,4-toluénédiamine | 202-453-1 | 95-80-7 | Carc. Cat. 2; R45 T; R25 Xn; R21 Xi; R36 R43 N; R51-53 | T; N R: 45-21-25-36-43-51/53 S: 53-45-61 | | E |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------|-----------------------------|---------------------------------------|---|---------------------------------------|-------|
| 612-100-00-7 | propylenediamine | 201-155-9 | 78-90-0 | R10 Xn; R21/22 C; R35 | C R: 10-21/22-35 S: (1/2-)26-37/39-45 | | |
| 612-101-00-2 | methenamine; hexamethylenetetramine | 202-905-8 | 100-97-0 | F; R11 R42/43 | F; Xn R: 11-42/43 S: (2-)16-22-24-37 | | |
| 612-102-00-8 | N,N-bis(3-aminopropyl)methylamine | 203-336-8 | 105-83-9 | T; R23/24 Xn; R22 C; R34 | T R: 22-23/24-34 S: (1/2-)26-36/37/39-45 | | |
| 612-103-00-3 | N,N,N',N'-tetramethylethylenediamine | 203-744-6 | 110-18-9 | F; R11 Xn; R20/22 C; R34 | F; C R: 11-20/22-34 S: (1/2-)16-26-36/37/39-45 | | |
| 612-104-00-9 | hexamethylenediamine | 204-679-6 | 124-09-4 | Xn; R21/22 Xi; R37 C; R34 | C R: 21/22-34-37 S: (1/2-)22-26-36/37/39-45 | | |
| 612-105-00-4 | 2-piperazin-1-ylethylamine | 205-411-0 | 140-31-8 | Xn; R21/22 C; R34 R43 R52-53 | C R: 21/22-34-43-52/53 S: (1/2-)26-36/37/39-45-61 | | |
| 612-106-00-X | 2,6-diethylaniline | 209-445-7 | 579-66-8 | Xn; R22 | Xn R: 22 S: (2-)23-24 | | |
| 612-107-00-5 | 1-phenylethylamine; [1] DL- α -methylbenzylamine [2] | 202-706-6 [1] 210-545-8 [2] | 98-84-0 [1] 618-36-0 [2] | Xn; R21/22 C; R34 | C R: 21/22-34 S: (1/2-)26-28-36/37/39-45 | | |
| 612-108-00-0 | 3-aminopropyltriethoxysilane | 213-048-4 | 919-30-2 | Xn; R22 C; R34 | C R: 22-34 S: (1/2-)26-36/37/39-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 612-109-00-6 | bis(2-diméthylaminoéthyl)(méthyl)amine | 221-201-1 | 3030-47-5 | T; R24 Xn; R22 C; R34 | T R: 22-24-34 S: (1/2-)26-36/37/39-45 | | |
| 612-110-00-1 | 2,2'-diméthyl-4,4'-méthylènebis(cyclohexylamine) | 229-962-1 | 6864-37-5 | T; R23/24 Xn; R22 C; R35 N; R51-53 | T; C; N R: 22-23/24-35-51/53 S: (1/2-)26-36/37/39-45-61 | | |
| 612-111-00-7 | 2-méthyl- <i>m</i> -phénylènediamine; 2,6-toluènediamine | 212-513-9 | 823-40-5 | Muta. Cat. 3; R68 Xn; R21/22 R43 N; R51-53 | Xn; N R: 21/22-43-51/53-68 S: (2-)24-36/37-61 | | |
| 612-112-00-2 | <i>p</i> -anisidine; 4-méthoxyaniline | 203-254-2 | 104-94-9 | T+; R26/27/ 28 R33 N; R50 | T+; N R: 26/27/28-33-50 S: (1/2-)28-36/37-45-61 | | |
| 612-113-00-8 | 6-méthyl-2,4-bis(méthylthio)phénylène-1,3-diamine | 403-240-8 | 106264-79-3 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24-37-60-61 | | |
| 612-114-00-3 | <i>R,R</i> -2-hydroxy-5-(1-hydroxy-2-(4-phénylbut-2-ylamino)éthyl)benzamide hydrogène 2,3-bis(benzoyloxy)succinate | 404-390-7 | — | F; R11 R43 R52-53 | F; Xi R: 11-43-52/53 S: (2-)24-37-61 | | |
| 612-115-00-9 | diméthyl-dioctadécylammonium hydrogène sulfate | 404-050-8 | 123312-54-9 | Xi; R36 R53 | Xi R: 36-53 S: (2-)26-39-61 | | |
| 612-116-00-4 | C ₈₋₁₈ alkylbis(2-hydroxyéthyl)ammonium bis(2-éthylhexyl)phosphate | 404-690-8 | 68132-19-4 | T; R23 C; R34 R43 N; R50-53 | T; N R: 23-34-43-50/53 S: (1/2-)26-36/37/39-45-60-61 | | |
| 612-117-00-X | C ₁₂₋₁₄ — <i>tert</i> -alkylamine, méthylphosphonate de sel | 404-750-3 | 119415-07-5 | Xn; R22 C; R34 N; R51-53 | C; N R: 22-34-51/53 S: (1/2-)26-28-36/37/39-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--|--|---|---|---------------------------------------|-------|
| 612-118-00-5 | A reaction mass of: (1,3-dioxo-2H-benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium 4-toluenesulfonate; (1,3-dioxo-2H-benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium bromide | 405-080-4 | — | Xi; R41 N; R50-53 | X; N R: 41-50/53 S: (2-)22-26-39-60-61 | | |
| 612-119-00-0 | benzyldimethyloctadecylammonium 3-nitrobenzenesulfonate | 405-330-2 | — | Xi; R38-41 N; R50-53 | Xi; N R: 38-41-50/53 S: (2-)26-37/39-60-61 | | |
| 612-120-00-6 | acлонifen (ISO); 2-chloro-6-nitro-3-phenoxyaniline | 277-704-1 | 74070-46-5 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 612-121-00-1 | amines, polyethylenepoly-; HEPA | 268-626-9 | 68131-73-7 | Xn; R21/22 C; R34 R43 N; R50-53 | C; N R: 21/22-34-43-50/ 53 S: (1/2-)26-36/37/39- 45-60-61 | | |
| 612-122-00-7 | hydroxylamine | 232-259-2 | 7803-49-8 | R5 ⊗ Xn; R22-48/ 22 Xi; R37/38- 41 R43 N; R50 | Xn; N R: 5-22-37/38-41-43- 48/22-50 S: (2-)22-26-36/37/ 39-61 | | |
| 612-123-00-2 | hydroxylammonium chloride; hydroxylamine hydrochloride; [1] bis(hydroxylammonium) sulphate; hydroxylamine sulphate (2:1); [2] hydroxylammonium hydrogensulphate; hydroxylamine sulphate (1:1) [3] | 226-798-2 [1] 233-118-8 [2] 233-154-4 [3] | 5470-11-1 [1] 10039-54-0 [2] 10046-00-1 [3] | ⊗ Xn; R22- 48/22 Xi; R36/38 R43 N; R50 | Xn; N R: 22-36/38-43-48/ 22-50 S: (2-)22-24-37-61 | | |
| 612-124-00-8 | N,N,N-trimethylanilinium chloride | 205-319-0 | 138-24-9 | T; R24/25 | T R: 24/25 S: (1/2-)25-39-45-53 | | |
| 612-125-00-3 | 2-methyl-p-phenylenediamine; 2,5-toluenediamine | 202-442-1 | 95-70-5 | T; R25 Xn; R20/21 R43 N; R51-53 | T; N R: 20/21-25-43-51/ 53 S: (1/2-)24-37-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|---|--|--|---|---|-------|
| 612-126-00-9 | toluene-2,4-diammonium sulphate; 4-methyl-m-phenylenediamine sulfate | 265-697-8 | 65321-67-7 | Carc. Cat. 2; R45 T; R25 Xn; R21 Xi; R36 R43 N; R51-53 | T; N R: 45-21-25-36-43-51/53 S: 53-45-61 | | E |
| 612-127-00-4 | 3-aminophenol | 209-711-2 | 591-27-5 | Xn; R20/22 N; R51-53 | Xn; N R: 20/22-51/53 S: (2-)28-61 | | |
| 612-128-00-X | 4-aminophenol | 204-616-2 | 123-30-8 | Muta. Cat. 3; R68 Xn; R20/22 N; R50-53 | Xn; N R: 20/22-50/53-68 S: (2-)28-36/37-60-61 | | |
| 612-129-00-5 | diisopropylamine | 203-558-5 | 108-18-9 | F; R11 Xn; R20/22 C; R34 | F; C R: 11-20/22-34 S: (1/2-)16-26-36/37/39-45 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 612-130-00-0 | 2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediamine; [1] 2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediamine; [2] diethylmethylbenzenediamine [3] | 218-255-3 [1] 218-256-9 [2] 270-877-4 [3] | 2095-01-4 [1] 2095-02-5 [2] 68479-98-1 [3] | Xn; R21/22-48/22 Xi; R36 N; R50-53 | Xn; N R: 21/22-36-48/22-50/53 S: (2-)26-28-36/37/39-60-61 | | C |
| 612-131-00-6 | didecyldimethylammonium chloride | 230-525-2 | 7173-51-5 | Xn; R22 C; R34 | C R: 22-34 S: (2-)26-36/37/39-45 | | |
| 612-132-00-1 | N,N'-diphenyl-p-phenylenediamine; N,N'-diphenyl-1,4-benzenediamine | 200-806-4 | 74-31-7 | R43 R52-53 | Xi R: 43-52/53 S: (2-)24-37-61 | | |
| 612-133-00-7 | (4-ammonio- <i>m</i> -tolyl)ethyl(2-hydroxyethyl)ammonium sulphate; 4-(N-ethyl-N-2-hydroxyethyl)-2-methylphenylenediamine sulphate | 247-162-0 | 25646-77-9 | T; R25 Xn; R48/22 R43 N; R50-53 | T; N R: 25-43-48/22-50/53 S: (1/2-)24-37-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 612-134-00-2 | N-(2-(4-amino-N-ethyl-m-toluidino)ethyl)methanesulphonamide sesquisulphate; 4-(N-ethyl-N-2-methanesulphonylaminoethyl)-2-methylphenylenediamine sesquisulphate monohydrate | 247-161-5 | 25646-71-3 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24-37-60-61 | | |
| 612-135-00-8 | N-2-naphthylaniline; N-phenyl-2-naphthylamine | 205-223-9 | 135-88-6 | Carc. Cat. 3; R40 Xi; R36/38 R43 N; R51-53 | Xn; N R: 36/38-40-43-51/ 53 S: (2-)26-36/37-61 | | |
| 612-136-00-3 | N-isopropyl-N'-phenyl-p-phenylenediamine | 202-969-7 | 101-72-4 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24-37-60-61 | R43: C ≥ 0,1 % | |
| 612-137-00-9 | 4-chloroaniline | 203-401-0 | 106-47-8 | Carc. Cat. 2; R45 T; R23/24/25 R43 N; R50-53 | T; N R: 45-23/24/25-43- 50/53 S: 53-45-60-61 | | E |
| 612-138-00-4 | furalaxyl (ISO); methyl N-(2,6-dimethylphenyl)-N-(2-furylcarbonyl)-DL-alaninate | 260-875-1 | 57646-30-7 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)36/37/39-61 | | |
| 612-139-00-X | mefenacet (ISO); 2-(benzothiazol-2-yloxy)-N-methyl-N-phenylacetamide | 277-328-8 | 73250-68-7 | N; R51-53 | N R: 51/53 S: 61 | | |
| 612-140-00-5 | quaternary ammonium compounds, benzyl-C ₈₋₁₈ -alkyldimethyl, chlorides | 264-151-6 | 63449-41-2 | Xn; R21/22 C; R34 N; R50 | C; N R: 21/22-34-50 S: (2-)36/37/39-45-61 | | |
| 612-141-00-0 | 4,4'-methylenebis(2-ethylaniline); 4,4'-methylenebis(2-ethylbenzeneamine) | 243-420-1 | 19900-65-3 | Carc. Cat. 3; R40 Xn; R22 N; R50-53 | Xn; N R: 22-40-50/53 S: (2-)36/37-60-61 | | |
| 612-142-00-6 | biphenyl-2-ylamine | 201-990-9 | 90-41-5 | Carc. Cat. 3; R40 Xn; R22 R52-53 | Xn R: 22-40-52/53 S: (2-)36/37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 612-143-00-1 | N ⁵ ,N ⁵ -diethyltoluene-2,5-diamine monohydrochloride; 4-diethylamino-2-methylaniline monohydrochloride | 218-130-3 | 2051-79-8 | T; R25 Xi; R36 R43 N; R50-53 | T; N R: 25-36-43-50/53 S: (1/2-)24-26-37-45-60-61 | | |
| 612-144-00-7 | flumetralin (ISO); N-(2-chloro-6-fluorobenzyl)-N-ethyl- α , α -trifluoro-2,6-dinitro- <i>p</i> -toluidine | — | 62924-70-3 | Xi; R36/38 R43 N; R50-53 | Xi; N R: 36/38-43-50/53 S: (2-)36/37-60-61 | | |
| 612-145-00-2 | <i>o</i> -phenylenediamine | 202-430-6 | 95-54-5 | Carc. Cat. 3; R40 Muta. Cat. 3; R68 T; R25 Xn; R20/21 Xi; R36 R43 N; R50-53 | T; N R: 20/21-25-36-40-43-50/53-68 S: (1/2-)28-36/37-45-60-61 | | |
| 612-146-00-8 | <i>o</i> -phenylenediamine dihydrochloride | 210-418-7 | 615-28-1 | Carc. Cat. 3; R40 Muta. Cat. 3; R68 T; R25 Xn; R20/21 Xi; R36 R43 N; R50-53 | T; N R: 20/21-25-36-40-43-50/53-68 S: (1/2-)28-36/37-45-60-61 | | |
| 612-147-00-3 | <i>m</i> -phenylenediamine | 203-584-7 | 108-45-2 | Muta. Cat. 3; R68 T; R23/24/25 Xi; R36 R43 N; R50-53 | T; N R: 23/24/25-36-43-50/53-68 S: (1/2-)28-36/37-45-60-61 | | |
| 612-148-00-9 | <i>m</i> -phenylenediamine dihydrochloride | 208-790-0 | 541-69-5 | Muta. Cat. 3; R68 T; R23/24/25 Xi; R36 R43 N; R50-53 | T; N R: 23/24/25-36-43-50/53-68 S: (1/2-)28-36/37-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|---|---|--|---------------------------------------|-------|
| 612-149-00-4 | 1,3-diphenylguanidine | 203-002-1 | 102-06-7 | Repr. Cat. 3; R62 Xn; R22 Xi; R36/37/ 38 N; R51-53 | Xn; N R: 22-36/37/38-51/ 53-62 S: (2-)26-36/37/39-61 | | |
| 612-150-00-X | spiroxamine (ISO); 8- <i>tert</i> -butyl-1,4-dioxaspiro[4.5]decan-2-ylmethyl(ethyl)(propyl)amine | — | 118134-30-8 | Xn; R20/21/ 22 Xi; R38 R43 N; R50-53 | Xn; N R: 20/21/22-38-43- 50/53 S: (2-)36/37/39-46- 60-61 | | |
| 612-151-00-5 | diaminotoluene, technical product — reaction mass of [2] and [3]; methyl-phenylenediamine; [1] 4-methyl- <i>m</i> -phenylene diamine; [2] 2-methyl- <i>m</i> -phenylene diamine [3] | 246-910-3 [1] 202-453-1 [2] 212-513-9 [3] | 25376-45-8 [1] 95-80-7 [2] 823-40-5 [3] | Carc. Cat. 2; R45 T; R25 Xn; R20/21 Xi; R36 R43 N; R51-53 | T; N R: 45-20/21-25-36- 43-51/53 S: 53-45-61 | | E |
| 612-152-00-0 | <i>N,N</i> -diethyl- <i>N',N'</i> -dimethylpropan-1,3-diyl-diamine | 406-610-7 | 62478-82-4 | R10 Xn; R20/22- 48/20 C; R35 R52-53 | C R: 10-20/22-35-48/ 20-52/53 S: (1/2-)26-28-36/37/ 39-45-61 | | |
| 612-153-00-6 | 4-[<i>N</i> -ethyl- <i>N</i> -(2-hydroxyethyl)amino]-1-(2-hydroxyethyl)amino-2-nitrobenzene, monohydrochloride | 407-020-2 | 132885-85-9 | Xn; R22 R43 R52-53 | Xn R: 22-43-52/53 S: (2-)22-24-37-61 | | |
| 612-154-00-1 | 6'-(isobutylethylamino)-3'-methyl-2'-phenylamino-spiro[isobenzo-2-oxofuran-7,9'-(9 <i>H</i>)]-xanthene] | 410-890-6 | 95235-29-3 | R53 | R: 53 S: 61 | | |
| 612-155-00-7 | 2'-anilino-6'-((3-ethoxypropyl)ethylamino)-3'-methylspiro(isobenzo-3-oxofuran)-1-(1 <i>H</i>)-9'-xanthene | 411-730-8 | 93071-94-4 | R53 | R: 53 S: 61 | | |
| 612-156-00-2 | reaction mass of: trihexadecylmethylammonium chloride; dihexadecyldimethylammonium chloride | 405-620-9 | — | Xi; R41 N; R50-53 | Xi; N R: 41-50/53 S: (2-)26-39-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|---|--|--|---|---------------------------------------|-------|
| 612-157-00-8 | (Z)-1-benzo[b]thien-2-ylethanone oxime hydrochloride | 410-780-8 | — | Xn; R22-48/22 Xi; R41 R43 N; R51-53 | Xn; N R: 22-41-43-48/22-51/53 S: (2-)22-26-36/37/39-61 | | |
| 612-158-00-3 | reaction mass of: bis(5-dodecyl-2-hydroxybenzald-oximate) copper (II) C ₁₂ -alkyl group is branched; 4-dodecylsalicylaldoxime | 410-820-4 | — | R53 | R: 53 S: 61 | | |
| 612-159-00-9 | Reaction products of: trimethylhexamethylene diamine (a mixture of 2,2,4-trimethyl-1,6-hexanediamine and 2,4,4-trimethyl-1,6-hexanediamine, EINECS listed), Epoxide 8 (mono[(C ₁₀ -C ₁₆ -alkyloxy)methyl]oxirane derivatives) and p-toluene-sulfonic acid | 410-880-1 | — | Xn; R22 C; R34 N; R50-53 | C; N R: 22-34-50/53 S: (1/2-)23-26-36/37/39-45-60-61 | | |
| 612-160-00-4 | p-toluidine; 4-aminotoluene; [1] toluidinium chloride; [2] toluidine sulphate (1:1) [3] | 203-403-1 [1] 208-740-8 [2] 208-741-3 [3] | 106-49-0 [1] 540-23-8 [2] 540-25-0 [3] | Carc. Cat. 3; R40 T; R23/24/25 Xi; R36 R43 N; R50 | T; N R: 23/24/25-36-40-43-50 S: (1/2-)28-36/37-45-61 | | |
| 612-161-00-X | 2,6-xylidine; 2,6-dimethylaniline | 201-758-7 | 87-62-7 | Carc. Cat. 3; R40 Xn; R20/21/22 Xi; R37/38 N; R51-53 | Xn; N R: 20/21/22-37/38-40-51/53 S: (2-)23-25-36/37-61 | | |
| 612-162-00-5 | dimethyldioctadecylammonium chloride; DODMAC | 203-508-2 | 107-64-2 | Xi; R41 N; R50-53 | Xi; N R: 41-50/53 S: (2-)24-26-39-46-60-61 | | |
| 612-163-00-0 | metalaxyl-M (ISO); mefenoxam; (R)-2-[(2,6-dimethylphenyl)-methoxyacetyl-amino]propionic acid methyl ester | — | 70630-17-0 | Xn; R22 Xi; R41 | Xn R: 22-41 S: (2-)26-39-46 | | |
| 612-164-00-6 | 2-butyl-2-ethyl-1,5-diaminopentane | 412-700-7 | 137605-95-9 | Xn; R21/22-48/22 C; R34 R43 R52-53 | C R: 21/22-34-43-48/22-52/53 S: (1/2-)26-36/37/39-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 612-165-00-1 | <i>N,N'</i> -diphenyl- <i>N,N'</i> -bis(3-methylphenyl)-(1,1'-diphenyl)-4,4'-diamine | 413-810-8 | 65181-78-4 | N; R51-53 | N R: 51/53 S: 61 | | |
| 612-166-00-7 | reaction mass of: <i>cis</i> -(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1); <i>trans</i> -(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1) | 411-830-1 | 114765-88-7 | Xi; R41 R43 R52-53 | Xi R: 41-43-52/53 S: (2-)24-26-37/39-61 | | |
| 612-167-00-2 | 5-acetyl-3-amino-10,11-dihydro-5 <i>H</i> -dibenz[<i>b,f</i>]azepine-hydrochloride | 410-490-1 | — | Xn; R22-48/22 Xi; R41 R43 N; R51-53 | Xn; N R: 22-41-43-48/22-51/53 S: (2-)22-26-36/37/39-61 | | |
| 612-168-00-8 | 3,5-dichloro-2,6-difluoropyridine-4-amine | 220-630-1 | 2840-00-8 | Xn; R21/22 N; R51-53 | Xn; N R: 21/22-51/53 S: (2-)36/37-61 | | |
| 612-170-00-9 | 4-chlorophenyl cyclopropyl ketone <i>O</i> -(4-aminobenzyl)oxime | 405-260-2 | — | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24-37-60-61 | | |
| 612-171-00-4 | <i>N,N,N',N'</i> -tetraglycidyl-4,4'-diamino-3,3'-diethyldiphenylmethane | 410-060-3 | 130728-76-6 | Muta. Cat. 3; R68 R43 N; R51-53 | Xn; N R: 43-68-51/53 S: (2-)36/37-61 | | |
| 612-172-00-X | 4,4'-methylenebis(<i>N,N'</i> -dimethylcyclohexanamine | 412-840-9 | 13474-64-1 | Xn; R22-48/22 C; R35 R52-53 | C R: 22-35-48/22-52/53 S: (1/2-)26-36/37/39-45-61 | | |
| 612-173-00-5 | lithium 1-amino-4-(4- <i>tert</i> -butylanilino)anthraquinone-2-sulfonate | 411-140-0 | 125328-86-1 | Xi; R41 R43 N; R51-53 | Xi; N R: 41-43-51/53 S: (2-)22-26-36/37/39-61 | | |
| 612-174-00-0 | 4,4-dimethoxybutylamine | 407-690-6 | 19060-15-2 | Xn; R22 C; R34 R43 R52-53 | C R: 22-34-43-52/53 S: (1/2-)26-36/37/39-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---|---------------------------------------|-------|
| 612-175-00-6 | 2-(O-aminooxy)ethylamine dihydrochloride | 412-310-7 | 37866-45-8 | R43 R52-53 | Xi R: 43-52/53 S: (2-)24-37-61 | | |
| 612-176-00-1 | Polymer of 1,3-dibromopropane and N,N-diethyl-N',N'-dimethyl-1,3-propanediamine | 410-570-6 | 143747-73-3 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 612-177-00-7 | 2-naphthylamino-6-sulfomethylamide | 412-120-4 | 104295-55-8 | Xn; R48/22 R43 N; R51-53 | Xn; N R: 43-48/22-51/53 S: (2-)22-36/37-61 | | |
| 612-178-00-2 | 1,4,7,10-tetraazacyclododecane disulfate | 412-080-8 | 112193-77-8 | Xn; R22 Xi; R37-41 R52-53 | Xn R: 22-37-41-52/53 S: (2-)26-36/37/39-61 | | |
| 612-179-00-8 | 1-(2-propenyl)pyridinium chloride | 412-740-5 | 25965-81-5 | Xn; R22 R43 | Xn R: 22-43 S: (2-)24-37 | | |
| 612-180-00-3 | 3-aminobenzylamine | 412-230-2 | 4403-70-7 | Xn; R22 C; R34 N; R51-53 | C; N R: 22-34-51/53 S: (1/2-)22-26-36/37/ 39-45-61 | | |
| 612-181-00-9 | 2-phenylthioaniline | 413-030-8 | 1134-94-7 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 612-182-00-4 | 1-ethyl-1-methylmorpholinium bromide | 418-210-1 | 65756-41-4 | Muta. Cat. 3; R68 | Xn R: 68 S: (2-)36/37 | | |
| 612-183-00-X | 1-ethyl-1-methylpyrrolidinium bromide | 418-200-5 | 69227-51-6 | Muta. Cat. 3; R68 | Xn R: 68 S: (2-)36/37 | | |
| 612-184-00-5 | 6'-(dibutylamino)-3'-methyl-2'-(phenylamino)spiro[isobenzofuran-1(3H),9-(9H)-xanthen]-3-one | 403-830-5 | 89331-94-2 | R52-53 | R: 52/53 S: 61 | | |
| 612-185-00-0 | 1-[3-[4-((heptadecafluorononyl)oxy)-benzamido]propyl]-N,N,N-trimethylammonium iodide | 407-400-8 | 59493-72-0 | Xi; R41 N; R50-53 | Xi; N R: 41-50/53 S: (2-)26-39-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---------------------------------------|-------|
| 612-186-00-6 | bis(N-(7-hydroxy-8-methyl-5-phenylphenazin-3-ylidene)dimethylammonium) sulfate | 406-770-8 | 149057-64-7 | Xn; R48/22 Xi; R41 R43 N; R50-53 | Xn; N R: 41-43-48/22-50/53 S: (2-)22-26-36/37/39-60-61 | | |
| 612-187-00-1 | 2,3,4-trifluoroaniline | 407-170-9 | 3862-73-5 | Xn; R21/22-48/22 Xi; R38-41 N; R51-53 | Xn; N R: 21/22-38-41-48/22-51/53 S: (2-)23-26-36/37/39-61 | | |
| 612-188-00-7 | 4,4'-(9H-fluoren-9-ylidene)bis(2-chloroaniline) | 407-560-9 | 107934-68-9 | N; R51-53 | N R: 51/53 S: 61 | | |
| 612-189-00-2 | 4-amino-2-(aminomethyl)phenol dihydrochloride | 412-510-4 | 135043-64-0 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)22-24-37-60-61 | | |
| 612-190-00-8 | 4,4'-methylenebis(2-isopropyl-6-methylaniline) | 415-150-6 | 16298-38-7 | Xn; R48/22 N; R51-53 | Xn; N R: 48/22-51/53 S: (2-)36-61 | | |
| 612-191-00-3 | Polymer of allylamine hydrochloride | 415-050-2 | 71550-12-4 | Xn; R22 R43 | Xn R: 22-43 S: (2-)36/37 | | |
| 612-192-00-9 | 2-isopropyl-4-(N-methyl)aminomethylthiazole | 414-800-6 | 154212-60-9 | Xn; R21/22 Xi; R38-41 N; R51-53 | Xn; N R: 21/22-38-41-51/53 S: (2-)26-36/37/39-61 | | |
| 612-193-00-4 | 3-methylaminomethylphenylamine | 414-570-7 | 18759-96-1 | Xn; R21/22 C; R34 R43 N; R50-53 | C; N R: 21/22-34-43-50/53 S: (1/2-)26-36/37/39-45-60-61 | | |
| 612-194-00-X | 2-hydroxy-3-[(2-hydroxyethyl)-[2-(1-oxotetradecyl)amino]ethyl]amino]-N,N,N-trimethyl-1-propanammonium chloride | 414-670-0 | 141890-30-4 | Xn; R22 Xi; R41 N; R50-53 | Xn; N R: 22-41-50/53 S: (2-)26-39-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|-----------------------------------|---|--|---------------------------------------|-------|
| 612-195-00-5 | bis[tributyl 4-(methylbenzyl)ammonium] 1,5-naphthalenedi-sulfonate | 415-210-1 | 160236-81-7 | Xn; R20/22 Xi; R41 N; R50-53 | Xn; N R: 20/22-41-50/53 S: (2-)26-36/39-60-61 | | |
| 612-196-00-0 | 4-chloro- <i>o</i> -toluidine; [1] 4-chloro- <i>o</i> -toluidine hydrochloride [2] | 202-441-6 [1] 221-627-8 [2] | 95-69-2 [1] 3165-93-3 [2] | Carc. Cat. 2; R45 Muta. Cat. 3; R68 T; R23/24/25 N; R50-53 | T; N R: 45-23/24/25-68- 50/53 S: 53-45-60-61 | | E |
| 612-197-00-6 | 2,4,5-trimethylaniline; [1] 2,4,5-trimethylaniline hydrochloride [2] | 205-282-0 [1] - [2] | 137-17-7 [1] 21436-97-5 [2] | Carc. Cat. 2; R45 T; R23/24/25 N; R51-53 | T; N R: 45-23/24/25-51/ 53 S: 53-45-61 | | E |
| 612-198-00-1 | 4,4'-thiodianiline and its salts | 205-370-9 | 139-65-1 | Carc. Cat. 2; R45 Xn; R22 N; R51-53 | T; N R: 45-22-51/53 S: 53-45-61 | | E |
| 612-199-00-7 | 4,4'-oxydianiline and its salts; <i>p</i> -aminophenyl ether | 202-977-0 | 101-80-4 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 3; R62 T; R23/24/25 N; R51-53 | T; N R: 45-46-23/24/25- 62-51/53 S: 53-45-61 | | E |
| 612-200-00-0 | 2,4-diaminoanisole; 4-methoxy- <i>m</i> -phenylenediamine; [1] 2,4-diaminoanisole sulphate [2] | 210-406-1 [1] 254-323-9 [2] | 615-05-4 [1] 39156-41-7 [2] | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R22 N; R51-53 | T; N R: 45-22-68-51/53 S: 53-45-61 | | E |
| 612-201-00-6 | <i>N,N,N',N'</i> -tetramethyl-4,4'-methylenedianiline | 202-959-2 | 101-61-1 | Carc. Cat. 2; R45 N; R50-53 | T; N R: 45-50/53 S: 53-45-60-61 | | |
| 612-202-00-1 | 3,4-dichloroaniline | 202-448-4 | 95-76-1 | T; R23/24/25 Xi; R41 R43 N; R50-53 | T; N R: 23/24/25-41-43- 50/53 S: (1/2-)26-36/37/39- 45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------|-------------------------------|---|---|---------------------------------------|-------|
| 612-204-00-2 | C.I. Basic Violet 3; 4-[4,4'-bis(diméthylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]diméthylammonium chloride | 208-953-6 | 548-62-9 | Carc. Cat. 3; R40 Xn; R22 Xi; R41 N; R50-53 | Xn; N R: 22-40-41-50/53 S: (2-)26-36/37/39-46-60-61 | | |
| 612-205-00-8 | C.I. Basic Violet 3 with ≥ 0.1 % of Michler's ketone (EC no. 202-027-5) | 208-953-6 | 548-62-9 | Carc. Cat. 2; R45 Xn; R22 Xi; R41 N; R50-53 | T; N R: 45-22-41-50/53 S: 53-45-60-61 | | E |
| 612-206-00-3 | famoxadone (ISO); 3-anilino-5-méthyl-5-(4-phénoxyphényl)-1,3-oxazolidine-2,4-dione | — | 131807-57-3 | Xn; R48/22 N; R50-53 | Xn; N R: 48/22-50/53 S: (2-)46-60-61 | | |
| 612-207-00-9 | 4-éthoxyaniline; <i>p</i> -phénétidine | 205-855-5 | 156-43-4 | Muta. Cat. 3; R68 Xn; R20/21/ 22 Xi; R36 R43 | Xn R: 20/21/22-36-43-68 S: (2-)36/37-46 | | |
| 612-209-00-X | 6-méthoxy- <i>m</i> -toluidine; <i>p</i> -cresidine | 204-419-1 | 120-71-8 | Carc. Cat. 2; R45 Xn; R22 | T R: 45-22 S: 53-45 | | E |
| 612-210-00-5 | 5-nitro- <i>o</i> -toluidine; [1] 5-nitro- <i>o</i> -toluidine hydrochloride [2] | 202-765-8 [1] 256-960-8 [2] | 99-55-8 [1] 51085-52-0 [2] | Carc. Cat. 3; R40 T; R23/24/25 R52-53 | T R: 23/24/25-40-52/53 S: (1/2-)36/37-45-61 | | |
| 612-211-00-0 | N-[(benzotriazole-1-yl)méthyl]-4-carboxybenzenesulfonamide | 416-470-9 | 170292-97-4 | Xi; R36 N; R51-53 | Xi; N R: 36-51/53 S: (2-)26-61 | | |
| 612-212-00-6 | 2,6-dichloro-4-trifluorométhylaniline | 416-430-0 | 24279-39-8 | Xn; R20/22 Xi; R38 R43 N; R50-53 | Xn; N R: 20/22-38-43-50/53 S: (2-)24-37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 612-213-00-1 | isobutylidene-(2-(2-isopropyl-4,4-diméthylloxazolidine-3-yl)-1,1-diméthylethyl)amine | 419-850-2 | 148348-13-4 | C; R34 R52-53 | C R: 34-52/53 S: (1/2-)23-26-36/37/ 39-45-61 | | |
| 612-214-00-7 | 4-(2,2-diphényléthényl)-N,N-di-phénylbenzenamine | 421-390-2 | 89114-90-9 | R53 | R: 53 S: 61 | | |
| 612-215-00-2 | 3-chloro-2-(isopropylthio)aniline | 421-700-6 | 179104-32-6 | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)37-61 | | |
| 612-217-00-3 | 1-méthoxy-2-propylamine | 422-550-4 | 37143-54-7 | F; R11 C; R34 Xn; R22 R52-53 | F; C R: 11-22-34-52/53 S: (1/2-)9-26-36/37/ 39-45-61 | | |
| 613-001-00-1 | éthylèneimine; aziridine | 205-793-9 | 151-56-4 | F; R11 Carc. Cat. 2; R45 Muta. Cat. 2; R46 T+; R26/27/ 28 C; R34 N; R51-53 | F; T+; N R: 45-46-11-26/27/ 28-34-51/53 S: 53-45-61 | | D E |
| 613-002-00-7 | pyridine | 203-809-9 | 110-86-1 | F; R11 Xn; R20/21/ 22 | F; Xn R: 11-20/21/22 S: (2-)26-28 | Xn; R20/21/22: C ≥ 5 % | |
| 613-003-00-2 | 1,2,3,4-tétranitrocarbazole | — | 6202-15-9 | E ⊗ R1 Xn; R20/21/ 22 | E; Xn R: 1-20/21/22 S: (2-)35 | | |
| 613-004-00-8 | crimidine (ISO); 2-chloro-6-méthylpyrimidin-4-yl-diméthylamine | 208-622-6 | 535-89-7 | T+; R28 | T+ R: 28 S: (1/2-)36/37-45 | | |
| 613-007-00-4 | desmetryne (ISO); 6-isopropylamino-2-méthylamino-4-méthylthio-1,3,5-triazine | 213-800-1 | 1014-69-3 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)36/37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---|-------|
| 613-008-00-X | dazomet (ISO); tetrahydro-3,5-diméthyl-1,3,5-thiadiazine-2-thione | 208-576-7 | 533-74-4 | Xn; R22 Xi; R36 N; R50-53 | Xn; N R: 22-36-50/53 S: (2-)15-22-24-60-61 | | |
| 613-009-00-5 | 2,4,6-trichloro-1,3,5-triazine; cyanuric chloride | 203-614-9 | 108-77-0 | R14 T+; R26 Xn; R22 C; R34 R43 | T+; R: 14-22-26-34-43 S: (1/2-)26-28-36/37/ 39-45-46-63 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 613-010-00-0 | ametryn (ISO); 2-éthylamino-4-isopropylamino-6-méthylthio-1,3,5-triazine | 212-634-7 | 834-12-8 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)36-60-61 | | |
| 613-011-00-6 | amitrole (ISO); 1,2,4-triazol-3-ylamine | 200-521-5 | 61-82-5 | Repr. Cat. 3; R63 Xn; R48/22 N; R51-53 | Xn; N R: 48/22-63-51/53 S: (2-)13-36/37-61 | | |
| 613-012-00-1 | bentazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide | 246-585-8 | 25057-89-0 | Xn; R22 Xi; R36 R43 R52-53 | Xn R: 22-36-43-52/53 S: (2-)24-37-61 | | |
| 613-013-00-7 | cyanazine (ISO); 2-(4-chloro-6-éthylamino-1,3,5-triazine-2-ylamino)-2-méthylpropionitrile | 244-544-9 | 21725-46-2 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)37-60-61 | | |
| 613-014-00-2 | ethoxyquin (ISO); 6-éthoxy-1,2-dihydro-2,2,4-triméthylquinoline | 202-075-7 | 91-53-2 | Xn; R22 | Xn R: 22 S: (2-)24 | | |
| 613-015-00-8 | fenazaflor (ISO); phényl 5,6-dichloro-2-trifluorométhylbenzimidazole-1-carboxylate | 238-134-9 | 14255-88-0 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)36/37-60-61 | | |
| 613-016-00-3 | fuberidazole (ISO); 2-(2-furyl)benzimidazole | 223-404-0 | 3878-19-1 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)22-60-61 | | |
| 613-017-00-9 | bis (8-hydroxyquinolinium) sulphate | 205-137-1 | 134-31-6 | Xn; R22 | Xn R: 22 S: (2-)36 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---|-------|
| 613-018-00-4 | morfamquat (ISO); 1,1'-bis(3,5-dimethylmorpholinocarbonylmethyl)-4,4'-bipyridilium ion | — | 7411-47-4 | Xn; R22 Xi; R36/37/38 R52-53 | Xn R: 22-36/37/38-52/53 S: (2-)22-36-61 | | |
| 613-019-00-X | thioquinox (ISO); 2-thio-1,3-dithiolo(4,5,b)quinoxaline | 202-272-8 | 93-75-4 | Xn; R22 | Xn R: 22 S: (2-)24 | | |
| 613-020-00-5 | tridemorph (ISO); 2,6-dimethyl-4-tridecylmorpholine | 246-347-3 | 24602-86-6 | Repr. Cat. 2; R61 Xn; R20/22 Xi; R38 N; R50-53 | T; N R: 61-20/22-38-50/53 S: 53-45-60-61 | E | |
| 613-021-00-0 | dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile | 222-098-6 | 3347-22-6 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)24-60-61 | | |
| 613-022-00-6 | pyrethrins including cinerins, with the exception of those specified elsewhere in this Annex | — | — | Xn; R20/21/22 N; R50-53 | Xn; N R: 20/21/22-50/53 S: (2-)13-60-61 | A | |
| 613-023-00-1 | 2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl [1R-[1 α [S*(Z)],3 β]]-chrysanthemate; pyrethrin I | 204-455-8 | 121-21-1 | Xn; R20/21/22 N; R50-53 | Xn; N R: 20/21/22-50/53 S: (2-)13-60-61 | | |
| 613-024-00-7 | 2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl[1R-[1 α [S*(Z)](3 β)]-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate; pyrethrin II | 204-462-6 | 121-29-9 | Xn; R20/21/22 N; R50-53 | Xn; N R: 20/21/22-50/53 S: (2-)13-60-61 | | |
| 613-025-00-2 | cinerin I; 3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate | 246-948-0 | 25402-06-6 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 613-026-00-8 | cinerin II; 3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)cyclopropanecarboxylate | 204-454-2 | 121-20-0 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 613-027-00-3 | piperidine | 203-813-0 | 110-89-4 | F; R11 T; R23/24 C; R34 | F; T R: 11-23/24-34 S: (1/2-)16-26-27-45 | T; R23/24: C \geq 5 % Xn; R20/21: 1 % \leq C < 5 % C; R34: C \geq 5 % Xi; R36/38: 1 % \leq C < 5 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|--------------------------------------|---|--|--|-------|
| 613-028-00-9 | morpholine | 203-815-1 | 110-91-8 | R10 Xn; R20/21/ 22 C; R34 | C R: 10-20/21/22-34 S: (1/2-)23-36-45 | C; R34: C ≥ 10 % Xi; R36/38: 1 % ≤ C < 10 % | |
| 613-029-00-4 | dichloro-1,3,5-triazinetrione; dichloroisocyanuric acid | 220-487-5 | 2782-57-2 | O; R8 Xn; R22 R31 Xi; R36/37 N; R50-53 | O; Xn; N R: 8-22-31-36/37-50/ 53 S: (2-)8-26-41-60-61 | | |
| 613-030-00-X | troclosene potassium; [1] troclosene sodium [2] | 218-828-8 [1] 220-767-7 [2] | 2244-21-5 [1] 2893-78-9 [2] | O; R8 ⊗ Xn; R22 R31 Xi; R36/37 N; R50-53 | O; Xn; N R: 8-22-31-36/37-50/ 53 S: (2-)8-26-41-60-61 | Xn; R22: C ≥ 10 % Xi; R36/37: C ≥ 10 % R31: C ≥ 10 % | |
| 613-030-01-7 | troclosene sodium, dihydrate | 220-767-7 | 51580-86-0 | Xn; R22 R31 Xi; R36/37 N; R50-53 | Xn; N R: 22-31-36/37-50/ 53 S: (2-)8-26-41-60-61 | | |
| 613-031-00-5 | symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetriion | 201-782-8 | 87-90-1 | O; R8 Xn; R22 Xi; R36/37 R31 N; R50-53 | O; Xn; N R: 8-22-31-36/37-50/ 53 S: (2-)8-26-41-60-61 | | |
| 613-032-00-0 | methyl-2,3,5,6-tetrachloro-4-pyridylsulphone; 2,3,5,6-tetrachloro-4-(methylsulphonyl)pyridine | 236-035-5 | 13108-52-6 | Xn; R21/22 Xi; R36 R43 | Xn R: 21/22-36-43 S: (2-)26-28 | | |
| 613-033-00-6 | 2-methylaziridine; propyleneimine | 200-878-7 | 75-55-8 | F; R11 Carc. Cat. 2; R45 T+; R26/27/ 28 Xi; R41 N; R51-53 | F; T+; N R: 45-11-26/27/28- 41-51/53 S: 53-45-61 | Carc. Cat. 2; R45: C ≥ 0,01 % | E |
| 613-034-00-1 | 1,2-dimethylimidazole | 217-101-2 | 1739-84-0 | Xn; R22 Xi; R38-41 | Xn R: 22-38-41 S: (2-)24-26 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|--------------------------------------|--|--|---|---------------------------------------|-------|
| 613-035-00-7 | 1-methylimidazole | 210-484-7 | 616-47-7 | Xn; R21/22 C; R34 | C R: 21/22-34 S: (1/2-)26-36-45 | | |
| 613-036-00-2 | 2-methylpyridine; 2-picoline | 203-643-7 | 109-06-8 | R10 Xn; R20/21/ 22 Xi; R36/37 | Xn R: 10-20/21/22-36/ 37 S: (2-)26-36 | | |
| 613-037-00-8 | 4-methylpyridine; 4-picoline | 203-626-4 | 108-89-4 | R10 T; R24 Xn; R20/22 Xi; R36/37/ 38 | T R: 10-20/22-24-36/ 37/38 S: (1/2-)26-36-45 | | |
| 613-038-00-3 | 6-phenyl-1,3,5-triazine-2,4-diyldiamine; 6-phenyl-1,3,5-triazine-2,4-diamine; benzoguanamine | 202-095-6 | 91-76-9 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)61 | | |
| 613-039-00-9 | ethylene thiourea; imidazolidine-2-thione; 2-imidazoline-2-thiol | 202-506-9 | 96-45-7 | Repr. Cat. 2; R61 Xn; R22 | T R: 61-22 S: 53-45 | | E |
| 613-040-00-4 | azaconazole (ISO); 1-[[2-(2,4-dichlorophenyl)-1,3-dioxolan-2-yl]methyl]-1H- 1,2,4-triazole | 262-102-3 | 60207-31-0 | Xn; R22 | Xn R: 22 S: (2-)46 | | |
| 613-041-00-X | morpholine-4-carbonyl chloride | 239-213-0 | 15159-40-7 | R14 Carc. Cat. 3; R40 Xi; R36/38 | Xn R: 14-36/38-40 S: (2-)26-30-36-38 | | |
| 613-042-00-5 | imazalil (ISO); 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole | 252-615-0 | 35554-44-0 | Xn; R20/22 Xi; R41 N; R50-53 | Xn; N R: 20/22-41-50/53 S: (2-)26-39-60-61 | | |
| 613-043-00-0 | imazalil sulphate (ISO) powder; 1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate; [1] (±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazo- lium hydrogen sulphate [2] | 261-351-5 [1] 281-291-3 [2] | 58594-72-2 [1] 83918-57-4 [2] | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24/25-37-46- 60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--------------------------------|----------------------------------|---|--|---|-------|
| 613-043-01-8 | imazalil sulphate (ISO), aqueous solution; 1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate; [1] (±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate [2] | 261-351-5 [1] 281-291-3 [2] | 58594-72-2 [1] 83918-57-4 [2] | Xn; R22 C; R34 R43 N; R50-53 | C; N R: 22-34-43-50/53 S: (2-)26-36/37/39-45-60-61 | C; R34: C ≥ 50 % Xi; R38: 30 % ≤ C < 50 % Xi; R41: 15 % ≤ C < 50 % Xi; R36: 5 % ≤ C < 15 % | |
| 613-044-00-6 | captan (ISO); 1,2,3,6-tetrahydro-N-(trichloromethylthio)phthalimide | 205-087-0 | 133-06-2 | Carc. Cat. 3; R40 T; R23 Xi; R41 R43 N; R50 | T; N R: 23-40-41-43-50 S: (1/2-)26-29-36/37/39-45-61 | | |
| 613-045-00-1 | folpet (ISO); N-(trichloromethylthio)phthalimide | 205-088-6 | 133-07-3 | Carc. Cat. 3; R40 Xn; R20 Xi; R36 R43 N; R50 | Xn; N R: 20-36-40-43-50 S: (2-)36/37-46-61 | | |
| 613-046-00-7 | captafol (ISO); 1,2,3,6-tetrahydro-N-(1,1,2,2-tetrachloroethylthio)phthalimide | 219-363-3 | 2425-06-1 | Carc. Cat. 2; R45 R43 N; R50-53 | T; N R: 45-43-50/53 S: 53-45-60-61 | | |
| 613-047-00-2 | 1-dimethylcarbamoyl-5-methylpyrazol-3-yl dimethylcarbamate; dimetilan (ISO) | 211-420-0 | 644-64-4 | T; R25 Xn; R21 N; R50-53 | T; N R: 21-25-50/53 S: (1/2-)36/37-45-60-61 | | |
| 613-048-00-8 | carbendazim (ISO); methyl benzimidazol-2-ylcarbamate | 234-232-0 | 10605-21-7 | Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 N; R50-53 | T; N R: 46-60-61-50/53 S: 53-45-60-61 | | |
| 613-049-00-3 | benomyl (ISO); methyl 1-(butylcarbamoyl)benzimidazol-2-ylcarbamate | 241-775-7 | 17804-35-2 | Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 Xi; R37/38 R43 N; R50-53 | T; N R: 46-60-61-37/38-43-50/53 S: 53-45-60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---|-------|
| 613-050-00-9 | carbadox (INN); methyl 3-(quinoxalin-2-ylmethylene)carbazate 1,4-dioxide; 2-(methoxycarbonylhydrazonomethyl)quinoxaline 1,4-dioxide | 229-879-0 | 6804-07-5 | F; R11 Carc. Cat. 2; R45 Xn; R22 | F; T R: 45-11-22 S: 53-45 | | E |
| 613-051-00-4 | molinate (ISO); S-ethyl 1-perhydroazepinecarbothioate; S-ethyl perhydroazepine-1-carbothioate | 218-661-0 | 2212-67-1 | Carc. Cat. 3; R40 Repr. Cat. 3; R62 Xn; R20/ 2248/22 R43 N; R50-53 | Xn; N R: 20/22-40-43-48/ 22-62-50/53 S: (2-)36/37-46-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 613-052-00-X | trifenmorph (ISO); 4-tritylmorpholine | 215-812-2 | 1420-06-0 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 613-053-00-5 | anilazine (ISO); 2-chloro-N-(4,6-dichloro-1,3,5-triazin-2-yl)aniline | 202-910-5 | 101-05-3 | Xi; R36/38 N; R50-53 | Xi; N R: 36/38-50/53 S: (2-)22-60-61 | | |
| 613-054-00-0 | thiabendazol (ISO); 2-(thiazole-4-yl)benzimidazole | 205-725-8 | 148-79-8 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-056-00-1 | 1,2-dimethyl-3,5-diphenylpyrazolium methylsulphate; difenzoquat methyl sulfate | 256-152-5 | 43222-48-6 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 613-057-00-7 | dodemorph (ISO); 4-cyclododecyl-2,6-dimethylmorpholine | 216-474-9 | 1593-77-7 | Xi; R36/37/ 38 N; R51-53 | Xi; N R: 36/37/38-51/53 S: (2-)26-61 | | |
| 613-058-00-2 | permethrin (ISO); m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 258-067-9 | 52645-53-1 | Xn; R20/22 R43 N; R50-53 | Xn; N R: 20/22-43-50/53 S: (2-)13-24-36/37/ 39-60-61 | N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 % | |
| 613-059-00-8 | profluralin (ISO); N-(cyclopropylmethyl)-α, α,α-trifluoro-2,6-dinitro-N-propyl-p-toluidine | 247-656-6 | 26399-36-0 | Xi; R36 N; R50-53 | Xi; N R: 36-50/53 S: (2-)60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|-----------------------------------|--|---------------------------------------|-------|
| 613-060-00-3 | resmethrin (ISO); 5-benzyl-3-furylmethyl (±)- <i>cis-trans</i> -chrysanthemate | 233-940-7 | 10453-86-8 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60/61 | | |
| 613-061-00-9 | 6-(1α,5αβ,8αβ,9-pentahydroxy-7β-isopropyl-2β,5β,8β-trimethylperhydro-8ba,9-epoxy-5,8-ethanocyclopenta[1,2-b]indenylo) pyrrole-2-carboxylate; ryania | 239-732-2 | 15662-33-6 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)36/37-60-61 | | |
| 613-062-00-4 | sabadilla (ISO); veratrine | — | 8051-02-3 | Xi; R36/37/ 38 | Xi R: 36/37/38 S: (2-)36/37/39 | | |
| 613-063-00-X | secbumeton (ISO); 2- <i>sec</i> -butylamino-4-ethylamino-6-methoxy-1,3,5-triazine | 247-554-1 | 26259-45-0 | Xn; R22 Xi; R36 N; R50-53 | Xn; N R: 22-36-50/53 S: (2-)60-61 | | |
| 613-064-00-5 | 5-(3,6,9-trioxa-2-undecyloxy)benzo(d)-1,3-dioxolane; sesamex | — | 51-14-9 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 613-065-00-0 | simetryn (ISO); 2,4-bis(ethylamino)-6-methylthio-1,3,5-triazine | 213-801-7 | 1014-70-6 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 613-066-00-6 | terbumeton (ISO); 2- <i>tert</i> -butylamino-4-ethylamino-6-methoxy-1,3,5-triazine | 251-637-8 | 33693-04-8 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 613-067-00-1 | propazine (ISO); 2-chloro-4,6-bis(isopropylamino)-1,3,5-triazine | 205-359-9 | 139-40-2 | Carc. Cat. 3; R40 N; R50-53 | Xn; N R: 40-50/53 S: (2-)36/37-60-61 | | |
| 613-068-00-7 | atrazine (ISO); 2-chloro-4-ethylamine-6-isopropylamine-1,3,5-triazine | 217-617-8 | 1912-24-9 | Xn; R48/22 R43 N; R50-53 | Xn; N R: 43-48/22-50/53 S: (2-)36/37-60-61 | | |
| 613-069-00-2 | ε-caprolactam | 203-313-2 | 105-60-2 | Xn; R20/22 Xi; R36/37/ 38 | Xn R: 20/22-36/37/38 S: (2-) | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---------------------------------------|-------|
| 613-070-00-8 | propylenethiourea | — | 2122-19-2 | Repr. Cat. 3; R63 Xn; R22 R52-53 | Xn R: 22-52/53-63 S: (2-)36/37-46-61 | | |
| 613-071-00-3 | 2-fluoro-5-trifluorométhylpyridine | 400-290-2 | 69045-82-5 | R10 R43 R52-53 | Xi R: 10-43-52/53 S: (2-)24-37-61 | | |
| 613-072-00-9 | N,N-bis(2-éthylhexyl)-((1,2,4-triazol-1-yl)méthyl)amine | 401-280-0 | 91273-04-0 | C; R34 R43 N; R51-53 | C; N R: 34-43-51/53 S: (1/2-)26-28-36/37/ 39-45-61 | | |
| 613-073-00-4 | N,N-diméthyl-2-(3-(4-chlorophenyl)-4,5-dihydropyrazol-1-yl)phénylsulfonyl)éthylamine | 401-410-6 | 10357-99-0 | Xn; R48/22 R43 N; R51-53 | Xn; N R: 43-48/22-51/53 S: (2-)24-37-61 | | |
| 613-074-00-X | 3-(3-méthylpent-3-yl)isoxazol-5-ylamine | 401-460-9 | 82560-06-3 | T; R23/25 Xi; R41 R52-53 | T R: 23/25-41-52/53 S: (1/2-)22-26-36/37/ 39-45-61 | | |
| 613-075-00-5 | 1,3-dichloro-5-éthyl-5-méthylimidazolidine-2,4-dione | 401-570-7 | 89415-87-2 | O; R8 T; R23 C; R34 Xn; R22 R43 N; R50 | O; T; N R: 8-22-23-34-43-50 S: (1/2-)8-26-36/37/ 39-45-61 | | |
| 613-076-00-0 | 3-chloro-5-trifluorométhyl-2-pyridylamine | 401-670-0 | 79456-26-1 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)61 | | |
| 613-077-00-6 | reaction mass of 5-heptyl-1,2,4-triazol-3-ylamine and 5-nonyl-1,2,4-triazol-3-ylamine | 401-940-8 | — | Xn; R22 Xi; R36 N; R51-53 | Xn; N R: 22-36-51/53 S: (2-)22-26-61 | | |
| 613-078-00-1 | N,N,N,N-tetrakis(4,6-bis(butyl-(N-méthyl-2,2,6,6-tétraméthylpiperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine | 401-990-0 | 106990-43-6 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)22-24-37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---------------------------------------|-------|
| 613-079-00-7 | 4-(1(or 4 or 5 or 6)-methyl-8,9,10-trinorborn-5-en-2-yl)pyridine, reaction mass of isomers | 402-520-7 | — | Xn; R21/22 Xi; R38 R43 N; R50-53 | Xn; N R: 21/22-38-43-50/ 53 S: (2-)36/37-60-61 | | |
| 613-080-00-2 | 3-(bis(2-ethylhexyl)aminomethyl)benzothiazole-2(3H)-thione | 402-540-6 | 105254-85-1 | C; R34 R43 N; R50-53 | C; N R: 34-43-50/53 S: (1/2-)26-28-36/37/ 39-45-60-61 | | |
| 613-081-00-8 | 1-butyl-2-methylpyridinium bromide | 402-680-8 | 26576-84-1 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)61 | | |
| 613-082-00-3 | 2-methyl-1-pentylpyridinium bromide | 402-690-2 | — | Xn; R21/22 R52-53 | Xn R: 21/22-52/53 S: (2-)36/37-61 | | |
| 613-083-00-9 | 2-(4-(3-(4-chlorophenyl)-2-pyrazolin-1-yl)phenylsulfonyl)ethyldimethylammonium formate | 402-120-2 | — | C; R34 Xn; R48/22 R43 N; R50-53 | C; N R: 34-43-48/22-50/ 53 S: (1/2-)24-26-28-37/ 39-45-60-61 | | |
| 613-084-00-4 | 2-(4-(3-(4-chlorophenyl)-4,5-dihydropyrazolyl)phenylsulphonyl)ethyldimethylammonium hydrogen phosphonate | 402-490-5 | 106359-93-7 | Xi; R36 N; R50-53 | Xi; N R: 36-50/53 S: (2-)26-60-61 | | |
| 613-085-00-X | reaction mass of 1,1'-(methylenebis(4,1-phenylene))dipyrrole-2,5-dione and N-(4-(4-(2,5-dioxopyrrol-1-yl)benzyl)phenyl)acetamide and 1-(4-(4-(5-oxo-2H-2-furylidenamino)benzyl)phenyl)pyrrole-2,5-dione | 401-970-1 | — | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 613-086-00-5 | caffeine | 200-362-1 | 58-08-2 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 613-087-00-0 | tetrahydrothiophene | 203-728-9 | 110-01-0 | F; R11 Xn; R20/21/ 22 Xi; R36/38 R52-53 | F; Xn R: 11-20/21/22-36/ 38-52/53 S: (2-)16-23-36/37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|---|--|--|---|---------------------------------------|-------|
| 613-088-00-6 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | 220-120-9 | 2634-33-5 | Xn; R22 Xi; R38-41 R43 N; R50 | Xn; N R: 22-38-41-43-50 S: (2-)24-26-37/39-61 | R43: C ≥ 0,05 % | |
| 613-089-00-1 | diquat dibromide; [1] diquat dichloride; [2] 6,7-dihydrodipyrido[1,2- <i>a</i> :2',1'- <i>c</i>]pyrazinediylum dihydroxide [3] | 201-579-4 [1] 223-714-6 [2] 301-467-6 [3] | 85-00-7 [1] 4032-26-2 [2] 94021-76-8 [3] | T+; R26 T; R48/25 Xn; R22 Xi; R36/37/38 R43 N; R50-53 | T+; N R: 22-26-36/37/38-43-48/25-50/53 S: (1/2-)28-36/37/39-45-60-61 | | |
| 613-090-00-7 | paraquat dichloride; 1,1-dimethyl-4,4'-bipyridinium dichloride; [1] paraquat dimethylsulfate; 1,1-dimethyl-4,4'-bipyridinium dimethyl sulphate [2] | 217-615-7 [1] 218-196-3 [2] | 1910-42-5 [1] 2074-50-2 [2] | T+; R26 T; R24/25-48/25 Xi; R36/37/38 N; R50-53 | T+; N R: 24/25-26-36/37/38-48/25-50/53 S: (1/2-)22-28-36/37/39-45-60-61 | | |
| 613-091-00-2 | morfamquat dichloride; [1] morfamquat sulfate [2] | 225-062-8 [1] - [2] | 4636-83-3 [1] 29873-36-7 [2] | Xn; R22 Xi; R36/37/38 R52-53 | Xn R: 22-36/37/38-52/53 S: (2-)22-36-61 | | |
| 613-092-00-8 | 1,10-phenanthroline | 200-629-2 | 66-71-7 | T; R25 N; R50-53 | T; N R: 25-50/53 S: (1/2-)45-60-61 | | |
| 613-093-00-3 | hexasodium 6,13-dichloro-3,10-bis((4-(2,5-disulfonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)prop-3-ylamino)-5,12-dioxa-7,14-diazapentacene-4,11-disulfonate | 400-050-7 | 85153-92-0 | R42/43 | Xn R: 42/43 S: (2-)22-24-37 | | |
| 613-094-00-9 | 4-methoxy-N,6-dimethyl-1,3,5-triazin-2-ylamine | 401-360-5 | 5248-39-5 | Xn; R22-48/22 | Xn R: 22-48/22 S: (2-)22-36 | | |
| 613-095-00-4 | sodium 3-(2H-benzotriazol-2-yl)-5-sec-butyl-4-hydroxybenzenesulfonate | 403-080-9 | 92484-48-5 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 613-096-00-X | 2-amino-6-ethoxy-4-methylamino-1,3,5-triazine | 403-580-7 | 62096-63-3 | Xn; R22 | Xn R: 22 S: (2-) | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------------|---|---------------------------------------|-------|
| 613-097-00-5 | 7-amino-3-((5-carboxyméthyl-4-méthyl-1,3-thiazol-2-ylthio)méthyl)-8-oxo-5-thia-1-azabicyclo(4.2.0)oct-2-ène-2-carboxylique acid | 403-690-5 | 111298-82-9 | R42/43 R52-53 | Xn R: 42/43-52/53 S: (2-)22-24-37-61 | | |
| 613-098-00-0 | N-(n-octyl)-2-pyrrolidone | 403-700-8 | 2687-94-7 | C; R34 N; R51-53 | C; N R: 34-51/53 S: (1/2-)23-26-36/37/39-45 | | |
| 613-099-00-6 | 1-dodécyl-2-pyrrolidone | 403-730-1 | 2687-96-9 | C; R34 R43 N; R50-53 | C; N R: 34-43-50/53 S: (1/2-)26-36/37/39-45-60-61 | | |
| 613-100-00-X | 2,9-bis(3-(diéthylamino)propylsulfamoyl)quino(2,3-b)acridine-7,14-dione | 404-230-6 | — | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |
| 613-101-00-5 | N—tert-pentyl-2-benzothiazolesulfenamide | 404-380-2 | 110799-28-5 | R43 R52-53 | Xi R: 43-52/53 S: (2-)36/37-61 | | |
| 613-102-00-0 | diméthomorph (ISO); 4-(3-(4-chlorophényl)-3-(3,4-diméthoxyphényl)acryloyl)morpholine | 404-200-2 | 110488-70-5 | N; R51-53 | N R: 51/53 S: 61 | | |
| 613-103-00-6 | sodium 5-n-butylbenzotriazole | 404-450-2 | 118685-34-0 | Xn; R22 C; R34 R43 N; R51-53 | C; N R: 22-34-43-51/53 S: (1/2-)26-36/37/39-45-61 | | |
| 613-104-00-1 | 5-tert-butyl-3-isoxazolylamine hydrochloride | 404-840-2 | — | Xn; R22-48/22 Xi; R41 R52-53 | Xn R: 22-41-48/22-52/53 S: (2-)26-36/39-61 | | |
| 613-105-00-7 | hexakis(tétraméthylammonium) 4,4'-vinylènebis((3-sulfonato-4,1-phénylène)imino(6-morpholino-1,3,5-triazine-4,2-diyl)imino)bis(5-hydroxy-6-phénylazonaphthalène-2,7-disulfonate) | 405-160-9 | 124537-30-0 | T; R25 R43 R52-53 | T R: 25-43-52/53 S: (1/2-)24-37-45-61 | | |
| 613-106-00-2 | tétrapotassium 2-(4-(5-(1-(2,5-disulfonatophényl)-3-éthoxycarbonyl-5-hydroxypyrazol-4-yl)penta-2,4-dienylidène)-3-éthoxycarbonyl-5-oxo-2-pyrazolin-1-yl)benzène-1,4-disulfonate | 405-240-3 | — | R43 | Xi R: 43 S: (2-)24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 613-107-00-8 | hexasodium 2,2'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-(N-cyanoethyl-N-(2-hydroxypropyl)amino)-1,3,5-triazine-4,2-diyl)imino)dibenzene-1,4-disulfonate | 405-280-1 | 76508-02-6 | Xi; R36 | Xi R: 36 S: (2-)26 | | |
| 613-108-00-3 | benzothiazole-2-thiol | 205-736-8 | 149-30-4 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 613-109-00-9 | bis(piperidinothiocarbonyl) disulphide | 202-328-1 | 94-37-1 | Xi; R36/37/38 R43 | Xi R: 36/37/38-43 S: (2-)24-26-37 | | |
| 613-110-00-4 | dimepiperate (ISO); S-(1-methyl-1-phenylethyl) piperidine-1-carbothioate | 262-784-2 | 61432-55-1 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)61 | | |
| 613-111-00-X | 1,2,4-triazole | 206-022-9 | 288-88-0 | Repr. Cat. 3; R63 Xn; R22 Xi; R36 | Xn R: 22-36-63 S: (2-)36/37 | | |
| 613-112-00-5 | octhilinone (ISO); 2-octyl-2H-isothiazol-3-one | 247-761-7 | 26530-20-1 | T; R23/24 Xn; R22 C; R34 R43 N; R50-53 | T; N R: 22-23/24-34-43-50/53 S: (1/2-)26-36/37/39-45-60-61 | R43: C ≥ 0,05 % | |
| 613-113-00-0 | 2-(morpholinothio)benzothiazole | 203-052-4 | 102-77-2 | Xi; R36/38 R43 N; R51-53 | Xi; N R: 36/38-43-51/53 S: (2-)24-26-37-61 | | |
| 613-114-00-6 | 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol; 1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine | 225-208-0 | 4719-04-4 | Xn; R22 R43 | Xn R: 22-43 S: (2-)24-37 | R43: C ≥ 0,1 % | |
| 613-115-00-1 | hymexazol (ISO); 3-hydroxy-5-methylisoxazole | 233-000-6 | 10004-44-1 | Xn; R22 Xi; R41 R52-53 | Xn R: 22-41-52/53 S: (2-)26-39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---------------------------------------|-------|
| 613-116-00-7 | tolyfluanid (ISO); dichloro-N-[(diméthylamino)sulphonyl]fluoro-N-(p-tolyl) methanesulphenamide | 211-986-9 | 731-27-1 | T; R23 Xn; R48/20 Xi; R36/37/ 38 R43 N; R50-53 | T; N R: 23-36/37/38-43- 48/20-50/53 S: (1/2-)24-26-37-38- 45-60-61 | | |
| 613-117-00-2 | diniconazole (ISO); (E)-β-[(2,4-dichlorophenyl)methylene]-α-(1,1-diméthylethyl)- 1H—1,2,4-triazol-1-ethanol; (E)-(RS)-1-(2,4-dichlorophenyl)-4,4-diméthyl-2-(1H—1,2,4- triazol-1-yl)pent-1-en-3-ol | — | 76714-88-0 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 613-118-00-8 | flubenzimine (ISO); N-[3-phenyl-4,5-bis[(trifluorométhyl)imino]thiazolidin-2-ylidene]aniline; | 253-703-1 | 37893-02-0 | Xi; R36 N; R50-53 | Xi; N R: 36-50/53 S: (2-)26-60-61 | | |
| 613-119-00-3 | (benzothiazol-2-ylthio)méthyl thiocyanate; TCMTB | 244-445-0 | 21564-17-0 | T+; R26 Xn; R22 Xi; R36/38 R43 N; R50-53 | T+; N R: 22-26-36/38-43- 50/53 S: (1/2-)28-36/37-38- 45-60-61 | | |
| 613-120-00-9 | bioresmethrin; (5-bezylfur-3-yl)méthyl(1R)-trans—2,2-diméthyl-3-(2-méthyl- propenyl)cyclopropanecarboxylate | 249-014-0 | 28434-01-7 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-121-00-4 | chlorsulfuron (ISO); 2-chloro-N-[[[(4-méthoxy-6-méthyl-1,3,5-triazin-2-yl)amino] carbonyl]benzenesulphonamide; | 265-268-5 | 64902-72-3 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-122-00-X | diclobutrazole (ISO); (R*, R*)-(±)-β-[(2,4-dichlorophenyl)méthyl]-α-(1,1-diméthyle- thyl)-1H—1,2,4-triazole-1-ethanol; (2RS, 3RS)-1-(2,4-dichlorophenyl)-4,4-diméthyl-2-(1H— 1,2,4-triazol-1-yl)pentan-3-ol | — | 75736-33-3 | Xi; R36 N; R51-53 | Xi; N R: 36-51/53 S: (2-)26-61 | | |
| 613-123-00-5 | 5,6-dihydro-3H-imidazo[2,1—c]-1,2,4-dithiazole-3-thione; etem | 251-684-4 | 33813-20-6 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|---------------------------------------|-------|
| 613-124-00-0 | fenpropimorph (ISO); <i>cis</i> -4-[3-(<i>p</i> - <i>tert</i> -butylphenyl)-2-methylpropyl]-2,6-dimethylmorpholine | 266-719-9 | 67564-91-4 | Repr. Cat. 3; R63 Xn; R22 Xi; R38 N; R51-53 | Xn; N R: 22-38-63-51/53 S: (2-)36/37-46-61 | | |
| 613-125-00-6 | hexythiazox (ISO); <i>trans</i> -5-(4-chlorophenyl)- <i>N</i> -cyclohexyl-4-methyl-2-oxo-3-thiazolidine-carboxamide | — | 78587-05-0 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-126-00-1 | imazapyr (ISO); 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1 <i>H</i> -imidazol-2-yl]-3-pyridine carboxylate | — | 81334-34-1 | Xi; R36 R52-53 | Xi R: 36-52/53 S: (2-)26-61 | | |
| 613-127-00-7 | 1,1-dimethylpiperidinium chloride; mepiquat chloride | 246-147-6 | 24307-26-4 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)61 | | |
| 613-128-00-2 | prochloraz (ISO); <i>N</i> -propyl- <i>N</i> -[2-(2,4,6-trichlorophenoxy)ethyl]-1 <i>H</i> -imidazole-1-carboxamide; | 266-994-5 | 67747-09-5 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 613-129-00-8 | metamitron (ISO); 4-amino-3-methyl-6-phenyl-1,2,4-triazin-5-one | 255-349-3 | 41394-05-2 | Xn; R22 N; R50 | Xn; N R: 22-50 S: (2-)61 | | |
| 613-131-00-9 | pyroquilon (ISO); 1,2,5,6-tetrahydropyrrolo[3,2,1- <i>ij</i>]quinolin-4-one | — | 57369-32-1 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)61 | | |
| 613-132-00-4 | hexazinone (ISO); 3-cyclohexyl-6-dimethylamino-1-methyl-1,2,3,4-tetrahydro-1,3,5-triazine-2,4-dione; | 257-074-4 | 51235-04-2 | Xn; R22 Xi; R36 N; R50-53 | Xn; N R: 22-36-50/53 S: (2-)60-61 | | |
| 613-133-00-X | etridiazole (ISO); 5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole | 219-991-8 | 2593-15-9 | Carc. Cat. 3; R40 T; R23 Xn; R21/22 N; R50-53 | T; N R: 21/22-23-40-50/ 53 S: (1/2-)36/37-38-45- 60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---------------------------------------|-------|
| 613-134-00-5 | myclobutanil (ISO); 2-(4-chlorophenyl)-2-(1H—1,2,4-triazol-1-ylmethyl)hexane-nitrile | — | 88671-89-0 | Repr. Cat. 3; R63 Xn; R22 Xi; R36 N; R51-53 | Xn; N R: 22-36-51/53-63 S: (2-)36/37-46-61 | | |
| 613-135-00-0 | di(benzothiazol-2-yl) disulphide | 204-424-9 | 120-78-5 | R31 R43 N; R50-53 | Xi; N R: 31-43-50/53 S: (2-)36/37-60-61 | | |
| 613-136-00-6 | N-cyclohexylbenzothiazole-2-sulphenamide | 202-411-2 | 95-33-0 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 613-137-00-1 | methabenzthiazuron (ISO); 1-(1,3-benzothiazol-2-yl)1,3-dimethylurea | 242-505-0 | 18691-97-9 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-138-00-7 | quinoxyfen (ISO); 5,7-dichloro-4-(4-fluorophenoxy)quinoline | — | 124495-18-7 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-46-60-61 | | |
| 613-139-00-2 | metsulfuron-methyl; 2-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulfamoyl) benzoic acid | — | 74223-64-6 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-140-00-8 | cycloheximide (ISO); 4-((2R)-2-((1S,3S,5S)-3,5-dimethyl-2-oxocyclohexyl)-2-hydroxyethyl)piperidine-2,6-dione | 200-636-0 | 66-81-9 | Muta. Cat. 3; R68 Repr. Cat. 2; R61 T+; R28 N; R51-53 | T+; N R: 61-28-51/53-68 S: 53-45-61 | | E |
| 613-141-00-3 | 1,4-diamino-2-(2-butyltetrazol-5-yl)-3-cyanoanthraquinone | 401-470-3 | 93686-63-6 | R53 | R: 53 S: 61 | | |
| 613-142-00-9 | <i>trans</i> -N-methyl-2-styryl-[4'-aminomethine-(1-acetyl-1-(2-methoxyphenyl)acetamido)]pyridinium acetate | 405-860-4 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)22-24-37-61 | | |
| 613-143-00-4 | 1-(3-phenylpropyl)-2-methylpyridinium bromide | 405-930-4 | 10551-42-5 | Xn; R22 Xi; R36 R52-53 | Xn R: 22-36-52/53 S: (2-)26-36/37-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|------------------------|---|---------------------------------------|-------|
| 613-144-00-X | Reaction products of: poly(vinyl acetate), partially hydrolyzed, with (E)-2-(4-formylstyryl)-3,4-dimethylthiazoliummethyl sulfate | 406-460-2 | 125139-08-4 | R52-53 | R: 52/53 S: 61 | | |
| 613-145-00-5 | (S)-3-benzyloxycarbonyl-1,2,3,4-tetrahydro-isoquinolinium 4-methylbenzenesulfonate | 406-960-0 | 77497-97-3 | N; R51-53 | N R: 51/53 S: 61 | | |
| 613-146-00-0 | N-ethyl-N-methylpiperidinium iodide | 407-780-5 | 4186-71-4 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)22-61 | | |
| 613-147-00-6 | 4-[2-(1-methyl-2-(4-morpholinyl)ethoxy)ethyl]morpholine | 407-940-4 | 111681-72-2 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 613-148-00-1 | tetrasodium 1,2-bis(4-fluoro-6-[5-(1-amino-2-sulfonatoanthrachinon-4-ylamino)-2,4,6-trimethyl-3-sulfonatophenylamino]-1,3,5-triazin-2-ylamino)ethane | 411-240-4 | 143683-23-2 | R43 R52-53 | Xi R: 43-52/53 S: (2-)22-24/25-37-61 | | |
| 613-149-00-7 | pyridaben (ISO); 2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one | 405-700-3 | 96489-71-3 | T; R23/25 N; R50-53 | T; N R: 23/25-50/53 S: (1/2-)36/37-45-60-61 | | |
| 613-150-00-2 | 2,2'-[3,3'-(piperazine-1,4-diyl)dipropyl]bis(1H-benzimidazo[2,1-b]benzo[l,m,n][3,8]phenanthroline-1,3,6-trione | 406-295-6 | — | R53 | R: 53 S: 61 | | |
| 613-151-00-8 | 1-(3-mesyloxy-5-trityloxymethyl-2-D-threofuryl)thymine | 406-360-9 | 104218-44-2 | R53 | R: 53 S: 61 | | |
| 613-152-00-3 | phenyl N-(4,6-dimethoxypyrimidin-2-yl)carbamate | 406-600-2 | 89392-03-0 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 613-153-00-9 | 2,3,5-trichloropyridine | 407-270-2 | 16063-70-0 | R52-53 | R: 52/53 S: 61 | | |
| 613-154-00-4 | 2-amino-4-chloro-6-methoxypyrimidine | 410-050-9 | 5734-64-5 | Xn; R22 | Xn R: 22 S: (2-)22 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 613-155-00-X | 5-chloro-2,3-difluoropyridine | 410-090-7 | 89402-43-7 | R10 Xn; R22 R52-53 | Xn R: 10-22-52/53 S: (2-)23-36-61 | | |
| 613-156-00-5 | 2-butyl-4-chloro-5-formylimidazole | 410-260-0 | 83857-96-9 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 613-157-00-0 | 2,4-diamino-5-methoxymethylpyrimidine | 410-330-0 | 54236-98-5 | Xn; R22-48/ 22 Xi; R36 | Xn R: 22-36-48/22 S: (2-)22-26-36 | | |
| 613-158-00-6 | 2,3-dichloro-5-trifluoromethyl-pyridine | 410-340-5 | 69045-84-7 | Xn; R20/22 Xi; R41 R43 N; R51-53 | Xn; N R: 20/22-41-43-51/ 53 S: (2-)24-26-37/39-61 | | |
| 613-159-00-1 | fenazaquin (ISO); 4-[2-[4-(1,1-diméthylethyl)phényl]-éthoxy]quinazoline | 410-580-0 | 120928-09-8 | T; R25 Xn; R20 N; R50-53 | T; N R: 20-25-50/53 S: (1/2-)37-45-60-61 | | |
| 613-160-00-7 | (1S)-2-méthyl-2,5-diazobicyclo[2.2.1]heptane dihydrobromide | 411-000-9 | 125224-62-6 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 613-163-00-3 | azimsulfuron (ISO); 1-(4,6-diméthoxyypyrimidin-2-yl)-3-[1-méthyl-4-(2-méthyl-2H-tétrazol-5-yl)pyrazol-5-ylsulfonyl]urée | — | 120162-55-2 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-164-00-9 | flufenacet (ISO); N-(4-fluorophényl)-N-isopropyl-2-(5-trifluorométhyl-[1,3,4]thiadiazol-2-yloxy)acétamide | — | 142459-58-3 | Xn; R22-48/ 22 R43 N; R50-53 | Xn; N R: 22-43-48/22-50/ 53 S: (2-)13-24-37-60-61 | | |
| 613-165-00-4 | flupyrsulfuron-méthyl-sodium (ISO); méthyl 2-[[[4,6-diméthoxyypyrimidin-2-ylcarbamoyl]sulfoamoyl]-6-trifluorométhyl]nicotinate, monosodium salt | — | 144740-54-5 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-166-00-X | flumioxazin (ISO); N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ène-1,2-dicarboxamide | — | 103361-09-7 | Repr. Cat. 2; R61 N; R50-53 | T; N R: 61-50/53 S: 53-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|--|-------|
| 613-167-00-5 | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) | — | 55965-84-9 | T; R23/24/25 C; R34 R43 N; R50-53 | T; N R: 23/24/25-34-43-50/53 S: (2-)26-28-36/37/39-45-60-61 | C; R34: C ≥ 0,6 % Xi; R36/38: 0,06 % ≤ C < 0,6 % R43: C ≥ 0,0015 % | |
| 613-168-00-0 | 1-vinyl-2-pyrrolidone | 201-800-4 | 88-12-0 | Carc. Cat. 3; R40 Xn; R20/21/ 22-48/20 Xi; R37-41 | Xn R: 20/21/22-37-40-41-48/20 S: (2-)26-36/37/39 | | D |
| 613-169-00-6 | 9-vinylcarbazole | 216-055-0 | 1484-13-5 | Muta. Cat. 3; R68 Xn; R21/22 Xi; R38 R43 N; R50-53 | Xn; N R: 21/22-38-43-50/ 53-68 S: 22-23-36/37-60-61 | | |
| 613-170-00-1 | 2,2-ethylmethylthiazolidine | 404-500-3 | 694-64-4 | Xn; R22 Xi; R41 R43 N; R51-53 | Xn; N R: 22-41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 613-171-00-7 | hexaconazole (ISO); (RS)-2-(2,4-dichlorophenyl)-1-(1H—1,2,4-triazol-1-yl)hexan-2-ol | 413-050-7 | 79983-71-4 | Xn; R22 R43 N; R51-53 | Xn; N R: 22-43-51/53 S: (2-)24-37-61 | | |
| 613-172-00-2 | 5-chloro-1,3-dihydro-2H-indol-2-one | 412-200-9 | 17630-75-0 | Repr. Cat. 3; R62 Xn; R22 R43 R52-53 | Xn R: 22-43-62-52/53 S: (2-)22-36/37-61 | | |
| 613-173-00-8 | fluquinconazole (ISO); 3-(2,4-dichlorophenyl)-6-fluoro-2-(1H—1,2,4-triazol-1-yl)quinazolin-4-(3H)-one | 411-960-9 | 136426-54-5 | T; R23/25-48/25 Xn; R21 Xi; R38 N; R50-53 | T; N R: 21-23/25-38-48/ 25-50/53 S: (1/2-)36/37/39-38-45-60-61 | | |
| 613-174-00-3 | (±) 2-(2,4-dichlorophenyl)-3-(1H—1,2,4-triazol-1-yl)propyl-1,1,2,2-tetrafluoroethylether | 407-760-6 | 112281-77-3 | Carc. Cat. 3; R40 Xn; R20/22 N; R51-53 | Xn; N R: 20/22-40-51/53 S: (2-)36/37-41-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---|-------|
| 613-175-00-9 | epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H— 1,2,4-triazol-1-yl)methyl]oxirane | 406-850-2 | 133855-98-8 | Carc. Cat. 3; R40 Repr. Cat. 3; R62 Repr. Cat. 3; R63 N; R51-53 | Xn; N R: 40-62-63-51/53 S: (2-)36/37-46-61 | | |
| 613-176-00-4 | 2-methyl-2-azabicyclo[2.2.1]heptane | 404-810-9 | 4524-95-2 | R10 Xn; R21/22- 48/20 C; R34 | C R: 10-21/22-34-48/ 20 S: (1/2-)16-26-36/37/ 39-45 | | |
| 613-177-00-X | 8-amino-7-methylquinoline | 412-760-4 | 5470-82-6 | Xn; R21/22 R43 N; R51-53 | Xn; N R: 21/22-43-51/53 S: (2-)36/37-61 | | |
| 613-178-00-5 | 4-ethyl-2-methyl-2-isopentyl-1,3-oxazolidine | 410-470-2 | 137796-06-6 | C; R34 R43 | C R: 34-43 S: (1/2-)7/8-26-36/37/ 39-45 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 613-179-00-0 | lithium 3-oxo-1,2(2H)-benzisothiazol-2-ide | 411-690-1 | 111337-53-2 | Xn; R22 C; R34 R43 N; R51-53 | C; N R: 22-34-43-51/53 S: (1/2-)26-36/37/39- 45-61 | | |
| 613-180-00-6 | N-(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide | 407-430-1 | 3741-80-8 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-181-00-1 | 5,5-dimethyl-perhydro-pyrimidin-2-one α-(4-trifluorome- thylstyryl)-α-(4-trifluoromethyl)cinnamylidenehydrazone | 405-090-9 | 67485-29-4 | T; R48/25 Xn; R22 Xi; R36 N; R50-53 | T; N R: 22-36-48/25-50/ 53 S: (1/2-)22-26-36/37- 45-60-61 | | |
| 613-182-00-7 | 1-(1-naphthylmethyl)quinolinium chloride | 406-220-7 | 65322-65-8 | Carc. Cat. 3; R40 Muta. Cat. 3; R68 Xn; R22 Xi; R38-41 R52-53 | Xn R: 22-38-40-41-52/ 53-68 S: (2-)22-26-36/37/ 39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|---|---------------------------------------|-------|
| 613-183-00-2 | reaction mass of: 5-(N-methylperfluorooctylsulfonamido)methyl-3-octadecyl-1,3-oxazolidin-2-one; 5-(N-methylperfluoroheptylsulfonamido)methyl-3-octadecyl-1,3-oxazolidin-2-one | 413-640-4 | — | Xn; R48/22 N; R50-53 | Xn; N R: 48/22-50/53 S: (2-)36-60-61 | | |
| 613-184-00-8 | nitritotriethyleneammonio propane-2-ol 2-ethylhexanoate | 413-670-8 | — | Xi; R36 R43 | Xi R: 36-43 S: (2-)24-26-37 | | |
| 613-185-00-3 | 2,3,5,6-tetrahydro-2-methyl-2H-cyclopenta[d]-1,2-thiazol-3-one | 407-630-9 | 82633-79-2 | T; R25 Xi; R41 R43 N; R50-53 | T; N R: 25-41-43-50/53 S: (1/2-)22-26-36/37/ 39-45-60-61 | | |
| 613-186-00-9 | (2R,3R)-3-((R)-1-(tert-butyl dimethylsiloxy)ethyl)-4-oxoazetidin-2-yl acetate | 408-050-9 | 76855-69-1 | Xi; R36 R43 N; R51-53 | Xi; N R: 36-43-51/53 S: (2-)24-26-37-61 | | |
| 613-188-00-X | 1-(3-(4-fluorophenoxy)propyl)-3-methoxy-4-piperidinone | 411-500-7 | 116256-11-2 | Xn; R22 Xi; R41 R43 N; R51-53 | Xn; N R: 22-41-43-51/53 S: (2-)22-24-26-37/ 39-61 | | |
| 613-189-00-5 | 1,4,7,10-tetrakis(p-toluensulfonyl)-1,4,7,10-tetraazacyclododecane | 414-030-0 | 52667-88-6 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 613-190-00-0 | disodium 1-amino-4-(2-(5-chloro-6-fluoro-pyrimidin-4-ylamino-methyl)-4-methyl-6-sulfo-phenylamino)-9,10-dioxo-9,10-dihydro-anthracene-2-sulfonate | 414-040-5 | 149530-93-8 | Xn; R22 R43 | Xn R: 22-43 S: (2-)22-24-37 | | |
| 613-191-00-6 | 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine | 421-150-7 | 143860-04-2 | Repr. Cat. 2; R60 C; R34 N; R50-53 | T; N R: 60-34-50/53 S: 53-45-60-61 | | |
| 613-193-00-7 | pentakis[3-(dimethylammonio)propylsulfamoyl]-[(6-hydroxy-4,4,8,8-tetramethyl-4,8-diazoniaundecane-1,11-diyl disulfamoyl)di[phthalocyaninecopper(II)]] heptalactate | 414-930-3 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 613-194-00-2 | 6,13-dichloro-3,10-bis[2-[4-fluoro-6-(2-sulfophenylamino)-1,3,5-triazin-2-ylamino]propylamino]benzo[5,6][1,4]oxazino[2,3-b.]phenoxazine-4,11-disulphonic acid, lithium-, sodium salt | 418-000-8 | 163062-28-0 | Xi; R41 | Xi R: 41 S: (2-)22-26-39 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|----------------|--|---|--|---------------------------------------|-------|
| 613-195-00-8 | 2,2-(1,4-phenylene)bis((4 <i>H</i> -3,1-benzoxazine-4-one) | 418-280-1 | 18600-59-4 | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |
| 613-196-00-3 | 5-[[[4-chloro-6-[[2-[[[4-fluoro-6-[[5-hydroxy-6-[(4-methoxy-2-sulphophenyl)azo]-7-sulfo-2-naphthalenyl]amino]-1,3,5-triazin-2-yl]amino]-1-methylethyl]amino]-1,3,5-triazin-2-yl]amino]-3-[[4-(ethenylsulfonyl)phenyl]azo]-4-hydroxy-naphtalene-2,7-disulfonic acid, sodium salt | 418-380-5 | 168113-78-8 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 613-197-00-9 | reaction mass of: 2,4,6-tri(butylcarbamoyl)-1,3,5-triazine; 2,4,6-tri(methylcarbamoyl)-1,3,5-triazine; [(2-butyl-4,6-dimethyl)tricarbamoyl]-1,3,5-triazine; [(2,4-dibutyl-6-methyl)tricarbamoyl]-1,3,5-triazine | 420-390-1 | 187547-46-2 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 613-199-00-X | reaction mass of: 1,3,5-tris(3-aminomethylphenyl)-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazine-2,4,6-trione; reaction mass of oligomers of 3,5-bis(3-aminomethylphenyl)-1-poly[3,5-bis(3-aminomethylphenyl)-2,4,6-trioxo-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazin-1-yl]-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazine-2,4,6-trione | 421-550-1 | — | Carc. Cat. 2; R45 Repr. Cat. 2; R61 R43 R52-53 | T R: 45-61-43-52/53 S: 53-45-61 | | |
| 613-200-00-3 | Reaction product of: copper, (29 <i>H</i> ,31 <i>H</i> -phthalocyaninato(2-)- <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32)-, chlorosulfuric acid and 3-(2-sulfoxyethylsulfonyl)aniline, sodium salts | 420-980-7 | — | Xi; R41 | Xi R: 41 S: (2-)22-26-39 | | |
| 613-201-00-9 | (<i>R</i>)-5-bromo-3-(1-methyl-2-pyrrolidinyl methyl)-1 <i>H</i> -indole | 422-390-5 | 143322-57-0 | Repr. Cat. 3; R62 T; R39-48/25 Xn; R20/22 Xi; R41 R43 N; R50-53 | T; N R: 20/22-39-41-43-48/25-62-50/53 S: (1/2-)53-45-60-61 | | |
| 613-202-00-4 | pymetrozine (ISO); (<i>E</i>)-4,5-dihydro-6-methyl-4-(3-pyridylmethyleneamino)-1,2,4-triazin-3(2 <i>H</i>)-one | — | 123312-89-0 | Carc. Cat. 3; R40 R52-53 | Xn R: 40-52/53 S: (2-)36/37-61 | | |
| 613-203-00-X | pyraflufen-ethyl; [1] pyraflufen [2] | - [1] - [2] | 129630-19-9 [1] 129630-17-7 [2] | N; R50-53 | N R: 50/53 S: 60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 613-204-00-5 | oxadiargyl (ISO); 3-[2,4-dichloro-5-(2-propynyloxy)phenyl]-5-(1,1-diméthylethyl)-1,3,4-oxadiazol-2(3H)-one; 5- <i>tert</i> -butyl-3-[2,4-dichloro-5-(prop-2-ynyloxy)phenyl]-1,3,4-oxadiazol-2(3H)-one | 254-637-6 | 39807-15-3 | Repr. Cat. 3; R63 Xn; R48/22 N; R50-53 | Xn; N R: 48/22-63-50/53 S: (2-)36/37-46-60-61 | | |
| 613-205-00-0 | propiconazole (ISO); (±)-1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole | 262-104-4 | 60207-90-1 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)36/37-46-60-61 | | |
| 613-206-00-6 | fenamidone (ISO); (S)-5-méthyl-2-méthylthio-5-phényl-3-phénylamino-3,5-dihydroimidazol-4-one | — | 161326-34-7 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-208-00-7 | imazamox (ISO); (RS)-2-(4-isopropyl-4-méthyl-5-oxo-2-imidazolin-2-yl)-5-méthoxyméthylnicotinic acid | — | 114311-32-9 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-209-00-2 | <i>cis</i> -1-(3-chloropropyl)-2,6-diméthyl-piperidin hydrochloride | 417-430-3 | 63645-17-0 | T; R25 Xn; R48/22 R43 N; R51-53 | T; N R: 25-43-48/22-51/53 S: (1/2-)22-36/37-45-61 | | |
| 613-210-00-8 | 2-(3-chloropropyl)-2,5,5-triméthyl-1,3-dioxane | 417-650-1 | 88128-57-8 | Xn; R48/22 R52-53 | Xn R: 48/22-52/53 S: (2-)23-25-36-61 | | |
| 613-211-00-3 | N-méthyl-4-(<i>p</i> -formylstyryl)pyridinium méthylsulfate | 418-240-3 | 74401-04-0 | R43 R52-53 | Xi R: 43-52/53 S: (2-)22-24-37-61 | | |
| 613-212-00-9 | 4-[4-(2-éthylhexyloxy)phényl](1,4-thiazinane-1,1-dioxyde) | 418-320-8 | 133467-41-1 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)22-60-61 | | |
| 613-213-00-4 | <i>cis</i> -1-benzoyl-4-[(4-méthylsulfonyl)oxy]-L-proline | 416-040-0 | 120807-02-5 | R52-53 | R: 52/53 S: 61 | | |
| 613-214-00-X | N,N-di- <i>n</i> -butyl-2-(1,2-dihydro-3-hydroxy-6-isopropyl-2-quinolylidene)-1,3-dioxindan-5-carboxamide | 416-260-7 | 147613-95-4 | R53 | R: 53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 613-215-00-5 | 2-chloromethyl-3,4-dimethoxypyridinium chloride | 416-440-5 | 72830-09-2 | Xn; R21/22-48/22 Xi; R38-41 R43 N; R51-53 | Xn; N R: 21/22-38-41-43-48/22-51/53 S: (2-)26-36/37/39-61 | | |
| 613-216-00-0 | 6- <i>tert</i> -butyl-7-(6-diethylamino-2-methyl-3-pyridylimino)-3-(3-methylphenyl)pyrazolo[3,2-c][1,2,4]triazole | 416-490-8 | 162208-01-7 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-217-00-6 | 4-[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionyloxy]-1-[2-[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionyloxy]ethyl]-2,2,6,6-tetramethylpiperidine | 416-770-1 | 73754-27-5 | R53 | R: 53 S: 61 | | |
| 613-218-00-1 | 6-hydroxyindole | 417-020-4 | 2380-86-1 | Xn; R22 Xi; R41 R43 N; R51-53 | Xn; N R: 22-41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 613-219-00-7 | 7a-ethyl-3,5-bis(1-methylethyl)-2,3,4,5-tetrahydrooxazolo[3,4-c]-2,3,4,5-tetrahydrooxazole | 417-140-7 | 79185-77-6 | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)37-61 | | |
| 613-220-00-2 | trans-(4 <i>S</i> ,6 <i>S</i>)-5,6-dihydro-6-methyl-4 <i>H</i> -thieno[2,3- <i>b</i>]thiopyran-4-ol, 7,7-dioxide | 417-290-3 | 147086-81-5 | Xn; R22 | Xn R: 22 S: (2-)36 | | |
| 613-221-00-8 | 2-chloro-5-methyl-pyridine | 418-050-0 | 18368-64-4 | Xn; R21/22 Xi; R38 R52-53 | Xn R: 21/22-38-52/53 S: (2-)23-25-36/37-61 | | |
| 613-222-00-3 | 4-(1-oxo-2-propenyl)-morpholine | 418-140-1 | 5117-12-4 | Xn; R22-48/22 Xi; R41 R43 | Xn R: 22-41-43-48/22 S: (2-)23-26-36/37/39 | | |
| 613-223-00-9 | <i>N</i> -isopropyl-3-(4-fluorophenyl)-1 <i>H</i> -indole | 418-790-4 | 93957-49-4 | R53 | R: 53 S: 61 | | |
| 613-224-00-4 | 2,5-dimercaptomethyl-1,4-dithiane | 419-770-8 | 136122-15-1 | Xn; R22 C; R34 R43 N; R50-53 | C; N R: 22-34-43-50/53 S: (1/2-)26-36/37/39-45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--------------------------------|--|---------------------------------------|-------|
| 613-225-00-X | reaction mass of:[2-(anthraquinon-1-ylamino)-6-[(5-benzoylamino)-anthraquinone-1-ylamino]-4-phenyl]-1,3,5-triazine; 2,6-bis-[(5-benzoylamino)-anthraquinon-1-ylamino]-4-phenyl-1,3,5-triazine. | 421-290-9 | — | Xn; R48/22 R53 | Xn R: 48/22-53 S: (2-)22-36-61 | | |
| 613-226-00-5 | 1-(2-(ethyl(4-(4-(4-(4-(ethyl(2-pyridinoethyl)amino)-2-methylphenylazo)benzoylamino)-phenylazo)-3-methylphenyl)amino)ethyl)-pyridinium dichloride | 420-950-3 | 163831-67-2 | Xi; R41 N; R50-53 | Xi; N R: 41-50/53 S: (2-)26-39-60-61 | | |
| 613-227-00-0 | (±)-[(R*,R*) and (R*,S*)]-6-fluoro-3,4-dihydro-2-oxiranyl-2H-1-benzopyran | 419-600-2 | 99199-90-3 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-28-36/37-61 | | |
| 613-228-00-6 | (±)-(R*,S*)-6-fluoro-3,4-dihydro-2-oxiranyl-2H-1-benzopyran | 419-630-6 | 793669-26-8 | N; R51-53 | N R: 51/53 S: 24-61 | | |
| 613-230-00-7 | florasulam (ISO); 2',6',8-trifluoro-5-methoxy-5-triazolo[1,5-c]; pyrimidine-2-sulfonilide | — | 145701-23-1 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 613-233-00-3 | 4,4'-(oxy-(bismethylene))-bis-1,3-dioxolane | 423-230-7 | 56552-15-9 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 614-001-00-4 | nicotine (ISO); 3-(N-methyl-2-pyrrolidinyl)pyridine | 200-193-3 | 54-11-5 | T+; R27 T; R25 N; R51-53 | T+; N R: 25-27-51/53 S: (1/2-)36/37-45-61 | | |
| 614-002-00-X | salts of nicotine | — | — | T+; R26/27/ 28 N; R51-53 | T+; N R: 26/27/28-51/53 S: (1/2-)13-28-45-61 | | A |
| 614-003-00-5 | strychnine | 200-319-7 | 57-24-9 | T+; R27/28 N; R50-53 | T+; N R: 27/28-50/53 S: (1/2-)36/37-45-60-61 | | |
| 614-004-00-0 | salts of strychnine | — | — | T+; R26/28 N; R50-53 | T+; N R: 26/28-50/53 S: (1/2-)13-28-45-60-61 | | A |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|--|----------------------|---|---------------------------------------|-------|
| 614-005-00-6 | colchicine | 200-598-5 | 64-86-8 | T+; R26/28 | T+ R: 26/28 S: (1/2-)13-45 | | |
| 614-006-00-1 | brucine; 2,3-dimethoxystrychnine | 206-614-7 | 357-57-3 | T+; R26/28 R52-53 | T+ R: 26/28-52/53 S: (1/2-)13-45-61 | | |
| 614-007-00-7 | brucine sulphate; [1] brucine nitrate; [2] Strychnidin-10-one, 2,3-dimethoxy-, mono[(R)-1-methylheptyl 1,2-benzenedicarboxylate]; [3] Strychnidin-10-one, 2,3-dimethoxy-, compd. with (S)mono(1-methylheptyl)-1,2-benzenedicarboxylate (1:1) [4] | 225-432-9 [1] 227-317-9 [2] 269-439-5 [3] 269-710-8 [4] | 4845-99-2 [1] 5786-97-0 [2] 68239-26-9 [3] 68310-42-9 [4] | T+; R26/28 R52-53 | T+ R: 26/28-52/53 S: (1/2-)13-45-61 | | A |
| 614-008-00-2 | aconitine | 206-121-7 | 302-27-2 | T+; R26/28 | T+ R: 26/28 S: (1/2-)24-45 | | |
| 614-009-00-8 | salts of aconitine | — | — | T+; R26/28 | T+ R: 26/28 S: (1/2-)24-45 | | A |
| 614-010-00-3 | atropine | 200-104-8 | 51-55-8 | T+; R26/28 | T+ R: 26/28 S: (1/2-)25-45 | | |
| 614-011-00-9 | salts of atropine | — | — | T+; R26/28 | T+ R: 26/28 S: (1/2-)25-45 | | A |
| 614-012-00-4 | hyoscyamine | 202-933-0 | 101-31-5 | T+; R26/28 | T+ R: 26/28 S: (1/2-)24-45 | | |
| 614-013-00-X | salts of hyoscyamine | — | — | T+; R26/28 | T+ R: 26/28 S: (1/2-)24-45 | | A |
| 614-014-00-5 | hyoscine | 200-090-3 | 51-34-3 | T+; R26/27/28 | T+ R: 26/27/28 S: (1/2-)25-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|------------------|-------------------------------------|---------------------------------------|-------|
| 614-015-00-0 | salts of hyoscyne | — | — | T+; R26/27/28 | T+ R: 26/27/28 S: (1/2-)25-45 | | A |
| 614-016-00-6 | pilocarpine | 202-128-4 | 92-13-7 | T+; R26/28 | T+ R: 26/28 S: (1/2-)25-45 | | |
| 614-017-00-1 | salts of pilocarpine | — | — | T+; R26/28 | T+ R: 26/28 S: (1/2-)25-45 | | A |
| 614-018-00-7 | papaverine | 200-397-2 | 58-74-2 | Xn; R22 | Xn R: 22 S: (2-)22 | | |
| 614-019-00-2 | salts of papaverine | — | — | Xn; R22 | Xn R: 22 S: (2-)22 | | A |
| 614-020-00-8 | physostigmine | 200-332-8 | 57-47-6 | T+; R26/28 | T+ R: 26/28 S: (1/2-)25-45 | | |
| 614-021-00-3 | salts of physostigmine | — | — | T+; R26/28 | T+ R: 26/28 S: (1/2-)25-45 | | A |
| 614-022-00-9 | digitoxin | 200-760-5 | 71-63-6 | T; R23/25 R33 | T R: 23/25-33 S: (1/2-)45 | | |
| 614-023-00-4 | ephedrine | 206-080-5 | 299-42-3 | Xn; R22 | Xn R: 22 S: (2-)22-25 | | |
| 614-024-00-X | salts of ephedrine | — | — | Xn; R22 | Xn R: 22 S: (2-)22-25 | | A |
| 614-025-00-5 | ouabain | 211-139-3 | 630-60-4 | T; R23/25 R33 | T R: 23/25-33 S: (1/2-)45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 614-026-00-0 | strophantin-K | 234-239-9 | 11005-63-3 | T; R23/25 R33 | T R: 23/25-33 S: (1/2-)45 | | |
| 614-027-00-6 | bufa-4,20,22-trienolide, 6-(acetyloxy)-3-(β-D-glucopyranosyloxy)-8,14-dihydroxy-, (3β, 6β)-; red squill; scilliroside | 208-077-4 | 507-60-8 | T+; R28 | T+ R: 28 S: (1/2-)36/37-45 | | |
| 614-028-00-1 | reaction mass of: 2-ethylhexyl mono-D-glucopyranoside; 2-ethylhexyl di-D-glucopyranoside | 414-420-0 | — | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 614-029-00-7 | constitutional isomers of penta-O-allyl-β-D-fructofuranosyl-α-D-glucopyranoside; constitutional isomers of hexa-O-allyl-β-D-fructofuranosyl-α-D-glucopyranoside; constitutional isomers of hepta-O-allyl-β-D-fructofuranosyl-α-D-glucopyranoside | 419-640-0 | 68784-14-5 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 615-001-00-7 | methyl isocyanate | 210-866-3 | 624-83-9 | F+; R12 ⊗ Repr. Cat. 3; R63 T+; R26 T; R24/25 R42/43 Xi; R37/38-41 | F+; T+ R: 12-24/25-26-37/ 38-41-42/43-63 S: (1/2-)26-27/28-36/ 37/39-45-63 | | |
| 615-002-00-2 | methyl isothiocyanate | 209-132-5 | 556-61-6 | T; R23/25 C; R34 R43 N; R50-53 | T; N R: 23/25-34-43-50/ 53 S: (1/2-)36/37-38-45-60-61 | | |
| 615-003-00-8 | thiocyanic acid | 207-337-4 | 463-56-9 | Xn; R20/21/ 22 R32 R52-53 | Xn R: 20/21/22-32-52/ 53 S: (2-)13-61 | | |
| 615-004-00-3 | salts of thiocyanic acid | — | — | Xn; R20/21/ 22 R32 R52-53 | Xn R: 20/21/22-32-52/ 53 S: (2-)13-61 | | A |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|---|--|--|--|--------|
| 615-005-00-9 | 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate; [2] <i>o</i> -(<i>p</i> -isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate [4] | 202-966-0 [1] 219-799-4 [2] 227-534-9 [3] 247-714-0 [4] | 101-68-8 [1] 2536-05-2 [2] 5873-54-1 [3] 26447-40-5 [4] | Xn; R20 Xi; R36/37/ 38 R42/43 | Xn R: 20-36/37/38-42/ 43 S: (1/2-)23-36/37-45 | Xi; R36/37/38: C ≥ 5 % R42: C ≥ 0,1 % | C 2 |
| 615-006-00-4 | 2-methyl- <i>m</i> -phenylene diisocyanate; toluene-2,4-di-isocyanate; [1] 4-methyl- <i>m</i> -phenylene diisocyanate; toluene-2,6-di-isocyanate; [2] <i>m</i> -tolylidene diisocyanate; toluene-diisocyanate [3] | 202-039-0 [1] 209-544-5 [2] 247-722-4 [3] | 91-08-7 [1] 584-84-9 [2] 26471-62-5 [3] | Carc. Cat. 3; R40 T+; R26 Xi; R36/37/ 38 R42/43 R52-53 | T+ R: 26-36/37/38-40- 42/43-52/53 S: (1/2-)23-36/37-45- 61 | R42: C ≥ 0,1 % | C 2 |
| 615-007-00-X | 1,5-naphthylene diisocyanate | 221-641-4 | 3173-72-6 | Xn; R20 Xi; R36/37/ 38 R42 R52-53 | Xn R: 20-36/37/38-42- 52/53 S: (2-)26-28-38-45- 61 | | |
| 615-008-00-5 | 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate; isophorone di-isocyanate | 223-861-6 | 4098-71-9 | T; R23 Xi; R36/37/ 38 R42/43 N; R51-53 | T; N R: 23-36/37/38-42/ 43-51/53 S: (1/2-)26-28-38-45- 61 | T; R23: C ≥ 2 % Xn; R20: 0,5 % ≤ C < 2 % R42/43: C ≥ 0,5 % | 2 |
| 615-009-00-0 | 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate | 225-863-2 | 5124-30-1 | T; R23 Xi; R36/37/ 38 R42/43 | T R: 23-36/37/38-42/ 43 S: (1/2-)26-28-38-45 | T; R23: C ≥ 2 % Xn; R20: 0,5 % ≤ C < 2 % R42/43: C ≥ 0,5 % | 2 |
| 615-010-00-6 | 2,2,4-trimethylhexamethylene-1,6-di-isocyanate; [1] 2,4,4-trimethylhexamethylene-1,6-di-isocyanate [2] | 241-001-8 [1] 239-714-4 [2] | 16938-22-0 [1] 15646-96-5 [2] | T; R23 Xi; R36/37/ 38 R42 | T R: 23-36/37/38-42 S: (1/2-)26-28-38-45 | T; R23: C ≥ 2 % Xn; R20: 0,5 % ≤ C < 2 % R42: C ≥ 0,5 % | C 2 |
| 615-011-00-1 | hexamethylene-di-isocyanate | 212-485-8 | 822-06-0 | T; R23 Xi; R36/37/ 38 R42/43 | T R: 23-36/37/38-42/ 43 S: (1/2-)26-28-38-45 | T; R23: C ≥ 2 % Xn; R20: 0,5 % ≤ C < 2 % R42/43: C ≥ 0,5 % | 2 |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---|---------------------------------------|-------|
| 615-012-00-7 | 4-isocyanatosulphonyltoluene; tosyl isocyanate | 223-810-8 | 4083-64-1 | R14 Xi; R36/37/ 38 R42 | Xn R: 14-36/37/38-42 S: (2-)26-28-30 | Xi; R36/37/38; C ≥ 5 % | |
| 615-013-00-2 | cyanamide; carbanonitril | 206-992-3 | 420-04-2 | T; R25 Xn; R21 Xi; R36/38 R43 | T R: 21-25-36/38-43 S: (1/2-)3-22-36/37- 45 | | |
| 615-014-00-8 | tris(1-dodecyl-3-methyl-2-phenylbenzimidazolium)hexacya- noferrate | — | 7276-58-6 | Xn; R22 | Xn R: 22 S: (2-)24 | | |
| 615-015-00-3 | 1,7,7-trimethylbicyclo(2,2,1)hept-2-yl thiocyanatoacetate; isobornyl thiocyanacetate | 204-081-5 | 115-31-1 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)24/25-60-61 | | |
| 615-016-00-9 | potassium cyanate | 209-676-3 | 590-28-3 | Xn; R22 | Xn R: 22 S: (2-)24/25 | | |
| 615-017-00-4 | calcium cyanamide | 205-861-8 | 156-62-7 | Xn; R22 Xi; R37-41 | Xn R: 22-37-41 S: (2-)22-26-36/37/39 | | |
| 615-018-00-X | 2-(2-butoxyethoxy)ethyl thiocyanate | 203-985-7 | 112-56-1 | R10 T; R24/25 | T R: 10-24/25 S: (1/2-)13-36/37-45 | | |
| 615-019-00-5 | dicyclohexylcarbodiimide | 208-704-1 | 538-75-0 | T; R24 Xn; R22 Xi; R41 R43 | T R: 22-24-41-43 S: (1/2-)24-26-37/39- 45 | | |
| 615-020-00-0 | methylene dithiocyanate | 228-652-3 | 6317-18-6 | T+; R26 T; R25 C; R34 R43 N; R50 | T+; N R: 25-26-34-43-50 S: (1/2-)26-28-36/37/ 39-45-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 615-021-00-6 | 1,3,5-tris(oxiranylméthyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione; TGIC | 219-514-3 | 2451-62-9 | Muta. Cat. 2; R46 T; R23/25 Xn; R48/22 Xi; R41 R43 R52-53 | T R: 46-23/25-41-43-48/22-52/53 S: 53-45-61 | | E |
| 615-022-00-1 | méthyl 3-isocyanatosulfonyl-2-thiophène-carboxylate | 410-550-7 | 79277-18-2 | E; R2 ⊗ R14 Xn; R48/22 R42/43 | E; Xn R: 2-14-42/43-48/22 S: (2-)22-30-35-36/37 | | |
| 615-023-00-7 | 2-(isocyanatosulfonylméthyl)benzoïque acid méthyl ester; (alt.):méthyl 2-(isocyanatosulfonylméthyl)benzoate | 410-900-9 | 83056-32-0 | R10 R14 Muta. Cat. 3; R68 Xn; R20-48/ 22 Xi; R41 R42 | Xn R: 10-14-20-41-42-48/22-68 S: (2-)23-26-36/37/39 | | |
| 615-024-00-2 | 2-phényléthylisocyanate | 413-080-0 | 1943-82-4 | T; R23 Xn; R22 C; R35 R42/43 N; R51-53 | T; C; N R: 22-23-35-42/43-51/53 S: (1/2-)23-26-36/37/ 39-43-45-61 | | |
| 615-025-00-8 | 4,4'-éthylidenediphényl dicyanate | 405-740-1 | 47073-92-7 | Xn; R20/22-48/22 Xi; R41 N; R50-53 | Xn; N R: 20/22-41-48/22-50/53 S: (2-)26-36/37/39-60-61 | | |
| 615-026-00-3 | 4,4'-méthylènebis(2,6-diméthylphényl cyanate) | 405-790-4 | 101657-77-6 | R43 R52-53 | Xi R: 43-52/53 S: (2-)22-24-37-61 | | |
| 615-028-00-4 | éthyl 2-(isocyanatosulfonyl)benzoate | 410-220-2 | 77375-79-2 | E; R2 ⊗ R14 Xn; R22-48/ 22 Xi; R41 R42/43 | E; Xn R: 2-14-22-41-42/43-48/22 S: (2-)8-23-26-30-35-36/37/39 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 615-029-00-X | 2,5-bis-isocyanatomethyl-bicyclo[2.2.1]heptane | 411-280-2 | — | T+; R26 Xn; R22 C; R34 R42/43 R52-53 | T+ R: 22-26-34-42/43-52/53 S: (1/2-)23-26-28-36/37/39-45-61 | | |
| 615-030-00-5 | alkali salts, alkali earth salts and other salts of thiocyanic acid not mentioned elsewhere in this Annex | — | — | Xn; R20/21/22 R32 R52-53 | Xn R: 20/21/22-32-52/53 S: (2-)13-61 | | A |
| 615-031-00-0 | thallium salt of thiocyanic acid | 222-571-7 | 3535-84-0 | Xn; R20/21/22 R32 N; R51-53 | Xn; N R: 20/21/22-32-51/53 S: (2-)13-61 | | A |
| 615-032-00-6 | metal salts of thiocyanic acid not mentioned elsewhere in this Annex | — | — | Xn; R20/21/22 R32 N; R50-53 | Xn; N R: 20/21/22-32-50/53 S: (2-)13-60-61 | | A |
| 616-001-00-X | N,N-dimethylformamide; dimethyl formamide | 200-679-5 | 68-12-2 | Repr. Cat. 2; R61 Xn; R20/21 Xi; R36 | T R: 61-20/21-36 S: 53-45 | | E |
| 616-002-00-5 | 2-fluoroacetamide | 211-363-1 | 640-19-7 | T+; R28 T; R24 | T+ R: 24-28 S: (1/2-)36/37-45 | | |
| 616-003-00-0 | acrylamide; prop-2-enamide | 201-173-7 | 79-06-1 | Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 3; R62 T; R25-48/ 23/24/25 Xn; R20/21 Xi; R36/38 R43 | T R: 45-46-20/21-25-36/38-43-48/23/24/25-62 S: 53-45 | | DE |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---|---------------------------------------|-------|
| 616-004-00-6 | allidochlor (ISO); N,N-diallylchloroacetamide | 202-270-7 | 93-71-0 | Xn; R21/22 Xi; R36/38 N; R51-53 | Xn; N R: 21/22-36/38-51/ 53 S: (2-)26-28-36/37/ 39-61 | | |
| 616-005-00-1 | chlorthiamid (ISO); 2,6-dichloro (thiobenzamide) | 217-637-7 | 1918-13-4 | Xn; R22 | Xn R: 22 S: (2-)36 | | |
| 616-006-00-7 | dichlofluanid (ISO); N-dichlorofluoromethylthio-N',N'-dimethyl-N-phenylsulphamide | 214-118-7 | 1085-98-9 | Xn; R20 Xi; R36 R43 N; R50-53 | Xn; N R: 20-36-43-50/53 S: (2-)24-37-60-61 | | |
| 616-007-00-2 | diphenamid (ISO); N,N-dimethyl-2,2-diphenylacetamide | 213-482-4 | 957-51-7 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)61 | | |
| 616-008-00-8 | propachlor (ISO); 2-chloro-N-isopropylacetanilide; α -chloro-N-isopropylacetanilide | 217-638-2 | 1918-16-7 | Xn; R22 Xi; R36 R43 N; R50-53 | Xn; N R: 22-36-43-50/53 S: (2-)24-37-60-61 | | |
| 616-009-00-3 | propanil (ISO); 3',4'-dichloropropionanilide | 211-914-6 | 709-98-8 | Xn; R22 N; R50 | Xn; N R: 22-50 S: (2-)22-61 | | |
| 616-010-00-9 | tosylchloramide sodium | 204-854-7 | 127-65-1 | Xn; R22 R31 C; R34 R42 | C R: 22-31-34-42 S: (1/2-)7-22-26-36/ 37/39-45 | | |
| 616-011-00-4 | N,N-dimethylacetamide | 204-826-4 | 127-19-5 | Repr. Cat. 2; R61 Xn; R20/21 | T R: 61-20/21 S: 53-45 | Repr. Cat. 2; R61: C \geq 5 % | E |
| 616-012-00-X | N-(dichlorofluoromethylthio)phthalimide; N-(fluorodichloromethylthio)phthalimide | 211-952-3 | 719-96-0 | Xi; R38 | Xi R: 38 S: (2-)28 | | |
| 616-013-00-5 | butyraldehyde oxime | 203-792-8 | 110-69-0 | T; R24 Xn; R22 Xi; R36 | T R: 22-24-36 S: (1/2-)23-36-45 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|--|--|-------|
| 616-014-00-0 | 2-butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime | 202-496-6 | 96-29-7 | Carc. Cat. 3; R40 Xn; R21 Xi; R41 R43 | Xn R: 21-40-41-43 S: (2-)13-23-26-36/ 37/39 | | |
| 616-015-00-6 | alachlor (ISO); 2-chloro-2',6'-diethyl-N-(methoxymethyl)acetanilide | 240-110-8 | 15972-60-8 | Carc. Cat. 3; R40 Xn; R22 R43 N; R50-53 | Xn; N R: 22-40-43-50/53 S: (2-)36/37-46-60-61 | N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 % | |
| 616-016-00-1 | 1-(3,4-dichlorophenylimino) thiosemicarbazide | — | 5836-73-7 | T+; R28 | T+ R: 28 S: (1/2-)22-36/37-45 | | |
| 616-017-00-7 | cartap hydrochloride | 239-309-2 | 15263-52-2 | Xn; R21/22 N; R50-53 | Xn; N R: 21/22-50/53 S: (2-)36/37-60-61 | | |
| 616-018-00-2 | N,N-diethyl-m-toluamide; deet | 205-149-7 | 134-62-3 | Xn; R22 Xi; R36/38 R52-53 | Xn R: 22-36/38-52/53 S: (2-)61 | | |
| 616-019-00-8 | perfluidone (ISO); 1,1,1-trifluoro-N-(4-phenylsulphonyl-o-tolyl)methanesulpho- namide | 253-718-3 | 37924-13-3 | Xn; R22 Xi; R36 | Xn R: 22-36 S: (2-) | | |
| 616-020-00-3 | tebuthiuron (ISO); 1-(5-tert-butyl-1,3,4-thiadiazol-2-yl)-1,3-dimethylurea | 251-793-7 | 34014-18-1 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)37-60-61 | | |
| 616-021-00-9 | thiazafluron (ISO); 1,3-dimethyl-1-(5-trifluoromethyl-1,3,4-thiadiazol-2-yl)urea | 246-901-4 | 25366-23-8 | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)60-61 | | |
| 616-022-00-4 | acetamide | 200-473-5 | 60-35-5 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)36/37 | | |
| 616-023-00-X | N-hexadecyl(or octadecyl)-N-hexadecyl(or octadecyl)benza- mide | 401-980-6 | — | Xi; R38 R43 | Xi R: 38-43 S: (2-)24-37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 616-024-00-5 | 2-(4,4-diméthyl-2,5-dioxooxazolidin-1-yl)-2-chloro-5-(2-(2,4-di- <i>tert</i> -pentylphénoxy)butyramido)-4,4-diméthyl-3-oxovaléranilide | 402-260-4 | 54942-74-4 | R53 | R: 53 S: 61 | | |
| 616-025-00-0 | valinamide | 402-840-7 | 20108-78-5 | Repr. Cat. 3; R62 Xi; R36 R43 | Xn R: 36-43-62 S: (2-)26-36/37 | | |
| 616-026-00-6 | thioacetamide | 200-541-4 | 62-55-5 | Carc. Cat. 2; R45 Xn; R22 Xi; R36/38 R52-53 | T R: 45-22-36/38-52/ 53 S: 53-45-61 | | E |
| 616-027-00-1 | tris(2-(2-hydroxyéthoxy)éthyl)ammonium 3-acétoacétamido-4-méthoxybenzènesulfonate | 403-760-5 | — | R43 | Xi R: 43 S: (2-)24-37 | | |
| 616-028-00-7 | N-(4-(3-(4-cyanophényl)uréido)-3-hydroxyphényl)-2-(2,4-di- <i>tert</i> -pentylphénoxy)octanamide | 403-790-9 | 108673-51-4 | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |
| 616-029-00-2 | N,N'-éthylènebis(vinylsulfonylacétamide) | 404-790-1 | 66710-66-5 | Xi; R41 R43 | Xi R: 41-43 S: (2-)24-26-37/39 | | |
| 616-030-00-8 | ethidimuron (ISO); 1-(5-éthylsulfonyl-1,3,4-thiadiazol-2-yl)-1,3-diméthylurée | 250-010-6 | 30043-49-3 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 616-031-00-3 | diméthachlor (ISO); 2-chloro-N-(2,6-diméthylphényl)-N-(2-méthoxyéthyl)acétamide | 256-625-6 | 50563-36-5 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)24-37-60-61 | | |
| 616-032-00-9 | diflufenican (ISO); N-(2,4-difluorophényl)-2-[3-(trifluorométhyl)phénoxy]-3-pyridinecarboxamide | — | 83164-33-4 | R52-53 | R: 52/53 S: 61 | | |
| 616-033-00-4 | cyprofuram (ISO); N-(3-chlorophényl)-N-(tétrahydro-2-oxo-3-furyl)cyclopropanecarboxamide | 274-050-9 | 69581-33-5 | T; R25 Xn; R21 N; R50-53 | T; N R: 21-25-50/53 S: (1/2-)36/37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 616-034-00-X | pyracarbolid (ISO); 3,4-dihydro-6-méthyl-2H-pyran-5-carboxanilide | 246-419-4 | 24691-76-7 | R52-53 | R: 52/53 S: 61 | | |
| 616-035-00-5 | cymoxanil (ISO); 2-cyano-N-[(éthylamino)carbonyl]-2-(méthoxyimino)acétamide | 261-043-0 | 57966-95-7 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)36/37-60-61 | | |
| 616-036-00-0 | 2-chloroacétamide | 201-174-2 | 79-07-2 | Repr. Cat. 3; R62 T; R25 R43 | T R: 25-43-62 S: (1/2-)22-36/37-45 | R43: C ≥ 0,1 % | |
| 616-037-00-6 | acetochlor (ISO); 2-chloro-N-(éthoxyméthyl)-N-(2-éthyl-6-méthylphényl)acétamide | 251-899-3 | 34256-82-1 | Xn; R20 Xi; R37/38 R43 N; R50-53 | Xn; N R: 20-37/38-43-50/53 S: (2-)36/37-60-61 | | |
| 616-038-00-1 | (4-aminophényl)-N-méthylméthylsulfonamide hydrochloride | 406-010-5 | 88918-84-7 | Xi; R41 R43 N; R51-53 | Xi; N R: 41-43-51/53 S: (2-)24-26-37/39-61 | | |
| 616-039-00-7 | 3',5'-dichloro-4'-éthyl-2'-hydroxypalmitanilide | 406-200-8 | 117827-06-2 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 616-040-00-2 | potassium N-(4-toluènesulfonyl)-4-toluènesulfonamide | 406-650-5 | 97888-41-0 | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 616-041-00-8 | 3',5'-dichloro-2-(2,4-di- <i>tert</i> -pentylphénoxy)-4'-éthyl-2'-hydroxyhexananilide | 406-840-8 | 101664-25-9 | R53 | R: 53 S: 61 | | |
| 616-042-00-3 | N-(2-(6-éthyl-7-(4-méthylphénoxy)-1H-pyrazolo[1,5-b][1,2,4]triazol-2-yl)propyl)-2-octadécyloxybenzamide | 407-070-5 | 142859-67-4 | R43 R53 | Xi R: 43-53 S: (2-)22-24-37-61 | | |
| 616-043-00-9 | isoxaben (ISO); N-[3-(1-éthyl-1-méthylpropyl)-1,2-oxazol-5-yl]-2,6-diméthoxybenzamide | 407-190-8 | 82558-50-7 | R53 | R: 53 S: 61 | | |
| 616-044-00-4 | N-(3,5-dichloro-4-éthyl-2-hydroxyphényl)-2-(3-pentadécylphénoxy)-butanamide | 402-510-2 | — | N; R51-53 | N R: 51/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|-----------------------------------|--|---------------------------------------|-------|
| 616-045-00-X | 2'-(4-chloro-3-cyano-5-formyl-2-thienylazo)-5'-diethylamino-2-methoxyacetanilide | 405-190-2 | 122371-93-1 | R43 R53 | Xi R: 43-53 S: 2-22-24-37-61 | | |
| 616-046-00-5 | N-(2-(6-chloro-7-methylpyrazolo(1,5-b)-1,2,4-triazol-4-yl)propyl)-2-(2,4-di-tert-pentylphenoxy)octanamide | 406-390-2 | — | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 616-047-00-0 | reaction mass of: 2,2',2'',2'''-(ethylenedinitrilotetrakis-N,N-di(C ₁₆)alkylacetamide; 2,2',2'',2'''-(ethylenedinitrilotetrakis-N,N-di(C ₁₈)alkylacetamide | 406-640-0 | — | R43 | Xi R: 43 S: (2-)24-37 | | |
| 616-048-00-6 | 3'-trifluoromethylisobutyranilide | 406-740-4 | 1939-27-1 | Xn; R48/22 N; R51-53 | Xn; N R: 48/22-51/53 S: (2-)22-36-61 | | |
| 616-049-00-1 | 2-(2,4-bis(1,1-dimethylethyl)phenoxy)-N-(3,5-dichloro-4-ethyl-2-hydroxyphenyl)-hexanamide | 408-150-2 | 99141-89-6 | R53 | R: 53 S: 61 | | |
| 616-050-00-7 | lufenuron (ISO); N-[2,5-dichloro-4-(1,1,2,3,3,3-hexafluoropropoxy)-phenyl-aminocarbonyl]-2,6-difluorobenzamide | 410-690-9 | 103055-07-8 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 616-051-00-2 | reaction mass of: 2,4 -bis(N'-(4-methylphenyl)-ureido)-toluene; 2,6 -bis(N'-(4-methylphenyl)-ureido)-toluene | 411-070-0 | — | R53 | R: 53 S: 61 | | |
| 616-052-00-8 | formamide | 200-842-0 | 75-12-7 | Repr. Cat. 2; R61 | T R: 61 S: 53-45 | | |
| 616-053-00-3 | N-methylacetamide | 201-182-6 | 79-16-3 | Repr. Cat. 2; R61 | T R: 61 S: 53-45 | | |
| 616-054-00-9 | iprodione (ISO); 3-(3,5-dichlorophenyl)-2,4-dioxo-N-isopropylimidazolidine-1-carboxamide | 253-178-9 | 36734-19-7 | Carc. Cat. 3; R40 N; R50-53 | Xn; N R: 40-50/53 S: (2-)36/37-60-61 | | |
| 616-055-00-4 | propyzamide (ISO); 3,5-dichloro-N-(1,1-dimethylprop-2-ynyl)benzamide | 245-951-4 | 23950-58-5 | Carc. Cat. 3; R40 N; R50-53 | Xn; N R: 40-50/53 S: (2-)36/37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 616-056-00-X | N-methylformamide | 204-624-6 | 123-39-7 | Repr. Cat. 2; R61 Xn; R21 | T R: 61-21 S: 53-45 | | E |
| 616-057-00-5 | reaction mass of: N-[3-hydroxy-2-(2-methylacryloylamino-methoxy)propoxymethyl]-2-methylacrylamide; N-[2,3-bis-(2-methylacryloylamino-methoxy)propoxymethyl]-2-methylacrylamide; methacrylamide; 2-methyl-N-(2-methylacryloylamino-methoxymethyl)-acrylamide; N-(2,3-dihydroxypropoxymethyl)-2-methylacrylamide | 412-790-8 | — | Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R48/22 | T R: 45-48/22 S: 53-45 | | E |
| 616-058-00-0 | 1,3-bis(3-methyl-2,5-dioxo-1H-pyrrolinylmethyl)benzene | 412-570-1 | 119462-56-5 | Xn; R48/22 Xi; R41 R43 N; R50-53 | Xn; N R: 41-43-48/22-50/53 S: (2-)26-36/37/39-60-61 | | |
| 616-059-00-6 | 4-((4-(diethylamino)-2-ethoxyphenyl)imino)-1,4-dihydro-1-oxo-N-propyl-2-naphthalenecarboxamide | 412-650-6 | 121487-83-0 | R53 | R: 53 S: 61 | | |
| 616-060-00-1 | Condensation product of: 3-(7-carboxyhept-1-yl)-6-hexyl-4-cyclohexene-1,2-dicarboxylic acid with polyamines (primarily amino-ethyl-piperazine and triethylenetetramine) | 413-770-1 | — | Xn; R22 C; R34 R43 N; R50-53 | C; N R: 22-34-43-50/53 S: (1/2-)26-36/37/39-45-60-61 | | |
| 616-061-00-7 | N,N'-1,6-hexanediyldis(N-(2,2,6,6-tetramethyl-piperidin-4-yl)-formamide | 413-610-0 | 124172-53-8 | Xi; R36 R52-53 | Xi R: 36-52/53 S: (2-)26-61 | | |
| 616-062-00-2 | N-[3-[(2-acetyloxy)ethyl](phenyl-methyl)amino]-4-methoxyphenylacetamide | 411-590-8 | 70693-57-1 | C; R34 R52-53 | C R: 34-52/53 S: (1/2-)26-36/37/39-45-61 | | |
| 616-063-00-8 | 3-dodecyl-(1-(1,2,2,6,6-pentamethyl-4-piperidin-yl)-2,5-pyrrolidindione | 411-920-0 | 106917-30-0 | T; R23 Xn; R22-48/22 C; R35 N; R50-53 | T; C; N R: 22-23-35-48/22-50/53 S: (1/2-)26-28-36/37/39-45-60-61 | | |
| 616-064-00-3 | N—tert-butyl-3-methylpicolinamide | 406-720-5 | 32998-95-1 | R52-53 | R: 52/53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|-----------------------------|--|---------------------------------------|-------|
| 616-065-00-9 | 3'-(3-acetyl-4-hydroxyphenyl)-1,1-diethylurea | 411-970-3 | 79881-89-3 | Xn; R22-48/22 | Xn R: 22-48/22 S: (2-)22-36 | | |
| 616-066-00-4 | 5,6,12,13-tetrachloroanthra(2,1,9—def:6,5,10-d'ef)diisoquinoline-1,3,8,10(2H,9H)-tetrone | 405-100-1 | 115662-06-1 | Repr. Cat. 3; R62 | Xn R: 62 S: (2-)22-36/37 | | |
| 616-067-00-X | dodecyl 3-(2-(3-benzyl-4-ethoxy-2,5-dioximidazolidin-1-yl)-4,4-dimethyl-3-oxovaleramido)-4-chlorobenzoate | 407-300-4 | 92683-20-0 | R53 | R: 53 S: 61 | | |
| 616-068-00-5 | potassium 4-(11-methacrylamidoundecanamido)benzenesulfonate | 406-500-9 | 174393-75-0 | R43 | Xi R: 43 S: (2-)22-24-37 | | |
| 616-069-00-0 | 1-hydroxy-5-(2-methylpropyloxycarbonylamino)-N-(3-dodecyloxypropyl)-2-naphthoamide | 406-210-2 | 110560-22-0 | R53 | R: 53 S: 61 | | |
| 616-070-00-6 | reaction mass of: 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea; 3-cyclohexyl-1-(4-(4-(3-octadecylureido)benzyl)phenyl)urea; 3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea | 406-530-2 | — | R53 | R: 53 S: 22-61 | | |
| 616-071-00-1 | reaction mass of: bis(N-cyclohexyl-N'-phenyleneureido)methylene; bis(N-octadecyl-N'-phenyleneureido)methylene; bis(N-dicyclohexyl-N'-phenyleneureido)methylene (1:2:1) | 406-550-1 | — | R43 R53 | Xi R: 43-53 S: (2-)22-24-37-61 | | |
| 616-072-00-7 | 1-(2-deoxy-5-O-trityl-β-D-threopentofuranosyl)thymine | 407-120-6 | 55612-11-8 | R53 | R: 53 S: 61 | | |
| 616-073-00-2 | 4'-ethoxy-2-benzimidazoleanilide | 407-600-5 | 120187-29-3 | Muta. Cat. 3; R68 R53 | Xn R: 68-53 S: (2-)22-36/37-61 | | |
| 616-074-00-8 | N-butyl-2-(4-morpholinylcarbonyl)benzamide | 407-730-2 | 104958-67-0 | Xi; R36 R43 R52-53 | Xi R: 36-43-52/53 S: (2-)24-26-37-61 | | |
| 616-075-00-3 | D,L-(N,N-diethyl-2-hydroxy-2-phenylacetamide) | 408-120-9 | 65197-96-8 | Xn; R22 Xi; R41 | Xn R: 22-41 S: (2-)26-39-46 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|-----------------------------|--|---------------------------------------|-------|
| 616-076-00-9 | tebufenozide (ISO); N—tert-butyl-N'-(4-ethylbenzoyl)-3,5-dimethylbenzohydra- zide | 412-850-3 | 112410-23-8 | N; R51-53 | N R: 51/53 S: 61 | | |
| 616-077-00-4 | reaction mass of: 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10- tetrahydro-(1 <i>H</i> ,8 <i>H</i>)-anthra[2,1,9—def: 6,5,10- <i>d'ef'</i>]diisoqui- nolin-2-ylethansulfonic acid; potassium 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10-tetrahy- dro-(1 <i>H</i> ,8 <i>H</i>)-anthra[2,1,9—def: 6,5,10- <i>d'ef'</i>]diisoquinolin-2- ylethansulfate | 411-310-4 | — | Xi; R41 | Xi R: 41 S: (2-)26-39 | | |
| 616-078-00-X | 2-[2,4-bis(1,1-dimethyl-ethyl)phenoxy]-N-(2-hydroxy-5- methyl-phenyl)hexanamide | 411-330-3 | 104541-33-5 | R53 | R: 53 S: 61 | | |
| 616-079-00-5 | 1,6-hexanediy-bis(2-(2-(1-ethylpentyl)-3-oxazolidinyl)ethyl) carbamate | 411-700-4 | 140921-24-0 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 616-080-00-0 | 4-(2-((3-ethyl-4-methyl-2-oxo-pyrrolin-1-yl)carboxamido) ethyl)benzenesulfonamide) | 411-850-0 | 119018-29-0 | R52-53 | R: 52/53 S: 61 | | |
| 616-081-00-6 | 5-bromo-8-naphtholactam | 413-480-5 | 24856-00-6 | Xn; R22 R43 N; R50-53 | Xn; N R: 22-43-50/53 S: (2-)22-24-37-60- 61 | | |
| 616-082-00-1 | N-(5-chloro-3-((4-(diethylamino)-2-methylphenyl)imino-4- methyl-6-oxo-1,4-cyclohexadien-1-yl)benzamide | 413-200-1 | 129604-78-0 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 616-083-00-7 | [2-[(4-nitrophenyl)amino]ethyl]urea | 410-700-1 | 27080-42-8 | R43 R52-53 | Xi R: 43-52/53 S: (2-)24-37-61 | | |
| 616-084-00-2 | 2,4-bis[N'-(4-methylphenyl)ureido]toluene | 411-790-5 | — | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 616-085-00-8 | 3-(2,4-dichlorophenyl)-6-fluoro-quinazoline-2,4(1 <i>H</i> ,3 <i>H</i>)- dione | 412-190-6 | 168900-02-5 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 616-086-00-3 | 2-acetyl-amino-6-chloro-4-[(4-diethylamino)2-methylphenyl- imino]-5-methyl-1-oxo-2,5-cyclohexadiene | 412-250-1 | 102387-48-4 | R53 | R: 53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 616-087-00-9 | reaction mass of: 7,9,9-trimethyl-3,14-dioxo-4,13-dioxo-5,12-diazahexadecane-1,16-diyl-prop-2-enoate; 7,7,9-trimethyl-3,14-dioxo-4,13-dioxo-5,12-diazahexadecan-1,16-diyl-prop-2-enoate | 412-260-6 | 52658-19-2 | Xi; R36 R43 N; R51-53 | Xi; N R: 36-43-51/53 S: (2-)26-36/37-61 | | |
| 616-088-00-4 | 2-aminosulfonyl-N,N-dimethylnicotinamide | 413-440-7 | 112006-75-4 | R43 R52-53 | Xi R: 43-52/53 S: (2-)24-37-61 | | |
| 616-089-00-X | 5-(2,4-dioxo-1,2,3,4-tetrahydropyrimidine)-3-fluoro-2-hydroxymethyltetrahydrofuran | 415-360-8 | 41107-56-6 | Muta. Cat. 3; R68 | Xn R: 68 S: (2-)22-36/37 | | |
| 616-090-00-5 | 1-(1,4-benzodioxan-2-ylcarbonyl)piperazine hydrochloride | 415-660-9 | 70918-74-0 | T; R23/24/25 Xn; R48/22 N; R51-53 | T; N R: 23/24/25-48/22-51/53 S: 53-45-61 | | |
| 616-091-00-0 | 1,3,5-tris-[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione | 423-400-0 | 59653-74-6 | Muta. Cat. 2; R46 T; R23 Xn; R22-48/22 Xi; R41 R43 | T R: 46-22-23-41-43-48/22 S: 53-45 | | E |
| 616-092-00-6 | Polymeric reaction product of bicyclo[2.2.1]hepta-2,5-diene, ethene, 1,4-hexadiene, 1-propene with N,N-di-2-propenyl-formamide | 404-035-6 | — | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |
| 616-093-00-1 | Reaction products of: aniline-terephthalaldehyde-o-toluidine condensate with maleic anhydride | 406-620-1 | 129217-90-9 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 616-094-00-7 | 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea | 406-370-3 | 58890-25-8 | R43 R53 | Xi R: 43-53 S: (2-)24-37-61 | | |
| 616-095-00-2 | 3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea | 406-690-3 | 43136-14-7 | R53 | R: 53 S: 61 | | |
| 616-096-00-8 | N-(3-hexadecyloxy-2-hydroxyprop-1-yl)-N-(2-hydroxyethyl) palmitamide | 408-110-4 | 110483-07-3 | R53 | R: 53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 616-097-00-3 | N,N'-1,4-phenylenebis(2-((2-methoxy-4-nitrophenyl)azo)-3-oxobutanamide | 411-840-6 | 83372-55-8 | R53 | R: 53 S: 61 | | |
| 616-098-00-9 | 1-[4-chloro-3-((2,2,3,3,3-pentafluoropropoxy)methyl)phenyl]-5-phenyl-1H-1,2,4-triazole-3-carboxamide | 411-750-7 | 119126-15-7 | N; R51-53 | N R: 51/53 S: 61 | | |
| 616-099-00-4 | 2-[4-[(4-hydroxyphenyl)sulfonyl]phenoxy]-4,4-dimethyl-N-[5-[(methylsulfonyl)amino]-2-[4-(1,1,3,3-tetramethylbutyl)phenoxy]phenyl]-3-oxopentanamide | 414-170-2 | 135937-20-1 | R53 | R: 53 S: 61 | | |
| 616-100-00-8 | 1,3-dimethyl-1,3-bis(trimethylsilyl)urea | 414-180-7 | 10218-17-4 | Xn; R22 Xi; R38 | Xn R: 22-38 S: (2-)36/37 | | |
| 616-101-00-3 | (S)-N-tert-butyl-1,2,3,4-tetrahydro-3-isoquinolinecarboxamide | 414-600-9 | 149182-72-9 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)61 | | |
| 616-102-00-9 | reaction mass of: α-[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]-ω-[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyloxy]-poly-(oxyethylene-co-oxypropylene); 1,2-(or 1,3-)bis[α-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]-ω-oxy-poly(oxyethylene-co-oxypropylene)]-3-(or 2-)propanol; 1,2,3-tris[α-(3-mercaptopropanoxycarbonyl-amino)methylphenylaminocarbonyl]-ω-oxy-poly-(oxyethylene-co-oxypropylene)]propane] | 415-870-0 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)36/37-61 | | |
| 616-103-00-4 | (S,S)-trans-4-(acetyl-amino)-5,6-dihydro-6-methyl-7,7-dioxo-4H-thieno[2,3-b]thiopyran-2-sulfonamide | 415-030-3 | 120298-38-6 | R43 N; R50-53 | Xi; N R: 43-50/53 S: (2-)24-37-60-61 | | |
| 616-104-00-X | benalaxyl (ISO); methyl N-(2,6-dimethylphenyl)-N-(phenylacetyl)-DL-alaninate | 275-728-7 | 71626-11-4 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 616-105-00-5 | chlorotoluron (ISO); 3-(3-chloro-p-tolyl)-1,1-dimethylurea | 239-592-2 | 15545-48-9 | Carc. Cat. 3; R40 Repr. Cat. 3; R63 N; R50-53 | Xn; N R: 40-63-50/53 S: (2-)26-36/37-46-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|--|---|-------|
| 616-106-00-0 | phenmedipham (ISO); methyl 3-(3-methylcarbaniloxy)carbanilate | 237-199-0 | 13684-63-4 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 616-108-00-1 | iodosulfuron-methyl-sodium; sodium ([[5-iodo-2-(methoxycarbonyl)phenyl]sulfonyl]carbamoyl)(4-methoxy-6-methyl-1,3,5-triazin-2-yl)azanide | — | 144550-36-7 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 616-109-00-7 | sulfosulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethylsulfonylimidazo[1,2-a]pyridin-3-yl)sulfonylurea | — | 141776-32-1 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 616-110-00-2 | cyclanilide (ISO); 1-(2,4-dichloroanilino-carbonyl)cyclopropanecarboxylic acid | 419-150-7 | 113136-77-9 | Xn; R22 N; R51-53 | Xn; N R: 22-51/53 S: (2-)61 | | |
| 616-111-00-8 | fenhexamid (ISO); N-(2,3-dichlor-4-hydroxyphenyl)-1-methylcyclohexancarboxamid | 422-530-5 | 126833-17-8 | N; R51-53 | N R: 51/53 S: 61 | | |
| 616-112-00-3 | oxasulfuron (ISO); oxetan-3-yl 2-[(4,6-dimethylpyrimidin-2-yl)-carbamoylsulfamoyl]benzoate | — | 144651-06-9 | Xn; R48/22 N; R50-53 | Xn; N R: 48/22-50/53 S: (2-)46-60-61 | | |
| 616-113-00-9 | desmedipham (ISO); ethyl 3-phenylcarbamoyloxyphenylcarbamate | 237-198-5 | 13684-56-5 | N; R50-53 | N R: 50/53 S: 60-61 | N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 % | |
| 616-114-00-4 | dodecanamide, N,N'-(9,9',10,10'-tetrahydro-9,9',10,10'-tetraoxo(1,1'-bianthracene)-4,4'-diyl)bis- | 418-010-2 | 136897-58-0 | R53 | R: 53 S: 22-61 | | |
| 616-115-00-X | N-(3-acetyl-2-hydroxyphenyl)-4-(4-phenylbutoxy)benzamide | 416-150-9 | 136450-06-1 | R53 | R: 53 S: 61 | | |
| 616-116-00-5 | N-(4-dimethylaminopyridinium)-3-methoxy-4-(1-methyl-5-nitroindol-3-ylmethyl)-N-(o-tolylsulfonyl)benzamidate | 416-790-9 | 143052-96-4 | R53 | R: 53 S: 61 | | |
| 616-117-00-0 | N-[2-(3-acetyl-5-nitrothiophen-2-ylazo)-5-diethylaminophenyl]acetamide | 416-860-9 | 777891-21-1 | Repr. Cat. 3; R62 R43 N; R50-53 | Xn; N R: 43-62-50/53 S: (2-)22-36/37-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|-------------------------------|---|---------------------------------------|-------|
| 616-118-00-6 | N-(2',6'-dimethylphenyl)-2-piperidinecarboxamide hydrochloride | 417-950-0 | 65797-42-4 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)22-61 | | |
| 616-119-00-1 | 2-(1-butyl-3,5-dioxo-2-phenyl-(1,2,4)-triazolidin-4-yl)-4,4-dimethyl-3-oxo-N-(2-methoxy-5-(2-(dodecyl-1-sulfonyl))propionylamino)-phenyl)-pentanamide | 418-060-5 | 118020-93-2 | R53 | R: 53 S: 61 | | |
| 616-120-00-7 | reaction mass of: N-(3-dimethylamino-4-methyl-phenyl)-benzamide; N-(3-dimethylamino-2-methyl-phenyl)-benzamide; N-(3-dimethylamino-3-methyl-phenyl)-benzamide | 420-600-1 | — | Xn; R48/22 N; R51-53 | Xn; N R: 48/22-51/53 S: (2-)36/37-61 | | |
| 616-121-00-2 | 2,4-dihydroxy-N-(2-methoxyphenyl)benzamide | 419-090-1 | 129205-19-2 | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 616-123-00-3 | N-[3-[[4-(diethylamino)-2-methylphenyl]imino]-6-oxo-1,4-cyclohexadienyl]acetamide | 414-740-0 | 96141-86-5 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 616-124-00-9 | lithium bis(trifluoromethylsulfonyl)imide | 415-300-0 | 90076-65-6 | T; R24/25 C; R34 R52-53 | T R: 24/25-34-52/53 S: (1/2-)22-26-36/37/ 39-45-61 | | |
| 616-125-00-4 | 3-cyano-N-(1,1-dimethylethyl)androsta-3,5-diene-17-β-carboxamide | 415-730-9 | 151338-11-3 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 616-127-00-5 | reaction mass of: N,N'-Ethane-1,2-diylbis(decanamide); 12-Hydroxy-N-[2-[1-oxydecyl]amino]ethyl]octadecanamide; N,N'-Ethane-1,2-diylbis(12-hydroxyoctadecanamide) | 430-050-2 | — | R43 N; R51-53 | Xi; N R: 43-51/53 S: (2-)24-37-61 | | |
| 616-128-00-0 | N-(2-(1-allyl-4,5-dicyanoimidazol-2-ylazo)-5-(dipropylamino)phenyl)-acetamide | 417-530-7 | 123590-00-1 | R53 | R: 53 S: 61 | | |
| 616-129-00-6 | N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)isophthalamide | 419-710-0 | 42774-15-2 | Xn; R22 Xi; R36 | Xn R: 22-36 S: (2-)22-25-26 | | |
| 616-130-00-1 | N-(3-(2-(4,4-dimethyl-2,5-dioxo-imidazolin-1-yl)-4,4-dimethyl-3-oxo-pentanoylamino)-4-methoxy-phenyl)-octadecanamide | 421-780-2 | 150919-56-5 | R53 | R: 53 S: 61 | | |

| Numéro index | Classification chimique internationale | Numéros CEO | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---|-------|
| 616-132-00-2 | N-[4-(4-cyano-2-furfurylidene-2,5-dihydro-5-oxo-3-furyl)phenyl]butane-1-sulfonamide | 423-250-6 | 130016-98-7 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 616-133-00-8 | N-cyclohexyl-S,S-dioxobenzob[<i>b</i>]tiophene-2-carboxamide | 423-990-1 | 149118-66-1 | Xn; R22 Xi; R41 N; R50-53 | Xn; N R: 22-41-50/53 S: (2-)22-26-39-60-61 | | |
| 616-134-00-3 | 3,3'-bis(dioctyloxyphosphinothioylthio)-N,N'-oxybis(methylene)dipropionamide | 401-820-5 | 793710-14-2 | R52-53 | R: 52/53 S: 61 | | |
| 616-135-00-9 | (3 <i>S</i> ,4 <i>aS</i> ,8 <i>aS</i>)-2-[(2 <i>R</i> ,3 <i>S</i>)-3-amino-2-hydroxy-4-phenylbutyl]-N-tert-butyldecahydroisoquinoline-3-carboxamide | 430-230-0 | 136522-17-3 | Xn; R22 R52-53 | Xn R: 22-52/53 S: (2-)22-61 | | |
| 616-142-00-7 | 1,3-Bis(vinylsulfonylacetamido)propane | 428-350-3 | 93629-90-4 | Muta. Cat. 3; R68 Xi; R41 R43 R52-53 | Xn R: 41-43-68-52/53 S: (2-)22-26-36/37/39-61 | | |
| 616-143-00-2 | N,N'-dihexadecyl-N,N'-bis(2-hydroxyethyl)propanediamide | 422-560-9 | 149591-38-8 | Repr. Cat. 3; R62 Xi; R36 R53 | Xn R: 36-62-53 S: (2-)26-36/37-61 | | |
| 617-001-00-2 | di- <i>tert</i> -butyl peroxide | 203-733-6 | 110-05-4 | O; R7 F; R11 | O; F R: 7-11 S: (2-)3/7-14-16-36/37/39 | | |
| 617-002-00-8 | α , α -dimethylbenzyl hydroperoxide; cumene hydroperoxide | 201-254-7 | 80-15-9 | O; R7 T; R23 Xn; R21/22-48/20/22 C; R34 N; R51-53 | O; T; N R: 7-21/22-23-34-48/20/22-51/53 S: (1/2-)3/7-14-36/37/39-45-50-61 | C; R34: C \geq 10 % Xi; R37/38-41: 3 % \leq C < 10 % Xi; R36/37: 1 % \leq C < 3 % | |
| 617-003-00-3 | dilauroyl peroxide | 203-326-3 | 105-74-8 | O; R7 | O R: 7 S: (2-)3/7-14-36/37/39 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|--|---|---|---|---|-------|
| 617-004-00-9 | 1,2,3,4-tetrahydro-1-naphthyl hydroperoxide | 212-230-0 | 771-29-9 | O; R7 Xn; R22 C; R34 N; R50-53 | O; C; N R: 7-22-34-50/53 S: (1/2-)3/7-14-26-36/37/39-45-60-61 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 617-006-00-X | bis(α, α-dimethylbenzyl) peroxide | 201-279-3 | 80-43-3 | O; R7 Xi; R36/38 N; R51-53 | O; Xi; N R: 7-36/38-51/53 S: (2-)3/7-14-36/37/39-61 | | |
| 617-007-00-5 | tert-butyl α, α-dimethylbenzyl peroxide | 222-389-8 | 3457-61-2 | O; R7 Xi; R38 N; R51-53 | O; Xi; N R: 7-38-51/53 S: (2-)3/7-14-36/37/39-61 | | |
| 617-008-00-0 | dibenzoyl peroxide; benzoyl peroxide | 202-327-6 | 94-36-0 | E; R2 ⊗ Xi; R36 R43 | E; Xi R: 2-36-43 S: (2-)3/7-14-36/37/39 | | |
| 617-010-00-1 | 1-hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide; [1] 1,1'-dioxibiscyclohexan-1-ol; [2] cyclohexylidene hydroperoxide; [3] cyclohexanone, peroxide [4] | 201-091-1 [1] 219-306-2 [2] 220-279-4 [3] 235-527-7 [4] | 78-18-2 [1] 2407-94-5 [2] 2699-11-8 [3] 12262-58-7 [4] | E; R2 ⊗ Xn; R22 C; R34 | E; C R: 2-22-34 S: (1/2-)3/7-14-36/37/39-45 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | C |
| 617-012-00-2 | 8-p-menthyl hydroperoxide; p-menthane hydroperoxide | 201-281-4 | 80-47-7 | O; R7 C; R34 Xn; R20 | O; C R: 7-20-34 S: (1/2-)3/7-14-36/37/39-45 | C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % | |
| 617-013-00-8 | O,O—tert-butyl O-docosyl monoperoxyoxalate | 404-300-6 | 116753-76-5 | O; R7 N; R50-53 | O; N R: 7-50/53 S: (2-)7-14-36/37/39-47-60-61 | | |
| 617-014-00-3 | 6-(nonylamino)-6-oxo-peroxyhexanoic acid | 406-680-9 | 104788-63-8 | O; R7 Xi; R41 R43 N; R50 | O; Xi; N R: 7-41-43-50 S: (2-)3/7-14-26-36/37/39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--------------------------------------|---|---------------------------------------|-------|
| 617-015-00-9 | bis(4-methylbenzoyl)peroxide | 407-950-9 | 895-85-2 | E; R2 O; R7 N; R50-53 | E; N R: 2-7-50/53 S: (2-)7-14-36/37/39-47-60-61 | | |
| 617-016-00-4 | 3-hydroxy-1,1-dimethylbutyl 2-ethyl-2-methylheptaneperoxoate | 413-910-1 | — | O; R7 R10 Xi; R38 N; R50-53 | O; Xi; N R: 7-10-38-50/53 S: (2-)7/47-14-36/37/39-60-61 | | |
| 617-017-00-X | reaction mass of: 2,2'-bis(<i>tert</i> -peroxy)- <i>p</i> -diisopropylbenzene; 2,2'-bis(<i>tert</i> -peroxy)- <i>m</i> -diisopropylbenzene | 412-140-3 | 32144-25-5 | O; R7 ⊗ R53 | O R: 7-53 S: (2-)3/7-14-36/37/39-61 | | |
| 617-018-00-5 | reaction mass of: 1-methyl-1-(3-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 63 % by weight; 1-methyl-1-(4-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 31 % by weight | 410-840-3 | 71566-50-2 | O; R7 N; R51-53 | O; N R: 7-51/53 S: (2-)3/7-14-36/37/39-61 | | |
| 617-019-00-0 | 6-(phthalimido)peroxyhexanoic acid | 410-850-8 | 128275-31-0 | O; R7 Xi; R41 N; R50 | O; Xi; N R: 7-41-50 S: (2-)3/7-14-26-36/37/39-61 | | |
| 617-020-00-6 | 1,3-di(prop-2,2-diy)benzene bis(neodecanoylperoxide) | 420-060-5 | 117663-11-3 | R10 O; R7 N; R51-53 | O; N R: 7-10-51/53 S: (2-)7-14-36/37/39-47-61 | | |
| 647-001-00-8 | glucosidase, β- | 232-589-7 | 9001-22-3 | R42 | Xn R: 42 S: (2-)22-24-36/37 | | |
| 647-002-00-3 | cellulase | 232-734-4 | 9012-54-8 | R42 | Xn R: 42 S: (2-)22-24-36/37 | | |
| 647-003-00-9 | cellobiohydrolase, exo- | 253-465-9 | 37329-65-0 | R42 | Xn R: 42 S: (2-)22-24-36/37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|--|---------------------------------------|-------|
| 647-004-00-4 | cellulases with the exception of those specified elsewhere in this Annex | — | — | R42 | Xn R: 42 S: (2-)22-24-36/37 | | A |
| 647-005-00-X | bromelain, juice | 232-572-4 | 9001-00-7 | Xi; R36/37/38 R42 | Xn R: 36/37/38-42 S: (2-)22-24-26-36/37 | | |
| 647-006-00-5 | ficin | 232-599-1 | 9001-33-6 | Xi; R36/37/38 R42 | Xn R: 36/37/38-42 S: (2-)22-24-26-36/37 | | |
| 647-007-00-0 | papain | 232-627-2 | 9001-73-4 | Xi; R36/37/38 R42 | Xn R: 36/37/38-42 S: (2-)22-24-26-36/37 | | |
| 647-008-00-6 | pepsin A | 232-629-3 | 9001-75-6 | Xi; R36/37/38 R42 | Xn R: 36/37/38-42 S: (2-)22-24-26-36/37 | | |
| 647-009-00-1 | rennin | 232-645-0 | 9001-98-3 | Xi; R36/37/38 R42 | Xn R: 36/37/38-42 S: (2-)22-24-26-36/37 | | |
| 647-010-00-7 | trypsin | 232-650-8 | 9002-07-7 | Xi; R36/37/38 R42 | Xn R: 36/37/38-42 S: (2-)22-24-26-36/37 | | |
| 647-011-00-2 | chymotrypsin | 232-671-2 | 9004-07-3 | Xi; R36/37/38 R42 | Xn R: 36/37/38-42 S: (2-)22-24-26-36/37 | | |
| 647-012-00-8 | subtilisin | 232-752-2 | 9014-01-1 | Xi; R37/38-41 R42 | Xn R: 37/38-41-42 S: (2-)22-24-26-36/37/39 | | |
| 647-013-00-3 | proteinase, microbial neutral | 232-966-6 | 9068-59-1 | Xi; R36/37/38 R42 | Xn R: 36/37/38-42 S: (2-)22-24-26-36/37 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|---|---------------------------------------|-------|
| 647-014-00-9 | proteases with the exception of those specified elsewhere in this Annex | — | — | Xi; R36/37/38 R42 | Xn R: 36/37/38-42 S: (2-)22-24-26-36/37 | | |
| 647-015-00-4 | amylase, α- | 232-565-6 | 9000-90-2 | R42 | Xn R: 42 S: (2-)22-24-36/37 | | |
| 647-016-00-X | amylases with the exception of those specified elsewhere in this Annex | — | — | R42 | Xn R: 42 S: (2-)22-24-36/37 | | |
| 648-001-00-0 | Distillates (coal tar), benzole fraction; Light Oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists of hydrocarbons having carbon numbers primarily in the range of C ₄ to C ₁₀ and distilling in the approximate range of 80 °C to 160 °C (175°F to 320°F).] | 283-482-7 | 84650-02-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 648-002-00-6 | Tar oils, brown-coal; Light Oil; [The distillate from lignite tar boiling in the range of approximately 80 °C to 250 °C (176°F to 482°F). Composed primarily of aliphatic and aromatic hydrocarbons and monobasic phenols.] | 302-674-4 | 94114-40-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-003-00-1 | Benzol forerunnings (coal); Light Oil Redistillate, low boiling; [The distillate from coke oven light oil having an approximate distillation range below 100 °C (212°F). Composed primarily of C ₄ to C ₆ aliphatic hydrocarbons.] | 266-023-5 | 65996-88-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-004-00-7 | Distillates (coal tar), benzole fraction, BTX-rich; Light Oil Redistillate, low boiling; [A residue from the distillation of crude benzole to remove benzole fronts. Composed primarily of benzene, toluene and xylenes boiling in the range of approximately 75 °C to 200 °C (167°F to 392°F).] | 309-984-9 | 101896-26-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-005-00-2 | Aromatic hydrocarbons, C ₆₋₁₀ , C ₈ -rich; Light Oil Redistillate, low boiling | 292-697-5 | 90989-41-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-006-00-8 | Solvent naphtha (coal), light; Light Oil Redistillate, low boiling | 287-498-5 | 85536-17-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-007-00-3 | Solvent naphtha (coal), xylene-styrene cut; Light Oil Redistillate, intermediate boiling | 287-502-5 | 85536-20-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-008-00-9 | Solvent naphtha (coal), coumarone-styrene contg.; Light Oil Redistillate, intermediate boiling | 287-500-4 | 85536-19-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-009-00-4 | Naphtha (coal), distn. residues; Light Oil Redistillate, high boiling; [The residue remaining from the distillation of recovered naphtha. Composed primarily of naphthalene and condensation products of indene and styrene.] | 292-636-2 | 90641-12-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-010-00-X | Aromatic hydrocarbons, C ₈ ; Light Oil Redistillate, high boiling | 292-694-9 | 90989-38-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-012-00-0 | Aromatic hydrocarbons, C ₈₋₉ , hydrocarbon resin polymn. by-product; Light Oil Redistillate, high boiling; [A complex combination of hydrocarbons obtained from the evaporation of solvent under vacuum from polymerized hydrocarbon resin. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₉ and boiling in the range of approximately 120 °C to 215 °C (248°F to 419°F).] | 295-281-1 | 91995-20-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-013-00-6 | Aromatic hydrocarbons, C ₉₋₁₂ , benzene distn.; Light Oil Redistillate, high boiling | 295-551-9 | 92062-36-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-014-00-1 | Extract residues (coal), benzole fraction alk., acid ext.; Light Oil Extract Residues, low boiling; [The redistillate from the distillate, freed of tar acids and tar bases, from bituminous coal high temperature tar boiling in the approximate range of 90 °C to 160 °C (194°F to 320°F). It consists predominantly of benzene, toluene and xylenes.] | 295-323-9 | 91995-61-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-015-00-7 | Extract residues (coal tar), benzole fraction alk., acid ext.; Light Oil Extract Residues, low boiling; [A complex combination of hydrocarbons obtained by the redistillation of the distillate of high temperature coal tar (tar acid and tar base free). It consists predominantly of unsubstituted and substituted mononuclear aromatic hydrocarbons boiling in the range of 85 °C-195 °C (185°F-383°F).] | 309-868-8 | 101316-63-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-016-00-2 | Extract residues (coal), benzole fraction acid; Light Oil Extract Residues, low boiling; [An acid sludge by-product of the sulphuric acid refining of crude high temperature coal. Composed primarily of sulfuric acid and organic compounds.] | 298-725-2 | 93821-38-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-017-00-8 | Extract residues (coal), light oil alk., distn. overheads; Light Oil Extract Residues, low boiling; [The first fraction from the distillation of aromatic hydrocarbons, coumarone, naphthalene and indene rich prefractionator bottoms or washed carbolic oil boiling substantially below 145 °C (293°F). Composed primarily of C ₇ and C ₈ aliphatic and aromatic hydrocarbons.] | 292-625-2 | 90641-02-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-018-00-3 | Extract residues (coal), light oil alk., acid ext., indene fraction; Light Oil Extract Residues, intermediate boiling | 309-867-2 | 101316-62-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-019-00-9 | Extract residues (coal), light oil alk., indene naphtha fraction; Light Oil Extract Residues, high boiling; [The distillate from aromatic hydrocarbons, coumarone, naphthalene and indene rich prefractionator bottoms or washed carbolic oils, having an approximate boiling range of 155 °C to 180 °C (311°F to 356°F). Composed primarily of indene, indan and trimethylbenzenes.] | 292-626-8 | 90641-03-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-020-00-4 | Solvent naphtha (coal); Light Oil Extract Residues, high boiling; [The distillate from either high temperature coal tar, coke oven light oil, or coal tar oil alkaline extract residue having an approximate distillation range of 130 °C to 210 °C (266°F to 410°F) Composed primarily of indene and other polycyclic ring systems containing a single aromatic ring. May contain phenolic compounds and aromatic nitrogen bases.] | 266-013-0 | 65996-79-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-021-00-X | Distillates (coal tar), light oils, neutral fraction; Light Oil Extract Residues, high boiling; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of alkyl-substituted one ring aromatic hydrocarbons boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F). May also include unsaturated hydrocarbons such as indene and coumarone.] | 309-971-8 | 101794-90-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-022-00-5 | Distillates (coal tar), light oils, acid exts.; Light Oil Extract Residues, high boiling; [This oil is a complex mixture of aromatic hydrocarbons, primarily indene, naphthalene, coumarone, phenol, and <i>o</i> -, <i>m</i> - and <i>p</i> -cresol and boiling in the range of 140 °C to 215 °C (284°F to 419°F).] | 292-609-5 | 90640-87-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-023-00-0 | Distillates (coal tar), light oils; Carbolic Oil; [A complex combination of hydrocarbons obtained by distillation of coal tar. It consists of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills at the approximate range of 150 °C to 210 °C (302°F to 410°F).] | 283-483-2 | 84650-03-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-024-00-6 | Tar oils, coal; Carbolic Oil; [The distillate from high temperature coal tar having an approximate distillation range of 130 °C to 250 °C (266°F to 410°F). Composed primarily of naphthalene, alkylnaphthalenes, phenolic compounds, and aromatic nitrogen bases.] | 266-016-7 | 65996-82-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-026-00-7 | Extract residues (coal), light oil alk., acid ext.; Carbolic Oil Extract Residue; [The oil resulting from the acid washing of alkali-washed carbolic oil to remove the minor amounts of basic compounds (tar bases). Composed primarily of indene, indan and alkybenzenes.] | 292-624-7 | 90641-01-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-027-00-2 | Extract residues (coal), tar oil alk.; Carbolic Oil Extract Residue; [The residue obtained from coal tar oil by an alkaline wash such as aqueous sodium hydroxide after the removal of crude coal tar acids. Composed primarily of naphthalenes and aromatic nitrogen bases.] | 266-021-4 | 65996-87-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-028-00-8 | Extract oils (coal), light oil; Acid Extract; [The aqueous extract produced by an acidic wash of alkali-washed carbolic oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.] | 292-622-6 | 90640-99-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-029-00-3 | Pyridine, alkyl derivs.; Crude Tar Bases; [The complex combination of polyalkylated pyridines derived from coal tar distillation or as high-boiling distillates approximately above 150 °C (302°F) from the reaction of ammonia with acetaldehyde, formaldehyde or paraformaldehyde.] | 269-929-9 | 68391-11-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-030-00-9 | Tar bases, coal, picoline fraction; Distillate Bases; [Pyridine bases boiling in the range of approximately 125 °C to 160 °C (257°F 320°F) obtained by distillation of neutralized acid extract of the base-containing tar fraction obtained by the distillation of bituminous coal tars. Composed chiefly of lutidines and picolines.] | 295-548-2 | 92062-33-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-031-00-4 | Tar bases, coal, lutidine fraction; Distillate Bases | 293-766-2 | 91082-52-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-032-00-X | Extract oils (coal), tar base, collidine fraction; Distillate Bases; [The extract produced by the acidic extraction of bases from crude coal tar aromatic oils, neutralization, and distillation of the bases. Composed primarily of collidines, aniline, toluidines, lutidines, xyloidines.] | 273-077-3 | 68937-63-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-033-00-5 | Tar bases, coal, collidine fraction; Distillate Bases; [The distillation fraction boiling in the range of approximately 181 °C to 186 °C (356°F to 367°F) from the crude bases obtained from the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of bituminous coal tar. It contains chiefly aniline and collidines.] | 295-543-5 | 92062-28-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-034-00-0 | Tar bases, coal, aniline fraction; Distillate Bases; [The distillation fraction boiling in the range of approximately 180 °C to 200 °C (356°F to 392°F) from the crude bases obtained by dephenolating and debasing the carbolated oil from the distillation of coal tar. It contains chiefly aniline, collidines, lutidines and toluidines.] | 295-541-4 | 92062-27-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-035-00-6 | Tar bases, coal, toluidine fraction; Distillate Bases | 293-767-8 | 91082-53-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-036-00-1 | Distillates (petroleum), alkene-alkyne manuf. pyrolysis oil, mixed with high-temp. coal tar, indene fraction; Redistillates; [A complex combination of hydrocarbons obtained as a redistillate from the fractional distillation of bituminous coal high temperature tar and residual oils that are obtained by the pyrolytic production of alkenes and alkynes from petroleum products or natural gas. It consists predominantly of indene and boils in a range of approximately 160 °C to 190 °C (320°F to 374°F).] | 295-292-1 | 91995-31-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-037-00-7 | Distillates (coal), coal tar-residual pyrolysis oils, naphthalene oils; Redistillates; [The redistillate obtained from the fractional distillation of bituminous coal high temperature tar and pyrolysis residual oils and boiling in the range of approximately 190 °C to 270 °C (374°F to 518°F). Composed primarily of substituted dinuclear aromatics.] | 295-295-8 | 91995-35-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-038-00-2 | Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oil, redistillate; Redistillates; [The redistillate from the fractional distillation of dephenolated and debased methylnaphthalene oil obtained from bituminous coal high temperature tar and pyrolysis residual oils boiling in the approximate range of 220 °C to 230 °C (428°F to 446°F). It consists predominantly of unsubstituted and substituted dinuclear aromatic hydrocarbons.] | 295-329-1 | 91995-66-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-039-00-8 | Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oils; Redistillates; [A neutral oil obtained by debasing and dephenolating the oil obtained from the distillation of high temperature tar and pyrolysis residual oils which has a boiling range of 225 °C to 255 °C (437°F to 491°F). Composed primarily of substituted dinuclear aromatic hydrocarbons.] | 310-170-0 | 122070-79-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-040-00-3 | Extract oils (coal), coal tar residual pyrolysis oils, naphthalene oil, distn. residues; Redistillates; [Residue from the distillation of dephenolated and debased methylnaphthalene oil (from bituminous coal tar and pyrolysis residual oils) with a boiling range of 240 °C to 260 °C (464°F to 500°F). Composed primarily of substituted dinuclear aromatic and heterocyclic hydrocarbons.] | 310-171-6 | 122070-80-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-041-00-9 | Absorption oils, bicyclo arom. and heterocyclic hydrocarbon fraction; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained as a redistillate from the distillation of wash oil. It consists predominantly of 2-ringed aromatic and heterocyclic hydrocarbons boiling in the range of approximately 260 °C to 290 °C (500°F to 554°F).] | 309-851-5 | 101316-45-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-042-00-4 | Distillates (coal tar), upper, fluorene-rich; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists of aromatic and polycyclic hydrocarbons primarily fluorene and some acenaphthene.] | 284-900-0 | 84989-11-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-043-00-X | Creosote oil, acenaphthene fraction, acenaphthene-free; Wash Oil Redistillate; [The oil remaining after removal by a crystallization process of acenaphthene from acenaphthene oil from coal tar. Composed primarily of naphthalene and alkylnaphthalenes.] | 292-606-9 | 90640-85-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 648-044-00-5 | Distillates (coal tar), heavy oils; Heavy Anthracene Oil; [Distillate from the fractional distillation of coal tar of bituminous coal, with boiling range of 240 °C to 400 °C (464°F to 752°F). Composed primarily of tri- and polynuclear hydrocarbons and heterocyclic compounds.] | 292-607-4 | 90640-86-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-045-00-0 | Distillates (coal tar), upper; Heavy Anthracene Oil; [The distillate from coal tar having an approximate distillation range of 220 °C to 450 °C (428°F to 842°F). Composed primarily of three to four membered condensed ring aromatic hydrocarbons and other hydrocarbons.] | 266-026-1 | 65996-91-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-046-00-6 | Anthracene oil, acid ext.; Anthracene Oil Extract Residue; [A complex combination of hydrocarbons from the base-freed fraction obtained from the distillation of coal tar and boiling in the range of approximately 325 °C to 365 °C (617°F to 689°F). It contains predominantly anthracene and phenanthrene and their alkyl derivatives.] | 295-274-3 | 91995-14-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-047-00-1 | Distillates (coal tar); Heavy Anthracene Oil; [The distillate from coal tar having an approximate distillation range of 100 °C to 450 °C (212°F to 842°F). Composed primarily of two to four membered condensed ring aromatic hydrocarbons, phenolic compounds, and aromatic nitrogen bases.] | 266-027-7 | 65996-92-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-048-00-7 | Distillates (coal tar), pitch, heavy oils; Heavy Anthracene Oil; [The distillate from the distillation of the pitch obtained from bituminous high temperature tar. Composed primarily of tri- and polynuclear aromatic hydrocarbons and boiling in the range of approximately 300 °C to 470 °C (572°F to 878°F). The product may also contain heteroatoms.] | 295-312-9 | 91995-51-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-049-00-2 | Distillates (coal tar), pitch; Heavy Anthracene Oil; [The oil obtained from condensation of the vapors from the heat treatment of pitch. Composed primarily of two- to four-ring aromatic compounds boiling in the range of 200 °C to greater than 400 °C (392°F to greater than 752°F).] | 309-855-7 | 101316-49-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-050-00-8 | Distillates (coal tar), heavy oils, pyrene fraction; Heavy Anthracene Oil Redistillate; [The redistillate obtained from the fractional distillation of pitch distillate boiling in the range of approximately 350 °C to 400 °C (662°F to 752°F). Consists predominantly of tri- and polynuclear aromatics and heterocyclic hydrocarbons.] | 295-304-5 | 91995-42-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-051-00-3 | Distillates (coal tar), pitch, pyrene fraction; Heavy Anthracene Oil Redistillate; [The redistillate obtained from the fractional distillation of pitch distillate and boiling in the range of approximately 380 °C to 410 °C (7160 to 770°F). Composed primarily of tri- and polynuclear aromatic hydrocarbons and heterocyclic compounds.] | 295-313-4 | 91995-52-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-052-00-9 | Paraffin waxes (coal), brown-coal high-temp. tar, carbon-treated; Coal Tar Extract; [A complet combination of hydrocarbons obtained by the treatment of lignite carbonization tar with activated carbon for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-296-6 | 97926-76-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-053-00-4 | Paraffin waxes (coal), brown-coal high-temp tar, clay-treated; Coal Tar Extract; [A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with bentonite for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-297-1 | 97926-77-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-054-00-X | Pitch; Pitch | 263-072-4 | 61789-60-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-055-00-5 | Pitch, coal tar, high-temp.; Pitch; [The residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 30 °C to 180 °C (86°F to 356°F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.] | 266-028-2 | 65996-93-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 648-056-00-0 | Pitch, coal tar, high-temp., heat-treated; Pitch; [The heat treated residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 80 °C to 180 °C (176°F to 356°F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.] | 310-162-7 | 121575-60-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-057-00-6 | Pitch, coal tar, high-temp., secondary; Pitch Redistillate; [The residue obtained during the distillation of high boiling fractions from bituminous coal high temperature tar and/or pitch coke oil, with a softening point of 140 °C to 170 °C (284°F to 392°F) according to DIN 52025. Composed primarily of tri- and polynuclear aromatic compounds which also contain heteroatoms.] | 302-650-3 | 94114-13-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-058-00-1 | Residues (coal tar), pitch distn.; Pitch Redistillate; [Residue from the fractional distillation of pitch distillate boiling in the range of approximately 400 °C to 470 °C (752°F to 846°F). Composed primarily of polynuclear aromatic hydrocarbons, and heterocyclic compounds.] | 295-507-9 | 92061-94-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-059-00-7 | Tar, coal, high-temp., distn. and storage residues; Coal Tar Solids Residue; [Coke- and ash-containing solid residues that separate on distillation and thermal treatment of bituminous coal high temperature tar in distillation installations and storage vessels. Consists predominantly of carbon and contains a small quantity of hetero compounds as well as ash components.] | 295-535-1 | 92062-20-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-060-00-2 | Tar, coal, storage residues; Coal Tar Solids Residue; [The deposit removed from crude coal tar storages. Composed primarily of coal tar and carbonaceous particulate matter.] | 293-764-1 | 91082-50-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-061-00-8 | Tar, coal, high-temp., residues; Coal Tar Solids Residue; [Solids formed during the coking of bituminous coal to produce crude bituminous coal high temperature tar. Composed primarily of coke and coal particles, highly aromatized compounds and mineral substances.] | 309-726-5 | 100684-51-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-062-00-3 | Tar, coal, high-temp., high-solids; Coal Tar Solids Residue; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons with a high solid content of coal-type materials.] | 273-615-7 | 68990-61-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-063-00-9 | Waste solids, coal-tar pitch coking; Coal Tar Solids Residue; [The combination of wastes formed by the coking of bituminous coal tar pitch. It consists predominantly of carbon.] | 295-549-8 | 92062-34-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-064-00-4 | Extract residues (coal), brown; Coal Tar Extract; [The residue from extraction of dried coal.] | 294-285-0 | 91697-23-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-065-00-X | Paraffin waxes (coal), brown-coal-high-temp. tar; Coal Tar Extract; [A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 295-454-1 | 92045-71-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-066-00-5 | Paraffin waxes (coal), brown-coal-high-temp. tar, hydrotreated; Coal Tar Extract; [A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process treated with hydrogen in the presence of a catalyst. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 295-455-7 | 92045-72-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-067-00-0 | Paraffin waxes (coal), brown-coal high-temp tar, silicic acid-treated; Coal Tar Extract; [A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with silicic acid for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-298-7 | 97926-78-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-068-00-6 | Tar, coal, low-temp., distn. residues; Tar Oil, intermediate boiling; [Residues from fractional distillation of low temperature coal tar to remove oils that boil in a range up to approximately 300 °C (572°F). Composed primarily of aromatic compounds.] | 309-887-1 | 101316-85-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-069-00-1 | Pitch, coal tar, low-temp; Pitch Residue; [A complex black solid or semi-solid obtained from the distillation of a low temperature coal tar. It has a softening point within the approximate range of 40 °C to 180 °C (104°F to 356°F). Composed primarily of a complex mixture of hydrocarbons.] | 292-651-4 | 90669-57-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-070-00-7 | Pitch, coal tar, low-temp., oxidized; Pitch Residue, oxidised; [The product obtained by air-blowing, at elevated temperature, low-temperature coal tar pitch. It has a softening-point within the approximate range of 70 °C to 180 °C (158°F to 356°F). Composed primarily of a complex mixture of hydrocarbons.] | 292-654-0 | 90669-59-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-071-00-2 | Pitch, coal tar, low-temp., heat-treated; Pitch Residue, oxidised; Pitch Residue, heat-treated; [A complex black solid obtained by the heat treatment of low temperature coal tar pitch. It has a softening point within the approximate range of 50 °C to 140 °C (122°F to 284°F). Composed primarily of a complex mixture of aromatic compounds.] | 292-653-5 | 90669-58-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-072-00-8 | Distillates (coal-petroleum), condensed-ring arom; Distillates; [The distillate from a mixture of coal and tar and aromatic petroleum streams having an approximate distillation range of 220 °C to 450 °C (428°F to 842°F). Composed primarily of 3- to 4-membered condensed ring aromatic hydrocarbons.] | 269-159-3 | 68188-48-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-073-00-3 | Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.] | 309-956-6 | 101794-74-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-074-00-9 | Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polyethylene pyrolysis-derived; Pyrolysis Products; [A complex combination of hydrocarbons obtained from mixed coal tar pitch-polyethylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.] | 309-957-1 | 101794-75-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-075-00-4 | Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polystyrene pyrolysis-derived; Pyrolysis Products; [A complex combination of hydrocarbons obtained from mixed coal tar pitch-polystyrene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.] | 309-958-7 | 101794-76-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-076-00-X | Pitch, coal tar-petroleum; Pitch Residues; [The residue from the distillation of a mixture of coal tar and aromatic petroleum streams. A solid with a softening point from 40 °C to 180 °C (140°F to 356°F). Composed primarily of a complex combination of three or more membered condensed ring aromatic hydrocarbons.] | 269-109-0 | 68187-57-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-077-00-5 | Phenanthrene, distn. residues; Heavy Anthracene Oil Redistillate; [Residue from the distillation of crude phenanthrene boiling in the approximate range of 340 °C to 420 °C (644°F to 788°F). It consists predominantly of phenanthrene, anthracene and carbazole.] | 310-169-5 | 122070-78-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-078-00-0 | Distillates (coal tar), upper, fluorene-free; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists of aromatic polycyclic hydrocarbons, primarily diphenyl, dibenzofuran and acenaphthene.] | 284-899-7 | 84989-10-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-079-00-6 | Anthracene oil; Anthracene oil; [A complex combination of polycyclic aromatic hydrocarbons obtained from coal tar having an approximate distillation range of 300 °C or 400 °C (572°F to 752°F). Composed primarily of phenanthrene, anthracene and carbazole.] | 292-602-7 | 90640-80-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-080-00-1 | Residues (coal tar), creosote oil distn.; Wash Oil Redistillate; [The residue from the fractional distillation of wash oil boiling in the approximate range of 270 °C to 330 °C (518°F to 626°F). It consists predominantly of dinuclear aromatic and heterocyclic hydrocarbons.] | 295-506-3 | 92061-93-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 648-081-00-7 | Tar, coal; Coal tar; [The by-product from the destructive distillation of coal. Almost black semisolid. A complex combination of aromatic hydro-carbons, phenolic compounds, nitrogen bases and thiophene.] | 232-361-7 | 8007-45-2 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 648-082-00-2 | Tar, coal, high-temp.; Coal tar; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. A black viscous liquid denser than water. Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons. May contain minor amounts of phenolic compounds and aromatic nitrogen bases.] | 266-024-0 | 65996-89-6 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 648-083-00-8 | Tar, coal, low-temp.; Coal oil; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in low temperature (less than 700 °C (1292°F)) destructive distillation of coal. A black viscous liquid denser than water. Composed primarily of condensed ring aromatic hydrocarbons, phenolic compounds, aromatic nitrogen bases, and their alkyl derivatives.] | 266-025-6 | 65996-90-9 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 648-084-00-3 | Distillates (coal), coke-oven light oil, naphthalene cut; Naphthalene Oil; [The complex combination of hydrocarbons obtained from prefractionation (continuous distillation) of coke oven light oil. It consists predominantly of naphthalene, coumarone and indene and boils above 148 °C (298°F).] | 285-076-5 | 85029-51-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-085-00-9 | Distillates (coal tar), naphthalene oils; Naphthalene Oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills in the approximate range of 200 °C to 250 °C (392°F to 482°F).] | 283-484-8 | 84650-04-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-086-00-4 | Distillates (coal tar), naphthalene oils, naphthalene-low; Naphthalene Oil Redistillate; [A complex combination of hydrocarbons obtained by crystallization of naphthalene oil. Composed primarily of naphthalene, alkyl naphthalenes and phenolic compounds.] | 284-898-1 | 84989-09-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-087-00-X | Distillates (coal tar), naphthalene oil crystn. mother liquor; Naphthalene Oil Redistillate; [A complex combination of organic compounds obtained as a filtrate from the crystallization of the naphthalene fraction from coal tar and boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). Contains chiefly naphthalene, thionaphthene and alkyl naphthalenes.] | 295-310-8 | 91995-49-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-088-00-5 | Extract residues (coal), naphthalene oil, alk.; Naphthalene Oil Extract Residue; [A complex combination of hydrocarbons obtained from the alkali washing of naphthalene oil to remove phenolic compounds (tar acids). It is composed of naphthalene and alkyl naphthalenes.] | 310-166-9 | 121620-47-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-089-00-0 | Extract residues (coal), naphthalene oil, alk., naphthalene-low; Naphthalene Oil Extract Residue; [A complex combination of hydrocarbons remaining after the removal of naphthalene from alkali-washed naphthalene oil by a crystallization process. It is composed primarily of naphthalene and alkyl naphthalenes.] | 310-167-4 | 121620-48-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-090-00-6 | Distillates (coal tar), naphthalene oils, naphthalene-free, alk. exts.; Naphthalene Oil Extract Residue; [The oil remaining after the removal of phenolic compounds (tar acids) from drained naphthalene oil by an alkali wash. Composed primarily of naphthalene and alkyl naphthalenes.] | 292-612-1 | 90640-90-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-091-00-1 | Extract residues (coal), naphthalene oil alk., distn. overheads; Naphthalene Oil Extract Residue; [The distillation from alkali-washed naphthalene oil having an approximate distillation range of 180 °C to 220 °C (356°F to 428°F). Composed primarily of naphthalene, alkylbenzenes, indene and indan.] | 292-627-3 | 90641-04-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-092-00-7 | Distillates (coal tar), naphthalene oils, methylnaphthalene fraction; Methylnaphthalene Oil; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of substituted two ring aromatic hydrocarbons and aromatic nitrogen bases boiling in the range of approximately 225 °C to 255 °C (437°F to 491°F).] | 309-985-4 | 101896-27-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-093-00-2 | Distillates (coal tar), naphthalene oils, indole-methylnaphthalene fraction; Methylnaphthalene Oil; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of indole and methylnaphthalene boiling in the range of approximately 235 °C to 255 °C (455°F to 491°F).] | 309-972-3 | 101794-91-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-094-00-8 | Distillates (coal tar), naphthalene oils, acid exts.; Methylnaphthalene Oil Extract Residue; [A complex combination of hydrocarbons obtained by debasing the methylnaphthalene fraction obtained by the distillation of coal tar and boiling in the range of approximately 230 °C to 255 °C (446°F to 491°F). Contains chiefly 1(2)-methylnaphthalene, naphthalene, dimethylnaphthalene and biphenyl.] | 295-309-2 | 91995-48-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-095-00-3 | Extract residues (coal), naphthalene oil alk., distn. residues; Methylnaphthalene Oil Extract Residue; [The residue from the distillation of alkali-washed naphthalene oil having an approximate distillation range of 220 °C to 300 °C (428°F to 572°F). Composed primarily of naphthalene, alkylnaphthalenes and aromatic nitrogen bases.] | 292-628-9 | 90641-05-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-096-00-9 | Extract oils (coal), acidic, tar-base free; Methylnaphthalene Oil Extract Residue; [The extract oil boiling in the range of approximately 220 °C to 265 °C (428°F to 509°F) from coal tar alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillation to remove tar bases. Composed primarily of alkylnaphthalenes.] | 284-901-6 | 84989-12-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-097-00-4 | Distillates (coal tar), benzole fraction, distn. residues; Wash Oil; [A complex combination of hydrocarbons obtained from the distillation of crude benzole (high temperature coal tar). It may be a liquid with the approximate distillation range of 150 °C to 300 °C (302°F to 572°F) or a semi-solid or solid with a melting point up to 70 °C (158°F). It is composed primarily of naphthalene and alkyl naphthalenes.] | 310-165-3 | 121620-46-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-098-00-X | Creosote oil, acenaphthene fraction; Wash Oil; [A complex combination of hydrocarbons produced by the distillation of coal tar and boiling in the range of approximately 240 °C to 280 °C (464°F to 536°F). Composed primarily of acenaphthene, naphthalene and alkyl naphthalene.] | 292-605-3 | 90640-84-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 648-099-00-5 | Creosote oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic hydrocarbons and may contain appreciable quantities of tar acids and tar bases. It distills at the approximate range of 200 °C to 325 °C (392°F to 617°F).] | 263-047-8 | 61789-28-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 648-100-00-9 | Creosote oil, high-boiling distillate; Wash Oil; [The high-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillates, removed. It is crystal free at approximately 5 °C (41°F).] | 274-565-9 | 70321-79-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 648-101-00-4 | Creosote; [The distillate of coal tar produced by the high temperature carbonization of bituminous coal. It consists primarily of aromatic hydrocarbons, tar acids and tar bases.] | 232-287-5 | 8001-58-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 648-102-00-X | Extract residues (coal), creosote oil acid; Wash Oil Extract Residue; [A complex combination of hydrocarbons from the base-free fraction from the distillation of coal tar, boiling in the range of approximately 250 °C to 280 °C (482°F to 536°F). It consists predominantly of biphenyl and isomeric diphenylnaphthalenes.] | 310-189-4 | 122384-77-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 648-103-00-5 | Anthracene oil, anthracene paste; Anthracene Oil Fraction; [The anthracene-rich solid obtained by the crystallization and centrifuging of anthracene oil. It is composed primarily of anthracene, carbazole and phenanthrene.] | 292-603-2 | 90640-81-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-104-00-0 | Anthracene oil, anthracene-low; Anthracene Oil Fraction; [The oil remaining after the removal, by a crystallization process, of an anthracene-rich solid (anthracene paste) from anthracene oil. It is composed primarily of two, three and four membered aromatic compounds.] | 292-604-8 | 90640-82-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-105-00-6 | Residues (coal tar), anthracene oil distn.; Anthracene Oil Fraction; [The residue from the fraction distillation of crude anthracene boiling in the approximate range of 340 °C to 400 °C (644°F to 752°F). It consists predominantly of tri- and polynuclear aromatic and heterocyclic hydrocarbons.] | 295-505-8 | 92061-92-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-106-00-1 | Anthracene oil, anthracene paste, anthracene fraction; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by the crystallization of anthracene oil from bituminous high temperature tar and boiling in the range of 330 °C to 350 °C (626°F to 662°F). It contains chiefly anthracene, carbazole and phenanthrene.] | 295-275-9 | 91995-15-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-107-00-7 | Anthracene oil, anthracene paste, carbazole fraction; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthracene oil from bituminous coal high temperature tar and boiling in the approximate range of 350 °C to 360 °C (662°F to 680°F). It contains chiefly anthracene, carbazole and phenanthrene.] | 295-276-4 | 91995-16-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-108-00-2 | Anthracene oil, anthracene paste, distn. lights; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthracene oil from bituminous light temperature tar and boiling in the range of approximately 290 °C to 340 °C (554°F to 644°F). It contains chiefly trinuclear aromatics and their dihydro derivatives.] | 295-278-5 | 91995-17-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-109-00-8 | Tar oils, coal, low-temp.; Tar Oil, high boiling; [A distillate from low-temperature coal tar. Composed primarily of hydrocarbons, phenolic compounds and aromatic nitrogen bases boiling in the range of approximately 160 °C to 340 °C (320°F to 644°F).] | 309-889-2 | 101316-87-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-110-00-3 | Extract residues (coal), low temp. coal atar alk.; [The residue from low temperature coal tar oils after an alkaline wash, such as aqueous sodium hydroxide, to remove crude coal tar acids. Composed primarily of hydrocarbons and aromatic nitrogen bases.] | 310-191-5 | 122384-78-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-111-00-9 | Phenols, ammonia liquor ext.; Alkaline Extract; [The combination of phenols extracted, using isobutyl acetate, from the ammonia liquor condensed from the gas evolved in low-temperature (less than 700 °C (1292°F)) destructive distillation of coal. It consists predominantly of a mixture of monohydric and dihydric phenols.] | 284-881-9 | 84988-93-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-112-00-4 | Distillates (coal tar), light oils, alk. exts.; Alkaline Extract; [The aqueous extract from carbolic oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.] | 292-610-0 | 90640-88-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-113-00-X | Extracts, coal tar oil alk.; Alkaline Extract; [The extract from coal tar oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.] | 266-017-2 | 65996-83-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-114-00-5 | Distillates (coal tar), naphthalene oils, alk. exts.; Alkaline Extract; [The aqueous extract from naphthalene oil produced by an alkaline wash such as aqueous sodium hydroxid. Composed primarily of the alkali salts of various phenolic compounds.] | 292-611-6 | 90640-89-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-115-00-0 | Extract residues (coal), tar oil alk., carbonated, limed; Crude Phenols; [The product obtained by treatment of coal tar oil alkaline extract with CO ₂ and CaO. Composed primarily of CaCO ₃ , Ca(OH) ₂ , Na ₂ CO ₃ and other organic and inorganic impurities.] | 292-629-4 | 90641-06-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-116-00-6 | Tar acids, coal, crude; Crude Phenols; [The reaction product obtained by neutralizing coal tar oil alkaline extract with an acidic solution, such as aqueous sulfuric acid, or gaseous carbon dioxide, to obtain the free acids. Composed primarily of tar acids such as phenol, cresols, and xylenols.] | 266-019-3 | 65996-85-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-117-00-1 | Tar acids, brown-coal, crude; Crude Phenols; [An acidified alkaline extract of brown coal tar distillate. Composed primarily of phenol and phenol homologs.] | 309-888-7 | 101316-86-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-118-00-7 | Tar acids, brown-coal gasification; Crude Phenols; [A complex combination of organic compounds obtained from brown coal gasification. Composed primarily of C ₆₋₁₀ hydroxy aromatic phenols and their homologs.] | 295-536-7 | 92062-22-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-119-00-2 | Tar acids, distn. residues; Distillate Phenols; [A residue from the distillation of crude phenol from coal. It consists predominantly of phenols having carbon numbers in the range of C ₈ through C ₁₀ with a softening point of 60 °C to 80 °C (140°F to 176°F).] | 306-251-5 | 96690-55-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-120-00-8 | Tar acids, methylphenol fraction; Distillate Phenols; [The fraction of tar acid rich in 3- and 4-methylphenol, recovered by distillation of low-temperature coal tar crude tar acids.] | 284-892-9 | 84989-04-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-121-00-3 | Tar acids, polyalkylphenol fraction; Distillate Phenols; [The fraction of tar acids, recovered by distillation of low-temperature coal tar crude tar acids, having an approximate boiling range of 225 °C to 320 °C (437°F to 608°F). Composed primarily of polyalkylphenols.] | 284-893-4 | 84989-05-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-122-00-9 | Tar acids, xylene fraction; Distillate Phenols; [The fraction of tar acids, rich in 2,4- and 2,5-dimethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.] | 284-895-5 | 84989-06-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-123-00-4 | Tar acids, ethylphenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 3- and 4-ethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.] | 284-891-3 | 84989-03-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-124-00-X | Tar acids, 3,5-xylene fraction; Distillate Phenols; [The fraction of tar acids, rich in 3,5-dimethylphenol, recovered by distillation of low-temperature coal tar acids.] | 284-896-0 | 84989-07-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-125-00-5 | Tar acids, residues, distillates, first-cut; Distillate Phenols; [The residue from the distillation in the range of 235 °C to 355 °C (481°F to 697°F) of light carbolic oil.] | 270-713-1 | 68477-23-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-126-00-0 | Tar acids, cresylic, residues; Distillate Phenols; [The residue from crude coal tar acids after removal of phenol, cresols, xylenols and any higher boiling phenols. A black solid with a melting point approximately 80 °C (176°F). Composed primarily of polyalkylphenols, resin gums, and inorganic salts.] | 271-418-0 | 68555-24-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-127-00-6 | Phenols, C ₉₋₁₁ ; Distillate Phenols | 293-435-2 | 91079-47-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-128-00-1 | Tar acids, cresylic; Distillate Phenols; [A complex combination of organic compounds obtained from brown coal and boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). It contains chiefly phenols and pyridine bases.] | 295-540-9 | 92062-26-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-129-00-7 | Tar acids, brown-coal, C ₂ -alkylphenol fraction; Distillate Phenols; [The distillate from the acidification of alkaline washed lignite tar distillate boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). Composed primarily of <{ITA}>m-<{/ITA}> and <{ITA}>p-<{/ITA}>ethylphenol as well as cresols and xylenols.] | 302-662-9 | 94114-29-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-130-00-2 | Extract oils (coal), naphthalene oils; Acid Extract; [The aqueous extract produced by an acidic wash of alkali-washed naphthalene oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.] | 292-623-1 | 90641-00-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-131-00-8 | Tar bases, quinoline derivs.; Distillate Bases | 271-020-7 | 68513-87-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-132-00-3 | Tar bases, coal, quinoline derivs. fraction; Distillate Bases | 274-560-1 | 70321-67-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-133-00-9 | Tar bases, coal, distn. residues; Distillate Bases; [The distillation residue remaining after the distillation of the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of coal tars. It contains chiefly aniline, collidines, quinoline and quinoline derivatives and toluidines.] | 295-544-0 | 92062-29-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-134-00-4 | Hydrocarbon oils, arom., mixed with polyethylene and polypropylene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of a polyethylene/polypropylene mixture with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 120 °C (158°F to 248°F).] | 309-745-9 | 100801-63-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-135-00-X | Hydrocarbon oils, arom., mixed with polyethylene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of polyethylene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of 70 °C to 120 °C (158°F to 248°F).] | 309-748-5 | 100801-65-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-136-00-5 | Hydrocarbon oils, arom., mixed with polystyrene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of polystyrene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 210 °C (158°F to 410°F).] | 309-749-0 | 100801-66-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-137-00-0 | Extract residues (coal), tar oil alk., naphthalene distn. residues; Naphthalene Oil Extract Residue; [The residue obtained from chemical oil extracted after the removal of naphthalene by distillation composed primarily of two to four membered condensed ring aromatic hydrocarbons and aromatic nitrogen bases.] | 277-567-8 | 73665-18-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-138-00-6 | Creosote oil, low-boiling distillate; Wash Oil; [The low-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal, which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillate, removed. It is crystal free at approximately 38 °C (100°F).] | 274-566-4 | 70321-80-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-139-00-1 | Tar acids, cresylic, sodium salts, caustic solns.; Alkaline Extract | 272-361-4 | 68815-21-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-140-00-7 | Extract oils (coal), tar base; Acid Extract; [The extract from coal tar oil alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillation to remove naphthalene. Composed primarily of the acid salts of various aromatic nitrogen bases including pyridine, quinoline, and their alkyl derivatives.] | 266-020-9 | 65996-86-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-141-00-2 | Tar bases, coal, crude; Crude Tar Bases; [The reaction product obtained by neutralizing coal tar base extract oil with an alkaline solution, such as aqueous sodium hydroxide, to obtain the free bases. Composed primarily of such organic bases as acridine, phenanthridine, pyridine, quinoline and their alkyl derivatives.] | 266-018-8 | 65996-84-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | HJM |
| 648-142-00-8 | Residues (coal), liq. solvent extrn.; [A cohesive powder composed of coal mineral matter and undissolved coal remaining after extraction of coal by a liquid solvent.] | 302-681-2 | 94114-46-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-143-00-3 | Coal liquids, liq. solvent extrn. soln.; [The product obtained by filtration of coal mineral matter and undissolved coal from coal extract solution produced by digesting coal in a liquid solvent. A black, viscous, highly complex liquid combination composed primarily of aromatic and partly hydro-genated aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic and other aromatic oxygen compounds and their alkyl derivatives.] | 302-682-8 | 94114-47-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |
| 648-144-00-9 | Coal liquids, liq. solvent extrn.; [The substantially solvent-free product obtained by the distillation of the solvent from filtered coal extract solution produced by digesting coal in a liquid solvent. A black semi-solid, composed primarily of a complex combination of condensed-ring aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic compounds and other aromatic oxygen compounds, and their alkyl derivatives.] | 302-683-3 | 94114-48-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H M |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-145-00-4 | Tar brown-coal; [An oil distilled from brown-coal tar. Composed primarily of aliphatic, naphthenic and one- to three-ring aromatic hydrocarbons, their alkyl derivatives, heteroaromatics and one- and two-ring phenols boiling in the range of approximately 150 °C to 360 °C (302°F to 680°F).] | 309-885-0 | 101316-83-0 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 648-146-00-X | Tar, brown-coal, low-temp.; [A tar obtained from low temperature carbonization and low temperature gasification of brown coal. Composed primarily of aliphatic, naphthenic and cyclic aromatic hydrocarbons, heteroaromatic hydrocarbons and cyclic phenols.] | 309-886-6 | 101316-84-1 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 648-147-00-5 | Light oil (coal), coke-oven; Crude benzole; [The volatile organic liquid extracted from the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. Composed primarily of benzene, toluene, and xylenes. May contain other minor hydrocarbon constituents.] | 266-012-5 | 65996-78-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-148-00-0 | Distillates (coal), liq. solvent extrn., primary; [The liquid product of condensation of vapors emitted during the digestion of coal in a liquid solvent and boiling in the range of approximately 30 °C to 300 °C (86°F to 572°F). Composed primarily of partly hydrogenated condensed-ring aromatic hydrocarbons, aromatic compounds containing nitrogen, oxygen and sulfur, and their alkyl derivatives having carbon numbers predominantly in the range of C ₄ through C ₁₄ .] | 302-688-0 | 94114-52-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-149-00-6 | Distillates (coal), solvent extrn., hydrocracked; [Distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction process and boiling in the range of approximately 30 °C to 300 °C (86°F to 572°F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of C ₄ through C ₁₄ . Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.] | 302-689-6 | 94114-53-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 648-150-00-1 | Naphtha (coal), solvent extn., hydrocracked; [Fraction of the distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 180 °C (86°F to 356°F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of C ₄ to C ₉ . Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.] | 302-690-1 | 94114-54-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-151-00-7 | Gasoline, coal solvent extn., hydrocracked naphtha; [Motor fuel produced by the reforming of the refined naphtha fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 180 °C (86°F to 356°F). Composed primarily of aromatic and naphthenic hydrocarbons, their alkyl derivatives and alkyl hydrocarbons having carbon numbers in the range of C ₄ through C ₉ .] | 302-691-7 | 94114-55-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 648-152-00-2 | Distillates (coal), solvent extn., hydrocracked middle; [Distillate obtained from the hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 300 °C (356°F to 572°F). Composed primarily of two-ring aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes having carbon numbers predominantly in the range of C ₉ through C ₁₄ . Nitrogen, sulfur and oxygen-containing compounds are also present.] | 302-692-2 | 94114-56-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 648-153-00-8 | Distillates (coal), solvent extn., hydrocracked hydrogenated middle; [Distillate from the hydrogenation of hydrocracked middle distillate from coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 280 °C (356°F to 536°F). Composed primarily of hydrogenated two-ring carbon compounds and their alkyl derivatives having carbon numbers predominantly in the range of C ₉ through C ₁₄ .] | 302-693-8 | 94114-57-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|-----------------------------|---------------------------------------|-------|
| 648-154-00-3 | Fuels, jet aircraft, coal solvent extn., hydrocracked hydrogenated; [Jet engine fuel produced by hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 225 °C (356°F to 473°F). Composed primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of C ₁₀ through C ₁₂ .] | 302-694-3 | 94114-58-6 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)36/37 | | H |
| 648-155-00-9 | Fuels, diesel, coal solvent extn., hydrocracked hydrogenated; [Diesel engine fuel produced by the hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 200 °C to 280 °C (392°F to 536°F). Composed primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of C ₁₁ through C ₁₄ .] | 302-695-9 | 94114-59-7 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)36/37 | | H |
| 648-156-00-4 | Light oil (coal), semi-coking process; Fresh oil; [The volatile organic liquid condensed from the gas evolved in the low temperature (less than 700 °C (1292°F) destructive distillation of coal. Composed primarily of C ₆₋₁₀ hydrocarbons.] | 292-635-7 | 90641-11-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H J |
| 649-001-00-3 | Extracts (petroleum), light naphthenic distillate solvent | 265-102-1 | 64742-03-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-002-00-9 | Extracts (petroleum), heavy paraffinic distillate solvent | 265-103-7 | 64742-04-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-003-00-4 | Extracts (petroleum), light paraffinic distillate solvent | 265-104-2 | 64742-05-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-004-00-X | Extracts (petroleum), heavy naphthenic distillate solvent | 265-111-0 | 64742-11-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-005-00-5 | Extracts (petroleum), light vacuum gas oil solvent | 295-341-7 | 91995-78-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|---|---------------------------------------|-------|
| 649-006-00-0 | hydrocarbons C ₂₆₋₅₅ , arom-rich | 307-753-7 | 97722-04-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-007-00-6 | fatty acids, tall-oil, reaction products with iminodiethanol and boric acid | 400-160-5 | — | Xi; R38 N; R51-53 | Xi; N R: 38-51/53 S: (2-)28-37-61 | | |
| 649-008-00-1 | Residues (petroleum), atm. tower; Heavy Fuel oil; [A complex residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-045-2 | 64741-45-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-009-00-7 | Gas oils (petroleum), heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and boiling in the range of approximately 350 °C to 600 °C (662°F to 1112°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.] | 265-058-3 | 64741-57-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-010-00-2 | Distillates (petroleum), heavy catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₅ and boiling in the range of approximately 260 °C to 500 °C (500°F to 932°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-063-0 | 64741-61-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-011-00-8 | Clarified oils (petroleum), catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-064-6 | 64741-62-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-012-00-3 | Residues (petroleum), hydrocracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the products of a hydrocracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F).] | 265-076-1 | 64741-75-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-013-00-9 | Residues (petroleum), thermal cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-081-9 | 64741-80-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-014-00-4 | Distillates (petroleum), heavy thermal cracked; Heavy Fuel oil; [A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₆ and boiling in the range of approximately 260 °C to 480 °C (500°F to 896°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-082-4 | 64741-81-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-015-00-X | Gas oils (petroleum), hydrotreated vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₅₀ and boiling in the range of approximately 230 °C to 600 °C (446°F to 1112°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-162-9 | 64742-59-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-016-00-5 | Residues (petroleum), hydrodesulfurized atmospheric tower; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating an atmospheric tower residuum with hydrogen in the presence of a catalyst under conditions primarily to remove organic sulfur compounds. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-181-2 | 64742-78-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-017-00-0 | Gas oils (petroleum), hydrodesulfurized heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and boiling in the range of approximately 350 °C to 600 °C (662°F to 1112 °C). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-189-6 | 64742-86-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-018-00-6 | Residues (petroleum), steam-cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained as the residual fraction from the distillation of the products of a steam cracking process (including steam cracking to produce ethylene). It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than C ₁₄ and boiling above approximately 260 °C (500°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-193-8 | 64742-90-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-019-00-1 | Residues (petroleum), atmospheric; Heavy Fuel oil; [A complex residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₁₁ and boiling above approximately 200 °C (392°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.] | 269-777-3 | 68333-22-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-020-00-7 | Clarified oils (petroleum), hydrodesulfurized catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating catalytic cracked clarified oil with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.] | 269-782-0 | 68333-26-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-021-00-2 | Distillates (petroleum), hydrodesulfurized intermediate catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating intermediate catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₀ and boiling in the range of approximately 205 °C to 450 °C (401°F to 842°F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.] | 269-783-6 | 68333-27-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-022-00-8 | Distillates (petroleum), hydrosulfurized heavy catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treatment of heavy catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₅ and boiling in the range of approximately 260 °C to 500 °C (500°F to 932°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 269-784-1 | 68333-28-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-023-00-3 | Fuel oil, residues-straight-run gas oils, high-sulfur; Heavy Fuel oil | 270-674-0 | 68476-32-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-024-00-9 | Fuel oil, residual; Heavy Fuel oil; [The liquid product from various refinery streams, usually residues. The composition is complex and varies with the source of the crude oil.] | 270-675-6 | 68476-33-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-025-00-4 | Residues (petroleum), catalytic reformer fractionator residue distn.; Heavy Fuel oil; [A complex residuum from the distillation of catalytic reformer fractionator residue. It boils approximately above 399 °C (750°F).] | 270-792-2 | 68478-13-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-026-00-X | Residues (petroleum), heavy coker gas oil and vacuum gas oil; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and vacuum gas oil. It predominantly consists of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).] | 270-796-4 | 68478-17-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-027-00-5 | Residues (petroleum), heavy coker and light vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and light vacuum gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).] | 270-983-0 | 68512-61-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-028-00-0 | Residues (petroleum), light vacuum; Heavy Fuel oil; [A complex residuum from the vacuum distillation of the residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).] | 270-984-6 | 68512-62-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-029-00-6 | Residues (petroleum), steam-cracked light; Heavy Fuel oil; [A complex residuum from the distillation of the products from a steam-cracking process. It consists predominantly of aromatic and unsaturated hydrocarbons having carbon numbers greater than C ₇ and boiling in the range of approximately 101 °C to 555 °C (214°F to 1030°F).] | 271-013-9 | 68513-69-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-030-00-1 | Fuel oil, No 6; Heavy Fuel oil; [A distillate oil having a minimum viscosity of 900 SUS at 37.7 °C (100°F) to a maximum of 9000 SUS at 37.7 °C (100°F).] | 271-384-7 | 68553-00-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-031-00-7 | Residues (petroleum), topping plant, low-sulfur; Heavy Fuel oil; [A low-sulfur complex combination of hydrocarbons produced as the residual fraction from the topping plant distillation of crude oil. It is the residuum after the straight-run gasoline cut, kerosene cut and gas oil cut have been removed.] | 271-763-7 | 68607-30-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-032-00-2 | Gas oils (petroleum), heavy atmospheric; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₃₅ and boiling in the range of approximately 121 °C to 510 °C (250°F to 950°F).] | 272-184-2 | 68783-08-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-033-00-8 | Residues (petroleum), coker scrubber, Condensed-ring-arom.-contg.; Heavy Fuel oil; [A very complex combination of hydrocarbons produced as the residual fraction from the distillation of vacuum residuum and the products from a thermal cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 272-187-9 | 68783-13-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-034-00-3 | Distillates (petroleum), petroleum residues vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from the atmospheric distillation of crude oil.] | 273-263-4 | 68955-27-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-035-00-9 | Residues (petroleum), steam-cracked, resinous; Heavy Fuel oil; [A complex residuum from the distillation of steam-cracked petroleum residues.] | 273-272-3 | 68955-36-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-036-00-4 | Distillates (petroleum), intermediate vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum, distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₄₂ and boiling in the range of approximately 250 °C to 545 °C (482°F to 1013°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 274-683-0 | 70592-76-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-037-00-X | Distillates (petroleum), light vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₅ and boiling in the range of approximately 250 °C to 545 °C (482°F to 1013°F).] | 274-684-6 | 70592-77-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-038-00-5 | Distillates (petroleum), vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having numbers predominantly in the range of C ₁₅ through C ₅₀ and boiling in the range of approximately 270 °C to 600 °C (518°F to 1112°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 274-685-1 | 70592-78-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-039-00-0 | Gas oils (petroleum), hydrodesulfurized coker heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by hydrodesulfurization of heavy coker distillate stocks. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range C ₁₈ to C ₄₄ and boiling in the range of approximately 304 °C to 548 °C (579°F to 1018°F). Likely to contain 5 % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 285-555-9 | 85117-03-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-040-00-6 | Residues (petroleum), steam-cracked, distillates; Heavy Fuel oil; [A complex combination of hydrocarbons obtained during the production of refined petroleum tar by the distillation of steam cracked tar. It consists predominantly of aromatic and other hydrocarbons and organic sulfur compounds.] | 292-657-7 | 90669-75-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-041-00-1 | Residues (petroleum), vacuum, light; Heavy Fuel oil; [A complex residuum from the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₄ and boiling above approximately 390 °C (734°F).] | 292-658-2 | 90669-76-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-042-00-7 | Fuel oil, heavy, high-sulfur; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the distillation of crude petroleum. It consists predominantly of aliphatic, aromatic and cycloaliphatic hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).] | 295-396-7 | 92045-14-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-043-00-2 | Residues (petroleum), catalytic cracking; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₁₁ and boiling above approximately 200 °C (392°F).] | 295-511-0 | 92061-97-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-044-00-8 | Distillates (petroleum), intermediate catalytic cracked, thermally degraded; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 220 °C to 450 °C (428°F to 842°F). This stream is likely to contain organic sulfur compounds.] | 295-990-6 | 92201-59-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-045-00-3 | Residual oils (petroleum); Heavy Fuel oil; [A complex combination of hydrocarbons, sulfur compounds and metal-containing organic compounds obtained as the residue from refinery fractionation cracking processes. It produces a finished oil with a viscosity above 2cSt. at 100 °C.] | 298-754-0 | 93821-66-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-046-00-9 | Residues, steam cracked, thermally treated; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the treatment and distillation of raw steam-cracked naphtha. It consists predominantly of unsaturated hydrocarbons boiling in the range above approximately 180 °C (356°F).] | 308-733-0 | 98219-64-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-047-00-4 | Distillates (petroleum), hydrodesulfurized full-range middle; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating a petroleum stock with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F).] | 309-863-0 | 101316-57-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-048-00-X | Residues (petroleum), catalytic reformer fractionator; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₅ and boiling in the range of approximately 160 °C to 400 °C (320°F to 725°F). This stream is likely to contain 5 wt. % or more of 4- or 6-membered condensed ring aromatic hydrocarbons.] | 265-069-3 | 64741-67-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-049-00-5 | Petroleum; Crude oil; [A complex combination of hydrocarbons, It consists predominantly of aliphatic, alicyclic and aromatic hydrocarbons. It may also contain small amounts of nitrogen, oxygen and sulfur compounds. This category encompasses light, medium, and heavy petroleums, as well as the oils extended from tar sands. Hydrocarbonaceous materials requiring major chemical changes for their recovery or conversion to petroleum refinery feedstocks such as crude shale oils; upgraded shale oils and liquid coal fuels are not included in this definition.] | 232-298-5 | 8002-05-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-050-00-0 | Distillates (petroleum), light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons normally present in this distillation range of crude oil.] | 265-051-5 | 64741-50-0 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 649-051-00-6 | Distillates (petroleum), heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons.] | 265-052-0 | 64741-51-1 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 649-052-00-1 | Distillates (petroleum), light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-053-6 | 64741-52-2 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-053-00-7 | Distillates (petroleum), heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-054-1 | 64741-53-3 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 649-054-00-2 | Distillates (petroleum), acid-treated heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-117-3 | 64742-18-3 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 649-055-00-8 | Distillates (petroleum), acid-treated light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-118-9 | 64742-19-4 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 649-056-00-3 | Distillates (petroleum), acid-treated heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).] | 265-119-4 | 64742-20-7 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 649-057-00-9 | Distillates (petroleum), acid-treated light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-121-5 | 64742-21-8 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-058-00-4 | Distillates (petroleum), chemically neutralized heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained from a treating process to remove acidic materials. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of aliphatic hydrocarbons.] | 265-127-8 | 64742-27-4 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 649-059-00-X | Distillates (petroleum), chemically neutralized light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-128-3 | 64742-28-5 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 649-060-00-5 | Distillates (petroleum), chemically neutralized heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-135-1 | 64742-34-3 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 649-061-00-0 | Distillates (petroleum), chemically neutralized light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS a 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-136-7 | 64742-35-4 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | H |
| 649-062-00-6 | Gases (petroleum), catalytic cracked naphtha depropanizer overhead, C ₃ -rich acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked hydrocarbons and treated to remove acidic impurities. It consists of hydrocarbons having carbon numbers in the range of C ₂ through C ₄ , predominantly C ₃ .] | 270-755-0 | 68477-73-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-063-00-1 | Gases (petroleum), catalytic cracker; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-756-6 | 68477-74-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-064-00-7 | Gases (petroleum), catalytic cracker, C _{1,5} -rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₆ , predominantly C ₁ through C ₅ .] | 270-757-1 | 68477-75-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-065-00-2 | Gases (petroleum), catalytic polymd. naphtha stabilizer overhead, C _{2,4} -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic polymerized naphtha. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₂ through C ₆ , predominantly C ₂ through C ₄ .] | 270-758-7 | 68477-76-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-066-00-8 | Gases (petroleum), catalytic reformer, C _{1,4} -rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers in the range of C ₁ through C ₆ , predominantly C ₁ through C ₄ .] | 270-760-8 | 68477-79-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-067-00-3 | Gases (petroleum), C _{3,5} olefinic-paraffinic alkylation feed; Petroleum gas; [A complex combination of olefinic and paraffinic hydrocarbons having carbon numbers in the range of C ₃ through C ₅ which are used as alkylation feed. Ambient temperatures normally exceed the critical temperature of these combinations.] | 270-765-5 | 68477-83-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-068-00-9 | Gases (petroleum), C ₄ -rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic fractionation process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₄ .] | 270-767-6 | 68477-85-0 | ⊗ ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-069-00-4 | Gases (petroleum), deethanizer overheads; Petroleum gas; [A complex combination of hydrocarbons produced from distillation of the gas and gasoline fractions from the catalytic cracking process. It contains predominantly ethane and ethylene.] | 270-768-1 | 68477-86-1 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-070-00-X | Gases (petroleum), deisobutanizer tower overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the atmospheric distillation of a butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .] | 270-769-7 | 68477-87-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-071-00-5 | Gases (petroleum), depropanizer dry, propene-rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists predominantly of propylene with some ethane and propane.] | 270-772-3 | 68477-90-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-072-00-0 | Gases (petroleum), depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .] | 270-773-9 | 68477-91-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-073-00-6 | Gases (petroleum), gas recovery plant depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons obtained by fractionation of miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ , predominantly propane.] | 270-777-0 | 68477-94-1 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-074-00-1 | Gases (petroleum), Girbatol unit feed; Petroleum gas; [A complex combination of hydrocarbons that is used as the feed into the Girbatol unit to remove hydrogen sulfide. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .] | 270-778-6 | 68477-95-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-075-00-7 | Gases (petroleum), isomerized naphtha fractionator, C ₄ -rich, hydrogen sulfide-free; Petroleum gas | 270-782-8 | 68477-99-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-076-00-2 | Tail gas (petroleum), catalytic cracked clarified oil and thermal cracked vacuum residue fractionation reflux drum; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked clarified oil and thermal cracked vacuum residue. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-802-5 | 68478-21-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-077-00-8 | Tail gas (petroleum), catalytic cracked naphtha stabilization absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-803-0 | 68478-22-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-078-00-3 | Tail gas (petroleum), catalytic cracker, catalytic reformer and hydrodesulfurizer combined fractionator; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of products from catalytic cracking, catalytic reforming and hydrodesulfurizing processes treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-804-6 | 68478-24-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-079-00-9 | Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic reformed naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 270-806-7 | 68478-26-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-080-00-4 | Tail gas (petroleum), saturate gas plant mixed stream, C ₄ -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of straight-run naphtha, distillation tail gas and catalytic reformed naphtha stabilizer tail gas. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly butane and isobutane.] | 270-813-5 | 68478-32-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-081-00-X | Tail gas (petroleum), saturate gas recovery plant, C ₁₋₂ -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of distillate tail gas, straight-run naphtha, catalytic reformed naphtha stabilizer tail gas. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₅ , predominantly methane and ethane.] | 270-814-0 | 68478-33-1 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-082-00-5 | Tail gas (petroleum), vacuum residues thermal cracker; Petroleum gas; [A complex combination of hydrocarbons obtained from the thermal cracking of vacuum residues. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-815-6 | 68478-34-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-083-00-0 | Hydrocarbons, C _{3,4} -rich, petroleum distillate; Petroleum gas; [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₃ through C ₄ .] | 270-990-9 | 68512-91-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-084-00-6 | Gases (petroleum), full-range straight-run naphtha dehexanizer off; petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of the full-range straight-run naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .] | 271-000-8 | 68513-15-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-085-00-1 | Gases (petroleum), hydrocracking depropanizer off, hydrocarbon-rich; Petroleum gas; [A complex combination of hydrocarbon produced by the distillation of products from a hydrocracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ . It may also contain small amounts of hydrogen and hydrogen sulfide.] | 271-001-3 | 68513-16-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-086-00-7 | Gases (petroleum), light straight-run naphtha stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the stabilization of light straight-run naphtha. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .] | 271-002-9 | 68513-17-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-087-00-2 | Residues (petroleum), alkylation splitter, C ₄ -rich; Petroleum gas; [A complex residuum from the distillation of streams various refinery operations. It consists of hydrocarbons having carbon numbers in the range of C ₄ through C ₅ , predominantly butane and boiling in the range of approximately - 11.7 °C to 27.8 °C (11°F to 82°F).] | 271-010-2 | 68513-66-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-088-00-8 | Hydrocarbons, C ₁₋₄ ; Petroleum gas; [A complex combination of hydrocarbons provided by thermal cracking and absorber operations and by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately minus 164 °C to minus 0.5 °C (-263°F to 31°F).] | 271-032-2 | 68514-31-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-089-00-3 | Hydrocarbons, C ₁₋₄ , sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting hydrocarbon gases to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately - 164 °C to - 0.5 °C (-263°F to 31°F).] | 271-038-5 | 68514-36-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-090-00-9 | Hydrocarbons, C ₁₋₃ ; Petroleum gas; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ and boiling in the range of approximately minus 164 °C to minus 42 °C (-263°F to - 44°F).] | 271-259-7 | 68527-16-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-091-00-4 | Hydrocarbons, C ₁₋₄ , debutanizer fraction; Petroleum gas | 271-261-8 | 68527-19-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-092-00-X | Gases (petroleum), C ₁₋₅ , wet; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil and/or the cracking of tower gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 271-624-0 | 68602-83-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-093-00-5 | Hydrocarbons, C ₂₋₄ ; Petroleum gas | 271-734-9 | 68606-25-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-094-00-0 | Hydrocarbons, C ₃ ; Petroleum gas | 271-735-4 | 68606-26-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-095-00-6 | Gases (petroleum), alkylation feed; Petroleum gas; [A complex combination of hydrocarbons produced by the catalytic cracking of gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .] | 271-737-5 | 68606-27-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-096-00-1 | Gases (petroleum), depropanizer bottoms fractionation off; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists predominantly of butane, isobutane and butadiene.] | 271-742-2 | 68606-34-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-097-00-7 | Gases (petroleum), refinery blend; Petroleum gas; [A complex combination obtained from various processes. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-183-7 | 68783-07-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-098-00-2 | Gases (petroleum), catalytic cracking; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .] | 272-203-4 | 68783-64-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-099-00-8 | Gases (petroleum), C ₂₋₄ , sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ and boiling in the range of approximately - 51 °C to - 34 °C (-60°F to - 30°F).] | 272-205-5 | 68783-65-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-100-00-1 | Gases (petroleum), crude oil fractionation off; Petroleum gas; [A complex combination of hydrocarbons produced by the fractionation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-871-7 | 68918-99-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-101-00-7 | Gases (petroleum), dehexanizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of combined naphtha streams. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-872-2 | 68919-00-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-102-00-2 | Gases (petroleum), light straight run gasoline fractionation stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of light straight-run gasoline. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-878-5 | 68919-05-1 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-103-00-8 | Gases (petroleum), naphtha unifier desulfurization stripper off; Petroleum gas; [A complex combination of hydrocarbons produced by a naphtha unifier desulfurization process and stripped from the naphtha product. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 272-879-0 | 68919-06-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-104-00-3 | Gases (petroleum), straight-run naphtha catalytic reforming off; Petroleum gas; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and fractionation of the total effluent. It consists of methane, ethane, and propane.] | 272-882-7 | 68919-09-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-105-00-9 | Gases (petroleum), fluidized catalytic cracker splitter overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the fractionation of the charge to the C ₃ -C ₄ splitter. It consists predominantly of C ₃ hydrocarbons.] | 272-893-7 | 68919-20-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-106-00-4 | Gases (petroleum), straight-run stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of the liquid from the first tower used in the distillation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 272-883-2 | 68919-10-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-107-00-X | Gases (petroleum), catalytic cracked naphtha debutanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 273-169-3 | 68952-76-1 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-108-00-5 | Tail gas (petroleum), catalytic cracked distillate and naphtha stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of catalytic cracked naphtha and distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 273-170-9 | 68952-77-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-109-00-0 | Tail gas (petroleum), thermal-cracked distillate, gas oil and naphtha absorber; petroleum gas; [A complex combination of hydrocarbons obtained from the separation of thermal-cracked distillates, naphtha and gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 273-175-6 | 68952-81-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-110-00-6 | Tail gas (petroleum), thermal cracked hydrocarbon fractionation stabilizer, petroleum coking; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of thermal cracked hydrocarbons from petroleum coking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 273-176-1 | 68952-82-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-111-00-1 | Gases (petroleum, light steam-cracked, butadiene conc.); Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process. It consists of hydrocarbons having a carbon number predominantly of C ₄ .] | 273-265-5 | 68955-28-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-112-00-7 | Gases (petroleum), straight-run naphtha catalytic reformer stabilizer overhead; Petroleum gas; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .] | 273-270-2 | 68955-34-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|----------------------------------|---------------------------------------|-------|
| 649-113-00-2 | Hydrocarbons, C ₄ ; Petroleum gas | 289-339-5 | 87741-01-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-114-00-8 | Alkanes, C ₁₋₄ , C ₃ -rich; Petroleum gas | 292-456-4 | 90622-55-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-115-00-3 | Gases (petroleum), steam-cracker C ₃ -rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a steam cracking process. It consists predominantly of propylene with some propane and boils in the range of approximately - 70 °C to 0 °C (-94°F to 32°F).] | 295-404-9 | 92045-22-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-116-00-9 | Hydrocarbons, C ₄ , steam-cracker distillate; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products of a steam cracking process. It consists predominantly of hydrocarbons having a carbon number of C ₄ , predominantly 1-butene and 2-butene, containing also butane and isobutene and boiling in the range of approximately minus 12 °C to 5 °C (10.4°F to 41°F).] | 295-405-4 | 92045-23-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-117-00-4 | Petroleum gases, liquefied, sweetened, C ₄ fraction; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting a liquified petroleum gas mix to a sweetening process to oxidize mercaptans or to remove acidic impurities. It consists predominantly of C ₄ saturated and unsaturated hydrocarbons.] | 295-463-0 | 92045-80-2 | F+; R12 Carc. Cat. 1; R45 Muta. Cat. 2; R46 | F+; T R: 12-45-46 S: 53-45 | | HKS |
| 649-118-00-X | Hydrocarbons, C ₄ , 1,3-butadiene- and isobutene-free; Petroleum gas | 306-004-1 | 95465-89-7 | ⊗ Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H K |
| 649-119-00-5 | Raffinates (petroleum), steam-cracked C ₄ fraction cuprous ammonium acetate extrn., C ₃₋₅ and C ₃₋₅ unsatd., butadiene-free; Petroleum gas | 307-769-4 | 97722-19-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-120-00-0 | Gases (petroleum), amine system feed; Refinery gas; [The feed gas to the amine system for removal of hydrogen sulfide. It consists of hydrogen, carbon monoxide, carbon dioxide, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ may also be present.] | 270-746-1 | 68477-65-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-121-00-6 | Gases (petroleum), benzene unit hydrodesulfurizer off; Refinery gas; [Off gases produced by the benzene unit. It consists primarily of hydrogen. Carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ , including benzene, may also be present.] | 270-747-7 | 68477-66-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-122-00-1 | Gases (petroleum), benzene unit recycle, hydrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by recycling the gases of the benzene unit. It consists primarily of hydrogen with various small amounts of carbon monoxide and hydrocarbons having carbon numbers in the range of C ₁ through C ₆ .] | 270-748-2 | 68477-67-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-123-00-7 | Gases (petroleum), blend oil, hydrogen-nitrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by distillation of a blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide, and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-749-8 | 68477-68-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-124-00-2 | Gases (petroleum), catalytic reformed naphtha stripper overheads; Refinery gas; [A complex combination of hydrocarbons obtained from stabilization of catalytic reformed naphtha. Its consists of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 270-759-2 | 68477-77-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-125-00-8 | Gases (petroleum), C ₆₋₈ catalytic reformer recycle; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C ₆ -C ₈ feed and recycled to conserve hydrogen. It consists primarily of hydrogen. It may also contain various small amounts of carbon monoxide, carbon dioxide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-761-3 | 68477-80-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-126-00-3 | Gases (petroleum), C ₆₋₈ catalytic reformer; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C ₆ -C ₈ feed. It consists of hydrocarbons having carbon numbers in the range of C ₁ through C ₅ and hydrogen.] | 270-762-9 | 68477-81-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-127-00-9 | Gases (petroleum), C ₆₋₈ catalytic reformer recycle, hydrogen-rich; Refinery gas | 270-763-4 | 68477-82-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-128-00-4 | Gases (petroleum), C ₂ -return stream; Refinery gas; [A complex combination of hydrocarbons obtained by the extraction of hydrogen from a gas stream which consists primarily of hydrogen with small amounts of nitrogen, carbon monoxide, methane, ethane, and ethylene. It contains predominantly hydrocarbons such as methane, ethane, and ethylene with small amounts of hydrogen, nitrogen and carbon monoxide.] | 270-766-0 | 68477-84-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-129-00-X | Gases (petroleum), dry sour, gas-concn.-unit-off; Refinery gas; [The complex combination of dry gases from a gas concentration unit. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 270-774-4 | 68477-92-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-130-00-5 | Gases (petroleum), gas concn. reabsorber distn.; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from combined gas streams in a gas concentration reabsorber. It consists predominantly of hydrogen, carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide and hydrocarbons having carbon numbers in the range of C ₁ through C ₃ .] | 270-776-5 | 68477-93-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-131-00-0 | Gases (petroleum), hydrogen absorber off; Refinery gas; [A complex combination obtained by absorbing hydrogen from a hydrogen rich stream. It consists of hydrogen, carbon monoxide, nitrogen, and methane with small amounts of C ₂ hydrocarbons.] | 270-779-1 | 68477-96-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-132-00-6 | Gases (petroleum), hydrogen-rich; Refinery gas; [A complex combination separated as a gas from hydrocarbon gases by chilling. It consists primarily of hydrogen with various small amounts of carbon monoxide, nitrogen, methane, and C ₂ hydrocarbons.] | 270-780-7 | 68477-97-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-133-00-1 | Gases (petroleum), hydrotreater blend oil recycle, hydrogen-nitrogen-rich; Refinery gas; [A complex combination obtained from recycled hydrotreated blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-781-2 | 68477-98-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-134-00-7 | Gases (petroleum), recycle, hydrogen-rich; Refinery gas; [A complex combination obtained from recycled reactor gases. It consists primarily of hydrogen with various small amounts of carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₅ .] | 270-783-3 | 68478-00-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-135-00-2 | Gases (petroleum), reformer make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reformers. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-784-9 | 68478-01-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-136-00-8 | Gases (petroleum), reforming hydrotreater; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen, methane, and ethane with various small amounts of hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .] | 270-785-4 | 68478-02-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-137-00-3 | Gases (petroleum), reforming hydrotreater, hydrogen-methane-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen and methane with various small amounts of carbon monoxide, carbon dioxide, nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₅ .] | 270-787-5 | 68478-03-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-138-00-9 | Gases (petroleum), reforming hydrotreater make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-788-0 | 68478-04-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-139-00-4 | Gases (petroleum), thermal cracking distn.; Refinery gas; [A complex combination produced by distillation of products from a thermal cracking process. It consists of hydrogen, hydrogen sulfide, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-789-6 | 68478-05-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-140-00-X | Tail gas (petroleum), catalytic cracker refractionation absorber; Refinery gas; [A complex combination of hydrocarbons obtained from refractionation of products from a catalytic cracking process. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 270-805-1 | 68478-25-1 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-141-00-5 | Tail gas (petroleum), catalytic reformed naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the catalytic reforming of straight run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-807-2 | 68478-27-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-142-00-0 | Tail gas (petroleum), catalytic reformed naphtha stabilizer; Refinery gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic reformed naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-808-8 | 68478-28-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-143-00-6 | Tail gas (petroleum), cracked distillate hydrotreater separator; Refinery gas; [A complex combination of hydrocarbons obtained by treating cracked distillates with hydrogen in the presence of a catalyst. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 270-809-3 | 68478-29-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-144-00-1 | Tail gas (petroleum), hydrodesulfurized straight-run naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from hydrodesulfurization of straight-run naphtha. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 270-810-9 | 68478-30-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-145-00-7 | Gases (petroleum), catalytic reformed straight-run naphtha stabilizer overheads; Refinery gas; [A complex combination of hydrocarbons obtained from the catalytic reforming of straight-run naphtha followed by fractionation of the total effluent. It consists of hydrogen, methane, ethane and propane.] | 270-999-8 | 68513-14-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-146-00-2 | Gases (petroleum), reformer effluent high-pressure flash drum off; Refinery gas; [A complex combination produced by the high-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.] | 271-003-4 | 68513-18-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-147-00-8 | Gases (petroleum), reformer effluent low-pressure flash drum off; Refinery gas; [A complex combination produced by low-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.] | 271-005-5 | 68513-19-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-148-00-3 | Gases (petroleum), oil refinery gas distn. off; Refinery gas; [A complex combination separated by distillation of a gas stream containing hydrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers in the range of C ₁ through C ₆ or obtained by cracking ethane and propane. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₂ , hydrogen, nitrogen, and carbon monoxide.] | 271-258-1 | 68527-15-1 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-149-00-9 | Gases (petroleum), benzene unit hydrotreater depentanizer overheads; Refinery gas; [A complex combination produced by treating the feed from the benzene unit with hydrogen in the presence of a catalyst followed by depentanizing. It consists primarily of hydrogen, ethane and propane with various small amounts of nitrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ . It may contain trace amounts of benzene.] | 271-623-5 | 68602-82-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-150-00-4 | Gases (petroleum), secondary absorber off, fluidized catalytic cracker overheads fractionator; Refinery gas; [A complex combination produced by the fractionation of the overhead products from the catalytic cracking process in the fluidized catalytic cracker. It consists of hydrogen, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 271-625-6 | 68602-84-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-151-00-X | Petroleum products, refinery gases; Refinery gas; [A complex combination which consists primarily of hydrogen with various small amounts of methane, ethane, and propane.] | 271-750-6 | 68607-11-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-152-00-5 | Gases (petroleum), hydrocracking low-pressure separator; Refinery gas; [A complex combination obtained by the liquid-vapor separation of the hydrocracking process reactor effluent. It consists predominantly of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 272-182-1 | 68783-06-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-153-00-0 | Gases (petroleum), refinery; Refinery gas; [A complex combination obtained from various petroleum refining operations. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 272-338-9 | 68814-67-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-154-00-6 | Gases (petroleum), platformer products separator off; Refinery gas; [A complex combination obtained from the chemical reforming of naphthenes to aromatics. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .] | 272-343-6 | 68814-90-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-155-00-1 | Gases (petroleum), hydrotreated sour kerosine depentanizer stabilizer off; Refinery gas; [The complex combination obtained from the depentanizer stabilization of hydrotreated kerosine. It consists primarily of hydrogen, methane, ethane, and propane with various small amounts of nitrogen, hydrogen sulfide, carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₅ .] | 272-775-5 | 68911-58-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-156-00-7 | Gases (petroleum), hydrotreated sour kerosine flash drum; Refinery gas; [A complex combination obtained from the flash drum of the unit treating sour kerosine with hydrogen in the presence of a catalyst. It consists primarily of hydrogen and methane with various small amounts of nitrogen, carbon monoxide, and hydro-carbons having carbon numbers predominantly in the range of C ₂ through C ₅ .] | 272-776-0 | 68911-59-1 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-157-00-2 | Gases (petroleum), distillate unifier desulfurization stripper off; Refinery gas; [A complex combination stripped from the liquid product of the unifier desulfurization process. It consists of hydrogen sulfide, methane, ethane, and propane.] | 272-873-8 | 68919-01-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-158-00-8 | Gases (petroleum), fluidized catalytic cracker fractionation off; Refinery gas; [A complex combination produced by the fractionation of the overhead product of the fluidized catalytic cracking process. It consists of hydrogen, hydrogen sulfide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-874-3 | 68919-02-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-159-00-3 | Gases (petroleum), fluidized catalytic cracker scrubbing secondary absorber off; Refinery gas; [A complex combination produced by scrubbing the overhead gas from the fluidized catalytic cracker. It consists of hydrogen, nitrogen, methane, ethane and propane.] | 272-875-9 | 68919-03-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-160-00-9 | Gases (petroleum), heavy distillate hydrotreater desulfurization stripper off; Refinery gas; [A complex combination stripped from the liquid product of the heavy distillate hydrotreater desulfurization process. It consists of hydrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-876-4 | 68919-04-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-161-00-4 | Gases (petroleum), platformer stabilizer off, light ends fractionation; Refinery gas; [A complex combination obtained by the fractionation of the light ends of the platinum reactors of the platformer unit. It consists of hydrogen, methane, ethane and propane.] | 272-880-6 | 68919-07-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-162-00-X | Gases (petroleum), preflash tower off, crude distn.; Refinery gas; [A complex combination produced from the first tower used in the distillation of crude oil. It consists of nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-881-1 | 68919-08-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-163-00-5 | Gases (petroleum), tar stripper off; Refinery gas; [A complex combination obtained by the fractionation of reduced crude oil. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 272-884-8 | 68919-11-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-164-00-0 | Gases (petroleum), unifiner stripper off; Refinery gas; [A combination of hydrogen and methane obtained by fractionation of the products from the unifiner unit.] | 272-885-3 | 68919-12-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-165-00-6 | Tail gas (petroleum), catalytic hydrodesulfurized naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the hydrodesulfurization of naphtha. It consists of hydrogen, methane, ethane, and propane.] | 273-173-5 | 68952-79-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-166-00-1 | Tail gas (petroleum), straight-run naphtha hydrodesulfurizer; Refinery gas; [A complex combination obtained from the hydrodesulfurization of straight-run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 273-174-0 | 68952-80-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-167-00-7 | Gases (petroleum), sponge absorber off, fluidized catalytic cracker and gas oil desulfurizer overhead fractionation; Refinery gas; [A complex combination obtained by the fractionation of products from the fluidized catalytic cracker and gas oil desulfurizer. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 273-269-7 | 68955-33-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-168-00-2 | Gases (petroleum), crude distn. and catalytic cracking; Refinery gas; [A complex combination produced by crude distillation and catalytic cracking processes. It consists of hydrogen, hydrogen sulfide, nitrogen, carbon monoxide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 273-563-5 | 68989-88-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-169-00-8 | Gases (petroleum), gas oil diethanolamine scrubber off; Refinery gas; [A complex combination produced by desulfurization of gas oils with diethanolamine. It consists predominantly of hydrogen sulfide, hydrogen and aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₅ .] | 295-397-2 | 92045-15-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-170-00-3 | Gases (petroleum), gas oil hydrodesulfurization effluent; Refinery gas; [A complex combination obtained by separation of the liquid phase from the effluent from the hydrogenation reaction. It consists predominantly of hydrogen, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .] | 295-398-8 | 92045-16-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-171-00-9 | Gases (petroleum), gas oil hydrodesulfurization purge; Refinery gas; [A complex combination of gases obtained from the reformer and from the purges from the hydrogenation reactor. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 295-399-3 | 92045-17-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-172-00-4 | Gases (petroleum), hydrogenator effluent flash drum off; Refinery gas; [A complex combination of gases obtained from flash of the effluents after the hydrogenation reaction. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 295-400-7 | 92045-18-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-173-00-X | Gases (petroleum), naphtha steam cracking high-pressure residual; Refinery gas; [A complex combination obtained as a mixture of the non-condensable portions from the product of a naphtha steam cracking process as well as residual gases obtained during the preparation of subsequent products. It consists predominantly of hydrogen and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ with which natural gas may also be mixed.] | 295-401-2 | 92045-19-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-174-00-5 | Gases (petroleum), residue visbaking off; Refinery gas; A complex combination obtained from viscosity reduction of residues in a furnace. It consists predominantly of hydrogen sulfide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 295-402-8 | 92045-20-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-175-00-0 | Foot's oil (petroleum), acid-treated; Foot's oil; [A complex combination of hydrocarbons obtained by treatment of Foot's oil with sulfuric acid. It consists predominantly of branched-chain hydrocarbons with carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 300-225-7 | 93924-31-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-176-00-6 | Foot's oil (petroleum), clay-treated; Foot's oil; [A complex combination of hydrocarbons obtained by treatment of Foot's oil with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of branched chain hydrocarbons with carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 300-226-2 | 93924-32-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-177-00-1 | Gases (petroleum), C ₃₋₄ ; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from the cracking of crude oil. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₄ , predominantly of propane and propylene, and boiling in the range of approximately - 51 °C to - 1 °C (- 60°F to 30°F.)] | 268-629-5 | 68131-75-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-178-00-7 | Tail gas (petroleum), catalytic cracked distillate and catalytic cracked naphtha fractionation absorber; Petroleum gas; [The complex combination of hydrocarbons from the distillation of the products from catalytic cracked distillates and catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ .] | 269-617-2 | 68307-98-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-179-00-2 | Tail gas (petroleum), catalytic polymn. naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons from the fractionation stabilization products from polymerization of naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ .] | 269-618-8 | 68307-99-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-180-00-8 | Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation stabilization of catalytic reformed naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 269-619-3 | 68308-00-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-181-00-3 | Tail gas (petroleum), cracked distillate hydrotreater stripper; Petroleum gas; [A complex combination of hydrocarbons obtained by treating thermal cracked distillates with hydrogen in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 269-620-9 | 68308-01-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-182-00-9 | Tail gas (petroleum), straight-run distillate hydrodesulfurizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of straight run distillates and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 269-630-3 | 68308-10-1 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-183-00-4 | Tail gas (petroleum), gas oil catalytic cracking absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of products from the catalytic cracking of gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 269-623-5 | 68308-03-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-184-00-X | Tail gas (petroleum), gas recovery plant; Petroleum gas; [A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 269-624-0 | 68308-04-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-185-00-5 | Tail gas (petroleum), gas recovery plant deethanizer; Petroleum gas; [A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists of hydrocarbon having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 269-625-6 | 68308-05-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-186-00-0 | Tail gas (petroleum), hydrodesulfurized distillate and hydrodesulfurized naphtha fractionator, acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of hydrodesulfurized naphtha and distillate hydrocarbon streams and treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 269-626-1 | 68308-06-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-187-00-6 | Tail gas (petroleum), hydrodesulfurized vacuum gas oil stripper, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from stripping stabilization of catalytic hydrodesulfurized vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 269-627-7 | 68308-07-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-188-00-1 | Tail gas (petroleum), light straight-run naphtha stabilizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation stabilization of light straight run naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 269-629-8 | 68308-09-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-189-00-7 | Tail gas (petroleum), propane-propylene alkylation feed prep deethanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of the reaction products of propane with propylene. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 269-631-9 | 68308-11-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-190-00-2 | Tail gas (petroleum), vacuum gas oil hydrodesulfurizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .] | 269-632-4 | 68308-12-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-191-00-8 | Gases (petroleum), catalytic cracked overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from the catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ and boiling in the range of approximately - 48 °C to 32 °C (-54°F to 90°F).] | 270-071-2 | 68409-99-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-193-00-9 | Alkanes, C ₁₋₂ ; Petroleum gas | 270-651-5 | 68475-57-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-194-00-4 | Alkanes, C ₂₋₃ ; Petroleum gas | 270-652-0 | 68475-58-1 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-195-00-X | Alkanes, C ₃₋₄ ; Petroleum gas | 270-653-6 | 68475-59-2 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-196-00-5 | Alkanes, C ₄₋₅ ; Petroleum gas | 270-654-1 | 68475-60-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-197-00-0 | Fuel gases; Petroleum gas; [A combination of light gases. It consists predominantly of hydrogen and/or low molecular weight hydrocarbons.] | 270-667-2 | 68476-26-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|----------------------------------|---------------------------------------|-------|
| 649-198-00-6 | Fuel gases, crude oil of distillates; Petroleum gas; [A complex combination of light gases produced by distillation of crude oil and by catalytic reforming of naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately - 217 °C to - 12 °C (- 423°F to 10°F).] | 270-670-9 | 68476-29-9 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-199-00-1 | Hydrocarbons, C ₃₋₄ ; Petroleum gas | 270-681-9 | 68476-40-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-200-00-5 | Hydrocarbons, C ₄₋₅ ; Petroleum gas | 270-682-4 | 68476-42-6 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-201-00-0 | Hydrocarbons, C ₂₋₄ , C ₃ -rich; Petroleum gas | 270-689-2 | 68476-49-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-202-00-6 | Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₇ and boiling in the range of approximately - 40 °C to 80 °C (- 40 °F to 176 °F).] | 270-704-2 | 68476-85-7 | F+; R12 Carc. Cat. 1; R45 Muta. Cat. 2; R46 | F+; T R: 12-45-46 S: 53-45 | | HKS |
| 649-203-00-1 | Petroleum gases, liquefied, sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₇ and boiling in the range of approximately - 40 °C to 80 °C (-40 °F to 176 °F).] | 270-705-8 | 68476-86-8 | F+; R12 Carc. Cat. 1; R45 Muta. Cat. 2; R46 | F+; T R: 12-45-46 S: 45-53 | | HKS |
| 649-204-00-7 | Gases (petroleum), C ₃₋₄ , isobutane-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated hydrocarbons usually ranging in carbon numbers from C ₃ through C ₆ , predominantly butane and isobutane. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₄ , predominantly isobutane.] | 270-724-1 | 68477-33-8 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|---------------------------|---------------------------------------|-------|
| 649-205-00-2 | Distillates (pétroleum), C ₃₋₆ , piperylene-rich; Pétroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated aliphatic hydrocarbons usually ranging in the carbon numbers C ₃ through C ₆ . It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly piperylenes.] | 270-726-2 | 68477-35-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-206-00-8 | Gases (pétroleum), butane splitter overheads; Pétroleum gas; [A complex combination of hydrocarbons obtained from the distillation of the butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .] | 270-750-3 | 68477-69-0 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-207-00-3 | Gases (pétroleum), C ₂ ; Pétroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic fractionation process. It contains predominantly ethane, ethylene, propane, and propylene.] | 270-751-9 | 68477-70-3 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-208-00-9 | Gases (pétroleum), catalytic-cracked gas oil depropanizer bottoms, C ₄ -rich acid-free; Pétroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked gas oil hydrocarbon stream and treated to remove hydrogen sulfide and other acidic components. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₄ .] | 270-752-4 | 68477-71-4 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-209-00-4 | Gases (pétroleum), catalytic-cracked naphtha debutanizer bottoms, C ₃₋₅ -rich; Pétroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .] | 270-754-5 | 68477-72-5 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |
| 649-210-00-X | Tail gas (pétroleum), isomerized naphtha fractionation stabilizer; Pétroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization products from isomerized naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .] | 269-628-2 | 68308-08-7 | ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46 | T R: 45-46 S: 53-45 | | H K |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-211-00-5 | Foots oil (petroleum), carbon-treated; Foots oil; [A complex combination of hydrocarbons obtained by the treatment of Foots oil with activated carbon for the removal of trace constituents and impurities. It consists predominantly of saturated straight chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-126-0 | 97862-76-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-212-00-0 | Distillates (petroleum), sweetened middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).] | 265-088-7 | 64741-86-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-213-00-6 | Gas oils (petroleum), solvent-refined; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 265-092-9 | 64741-90-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-214-00-1 | Distillates (petroleum), solvent-refined middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).] | 265-093-4 | 64741-91-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-215-00-7 | Gas oils (petroleum), acid-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).] | 265-112-6 | 64742-12-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-216-00-2 | Distillates (petroleum), acid-treated middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₀ and boiling in the range of approximately 205 °C to 345 °C (401°F to 653°F).] | 265-113-1 | 64742-13-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-217-00-8 | Distillates (petroleum), acid-treated light; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-114-7 | 64742-14-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-218-00-3 | Gas oils (petroleum), chemically neutralized; Gasoil — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).] | 265-129-9 | 64742-29-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-219-00-9 | Distillates (petroleum), chemically neutralized middle; Gasoil — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₀ and boiling in the range of approximately 205 °C to 345 °C (401°F to 653°F).] | 265-130-4 | 64742-30-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-220-00-4 | Distillates (petroleum), clay-treated middle; Gasoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).] | 265-139-3 | 64742-38-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|-----------------------------|---------------------------------------|-------|
| 649-221-00-X | Distillates (petroleum), hydrotreated middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 265-148-2 | 64742-46-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-222-00-5 | Gas oils (petroleum), hydrodesulfurized; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).] | 265-182-8 | 64742-79-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-223-00-0 | Distillates (petroleum), hydrodesulfurized middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 265-183-3 | 64742-80-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-224-00-6 | Fuels, diesel; Gasoil — unspecified; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 163 °C to 357 °C (325°F to 675°F).] | 269-822-7 | 68334-30-5 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)36/37 | | H N |
| 649-225-00-1 | Fuel oil, No 2; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100°F) to a maximum of 37,9 SUS at 37,7 °C (100°F).] | 270-671-4 | 68476-30-2 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)36/37 | | H |
| 649-226-00-7 | Fuel oil, No 4; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 45 SUS at 37,7 °C (100°F) to a maximum of 125 SUS at 37,7 °C (100°F).] | 270-673-5 | 68476-31-3 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)36/37 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|-----------------------------|---------------------------------------|-------|
| 649-227-00-2 | Fuels, diesel, No 2; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100°F).] | 270-676-1 | 68476-34-6 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)36/37 | | H |
| 649-228-00-8 | Distillates (petroleum), catalytic reformer fractionator residue, high-boiling; Gasoil — unspecified; [A complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils in the range of approximately 343 °C to 399 °C (650°F to 750°F).] | 270-719-4 | 68477-29-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-229-00-3 | Distillates (petroleum), catalytic reformer fractionator residue, intermediate-boiling; Gasoil — unspecified; [A complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils in the range of approximately 288 °C to 371 °C (550°F to 700°F).] | 270-721-5 | 68477-30-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-230-00-9 | Distillates (petroleum), catalytic reformer fractionator residue, low-boiling; Gasoil — unspecified; [The complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils approximately below 288 °C (550°F).] | 270-722-0 | 68477-31-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-231-00-4 | Distillates (petroleum), highly refined middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the subjection of a petroleum fraction to several of the following steps: filtration, centrifugation, atmospheric distillation, vacuum distillation, acidification, neutralization and clay treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₀ .] | 292-615-8 | 90640-93-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-232-00-X | Distillates (petroleum) catalytic reformer, heavy arom. conc.; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from the distillation of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₆ and boiling in the range of approximately 200 °C to 300 °C (392°F to 572°F).] | 295-294-2 | 91995-34-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-233-00-5 | Gas oils, paraffinic; Gasoil — unspecified; [A distillate obtained from the redistillation of a complex combination of hydrocarbons obtained by the distillation of the effluents from a severe catalytic hydrotreatment of paraffins. It boils in the range of approximately 190 °C to 330 °C (374°F to 594°F).] | 300-227-8 | 93924-33-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-234-00-0 | Naphtha (petroleum), solvent-refined hydrodesulfurized heavy; Gasoil — unspecified | 307-035-3 | 97488-96-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-235-00-6 | Hydrocarbons, C ₁₆₋₂₀ , hydrotreated middle distillate, distn. lights; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a middle distillate with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₂₀ and boiling in the range of approximately 290 °C to 350 °C (554°F to 662°F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212°F).] | 307-659-6 | 97675-85-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-236-00-1 | Hydrocarbons, C ₁₂₋₂₀ , hydrotreated paraffinic, distn. lights; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of heavy paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₀ and boiling in the range of approximately 230 °C to 350 °C (446°F to 662°F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212°F).] | 307-660-1 | 97675-86-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-237-00-7 | Hydrocarbons, C ₁₁₋₁₇ , solvent-extd. light naphthenic; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 2.2 cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₇ and boiling in the range of approximately 200 °C to 300 °C (392°F to 572°F).] | 307-757-9 | 97722-08-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-238-00-2 | Gas oils, hydrotreated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from the redistillation of the effluents from the treatment of paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₂₇ and boiling in the range of approximately 330 °C to 340 °C (626°F to 644°F).] | 308-128-1 | 97862-78-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-239-00-8 | Distillates (petroleum), carbon-treated light paraffinic; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of a petroleum oil fraction with activated charcoal for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₈ .] | 309-667-5 | 100683-97-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-240-00-3 | Distillates (petroleum), intermediate paraffinic, carbon-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of petroleum with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .] | 309-668-0 | 100683-98-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-241-00-9 | Distillates (petroleum), intermediate paraffinic, clay-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of petroleum with bleaching earth for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .] | 309-669-6 | 100683-99-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-242-00-4 | Alkanes, C ₁₂₋₂₆ -branched and linear | 292-454-3 | 90622-53-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-243-00-X | Lubricating greases; Grease; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₅₀ . May contain organic salts of alkali metals, alkaline earth metals, and/or aluminium compounds.] | 278-011-7 | 74869-21-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-244-00-5 | Slack wax (petroleum); Slack wax; [A complex combination of hydrocarbons obtained from a petroleum fraction by solvent crystallization (solvent dewaxing) or as a distillation fraction from a very waxy crude. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 265-165-5 | 64742-61-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-245-00-0 | Slack wax (petroleum), acid-treated; Slack wax; [A complex combination of hydrocarbons obtained as a raffinate by treatment of a petroleum slack wax fraction with sulfuric acid treating process. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 292-659-8 | 90669-77-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-246-00-6 | Slack wax (petroleum), clay-treated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of a petroleum slack wax fraction with natural or modified clay in either a contacting or percolation process. It consists predominantly of saturated straight and branched hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 292-660-3 | 90669-78-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-247-00-1 | Slack wax (petroleum), hydrotreated; Slack wax; [A complex combination of hydrocarbons obtained by treating slack wax with hydrogen in the presence of a catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 295-523-6 | 92062-09-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-248-00-7 | Slack wax (petroleum), low-melting; Slack wax; [A complex combination of hydrocarbons obtained from a petroleum fraction by solvent deparaffination. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 295-524-1 | 92062-10-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-249-00-2 | Slack wax (petroleum), low-melting, hydrotreated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of low-melting petroleum slack wax with hydrogen in the presence of a catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 295-525-7 | 92062-11-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-250-00-8 | Slack wax (petroleum), low-melting, carbon-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting slack wax with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-155-9 | 97863-04-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-251-00-3 | Slack wax (petroleum), low-melting, clay-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with bentonite for removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-156-4 | 97863-05-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-252-00-9 | Slack wax (petroleum), low-melting, silicic acid-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-158-5 | 97863-06-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-253-00-4 | Slack wax (petroleum), carbon-treated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of petroleum slack wax with activated charcoal for the removal of trace polar constituents and impurities.] | 309-723-9 | 100684-49-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-254-00-X | Petrolatum; Petrolatum; [A complex combination of hydrocarbons obtained as a semi-solid from dewaxing paraffinic residual oil. It consists predominantly of saturated crystalline and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₅ .] | 232-373-2 | 8009-03-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-255-00-5 | Petrolatum (petroleum), oxidized; Petrolatum; [A complex combination of organic compounds, predominantly high molecular weight carboxylic acids, obtained by the air oxidation of petrolatum.] | 265-206-7 | 64743-01-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-256-00-0 | Petrolatum (petroleum), alumina-treated; Petrolatum; [A complex combination of hydrocarbons obtained when petrolatum is treated with Al ₂ O ₃ to remove polar components and impurities. It consists predominantly of saturated, crystalline, and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₅ .] | 285-098-5 | 85029-74-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-257-00-6 | Petrolatum (petroleum), hydrotreated; Petrolatum; [A complex combination of hydrocarbons obtained as a semi-solid from dewaxed paraffinic residual oil treated with hydrogen in the presence of a catalyst. It consists predominantly of saturated microcrystalline and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 295-459-9 | 92045-77-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-258-00-1 | Petrolatum (petroleum), carbon-treated; Petrolatum; [A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 308-149-6 | 97862-97-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-259-00-7 | Petrolatum (petroleum), silicic acid-treated; Petrolatum; [A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ .] | 308-150-1 | 97862-98-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-260-00-2 | Petrolatum (petroleum), clay-treated; Petrolatum; [A complex combination of hydrocarbons obtained by treatment of petrolatum with bleaching earth for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of greater than C ₂₅ .] | 309-706-6 | 100684-33-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H N |
| 649-261-00-8 | Gasoline, natural; Low boiling point naphtha; [A complex combination of hydrocarbons separated from natural gas by processes such as refrigeration or absorption. It consists predominantly of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₈ and boiling in the range of approximately minus 20 °C to 120 °C (-4°F to 248°F).] | 232-349-1 | 8006-61-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-262-00-3 | Naphtha; Low boiling point naphtha; [Refined, partly refined, or unrefined petroleum products by the distillation of natural gas. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₆ and boiling in the range of approximately 100 °C to 200 °C (212°F to 392°F).] | 232-443-2 | 8030-30-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-263-00-9 | Ligroïne; Low boiling point naphtha; [A complex combination of hydrocarbons obtained by the fractional distillation of petroleum. This fraction boils in a range of approximately 20 °C to 135 °C (58°F to 275°F).] | 232-453-7 | 8032-32-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-264-00-4 | Naphtha (petroleum), heavy straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).] | 265-041-0 | 64741-41-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-265-00-X | Naphtha (petroleum), full-range straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 220 °C (-4°F to 428°F).] | 265-042-6 | 64741-42-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-266-00-5 | Naphtha (petroleum), light straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ and boiling in the range of approximately minus 20 °C to 180 °C (-4°F to 356°F).] | 265-046-8 | 64741-46-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-267-00-0 | Solvent naphtha (petroleum), light aliph.; Low boiling point naphtha; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₀ and boiling in the range of approximately 35 °C to 160 °C (95°F to 320°F).] | 265-192-2 | 64742-89-8 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-268-00-6 | Distillates (petroleum), straight-run light; Low boiling point naphtha; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₇ and boiling in the range of approximately - 88 °C to 99 °C (- 127°F to 210°F).] | 270-077-5 | 68410-05-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-269-00-1 | Gasoline, vapor-recovery; Low boiling point naphtha; [A complex combination of hydrocarbons separated from the gases from vapor recovery systems by cooling. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately - 20 °C to 196 °C (-4°F to 384°F).] | 271-025-4 | 68514-15-8 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-270-00-7 | Gasoline, straight-run, topping-plant; Low boiling point naphtha; [A complex combination of hydrocarbons produced from the topping plant by the distillation of crude oil. It boils in the range of approximately 36,1 °C to 193,3 °C (97°F to 380°F).] | 271-727-0 | 68606-11-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-271-00-2 | Naphtha (petroleum), unsweetened; Low boiling point naphtha; [A complex combination of hydrocarbons produced from the distillation of naphtha streams from various refinery processes. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 0 °C to 230 °C (25°F to 446°F).] | 272-186-3 | 68783-12-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-272-00-8 | Distillates (petroleum), light straight-run gasoline fractionation stabilizer overheads; Low boiling point naphtha; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ .] | 272-931-2 | 68921-08-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-273-00-3 | Naphtha (petroleum), heavy straight run, arom.-contg.; Low boiling point naphtha; [A complex combination of hydrocarbons obtained from a distillation process of crude petroleum. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₈ through C ₁₂ and boiling in the range of approximately 130 °C to 210 °C (266°F to 410°F).] | 309-945-6 | 101631-20-3 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-274-00-9 | Naphtha (petroleum), full-range alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consist of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 220 °C (194°F to 428°F).] | 265-066-7 | 64741-64-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-275-00-4 | Naphtha (petroleum), heavy alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ to C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₂ and boiling in the range of approximately 150 °C to 220 °C (302°F to 428°F).] | 265-067-2 | 64741-65-7 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-276-00-X | Naphtha (petroleum), light alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of C ₇ through C ₁₀ and boiling in the range of aproximately 90 °C to 160 °C (194°F to 320°F).] | 265-068-8 | 64741-66-8 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-277-00-5 | Naphtha (petroleum), isomerization; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained from catalytic isomerization of straight chain paraffinic C ₄ through C ₆ hydrocarbons. It consists predominantly of saturated hydrocarbons such as isobutane, isopentane, 2,2-dimethylbutane, 2-methylpentane, and 3-methylpentane.] | 265-073-5 | 64741-70-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-278-00-0 | Naphtha (petroleum), solvent-refined light; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F).] | 265-086-6 | 64741-84-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-279-00-6 | Naphtha (petroleum), solvent-refined heavy; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-095-5 | 64741-92-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-280-00-1 | Raffinates (petroleum), catalytic reformer ethylene glycol-water countercurrent exts.; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from the UDEX extraction process on the catalytic reformer stream. It consists of saturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₉ .] | 270-088-5 | 68410-71-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-281-00-7 | Raffinates (petroleum), reformer, Lurgi unit-sepd.; Low boiling point modified naphtha; [The complex combination of hydrocarbons obtained as a raffinate from a Lurgi separation unit. It consists predominantly of non-aromatic hydrocarbons with various small amounts of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ .] | 270-349-3 | 68425-35-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-282-00-2 | Naphtha (petroleum), full-range alkylate, butane-contg.; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by the distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ with some butanes and boiling in the range of approximately 35 °C to 200 °C (95°F to 428°F).] | 271-267-0 | 68527-27-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-283-00-8 | Distillates (petroleum), naphtha steam cracking-derived, solvent-refined light hydrotreated; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinates from a solvent extraction process of hydrotreated light distillate from steam-cracked naphtha.] | 295-315-5 | 91995-53-8 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-284-00-3 | Naphtha (petroleum), C ₄₋₁₂ butane-alkylate, isooctane-rich; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by alkylation of butanes. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ , rich in isooctane, and boiling in the range of approximately 35 °C to 210 °C (95°F to 410°F).] | 295-430-0 | 92045-49-3 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-285-00-9 | Hydrocarbons, hydrotreated light naphtha distillates, solvent-refined; Low boiling point modified naphtha; [A combination of hydrocarbons obtained from the distillation of hydrotreated naphtha followed by a solvent extraction and distillation process. It consists predominantly of saturated hydrocarbons boiling in the range of approximately 94 °C to 99 °C (201°F to 210°F).] | 295-436-3 | 92045-55-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-286-00-4 | Naphtha (petroleum), isomerization, C ₆ -fraction; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by distillation of a gasoline which has been catalytically isomerized. It consists predominantly of hexane isomers boiling in the range of approximately 60 °C to 66 °C (140°F to 151°F).] | 295-440-5 | 92045-58-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-287-00-X | Hydrocarbons, C ₆₋₇ , naphtha-cracking, solvent-refined; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by the sorption of benzene from a catalytically fully hydrogenated benzene-rich hydrocarbon cut that was distillatively obtained from prehydrogenated cracked naphtha. It consists predominantly of paraffinic and naphthenic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₇ and boiling in the range of approximately 70 °C to 100 °C (158°F to 212°F).] | 295-446-8 | 92045-64-2 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-288-00-5 | Hydrocarbons, C ₆ -rich, hydrotreated light naphtha distillates, solvent-refined; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by distillation of hydrotreated naphtha followed by solvent extraction. It consists predominantly of saturated hydrocarbons and boiling in the range of approximately 65 °C to 70 °C (149°F to 158°F).] | 309-871-4 | 101316-67-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-289-00-0 | Naphtha (petroleum), heavy catalytic cracked; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by a distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (148°F to 446°F). It contains a relatively large proportion of unsaturated hydrocarbons.] | 265-055-7 | 64741-54-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-290-00-6 | Naphtha (petroleum), light catalytic cracked; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F). It contains a relatively large proportion of unsaturated hydrocarbons.] | 265-056-2 | 64741-55-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-291-00-1 | Hydrocarbons, C ₃₋₁₁ , catalytic cracker distillates; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillations of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₁₁ and boiling in a range approximately up to 204 °C (400°F).] | 270-686-6 | 68476-46-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-292-00-7 | Naphtha (petroleum), catalytic cracked light distd.; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .] | 272-185-8 | 68783-09-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-293-00-2 | Distillates (petroleum), naphtha steam cracking-derived, hydrotreated light arom.; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by treating a light distillate from steam-cracked naphtha. It consists predominately of aromatic hydrocarbons.] | 295-311-3 | 91995-50-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-294-00-8 | Naphtha (petroleum), heavy catalytic cracked, sweetened; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting a catalytic cracked petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 60 °C to 200 °C (140°F to 392°F).] | 295-431-6 | 92045-50-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-295-00-3 | Naphtha (petroleum), light catalytic cracked sweetened; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting naphtha from a catalytic cracking process to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons boiling in a range of approximately 35 °C to 210 °C (95°F to 410°F).] | 295-441-0 | 92045-59-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-296-00-9 | Hydrocarbons, C ₈₋₁₂ , catalytic-cracking, chem. neutralized; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of a cut from the catalytic cracking process, having undergone an alkaline washing. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₈ through C ₁₂ and boiling in the range of approximately 130 °C to 210 °C (266°F to 410°F).] | 295-794-0 | 92128-94-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-297-00-4 | Hydrocarbons, C ₈₋₁₂ , catalytic cracker distillates; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by distillation of products from a catalytic cracking process. It consists pre-dominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ and boiling in the range of approximately 140 °C to 210 °C (284°F to 410°F).] | 309-974-4 | 101794-97-2 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-298-00-X | Hydrocarbons, C ₈₋₁₂ , catalytic cracking, chem. neutralized, sweetened; Low boiling point cat-cracked naphtha | 309-987-5 | 101896-28-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-299-00-5 | Naphtha (petroleum), light catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol. % or more benzene.] | 265-065-1 | 64741-63-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-300-00-9 | Naphtha (petroleum), heavy catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-070-9 | 64741-68-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-301-00-4 | Distillates (petroleum), catalytic reformed depentanizer; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons from the distillation of products from a catalytic reforming process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 49 °C to 63 °C - 57°F to 145°F.)] | 270-660-4 | 68475-79-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-302-00-X | Hydrocarbons, C ₂₋₆ , C ₆₋₈ catalytic reformer; Low boiling point cat-reformed naphtha | 270-687-1 | 68476-47-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-303-00-5 | Residues (petroleum), C ₆₋₈ catalytic reformer; Low boiling point cat-reformed naphtha; [A complex residuum from the catalytic reforming of C ₆₋₈ feed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .] | 270-794-3 | 68478-15-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-304-00-0 | Naphtha (petroleum), light catalytic reformed, arom.-free; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained from distillation of products from a catalytic reforming process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₈ and boiling in the range of approximately 35 °C to 120 °C (95°F to 248°F). It contains a relatively large proportion of branched chain hydrocarbons with the aromatic components removed.] | 270-993-5 | 68513-03-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-305-00-6 | Distillates (petroleum), catalytic reformed straight-run naphtha overheads; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha followed by the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .] | 271-008-1 | 68513-63-3 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-306-00-1 | Petroleum products, hydrofiner-powerformer reformates; Low boiling point cat-reformed naphtha; [The complex combination of hydrocarbons obtained in a hydrofiner-powerformer process and boiling in a range of approximately 27 °C to 210 °C (80°F to 410°F).] | 271-058-4 | 68514-79-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-307-00-7 | Naphtha (petroleum, full-range reformed); Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 35 °C to 230 °C (95°F to 446°F).] | 272-895-8 | 68919-37-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-308-00-2 | Naphtha (petroleum), catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 30 °C to 220 °C (90°F to 430°F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol.% or more benzene.] | 273-271-8 | 68955-35-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-309-00-8 | Distillates (petroleum), catalytic reformed hydrotreated light, C ₈₋₁₂ arom. fraction; Low boiling point cat-reformed naphtha; [A complex combination of alkylbenzenes obtained by the catalytic reforming of petroleum naphtha. It consists predominantly of alkylbenzenes having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 160 °C to 180 °C (320°F to 356°F).] | 285-509-8 | 85116-58-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-310-00-3 | Aromatic hydrocarbons, C ₈ , catalytic reforming-derived; Low boiling point cat-reformed naphtha | 295-279-0 | 91995-18-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-311-00-9 | Aromatic hydrocarbons, C ₇₋₁₂ , C ₈ -rich; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ (primarily C ₈) and can contain nonaromatic hydrocarbons, both boiling in the range of approximately 130 °C to 200 °C (266°F to 392°F).] | 297-401-8 | 93571-75-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-312-00-4 | Gasoline, C ₅₋₁₁ , high-octane stabilized reformed; Low boiling point cat-reformed naphtha; [A complex high octane combination of hydrocarbons obtained by the catalytic dehydrogenation of a predominantly naphthenic naphtha. It consists predominantly of aromatics and non-aromatics having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 45 °C to 185 °C (113°F to 365°F).] | 297-458-9 | 93572-29-3 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-313-00-X | Hydrocarbons, C ₇₋₁₂ , C _{>9} -arom.-rich, reforming heavy fraction; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 120 °C to 210 °C (248°F to 380°F) and C ₉ and higher aromatic hydrocarbons.] | 297-465-7 | 93572-35-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-314-00-5 | Hydrocarbons, C ₅₋₁₁ , nonaroms.-rich, reforming light fraction; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 35 °C to 125 °C (94°F to 257°F), benzene and toluene.] | 297-466-2 | 93572-36-2 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-315-00-0 | Foots oil (petroleum), silicic acid-treated; Foots oil; [A complex combination of hydrocarbons obtained by the treatment of Foots oil with silicic acid for removal of trace constituents and impurities. It consists predominantly of straight chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .] | 308-127-6 | 97862-77-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-316-00-6 | Naphtha (petroleum), light thermal cracked; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons from distillation of products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₈ and boiling in the range of approximately minus 10 °C to 130 °C (14°F to 266°F).] | 265-075-6 | 64741-74-8 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-317-00-1 | Naphtha (petroleum), heavy thermal cracked; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons from distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 220 °C (148°F to 428°F).] | 265-085-0 | 64741-83-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-318-00-7 | Distillates (petroleum), heavy arom.; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This higher boiling fraction consists predominantly of C ₅ -C ₇ aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having carbon number predominantly of C ₅ . This stream may contain benzene.] | 267-563-4 | 67891-79-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-319-00-2 | Distillates (petroleum), light arom.; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This lower boiling fraction consists predominantly of C ₅ -C ₇ aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having a carbon number predominantly of C ₅ . This stream may contain benzene.] | 267-565-5 | 67891-80-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-320-00-8 | Distillates (petroleum), naphtha-raffinate pyrolyzate-derived, gasoline-blending; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons obtained by the pyrolysis fractionation at 816 °C (1500°F) of naphtha and raffinate. It consists predominantly of hydrocarbons having a carbon number of C ₉ and boiling at approximately 204 °C (400°F).] | 270-344-6 | 68425-29-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-321-00-3 | Aromatic hydrocarbons, C ₆₋₈ , naphtha-raffinate pyrolyzate-derived; Low boiling point thermally cracked naphtha; A complex combination of hydrocarbons obtained by the fractionation pyrolysis at 816 °C (1500°F) of naphtha and raffinate. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ , including benzene.] | 270-658-3 | 68475-70-7 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-322-00-9 | Distillates (petroleum), thermal cracked naphtha and gas oil; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by distillation of thermally cracked naphtha and/or gas oil. It consists predominantly of olefinic hydrocarbons having a carbon number of C ₅ and boiling in the range of approximately 33 °C to 60 °C (91°F to 140°F).] | 271-631-9 | 68603-00-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-323-00-4 | Distillates (petroleum), thermal cracked naphtha and gas oil, C ₅ -dimer-contg.; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists predominantly of hydrocarbons having a carbon number of C ₅ with some dimerized C ₅ olefins and boiling in the range of approximately 33 °C to 184 °C (91°F to 363°F).] | 271-632-4 | 68603-01-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-324-00-X | Distillates (petroleum), thermal cracked naphtha and gas oil, extractive; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists of paraffinic and olefinic hydrocarbons, predominantly isoamylenes such as 2-methyl-1-butene and 2-methyl-2-butene and boiling in the range of approximately 31 °C to 40 °C (88°F to 104°F).] | 271-634-5 | 68603-03-2 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-325-00-5 | Distillates (petroleum), light thermal cracked, debutanized arom.; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process. It consists predominantly of aromatic hydrocarbons, primarily benzene.] | 273-266-0 | 68955-29-3 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-326-00-0 | Naphtha (petroleum), light thermal cracked, sweetened; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate from the high temperature thermal cracking of heavy oil fractions to a sweetening process to convert mercaptans. It consists predominantly of aromatics, olefins and saturated hydrocarbons boiling in the range of approximately 20 °C to 100 °C (68°F to 212°F).] | 295-447-3 | 92045-65-3 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-327-00-6 | Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₃ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).] | 265-150-3 | 64742-48-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-328-00-1 | Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 265-151-9 | 64742-49-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-329-00-7 | Naphtha (petroleum), hydrodesulfurized light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 265-178-6 | 64742-73-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-330-00-2 | Naphtha (petroleum), hydrodesulfurized heavy; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-185-4 | 64742-82-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-331-00-8 | Distillates (petroleum), hydrotreated middle, intermediate boiling; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by the distillation of products from a middle distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₀ and boiling in the range of approximately 127 °C to 188 °C (262°F to 370°F).] | 270-092-7 | 68410-96-8 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-332-00-3 | Distillates (petroleum), light distillate hydrotreating process, low-boiling; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by the distillation of products from the light distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₉ and boiling in the range of approximately 3 °C to 194 °C (37°F to 382°F).] | 270-093-2 | 68410-97-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-333-00-9 | Distillates (petroleum), hydrotreated heavy naphtha, deisohexanizer overheads; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by distillation of the products from a heavy naphtha hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 49 °C to 68 °C (-57°F to 155°F).] | 270-094-8 | 68410-98-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-334-00-4 | Solvent naphtha (petroleum), light arom., hydrotreated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F).] | 270-988-8 | 68512-78-7 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-335-00-X | Naphtha (petroleum), hydrodesulfurized thermal cracked light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by fractionation of hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 23 °C to 195 °C (73°F to 383°F).] | 285-511-9 | 85116-60-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-336-00-5 | Naphtha (petroleum), hydrotreated light, cycloalkane-contg.; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from the distillation of a petroleum fraction. It consists predominantly of alkanes and cycloalkanes boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 285-512-4 | 85116-61-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-337-00-0 | Naphtha (petroleum), heavy steam-cracked, hydrogenated; Low boiling point hydrogen treated naphtha | 295-432-1 | 92045-51-7 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-338-00-6 | Naphtha (petroleum), hydrodesulfurized full-range; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately 30 °C to 250 °C (86°F to 482°F).] | 295-433-7 | 92045-52-8 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-339-00-1 | Naphtha (petroleum), hydrotreated light steam-cracked; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction, derived from a pyrolysis process, with hydrogen in the presence of a catalyst. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F).] | 295-438-4 | 92045-57-3 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-340-00-7 | Hydrocarbons, C ₄₋₁₂ , naphtha-cracking, hydrotreated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by distillation from the product of a naphtha steam cracking process and subsequent catalytic selective hydrogenation of gum formers. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 30 °C to 230 °C (86°F to 446°F).] | 295-443-1 | 92045-61-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-341-00-2 | Solvent naphtha (petroleum), hydrotreated light naphthenic; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of cycloparaffinic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₇ and boiling in the range of approximately 73 °C to 85 °C (163°F to 185°F).] | 295-529-9 | 92062-15-2 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-342-00-8 | Naphtha (petroleum), light steam-cracked, hydrogenated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons produced from the separation and subsequent hydrogenation of the products of a steam-cracking process to produce ethylene. It consists predominantly of saturated and unsaturated paraffins, cyclic paraffins and cyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ and boiling in the range of approximately 50 °C to 200 °C (122°F to 392°F). The proportion of benzene hydrocarbons may vary up to 30 wt. % and the stream may also contain small amounts of sulphur and oxygenated compounds.] | 296-942-7 | 93165-55-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-343-00-3 | Hydrocarbons, C ₆₋₁₁ , hydrotreated, dearomatized; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.] | 297-852-0 | 93763-33-8 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-344-00-9 | Hydrocarbons, C ₉₋₁₂ , hydrotreated, dearomatized; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.] | 297-853-6 | 93763-34-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-345-00-4 | Stoddard solvent; Low boiling point naphtha — unspecified; [A colourless, refined petroleum distillate that is free from rancid or objectionable odors and that boils in a range of approximately 300°F to 400°F.] | 232-489-3 | 8052-41-3 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-346-00-X | Natural gas condensates (petroleum); Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated as a liquid from natural gas in a surface separator by retrograde condensation. It consists mainly of hydrocarbons having carbon numbers predominantly in the range of C ₂ to C ₂₀ . It is a liquid at atmospheric temperature and pressure.] | 265-047-3 | 64741-47-5 | Carc. Cat. 2; R4 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-347-00-5 | Natural gas (petroleum), raw liq. mix; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated as a liquid from natural gas in a gas recycling plant by processes such as refrigeration or absorption. It consists mainly of saturated aliphatic hydrocarbons having carbon numbers in the range of C ₂ through C ₈ .] | 265-048-9 | 64741-48-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-348-00-0 | Naphtha (petroleum), light hydrocracked; Low boiling naphtha — unspecified; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ , and boiling in the range of approximately minus 20 °C to 180 °C (-4°F to 356°F).] | 265-071-4 | 64741-69-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-349-00-6 | Naphtha (petroleum), heavy hydrocracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ , and boiling in the range of approximately 65 °C to 230 °C (148°F to 446°F).] | 265-079-8 | 64741-78-2 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-350-00-1 | Naphtha (petroleum), sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately minus 10 °C to 230 °C (14°F to 446°F).] | 265-089-2 | 64741-87-3 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-351-00-7 | Naphtha (petroleum), acid-treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).] | 265-115-2 | 64742-15-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-352-00-2 | Naphtha (petroleum), chemically neutralized heavy; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).] | 265-122-0 | 64742-22-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-353-00-8 | Naphtha (petroleum), chemically neutralized light; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).] | 265-123-6 | 64742-23-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-354-00-3 | Naphtha (petroleum), catalytic dewaxed; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the catalytic dewaxing of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 35 °C to 230 °C (95°F to 446°F).] | 265-170-2 | 64742-66-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-355-00-9 | Naphtha (petroleum), light steam-cracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F). This stream is likely to contain 10 vol. % or more benzene.] | 265-187-5 | 64742-83-2 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-356-00-4 | Solvent naphtha (petroleum), light arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F).] | 265-199-0 | 64742-95-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-357-00-X | Aromatic hydrocarbons, C ₆₋₁₀ , acid-treated, neutralized; Low boiling point naphtha — unspecified | 268-618-5 | 68131-49-7 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-358-00-5 | Distillates (petroleum), C ₃₋₅ , 2-methyl-2-butene-rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons from the distillation of hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ , predominantly isopentane and 3-methyl-1-butene. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly 2-methyl-2-butene.] | 270-725-7 | 68477-34-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-359-00-0 | Distillates (petroleum), polymd. steam-cracked petroleum distillates, C ₅₋₁₂ fraction; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the distillation of polymerized steam-cracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ .] | 270-735-1 | 68477-50-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-360-00-6 | Distillates (petroleum), steam-cracked, C ₅₋₁₂ fraction; Low boiling point naphtha — unspecified; [A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ .] | 270-736-7 | 68477-53-2 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-361-00-1 | Distillates (petroleum), steam-cracked, C ₅₋₁₀ fraction, mixed with light steam-cracked petroleum naphtha C ₅ fraction; Low boiling point naphtha — unspecified | 270-738-8 | 68477-55-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-362-00-7 | Extracts (petroleum), cold-acid, C ₄₋₆ ; Low boiling point naphtha — unspecified; [A complex combination of organic compounds produced by cold acid unit extraction of saturated and unsaturated aliphatic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₆ , predominantly pentanes and amylenes. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₄ through C ₆ , predominantly C ₅ .] | 270-741-4 | 68477-61-2 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-363-00-2 | Distillates (petroleum), depentanizer overheads; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from a catalytic cracked gas stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .] | 270-771-8 | 68477-89-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-364-00-8 | Residues (petroleum), butane splitter bottoms; Low boiling point naphtha — unspecified; [A complex residuum from the distillation of butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .] | 270-791-7 | 68478-12-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-365-00-3 | Residual oils (petroleum), deisobutanizer tower; Low boiling point naphtha — unspecified; [A complex residuum from the atmospheric distillation of the butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .] | 270-795-9 | 68478-16-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-366-00-9 | Naphtha (petroleum), full-range coker; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₅ and boiling in the range of approximately 43 °C to 250 °C (110°F to 500°F).] | 270-991-4 | 68513-02-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-367-00-4 | Naphtha (petroleum), steam-cracked middle arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by the distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 130 °C to 220 °C (266°F to 428°F).] | 271-138-9 | 68516-20-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-368-00-X | Naphtha (petroleum), clay-treated full-range straight-run; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons resulting from treatment of full-range straight-run naphtha with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately - 20 °C to 220 °C (-4°F to 429°F).] | 271-262-3 | 68527-21-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-369-00-5 | Naphtha (petroleum), clay-treated light straight-run; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons resulting from treatment of light straight-run naphtha with a natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities, present. It consists of hydro-carbons having carbon numbers predominantly in the range of C ₇ through C ₁₀ and boiling in the range of approximately 93 °C to 180 °C (200°F to 356°F).] | 271-263-9 | 68527-22-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-370-00-0 | Naphtha (petroleum), light steam-cracked arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₉ and boiling in the range of approximately 110 °C to 165 °C (230°F to 329°F).] | 271-264-4 | 68527-23-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-371-00-6 | Naphtha (petroleum), light steam-cracked, debenzenized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 80 °C to 218 °C (176°F to 424°F).] | 271-266-5 | 68527-26-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-372-00-1 | Naphtha (petroleum), arom.-contg.; Low boiling point naphtha — unspecified | 271-635-0 | 68603-08-7 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-373-00-7 | Gasoline, pyrolysis, debutanizer bottoms; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists of hydrocarbons having carbon numbers predominantly greater than C ₅ .] | 271-726-5 | 68606-10-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-374-00-2 | Naphtha (petroleum), light, sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 20 °C to 100 °C (-4°F to 212°F).] | 272-206-0 | 68783-66-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-375-00-8 | Natural gas condensates; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated and/or condensed from natural gas during transportation and collected at the wellhead and/or from the production, gathering, transmission, and distribution pipelines in deeps, scrubbers, etc. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₈ .] | 272-896-3 | 68919-39-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H J |
| 649-376-00-3 | Distillates (petroleum), naphtha unifiner stripper; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by stripping the products from the naphtha unifiner. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .] | 272-932-8 | 68921-09-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-377-00-9 | Naphtha (petroleum), catalytic reformed light, arom.-free fraction; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons remaining after removal of aromatic compounds from catalytic reformed light naphtha in a selective absorption process. It consists predominantly of paraffinic and cyclic compounds having carbon numbers predominantly in the range of C ₅ to C ₈ and boiling in the range of approximately 66 °C to 121 °C (151°F to 250°F).] | 285-510-3 | 85116-59-2 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-378-00-4 | Gasoline; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons consisting primarily of paraffins, cycloparaffins, aromatic and olefinic hydrocarbons having carbon numbers predominantly greater than C ₃ and boiling in the range of 30 °C to 260 °C (86°F to 500°F).] | 289-220-8 | 86290-81-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-379-00-X | Aromatic hydrocarbons, C ₇₋₈ , dealkylation products, distn. residues; Low boiling point naphtha — unspecified | 292-698-0 | 90989-42-7 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-380-00-5 | Hydrocarbons, C ₄₋₆ , depentanizer lights, arom. hydrotreater; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the depentanizer column before hydrotreatment of the aromatic charges. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ , predominantly pentanes and pentenes, and boiling in the range of approximately 25 °C to 40 °C (77°F to 104°F).] | 295-298-4 | 91995-38-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-381-00-0 | Distillates (petroleum), heat-soaked steam-cracked naphtha, C ₅ -rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of heat-soaked steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₄ through C ₆ , predominantly C ₅ .] | 295-302-4 | 91995-41-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-382-00-6 | Extracts (petroleum), catalytic reformed light naphtha solvent; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as the extract from the solvent extraction of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₈ and boiling in the range of approximately 100 °C to 200 °C (212°F to 392°F).] | 295-331-2 | 91995-68-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-383-00-1 | Naphtha (petroleum), hydrodesulfurized light, dearomatized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of hydrodesulfurized and dearomatized light petroleum fractions. It consists predominantly of C ₇ paraffins and cycloparaffins boiling in a range of approximately 90 °C to 100 °C (194°F to 212°F).] | 295-434-2 | 92045-53-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-384-00-7 | Naphtha (petroleum), light, C ₅ -rich, sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₅ , predominantly C ₅ , and boiling in the range of approximately minus 10 °C to 35 °C (14°F to 95°F).] | 295-442-6 | 92045-60-8 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-385-00-2 | Hydrocarbons, C ₈₋₁₁ , naphtha-cracking, toluene cut; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation from prehydrogenated cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₁ and boiling in the range of approximately 130 °C to 205 °C (266°F to 401°F).] | 295-444-7 | 92045-62-0 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-386-00-8 | Hydrocarbons, C ₄₋₁₁ , naphtha-cracking, arom.-free; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from prehydrogenated cracked naphtha after distillative separation of benzene- and toluene-containing hydrocarbon cuts and a higher boiling fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range C ₄ through C ₁₁ and boiling in the range of approximately 30 °C to 205 °C (86°F to 401°F).] | 295-445-2 | 92045-63-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-387-00-3 | Naphtha (petroleum), light heat-soaked, steam-cracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the fractionation of steam cracked naphtha after recovery from a heat soaking process. It consists predominantly of hydrocarbons having a carbon numbers predominantly in the range of C ₄ through C ₆ and boiling in the range of approximately 0 °C to 80 °C (32°F to 176°F).] | 296-028-8 | 92201-97-3 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-388-00-9 | Distillates (petroleum), C ₆ -rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the distillation of a petroleum feedstock. It consists predominantly of hydrocarbons having carbon numbers of C ₅ through C ₇ , rich in C ₆ , and boiling in the range of approximately 60 °C to 70 °C (140°F to 158°F).] | 296-903-4 | 93165-19-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-389-00-4 | Gasoline, pyrolysis, hydrogenated; Low boiling point naphtha-unspecified; [A distillation fraction from the hydrogenation of pyrolysis gasoline boiling in the range of approximately 20 °C to 200 °C (68°F to 392°F).] | 302-639-3 | 94114-03-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-390-00-X | Distillates (petroleum), steam-cracked, C ₈₋₁₂ fraction, polymd., distn. lights; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of the polymerized C ₈ through C ₁₂ fraction from steam-cracked petroleum distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ .] | 305-750-5 | 95009-23-7 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-391-00-5 | Extracts (petroleum) heavy naphtha solvent, clay-treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment of heavy naphthic solvent petroleum extract with bleaching earth. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₈ and boiling in the range of approximately 80 °C to 180 °C (175°F to 356°F).] | 308-261-5 | 97926-43-7 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-392-00-0 | Naphtha (petroleum), light steam-cracked, debenzenized, thermally treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment and distillation of debenzenized light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 95 °C to 200 °C (203°F to 392°F).] | 308-713-1 | 98219-46-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---------------------------------|---------------------------|---------------------------------------|-------|
| 649-393-00-6 | Naphtha (petroleum), light steam-cracked, thermally treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment and distillation of light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₆ and boiling in the range of approximately 35 °C to 80 °C (95°F to 176°F).] | 308-714-7 | 98219-47-7 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-394-00-1 | Distillates (petroleum), C ₇₋₉ , C ₈ -rich, hydrodesulfurized dearomatized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of petroleum light fraction, hydrodesulfurized and dearomatized. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₇ through C ₉ , predominantly C ₈ paraffins and cycloparaffins, boiling in the range of approximately 120 °C to 130 °C (248°F to 266°F).] | 309-862-5 | 101316-56-7 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-395-00-7 | Hydrocarbons, C ₆₋₈ , hydrogenated sorption-dearomatized, toluene raffination; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained during the sorptions of toluene from a hydrocarbon fraction from cracked gasoline treated with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ and boiling in the range of approximately 80 °C to 135 °C (176°F to 275°F).] | 309-870-9 | 101316-66-9 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-396-00-2 | Naphtha (petroleum), hydrodesulfurized full-range coker; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized coker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 23 °C to 196 °C (73°F to 385°F).] | 309-879-8 | 101316-76-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-397-00-8 | Naphtha (petroleum), sweetened light; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₈ and boiling in the range of approximately 20 °C to 130 °C (68°F to 266°F).] | 309-976-5 | 101795-01-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---------------------------------|--------------------------------|---------------------------------------|-------|
| 649-398-00-3 | Hydrocarbons, C ₃₋₆ , C ₅ -rich, steam-cracked naphtha; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly C ₅ .] | 310-012-0 | 102110-14-5 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-399-00-9 | Hydrocarbons, C ₅ -rich, dicyclopentadiene-contg.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of the products from a steam-cracking process. It consists predominantly of hydrocarbons having carbon numbers of C ₅ and dicyclopentadiene and boiling in the range of approximately 30 °C to 170 °C (86°F to 338°F).] | 310-013-6 | 102110-15-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-400-00-2 | Residues (petroleum), steam-cracked light, arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of the products of steam cracking or similar processes after taking off the very light products resulting in a residue starting with hydrocarbons having carbon numbers greater than C ₅ . It consists predominantly of aromatic hydrocarbons having carbon numbers greater than C ₅ and boiling above approximately 40 °C (104°F).] | 310-057-6 | 102110-55-4 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-401-00-8 | Hydrocarbons, C ≥ 5, C ₅₋₆ -rich; Low boiling point naphtha — unspecified | 270-690-8 | 68476-50-6 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-402-00-3 | Hydrocarbons, C ₅ -rich; Low boiling point naphtha — unspecified | 270-695-5 | 68476-55-1 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-403-00-9 | Aromatic hydrocarbons, C ₈₋₁₀ ; Low boiling point naphtha — unspecified | 292-695-4 | 90989-39-2 | Carc. Cat. 2; R45 Xn; R65 | T R: 45-65 S: 53-45 | | H P |
| 649-404-00-4 | Kerosine (petroleum); Straight run kerosine; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (320°F to 554°F).] | 232-366-4 | 8008-20-6 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------|--------------------------------|---------------------------------------|-------|
| 649-405-00-X | Solvent naphtha (petroleum), medium aliph.; Straight run kerosine; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₂ and boiling in the range of approximately 140 °C to 220 °C (284°F to 428°F).] | 265-191-7 | 64742-88-7 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-406-00-5 | Solvent naphtha (petroleum) heavy aliph.; Straight run kerosine; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₆ and boiling in the range of approximately 190 °C to 290 °C (374°F to 554°F).] | 265-200-4 | 64742-96-7 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-407-00-0 | Kerosine (petroleum), straight-run wide-cut; Straight run kerosine; [A complex combination of hydrocarbons obtained as a wide cut hydrocarbon fuel cut from atmospheric distillation and boiling in the range of approximately 70 °C to 220 °C (158°F to 428°F).] | 295-418-5 | 92045-37-9 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-408-00-6 | Distillates (petroleum), steam-cracked; Cracked kerosine; [A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₆ and boiling in the range of approximately 90 °C to 290 °C (190°F to 554°F).] | 265-194-3 | 64742-91-2 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-409-00-1 | Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, C ₈₋₁₀ fraction; Cracked kerosine; [A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists of hydro-carbons having carbon numbers in the range of C ₈ through C ₁₀ and boiling in the range of approximately 129 °C to 194 °C (264°F to 382°F).] | 270-728-3 | 68477-39-4 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------|--------------------------------|---------------------------------------|-------|
| 649-410-00-7 | Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, C ₁₀₋₁₂ fraction; Cracked kerosine; [A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of C ₁₀ through C ₁₂ .] | 270-729-9 | 68477-40-7 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-411-00-2 | Distillates (petroleum), steam-cracked, C ₈₋₁₂ fraction; Cracked kerosine; [A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ .] | 270-737-2 | 68477-54-3 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-412-00-8 | Kerosine (petroleum), hydrodesulfurized thermal cracked; Cracked kerosine; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons predominantly in the range of C ₈ to C ₁₆ and boiling in the range of approximately 120 °C to 283 °C (284°F to 541°F).] | 285-507-7 | 85116-55-8 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-413-00-3 | Aromatic hydrocarbons, C _{≥10} , steam-cracking, hydrotreated; Cracked kerosine; [A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly greater than C ₁₀ and boiling in the range of approximately 150 °C to 320 °C (302°F to 608°F).] | 292-621-0 | 90640-98-5 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-414-00-9 | Naphtha (petroleum), steam-cracked, hydrotreated, C ₉₋₁₀ -arom.-rich; Cracked kerosine; [A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process thereafter treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of C ₉ through C ₁₀ and boiling in the range of approximately 140 °C to 200 °C (284°F to 392°F).] | 292-637-8 | 90641-13-7 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------|--------------------------------|---------------------------------------|-------|
| 649-415-00-4 | Distillates (petroleum), thermal-cracked, alkylarom. hydrocarbon-rich; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of thermal-cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).] | 309-866-7 | 101316-61-4 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-416-00-X | Distillates (petroleum), catalytic cracked heavy tar light; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of catalytic cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).] | 309-938-8 | 101631-13-4 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-417-00-5 | Solvent naphtha (petroleum), hydrocracked heavy arom.; Cracked kerosine; [A complex combination of hydrocarbons obtained by the distillation of hydrocracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 235 °C to 290 °C (455°F to 554°F).] | 309-881-9 | 101316-80-7 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-418-00-0 | Distillates (petroleum), steam-cracked heavy tar light; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of steam cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).] | 309-940-9 | 101631-15-6 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-419-00-6 | Distillates (petroleum), alkylate; Kerosine — unspecified; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₇ and boiling in the range of approximately 205 °C to 320 °C (401°F to 608°F).] | 265-074-0 | 64741-73-7 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------|--------------------------------|---------------------------------------|-------|
| 649-420-00-1 | Extracts (petroleum), heavy naphtha solvent; Kerosine — unspecified; [A complex combination of hydrocarbons obtained as the extract from a solvent extraction process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 220 °C (194°F to 428°F).] | 265-099-7 | 64741-98-6 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-421-00-7 | Distillates (petroleum), chemically neutralized light; Kerosine — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-132-5 | 64742-31-0 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-422-00-2 | Distillates (petroleum), hydrotreated light; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-149-8 | 64742-47-8 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-423-00-8 | Kerosine (petroleum), hydrodesulfurized; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).] | 265-184-9 | 64742-81-0 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-424-00-3 | Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 165 °C to 290 °C (330°F to 554°F).] | 265-198-5 | 64742-94-5 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-425-00-9 | Naphtha (petroleum), heavy coker; Kerosine — unspecified; [A complex combination of hydrocarbons from the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₅ and boiling in the range of approximately 157 °C to 288 °C (315°F to 550°F).] | 269-778-9 | 68333-23-3 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------|--------------------------------|---------------------------------------|-------|
| 649-426-00-4 | Naphtha (petroleum), catalytic reformed hydrodesulfurized heavy, arom. fraction; Kerosine — unspecified; [A complex combination of hydrocarbons produced by fractionation from catalytically reformed hydrodesulfurized naphtha. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ to C ₁₃ and boiling in the range of approximately 98 °C to 218 °C (208°F to 424°F).] | 285-508-2 | 85116-57-0 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-427-00-X | Kerosine (petroleum), sweetened; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of 130 °C to 290 °C (266°F to 554°F).] | 294-799-5 | 91770-15-9 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-428-00-5 | Kerosine (petroleum), solvent-refined sweetened; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by solvent refining and sweetening and boiling in the range of approximately 150 °C to 260 °C (302°F to 500°F).] | 295-416-4 | 92045-36-8 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-429-00-0 | Hydrocarbons, C ₉₋₁₆ , hydrotreated, dearomatized; Kerosine — unspecified; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.] | 297-854-1 | 93763-35-0 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-430-00-6 | Kerosine (petroleum), solvent-refined hydrodesulfurized; Kerosine — unspecified | 307-033-2 | 97488-94-3 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-431-00-1 | Distillates (petroleum), hydrodesulfurized full-range middle coker; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized coker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₆ and boiling in the range of approximately 120 °C to 283 °C (248°F to 541°F).] | 309-864-6 | 101316-58-9 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|--------------------------------|---------------------------------------|-------|
| 649-432-00-7 | Solvent naphtha (petroleum), hydrodesulfurized heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₃ and boiling in the range of approximately 180 °C to 240 °C (356°F to 464°F).] | 309-882-4 | 101316-81-8 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-433-00-2 | Solvent naphtha (petroleum), hydrodesulfurized medium; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₃ and boiling in the range of approximately 175 °C to 220 °C (347°F to 428°F).] | 309-884-5 | 101316-82-9 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-434-00-8 | Kerosine (petroleum), hydrotreated; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from the distillation of petroleum and subsequent hydrotreatment. It consists predominantly of alkanes, cycloalkanes and alkyl-benzenes having carbon numbers predominantly in the range of C ₁₂ through C ₁₆ and boiling in the range of approximately 230 °C to 270 °C (446°F to 518°F).] | 309-944-0 | 101631-19-0 | Xn; R65 | Xn R: 65 S: (2-)23-24-62 | | H |
| 649-435-00-3 | Distillates (petroleum), light catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.] | 265-060-4 | 64741-59-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-436-00-9 | Distillates (petroleum), intermediate catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₀ and boiling in the range of approximately 205 °C to 450 °C (401°F to 842°F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.] | 265-062-5 | 64741-60-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|-----------------------------|---------------------------------------|-------|
| 649-437-00-4 | Distillates (petroleum), light hydrocracked; Cracked gasoil; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₈ and boiling in the range of approximately 160 °C to 320 °C (320°F to 608°F).] | 265-078-2 | 64741-77-1 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)36/37 | | H |
| 649-438-00-X | Distillates (petroleum), light thermal cracked; Cracked gasoil; [A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₂ and boiling in the range of approximately 160 °C to 370 °C (320°F to 698°F).] | 265-084-5 | 64741-82-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-439-00-5 | Distillates (petroleum), hydrodesulfurized light catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons obtained by treating light catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.] | 269-781-5 | 68333-25-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-440-00-0 | Distillates (petroleum), light steam-cracked naphtha; Cracked gasoil; [A complex combination of hydrocarbons from the multiple distillation of products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₈ .] | 270-662-5 | 68475-80-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-441-00-6 | Distillates (petroleum), cracked steam-cracked petroleum distillates; Cracked gasoil; [A complex combination of hydrocarbons produced by distilling cracked steam cracked distillate and/or its fractionation products. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ to low molecular weight polymers.] | 270-727-8 | 68477-38-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-442-00-1 | Gas oils (petroleum), steam-cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by distillation of the products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₉ and boiling in the range of from approximately 205 °C to 400 °C (400°F to 752°F).] | 271-260-2 | 68527-18-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-443-00-7 | Distillates (petroleum), hydrodesulfurized thermal cracked middle; Cracked gasoil; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized thermal cracker distillate stocks. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ to C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).] | 285-505-6 | 85116-53-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-444-00-2 | Gas oils (petroleum), thermal-cracked, hydrodesulfurized; Cracked gasoil | 295-411-7 | 92045-29-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-445-00-8 | Residues (petroleum), hydrogenated steam-cracked naphtha; Cracked gasoil; [A complex combination of hydrocarbons obtained as a residual fraction from the distillation of hydrotreated steam-cracked naphtha. It consists predominantly of hydrocarbons boiling in the range of approximately 200 °C to 350 °C (32°F to 662°F).] | 295-514-7 | 92062-00-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-446-00-3 | Residues (petroleum), steam-cracked naphtha distn.; Cracked gasoil; [A complex combination of hydrocarbons obtained as a column bottom from the separation of effluents from steam cracking naphtha at a high temperature. It boils in the range of approximately 147 °C to 300 °C (297°F to 572°F) and produces a finished oil having a viscosity of 18cSt at 50 °C.] | 295-517-3 | 92062-04-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-447-00-9 | Distillates (petroleum), light catalytic cracked, thermally degraded; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 190 °C to 340 °C (374°F to 644°F). This stream is likely to contain organic sulfur compounds.] | 295-991-1 | 92201-60-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|-----------------------------|---------------------------------------|-------|
| 649-448-00-4 | Residues (petroleum), steam-cracked heat-soaked naphtha; Cracked gasoil; [A complex combination of hydrocarbons obtained as residue from the distillation of steam cracked heat soaked naphtha and boiling in the range of approximately 150 °C to 350 °C (302°F to 662°F).] | 297-905-8 | 93763-85-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-449-00-X | Hydrocarbons, C ₁₆₋₂₀ , solvent-dewaxed hydrocracked paraffinic distn. residue; Cracked gasoil; [A complex combination of hydrocarbons obtained by solvent dewaxing of a distillation residue from a hydrocracked paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₂₀ and boiling in the range of approximately 360 °C to 500 °C (680 °F to 932 °F). It produces a finished oil having a viscosity of 4,5 cSt at approximately 100 °C (212 °F).] | 307-662-2 | 97675-88-2 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)36/37 | | H |
| 649-450-00-5 | Gas oils (petroleum), light vacuum, thermal-cracked hydrodesulfurized; Cracked gasoil; [A complex combination of hydrocarbons obtained by catalytic dehydrosulfurization of thermal-cracked light vacuum petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₂₀ and boiling in the range of approximately 270 °C to 370 °C (518°F to 698°F).] | 308-278-8 | 97926-59-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-451-00-0 | Distillates (petroleum), hydrodesulfurized middle coker; Cracked gasoil; [A complex combination of hydrocarbons by fractionation from hydrodesulfurized coker distillate stocks. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₁ and boiling in the range of approximately 200 °C to 360 °C (392°F to 680°F).] | 309-865-1 | 101316-59-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |
| 649-452-00-6 | Distillates (petroleum), heavy steam-cracked; Cracked gasoil; [A complex combination of hydrocarbons obtained by distillation of steam cracking heavy residues. It consists predominantly of highly alkylated heavy aromatic hydrocarbons boiling in the range of approximately 250 °C to 400 °C (482°F to 752°F).] | 309-939-3 | 101631-14-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-453-00-1 | Distillates (petroleum), heavy hydrocracked; Baseoil — unspecified; [A complex combination of hydrocarbons from the distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers in the range of C ₁₅ -C ₃₉ and boiling in the range of approximately 260 °C to 600 °C (500°F to 1112°F).] | 265-077-7 | 64741-76-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-454-00-7 | Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).] | 265-090-8 | 64741-88-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-455-00-2 | Distillates (petroleum), solvent-refined light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-091-3 | 64741-89-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-456-00-8 | Residual oils (petroleum), solvent deasphalted; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the solvent soluble fraction from C ₃ -C ₄ solvent deasphalting of a residuum. It consists of hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).] | 265-096-0 | 64741-95-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-457-00-3 | Distillates (petroleum), solvent-refined heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt a 40 °C). It contains relatively few normal paraffins.] | 265-097-6 | 64741-96-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-458-00-9 | Distillates (petroleum), solvent-refined light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-098-1 | 64741-97-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-459-00-4 | Residual oils (petroleum,) solvent-refined; Baseoil — unspecified; [A complex combination by hydrocarbons obtained as the solvent insoluble fraction from solvent refining of a residuum using a polar organic solvent such as phenol or furfural. It consists of hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).] | 265-101-6 | 64742-01-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-460-00-X | Distillates (petroleum), clay-treated paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-137-2 | 64742-36-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-461-00-5 | Distillates (petroleum), clay-treated light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-138-8 | 64742-37-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-462-00-0 | Residual oils (petroleum), clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treatment of a residual oil with a natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydro-carbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).] | 265-143-5 | 64742-41-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-463-00-6 | Distillates (petroleum), clay-treated heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-146-1 | 64742-44-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-464-00-1 | Distillates (petroleum), clay-treated light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-147-7 | 64742-45-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-465-00-7 | Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-155-0 | 64742-52-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-466-00-2 | Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-156-6 | 64742-53-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-467-00-8 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-157-1 | 64742-54-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-468-00-3 | Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-158-7 | 64742-55-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-469-00-9 | Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-159-2 | 64742-56-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-470-00-4 | Residual oils (petroleum), hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and boiling above approximately 400 °C (752°F).] | 265-160-8 | 64742-57-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-471-00-X | Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of long, branched chain hydrocarbons from a residual oil by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and boiling above approximately 400 °C (752°F).] | 265-166-0 | 64742-62-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-472-00-5 | Distillates (petroleum), solvent-dewaxed heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of not less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-167-6 | 64742-63-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-473-00-0 | Distillates (petroleum), solvent-dewaxed light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-168-1 | 64742-64-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-474-00-6 | Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity not less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-169-7 | 64742-65-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-475-00-1 | Naphthenic oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-172-3 | 64742-68-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-476-00-7 | Naphthenic oils (petroleum), catalytic dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-173-9 | 64742-69-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-477-00-2 | Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).] | 265-174-4 | 64742-70-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-478-00-8 | Paraffin oils (petroleum), catalytic dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).] | 265-176-5 | 64742-71-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-479-00-3 | Naphthenic oils (petroleum), complex dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removing straight chain paraffin hydrocarbons as a solid by treatment with an agent such as urea. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-179-1 | 64742-75-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-480-00-9 | Naphthenic oils (petroleum), complex dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-180-7 | 64742-76-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-481-00-4 | Lubricating oils (petroleum), C ₂₀₋₅₀ , hydrotreated neutral oil-based, high-viscosity; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil, and solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of approximately 112cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.] | 276-736-3 | 72623-85-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-482-00-X | Lubricating oils (petroleum), C ₁₅₋₃₀ , hydrotreated neutral oil-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil and heavy vacuum gas oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity of approximately 15cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.] | 276-737-9 | 72623-86-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-483-00-5 | Lubricating oils (petroleum), C ₂₀₋₅₀ , hydrotreated neutral oil-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil and solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of approximately 32cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.] | 276-738-4 | 72623-87-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-484-00-0 | Lubricating oils; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C ₁₅ through C ₅₀ .] | 278-012-2 | 74869-22-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-485-00-6 | Distillates (petroleum), complex dewaxed heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by dewaxing heavy paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of equal to or greater than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 292-613-7 | 90640-91-8 | Carc. Cat. 2; R45 | T R: 4 S: 53-45 | | H L |
| 649-486-00-1 | Distillates (petroleum), complex dewaxed light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by dewaxing light paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 292-614-2 | 90640-92-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-487-00-7 | Distillates (petroleum), solvent dewaxed heavy paraffinic, clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating dewaxed heavy paraffinic distillate with neutral or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 292-616-3 | 90640-94-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-488-00-2 | Hydrocarbons, C ₂₀₋₅₀ , solvent dewaxed heavy paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons produced by treating dewaxed heavy paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 292-617-9 | 90640-95-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-489-00-8 | Distillates (petroleum), solvent dewaxed light paraffinic, clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of dewaxed light paraffinic distillate with natural or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ .] | 292-618-4 | 90640-96-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-490-00-3 | Distillates (petroleum), solvent dewaxed light paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons produced by treating a dewaxed light paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ .] | 292-620-5 | 90640-97-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-491-00-9 | Residual oils (petroleum), hydrotreated solvent dewaxed; Baseoil — unspecified | 292-656-1 | 90669-74-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-492-00-4 | Residual oils (petroleum), catalytic dewaxed; Baseoil — unspecified | 294-843-3 | 91770-57-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-493-00-X | Distillates (petroleum), dewaxed heavy paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₅ through C ₃₉ and produces a finished oil with a viscosity of approximately 44 cSt at 50 °C.] | 295-300-3 | 91995-39-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-494-00-5 | Distillates (petroleum), dewaxed light paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₁ through C ₂₉ and produces a finished oil with a viscosity of approximately 13 cSt at 50 °C.] | 295-301-9 | 91995-40-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-495-00-0 | Distillates (petroleum), hydrocracked solvent-refined, dewaxed; Baseoil — unspecified; [A complex combination of liquid hydrocarbons obtained by recrystallization of dewaxed hydrocracked solvent-refined petroleum distillates.] | 295-306-6 | 91995-45-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-496-00-6 | Distillates (petroleum), solvent-refined light naphthenic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst and removing the aromatic hydrocarbons by solvent extraction. It consists predominantly of naphthenic hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of between 13-15cSt at 40 °C.] | 295-316-0 | 91995-54-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-497-00-1 | Lubricating oils (petroleum), C ₁₇₋₃₅ , solvent-extd., dewaxed, hydrotreated; Baseoil — unspecified | 295-423-2 | 92045-42-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-498-00-7 | Lubricating oils (petroleum), hydrocracked nonarom. solvent-deparaffined; Baseoil — unspecified | 295-424-8 | 92045-43-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-499-00-2 | Residual oils (petroleum), hydrocracked acid-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons produced by solvent removal of paraffins from the residue of the distillation of acid-treated, hydrocracked heavy paraffins and boiling approximately above 380 °C (716°F).] | 295-499-7 | 92061-86-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-500-00-6 | Paraffin oils (petroleum), solvent-refined dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from sulfur-containing paraffinic crude oil. It consists predominantly of a solvent refined deparaffinated lubricating oil with a viscosity of 65cSt at 50 °C.] | 295-810-6 | 92129-09-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-501-00-1 | Lubricating oils (petroleum), base oils, paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by refining of crude oil. It consists predominantly of aromatics, naphthenics and paraffinics and produces a finished oil with a viscosity of 120 SUS at 100°F (23cSt at 40 °C).] | 297-474-6 | 93572-43-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-502-00-7 | Hydrocarbons, hydrocracked paraffinic distn. residues, solvent-dewaxed; Baseoil — unspecified | 297-857-8 | 93763-38-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-503-00-2 | Hydrocarbons, C ₂₀₋₅₀ , residual oil hydrogenation vacuum distillate; Baseoil — unspecified | 300-257-1 | 93924-61-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-504-00-8 | Distillates (petroleum), solvent-refined hydrotreated heavy, hydrogenated; Baseoil — unspecified | 305-588-5 | 94733-08-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-505-00-3 | Distillates (petroleum), solvent-refined hydrocracked light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent dearomatization of the residue of hydrocracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₂₇ and boiling in the range of approximately 370 °C to 450 °C (698°F to 842°F).] | 305-589-0 | 94733-09-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-506-00-9 | Lubricating oils (petroleum), C ₁₈₋₄₀ , solvent-dewaxed hydrocracked distillate-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent deparaffination of the distillation residue from hydrocracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₄₀ and boiling in the range of approximately 370 °C to 550 °C (698°F to 1022°F).] | 305-594-8 | 94733-15-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-507-00-4 | Lubricating oils (petroleum), C ₁₈₋₄₀ , solvent-dewaxed hydrogenated raffinate-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent deparaffination of the hydrogenated raffinate obtained by solvent extraction of a hydrotreated petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₄₀ and boiling in the range of approximately 370 °C to 550 °C (698°F to 1022°F).] | 305-595-3 | 94733-16-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-508-00-X | Hydrocarbons, C ₁₃₋₃₀ , arom.-rich, solvent-extd. naphthenic distillate; Baseoil — unspecified | 305-971-7 | 95371-04-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-509-00-5 | Hydrocarbons, C ₁₆₋₃₂ , arom. rich, solvent-extd. naphthenic distillate; Baseoil — unspecified | 305-972-2 | 95371-05-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-510-00-0 | Hydrocarbons, C ₃₇₋₆₈ , dewaxed deasphalted hydrotreated vacuum distn. residues; Baseoil — unspecified | 305-974-3 | 95371-07-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-511-00-6 | Hydrocarbons, C ₃₇₋₆₅ , hydrotreated deasphalted vacuum distn. residues; Baseoil — unspecified | 305-975-9 | 95371-08-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-512-00-1 | Distillates (petroleum), hydrocracked solvent-refined light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by the solvent treatment of a distillate from hydrocracked petroleum distillates. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₂₇ and boiling in the range of approximately 370 °C to 450 °C (698°F to 842°F).] | 307-010-7 | 97488-73-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-513-00-7 | Distillates (petroleum), solvent-refined hydrogenated heavy; Baseoil — unspecified; [A complex combination of hydrocarbons, obtained by the treatment of a hydrogenated petroleum distillate with a solvent. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₉ through C ₄₀ and boiling in the range of approximately 390 °C to 550 °C (734°F to 1022°F).] | 307-011-2 | 97488-74-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-514-00-2 | Lubricating oils (petroleum), C ₁₈₋₂₇ , hydrocracked solvent-dewaxed; Baseoil — unspecified | 307-034-8 | 97488-95-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-515-00-8 | Hydrocarbons, C ₁₇₋₃₀ , hydrotreated solvent-deasphalted atm. distn. residue, distn. lights; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a solvent deasphalted short residue with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₃₀ and boiling in the range of approximately 300 °C to 400 °C (572°F to 752°F). It produces a finished oil having a viscosity of 4cSt at approximately 100 °C (212°F).] | 307-661-7 | 97675-87-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-516-00-3 | Hydrocarbons, C ₁₇₋₄₀ , hydrotreated solvent-deasphalted distn. residue, vacuum distn. lights; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the catalytic hydrotreatment of a solvent deasphalted short residue having a viscosity of 8cSt at approximately 100 °C (212°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₄₀ and boiling in the range of approximately 300 °C to 500 °C (592°F to 932°F).] | 307-755-8 | 97722-06-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-517-00-9 | Hydrocarbons, C ₁₃₋₂₇ , solvent-extd. light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 9.5cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₇ and boiling in the range of approximately 240 °C to 400 °C (464°F to 752°F).] | 307-758-4 | 97722-09-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-518-00-4 | Hydrocarbons, C ₁₄₋₂₉ , solvent-extd. light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 16cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₂₉ and boiling in the range of approximately 250 °C to 425 °C (482°F to 797°F).] | 307-760-5 | 97722-10-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-519-00-X | Hydrocarbons, C ₂₇₋₄₂ , dearomatized; Baseoil — unspecified | 308-131-8 | 97862-81-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-520-00-5 | Hydrocarbons, C ₁₇₋₃₀ , hydrotreated distillates, distn. lights; Baseoil — unspecified | 308-132-3 | 97862-82-3 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-521-00-0 | Hydrocarbons, C ₂₇₋₄₅ , naphthenic vacuum distn.; Baseoil — unspecified | 308-133-9 | 97862-83-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-522-00-6 | Hydrocarbons, C ₂₇₋₄₅ , dearomatized; Baseoil — unspecified | 308-287-7 | 97926-68-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-523-00-1 | Hydrocarbons, C ₂₀₋₅₈ , hydrotreated; Baseoil — unspecified | 308-289-8 | 97926-70-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-524-00-7 | Hydrocarbons, C ₂₇₋₄₂ , naphthenic; Baseoil — unspecified | 308-290-3 | 97926-71-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-525-00-2 | Residual oils (petroleum), carbon-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of solvent-dewaxed petroleum residual oils with activated charcoal for the removal of trace polar constituents and impurities.] | 309-710-8 | 100684-37-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-526-00-8 | Residual oils (petroleum), clay-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treatment of solvent-dewaxed petroleum residual oils with bleaching earth for the removal of trace polar constituents and impurities.] | 309-711-3 | 100684-38-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-527-00-3 | Lubricating oils (petroleum), C _{>25} , solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of vacuum distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and produces a finished oil with a viscosity in the order of 32cSt to 37cSt at 100 °C (212°F).] | 309-874-0 | 101316-69-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-528-00-9 | Lubricating oils (petroleum), C ₁₇₋₃₂ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₃₂ and produced a finished oil with a viscosity in the order of 17cSt to 23cSt at 40 °C (104°F).] | 309-875-6 | 101316-70-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-529-00-4 | Lubricating oils (petroleum), C ₂₀₋₃₅ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₃₅ and produces a finished oil with a viscosity in the order of 37cSt to 44cSt at 40 °C (104°F).] | 309-876-1 | 101316-71-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-530-00-X | Lubricating oils (petroleum), C ₂₄₋₅₀ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₄ through C ₅₀ and produces a finished oil with a viscosity in the order of 16cSt to 75cSt at 40 °C (104°F).] | 309-877-7 | 101316-72-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-531-00-5 | Extracts (petroleum), heavy naphthenic distillate solvent, arom. conc.; Distillate aromatic extract (treated); [An aromatic concentrate produced by adding water to heavy naphthenic distillate solvent extract and extraction solvent.] | 272-175-3 | 68783-00-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-532-00-0 | Extracts (petroleum), solvent-refined heavy paraffinic distillate solvent; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from the re-extraction of solvent-refined heavy paraffinic distillate. It consists of saturated and aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 272-180-0 | 68783-04-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-533-00-6 | Extracts (petroleum), heavy paraffinic distillates, solvent-deasphalted; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from a solvent extraction of heavy paraffinic distillate.] | 272-342-0 | 68814-89-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-534-00-1 | Extracts (petroleum), heavy naphthenic distillate solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by treating a heavy naphthenic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 19cSt at 40 °C (100 SUS at 100°F).] | 292-631-5 | 90641-07-9 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-535-00-7 | Extracts (petroleum), heavy paraffinic distillate solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons produced by treating a heavy paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₁ through C ₃₃ and boiling in the range of approximately 350 °C to 480 °C (662°F to 896°F).] | 292-632-0 | 90641-08-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-536-00-2 | Extracts (petroleum), light paraffinic distillate solvent, hydro-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons produced by treating a light paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₂₆ and boiling in the range of approximately 280 °C to 400 °C (536°F to 752°F).] | 292-633-6 | 90641-09-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-537-00-8 | Extracts (petroleum), hydrotreated light paraffinic distillate solvent; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from solvent extraction of intermediate paraffinic top solvent distillate that is treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .] | 295-335-4 | 91995-73-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-538-00-3 | Extracts (petroleum), light naphthenic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by treating the extract, obtained from a solvent extraction process, with hydrogen in the presence of a catalyst under conditions primarily to remove sulfur compounds. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ . This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 295-338-0 | 91995-75-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-539-00-9 | Extracts (petroleum), light paraffinic distillate solvent, acid-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction of the distillation of an extract from the solvent extraction of light paraffinic top petroleum distillates that is subjected to a sulfuric acid refining. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .] | 295-339-6 | 91995-76-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-540-00-4 | Extracts (petroleum), light paraffinic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of a light paraffin distillate and treated with hydrogen to convert the organic sulfur to hydrogen sulfide which is eliminated. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₄₀ and produces a finished oil with a viscosity of greater than 10cSt at 40 °C.] | 295-340-1 | 91995-77-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-541-00-X | Extracts (petroleum), light vacuum gas oil solvent, hydro-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons, obtained by solvent extraction from light vacuum petroleum gas oils and treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .] | 295-342-2 | 91995-79-8 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-542-00-5 | Extracts (petroleum), heavy paraffinic distillate solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contact or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ . This stream is likely to contain 5 wt.% or more 4-6 membered ring aromatic hydrocarbons.] | 296-437-1 | 92704-08-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-543-00-0 | Extracts (petroleum), heavy naphthenic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₅₀ and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.] | 297-827-4 | 93763-10-1 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|----------------------|------------------------|---------------------------------------|-------|
| 649-544-00-6 | Extracts (petroleum), solvent-dewaxed heavy paraffinic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained from a solvent dewaxed petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₅₀ and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.] | 297-829-5 | 93763-11-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-545-00-1 | Extracts (petroleum), light paraffinic distillate solvent, carbon-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillate treated with activated charcoal to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .] | 309-672-2 | 100684-02-4 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-546-00-7 | Extracts (petroleum), light paraffinic distillate solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillates treated with bleaching earth to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .] | 309-673-8 | 100684-03-5 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-547-00-2 | Extracts (petroleum), light vacuum, gas oil solvent, carbon-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oil treated with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .] | 309-674-3 | 100684-04-6 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-548-00-8 | Extracts (petroleum), light vacuum gas oil solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oils treated with bleaching earth for removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .] | 309-675-9 | 100684-05-7 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|---|--|---------------------------------------|-------|
| 649-549-00-3 | Foots oil (petroleum); Foots oil; [A complex combination of hydrocarbons obtained as the oil fraction from a solvent deoiling or a wax sweating process. It consists predominantly of branched chain hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .] | 265-171-8 | 64742-67-2 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 649-550-00-9 | Foots oil (petroleum), hydrotreated; Foots oil | 295-394-6 | 92045-12-0 | Carc. Cat. 2; R45 | T R: 45 S: 53-45 | | H L |
| 650-002-00-6 | turpentine, oil | 232-350-7 | 8006-64-2 | R10 Xn; R20/21/ 22-65 Xi; R36/38 R43 N; R51-53 | Xn; N R: 10-20/21/22-36/ 38-43-51/53-65 S: (2-)36/37-46-61-62 | | |
| 650-003-00-1 | fenson (ISO); 4-chlorophenyl benzenesulphonate; | 201-274-6 | 80-38-6 | Xn; R22 Xi; R36 N; R51-53 | Xn; N R: 22-36-51/53 S: (2-)24-26-61 | | |
| 650-004-00-7 | norbormide (ISO); 5-(α -hydroxy- α -2-pyridylbenzyl)-7-(α -2-pyridylbenzylidene) bicyclo [2.2.1] hept-5-ene-2,3-dicarboximide | 213-589-6 | 991-42-4 | Xn; R22 | Xn R: 22 S: (2-) | | |
| 650-005-00-2 | (2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one, rotenone | 201-501-9 | 83-79-4 | T; R25 Xi; R36/37/ 38 N; R50-53 | T; N R: 25-36/37/38-50/ 53 S: (1/2-)22-24/25-36- 45-60-61 | | |
| 650-006-00-8 | benquinox (ISO); <i>p</i> -benzoquinone 1-benzoylhydrazone 4-oxime | 207-807-9 | 495-73-8 | T; R25 Xn; R21 | T R: 21-25 S: (1/2-)36/37-45 | | |
| 650-007-00-3 | chlordimeform (ISO); N ₂ -(4-chloro- <i>o</i> -tolyl)-N ₁ ,N ₁ -dimethylformamidine | 228-200-5 | 6164-98-3 | Carc. Cat. 3; R40 Xn; R21/22 N; R50-53 | Xn; N R: 21/22-40-50/53 S: (2-)22-36/37-60-61 | | |
| 650-008-00-9 | drazoxolon (ISO); 4-(2-chlorophenylhydrazone)-3-methyl-5-isoxazolone | 227-197-8 | 5707-69-7 | T; R25 N; R50-53 | T; N R: 25-50/53 S: (1/2-)22-24-36/37- 45-60-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------------------------------|---|--|--|---------------------------------------|-------|
| 650-009-00-4 | chlordimeform hydrochloride; N ¹ -(4-chloro- <i>o</i> -tolyl)-N,N-dimethylformamide monohydrochloride; N ² -(4-chloro- <i>o</i> -tolyl)-N ¹ ,N ¹ -dimethylformamide hydrochloride | 243-269-1 | 19750-95-9 | Carc. Cat. 3; R40 Xn; R22 N; R50-53 | Xn; N R: 22-40-50/53 S: (2-)22-36/37-60-61 | | |
| 650-010-00-X | benzyl violet 4B; α-[4-(4-dimethylamino-α-[4-[ethyl(3-sodiumsulphonatobenzyl)amino] phenyl]benzylidene)cyclohexa-2,5-dienylidene(ethyl)ammonio]toluene-3-sulphonate | 216-901-9 | 1694-09-3 | Carc. Cat. 3; R40 | Xn R: 40 S: (2-)36/37 | | |
| 650-012-00-0 | erionite | — | 12510-42-8 | Carc. Cat. 1; R45 | T R: 45 S: 53-45 | | |
| 650-013-00-6 | asbestos | — — — — — — — | 12001-28-4 132207-32-0 12172-73-5 77536-66-4 77536-68-6 77536-67-5 12001-29-5 | Carc. Cat. 1; R45 T; R48/23 | T R: 45-48/23 S: 53-45 | | E |
| 650-014-00-1 | diethyl 2,4-dihydroxycyclodisiloxane-2,4-diybis(trimethylene)diphosphonate, tetrasodium salt, reaction products with disodium metasilicate | 401-770-4 | — | C; R34 Xn; R22 | C R: 22-34 S: (1/2-)26-36/37/39-45 | | |
| 650-015-00-7 | rosin; colophony | 232-475-7 232-484-6 277-299-1 | 8050-09-7 8052-10-6 73138-82-6 | R43 | Xi R: 43 S: (2-)24-37 | | |
| 650-016-00-2 | Mineral wool, with the exception of those specified elsewhere in this Annex; [Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content greater than 18 % by weight] | — | — | Carc. Cat. 3; R40 Xi; R38 | Xn R: 38-40 S: (2-)36/37 | | AQR |
| 650-017-00-8 | Refractory Ceramic Fibres; Special Purpose Fibres, with the exception of those specified elsewhere in this Annex; [Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content less or equal to 18 % by weight] | — | — | Carc. Cat. 2; R49 Xi; R38 | T R: 49-38 S: 53-45 | | A R |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|--|-------------|-------------|--|--|---------------------------------------|-------|
| 650-018-00-3 | reaction product of: acetophenone, formaldehyde, cyclohexylamine, methanol and acetic acid | 406-230-1 | — | R10 Carc. Cat. 3; R40 C; R34 Xn; R20 R43 N; R50-53 | C; N R: 10-20-34-40-43-50/53 S: (1/2-)26-36/37/39-45-60-61 | | |
| 650-031-00-4 | bis(4-hydroxy-N-methylanilinium) sulphate | 200-237-1 | 55-55-0 | Xn; R22-48/ 22 R43 N; R50-53 | Xn; N R: 22-43-48/22-50/ 53 S: (2-)36/37-46-60-61 | | |
| 650-032-00-X | cyproconazole (ISO); (2RS,3RS;2RS,3SR)-2-(4-chlorophenyl)-3-cyclopropyl-1-(1H—1,2,4-triazol-1-yl)butan-2-ol | — | 94361-06-5 | Repr. Cat. 3; R63 Xn; R22 N; R50-53 | Xn; N R: 22-50/53-63 S: (2-)36/37-60-61 | | |
| 650-033-00-5 | (S)- α -cyano-3-phenoxybenzyl-(S)-2-(4-chlorophenyl)-3-methylbutyrate; esfenvalerate | — | 66230-04-4 | T; R23/25 R43 N; R50-53 | T; N R: 23/25-43-50/53 S: (1/2-)24-36/37/39-45-60-61 | | |
| 650-041-00-9 | triasulfuron (ISO); 1-[2-(2-chloroethoxy)phenylsulfonyl]-3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)urea | — | 82097-50-5 | N; R50-53 | N R: 50/53 S: 60-61 | | |
| 650-042-00-4 | reaction product of: polyethylene-polyamine-(C ₁₆ -C ₁₈)-alkylamides with monothio-(C ₂)-alkyl phosphonates | 417-450-2 | — | Xi; R36/38 R43 R52-53 | Xi R: 36/38-43-52/53 S: (2-)24-26-37-61 | | |
| 650-043-00-X | reaction product of: 3,5-bis- <i>tert</i> -butylsalicylic acid and aluminiumsulfate | 420-310-3 | — | Xn; R22 N; R50-53 | Xn; N R: 22-50/53 S: (2-)22-56-60-61 | | |
| 650-044-00-5 | mixed linear and branched C ₁₄₋₁₅ alcohols ethoxylated, reaction product with epichlorohydrin | 420-480-9 | 158570-99-1 | Xi; R38 R43 N; R50-53 | Xi; N R: 38-43-50/53 S: (2-)24-37-60-61 | | |
| 650-045-00-0 | reaction product of: 1,2,3-propanetricarboxylic acid, 2-hydroxy, diethyl ester, 1-propanol and zirconium tetra-n-propanolate | 417-110-3 | — | F; R11 Xi; R38-41 N; R51-53 | F; Xi; N R: 11-38-41-51/53 S: (2-)9-16-26-37/39-61 | | |

| Numéro index | Classification chimique internationale | Numéros CEo | Numéros CAS | Classification | Étiquetage | Limites de concentrations spécifiques | Notes |
|--------------|---|-------------|-------------|---|---|---------------------------------------|-------|
| 650-046-00-6 | di(tetramethylammonium)(29H,31H-phthalocyanin-N29, N30,N31,N32)disulfonamide disulfonate, cuprate(2-)complex, derivates | 416-180-2 | 12222-04-7 | Xn; R22-48/22 N; R51-53 | Xn; N R: 22-48/22-51/53 S: (2-)22-36-61 | | |
| 650-047-00-1 | dibenzylphenylsulfonium hexafluoroantimonate | 417-760-8 | 134164-24-2 | T; R48/25 Xn; R22 Xi; R41 R43 N; R51-53 | T; N R: 22-41-43-48/25-51/53 S: (1/2-)22-26-36/37/39-45-61 | | |
| 650-048-00-7 | reaction product of: borax, hydrogen peroxide, acetic acid anhydride and acetic acid | 420-070-1 | — | O; R7 Xn; R20/21/22 C; R35 N; R50 | O; C; N R: 7-20/21/22-35-50 S: (1/2-)3/7-14-26-36/37/39-45-61 | | |
| 650-049-00-2 | 2-alkoxyloxyethyl hydrogen maleate, where alkoyl represents (by weight) 70 to 85 % unsaturated octadecoyl, 0.5 to 10 % saturated octadecoyl, and 2 to 18 % saturated hexadecoyl | 417-960-5 | — | Xi; R38-41 R43 N; R50-53 | Xi; N R: 38-41-43-50/53 S: (2-)24-26-37/39-60-61 | | |
| 650-050-00-8 | reaction mass of: 1-methyl-3-hydroxypropyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydro-cinnamate and/or 3-hydroxybutyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydrocinnamate; 1,3-butanediol bis[3-(3'-(1,1-dimethylethyl)4'-hydroxyphenyl)propionate] isomers; 1,3-butanediol bis[3-(3',5'-(1,1-dimethylethyl)-4'-hydroxyphenyl)propionate] isomers | 423-600-8 | — | N; R51-53 | N R: 51/53 S: 61 | | |
| 650-055-00-5 | silver sodium zirconium hydrogenphosphate | 422-570-3 | 155925-27-2 | N; R50-53 | N R: 50/53 S: 60-61 | | |

ANNEXE VII

Tableau de conversion entre la classification établie selon la directive 67/548/CEE, d'une part, et la classification établie selon le présent règlement, d'autre part

La présente annexe présente un tableau destiné à faciliter la conversion de la classification d'une substance ou d'un mélange, établie selon la directive 67/548/CEE ou la directive 1999/45/CE, respectivement, à la classification correspondante, établie conformément au présent règlement. Lorsqu'il existe des données sur la substance ou le mélange, une évaluation et une classification sont effectuées en application des articles 9 à 13 du présent règlement.

1. Tableau de conversion

Les codes utilisés sont ceux présentés au tableau 1.1 et au point 1.1.2.2 de l'annexe VI.

Tableau 1.1

Conversion entre la classification établie selon la directive 67/548/CEE et celle établie selon le présent règlement

| Classification selon la directive 67/548/CEE | État physique de la substance (quand cette donnée est nécessaire) | Classification attribuée au titre du présent règlement | | Note |
|--|---|---|-------------------|------|
| | | Classe et catégorie de danger | Mention de danger | |
| E; R2 | | Pas de conversion directe possible | | |
| E; R3 | | Pas de conversion directe possible | | |
| O; R7 | | Org. Perox. CD | H242 | |
| | | Org. Perox. EF | H242 | |
| O; R8 | gaz | Ox. Gas 1 | H270 | |
| O; R8 | liquide, solide | Pas de conversion directe possible | | |
| O; R9 | liquide | Ox. Liq. 1 | H271 | |
| O; R9 | solide | Ox. sol. 1 | H271 | |
| R10 | liquide | Pas de conversion directe possible Conversion correcte de R10, le liquide étant: — Flam. Liq. 1, H224 si point d'éclair < 23 °C et point initial d'ébullition ≤ 35 °C — Flam. Liq. 2, H225 si point d'éclair < 23 °C et point initial d'ébullition > 35 °C — Flam. Liq. 3, H226 si point d'éclair ≥ 23 °C | | |
| F; R11 | liquide | Pas de conversion directe possible Conversion correcte de F; R11, le liquide étant: — Flam. Liq. 1, H224 si point initial d'ébullition ≤ 35 °C — Flam. Liq. 2, H225 si point initial d'ébullition > 35 °C | | |
| F; R11 | solide | Pas de conversion directe possible | | |
| F+; R12 | gaz | Pas de conversion directe possible Conversion correcte de F+; R12, état gazeux se convertissant soit en Flam. Gas 1, H220 soit en Flam. Gas. 2, H221 | | |
| F+; R12 | liquide | Flam. Liq. 1 | H224 | |
| F+; R12 | liquide | Self-react. CD | H242 | |
| | | Self-react.EF | H242 | |
| | | Self-react.G | aucun | |
| F; R15 | | Pas de conversion possible | | |
| F; R17 | liquide | Pyr. Liq. 1 | H250 | |
| F; R17 | solide | Pyr. Sol. 1 | H250 | |

| Classification selon la directive 67/548/CEE | État physique de la substance (quand cette donnée est nécessaire) | Classification attribuée au titre du présent règlement | | Note |
|--|---|--|-------------------|------|
| | | Classe et catégorie de danger | Mention de danger | |
| Xn; R20 | gaz | Acute Tox. 4 | H332 | (1) |
| Xn; R20 | vapeurs | Acute Tox. 4 | H332 | (1) |
| Xn; R20 | poussières/brouillard | Acute Tox. 4 | H332 | |
| Xn; R21 | | Acute Tox. 4 | H312 | (1) |
| Xn; R22 | | Acute Tox. 4 | H302 | (1) |
| T; R23 | gaz | Acute Tox. 3 | H331 | (1) |
| T; R23 | vapeurs | Acute Tox. 2 | H330 | |
| T; R23 | poussières/brouillard | Acute Tox. 3 | H331 | (1) |
| T; R24 | | Acute Tox. 3 | H311 | (1) |
| T; R25 | | Acute Tox. 3 | H301 | (1) |
| T+; R26 | gaz | Acute Tox. 2 | H330 | (1) |
| T+; R26 | vapeur | Acute Tox. 1 | H330 | |
| T+; R26 | poussières/brouillard | Acute Tox. 2 | H330 | (1) |
| T+; R27 | | Acute Tox. 1 | H310 | |
| T+; R28 | | Acute Tox. 2 | H300 | (1) |
| R33 | | STOT RE 2 | H373 | (3) |
| C; R34 | | Skin Corr. 1B | H314 | (2) |
| C; R35 | | Skin Corr.1A | H314 | |
| Xi; R36 | | Eye Irrit. 2 | H319 | |
| Xi; R37 | | STOT SE 3 | H335 | |
| Xi; R38 | | Skin Irrit. 2 | H315 | |
| T; R39/23 | | STOT SE 1 | H370 | (3) |
| T; R39/24 | | STOT SE1 | H370 | (3) |
| T; R39/25 | | STOT SE1 | H370 | (3) |
| T+; R39/26 | | STOT SE1 | H370 | (3) |
| T+; R39/27 | | STOT SE1 | H370 | (3) |
| T+; R39/28 | | STOT SE1 | H370 | (3) |
| Xi; R41 | | Eye Dam. 1 | H318 | |
| R42 | | Resp. Sens. 1 | H334 | |
| R43 | | Skin Sens. 1 | H317 | |
| Xn; R48/20 | | STOT RE 2 | H373 | (3) |
| Xn; R48/21 | | STOT RE2 | H373 | (3) |
| Xn; R48/22 | | STOT RE2 | H373 | (3) |
| T; R48/23 | | STOT RE1 | H372 | (3) |
| T; R48/24 | | STOT RE1 | H372 | (3) |
| T; R48/25 | | STOT RE1 | H372 | (3) |

| Classification selon la directive 67/548/CEE | État physique de la substance (quand cette donnée est nécessaire) | Classification attribuée au titre du présent règlement | | Note |
|--|---|--|-------------------|------|
| | | Classe et catégorie de danger | Mention de danger | |
| R64 | | Lact. | H362 | |
| Xn; R65 | | Asp. Tox. 1 | H304 | |
| R67 | | STOT SE 3 | H336 | |
| Xn; R68/20 | | STOT SE2 | H371 | (3) |
| Xn; R68/21 | | STOT SE2 | H371 | (3) |
| Xn; R68/22 | | STOT SE2 | H371 | (3) |
| Canc. Cat. 1; R45 | | Carc. 1A | H350 | |
| Canc. Cat. 2; R45 | | Carc. 1B | H350 | |
| Canc. Cat. 1; R49 | | Carc. 1A | H350i | |
| Canc. Cat. 2; R49 | | Carc. 1B | H350i | |
| Canc. Cat. 3; R40 | | Carc. 2 | H351 | |
| Mutag. Cat. 2; R46 | | Muta. 1B | H340 | |
| Mutag. Cat. 3; R68 | | Muta. 2 | H341 | |
| Repr. Cat. 1; R60 | | Repr. 1A | H360F | (4) |
| Repr. Cat. 2; R60 | | Repr. 1B | H360F | (4) |
| Repr. Cat. 1; R61 | | Repr. 1A | H360D | (4) |
| Repr. Cat. 2; R61 | | Repr. 1B | H360D | (4) |
| Repr. Cat. 3; R62 | | Repr. 2 | H361f | (4) |
| Repr. Cat. 3; R63 | | Repr. 2 | H361d | (4) |
| Repr. Cat. 1; R60 — 61 | | Repr. 1A | H360FD | |
| Repr. Cat. 1; R60 Repr. Cat. 2; R61 | | Repr. 1A | H360FD | |
| Repr. Cat. 2; R60 Repr. Cat. 1; R61 | | Repr. 1A | H360FD | |
| Repr. Cat. 2; R60 — 61 | | Repr. 1B | H360FD | |
| Repr. Cat. 3; R62 — 63 | | Repr. 2 | H361fd | |
| Repr. Cat. 1; R60 Repr. Cat. 3; R63 | | Repr. 1A | H360Fd | |
| Repr. Cat. 2; R60 Repr. Cat. 3; R63 | | Repr. 1B | H360Fd | |
| Repr. Cat. 1; R61 Repr. Cat. 3; R62 | | Repr. 1A | H360Df | |
| Repr. Cat. 2; R61 Repr. Cat. 3; R62 | | Repr. 1B | H360Df | |
| N; R50 | | Aquatic Acute 1 | H400 | |
| N; R50-53 | | Aquatic Acute 1 Aquatic Chronic 1 | H400 H410 | |
| N; R51-53 | | Aquatic Chronic 2 | H411 | |
| R52-53 | | Aquatic Chronic 3 | H412 | |

| Classification selon la directive 67/548/CEE | État physique de la substance (quand cette donnée est nécessaire) | Classification attribuée au titre du présent règlement | | Note |
|--|---|--|-------------------|------|
| | | Classe et catégorie de danger | Mention de danger | |
| R53 | | Aquatic Chronic 4 | H413 | |
| N; R59 | | Ozone | EUH059 | |

Note 1

Pour ces classes, la classification minimum recommandée, telle que définie à la section 1.2.1.1 de l'annexe VI, peut être utilisée. Des données ou d'autres informations peuvent être disponibles pour indiquer qu'il y a lieu de procéder à une nouvelle classification dans une catégorie plus sévère.

Note 2

Une classification dans la catégorie 1B est recommandée, même s'il est possible que la catégorie 1C puisse convenir dans certains cas. Le retour aux données initiales ne permet pas forcément de faire une distinction entre la catégorie 1B et la catégorie 1C, puisque la durée d'exposition a normalement pu atteindre quatre heures, conformément au règlement (CE) n° 440/2008. Pour l'avenir, lorsque les données seront dérivées d'essais à la suite d'une approche par étapes, telle que prévue dans le règlement (CE) n° 440/2008, il conviendra toutefois d'envisager une classification dans la catégorie 1C.

Note 3

À l'avenir, la voie d'exposition pourrait être ajoutée à la mention de danger s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger.

Note 4

Les mentions de danger H360 et H361 indiquent une préoccupation générale quant aux deux propriétés reproductives concernant la fertilité et les effets sur le développement: «Peut nuire/susceptible de nuire à la fertilité ou au fœtus». Selon les critères de classification (annexe I, section 3.7), la mention de danger générale peut être remplacée par la mention de danger indiquant la seule propriété suscitant une préoccupation, lorsqu'il est démontré que soit la fertilité, soit les effets sur le développement ne sont pas concernés.

Tableau 1.2

Conversion entre les phrases de risque attribuées en application de la directive 67/548/CEE et les prescriptions supplémentaires en matière d'étiquetage, énoncées dans le présent règlement

| Directive 67/548/CEE | Présent règlement |
|----------------------|-------------------|
| R1 | EUH001 |
| R6 | EUH006 |
| R14 | EUH014 |
| R18 | EUH018 |
| R19 | EUH019 |
| R44 | EUH044 |
| R29 | EUH029 |
| R31 | EUH031 |
| R32 | EUH032 |
| R66 | EUH066 |
| R39-41 | EUH070 |